

# Francisco M Vázquez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1353951/publications.pdf>

Version: 2024-02-01

46  
papers

652  
citations

687363

13  
h-index

610901

24  
g-index

47  
all docs

47  
docs citations

47  
times ranked

968  
citing authors

#	ARTICLE	IF	CITATIONS
1	Acorns ( <i>Quercus rotundifolia</i> Lam.) and grass as natural sources of antioxidants and fatty acids in the "montanera" feeding of Iberian pig: Intra- and inter-annual variations. <i>Food Chemistry</i> , 2011, 124, 997-1004.	8.2	105
2	A Missense Mutation in the Sodium Channel $\beta 2$ Subunit Reveals <i>SCN2B</i> as a New Candidate Gene for Brugada Syndrome. <i>Human Mutation</i> , 2013, 34, 961-966.	2.5	96
3	Medicinal plants used in the Barros Area, Badajoz Province (Spain). <i>Journal of Ethnopharmacology</i> , 1997, 55, 81-85.	4.1	60
4	Effect of production system on physical-chemical, antioxidant and fatty acids composition of <i>Longissimus dorsi</i> and <i>Serratus ventralis</i> muscles from Iberian pig. <i>Food Chemistry</i> , 2012, 133, 293-299.	8.2	60
5	Exercise Performance and Skeletal Muscles in Patients With Advanced Chagas Disease. <i>Chest</i> , 2004, 125, 1306-1314.	0.8	24
6	Screening of selected species from Spanish flora as a source of bioactive substances. <i>Industrial Crops and Products</i> , 2017, 95, 493-501.	5.2	22
7	Revisión del género <i>Stipa</i> L. y <i>Nassella</i> Desv. (Poaceae) en la Península Ibérica e Islas Baleares. <i>Acta Botanica Malacitana</i> , 0, 21, 125-189.	0.0	22
8	Study of variability in antioxidant composition and fatty acids profile of <i>Longissimus dorsi</i> and <i>Serratus ventralis</i> muscles from Iberian pigs reared in two different Montanera seasons. <i>Meat Science</i> , 2012, 90, 414-419.	5.5	20
9	Resurrection and emendation of <i>Macrochloa</i> (Gramineae: Stipeae). <i>Botanical Journal of the Linnean Society</i> , 2004, 144, 483-495.	1.6	19
10	Chemical composition and antioxidant activity of the essential oil of <i>Thymbra capitata</i> (L.) Cav. in Spain. <i>Acta Botanica Gallica</i> , 2010, 157, 55-63.	0.9	19
11	Association between asthma and dental caries in the primary dentition of Mexican children. <i>World Journal of Pediatrics</i> , 2011, 7, 344-349.	1.8	16
12	Seed germination and risks of using the invasive plant <i>Eichhornia crassipes</i> (Mart.) Solms-Laub. (water) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i> 203-214.	0.9	15
13	Combining Satellite Remote Sensing and Climate Data in Species Distribution Models to Improve the Conservation of Iberian White Oaks ( <i>Quercus</i> L.). <i>ISPRS International Journal of Geo-Information</i> , 2020, 9, 735.	2.9	15
14	Classification of species of <i>Stipa</i> with awns having plumose distal segments. <i>Telopea</i> , 2011, 13, 155-176.	0.4	15
15	Syntaxonomic update on the relict groves of Mirbeck's oak ( <i>Quercus canariensis</i> Willd. and Q.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i> 1.6	1.6	13
16	High Diversity in Urban Areas: How Comprehensive Sampling Reveals High Ant Species Richness within One of the Most Urbanized Regions of the World. <i>Diversity</i> , 2021, 13, 358.	1.7	13
17	IAPT/IOPB chromosome data 9. <i>Taxon</i> , 2010, 59, 1298-1302.	0.7	12
18	Bioactive Phytochemicals from <i>Mercurialis</i> spp. Used in Traditional Spanish Medicine. <i>Plants</i> , 2019, 8, 193.	3.5	11

#	ARTICLE	IF	CITATIONS
19	Late Quaternary range shifts of marcescent oaks unveil the dynamics of a major biogeographic transition in southern Europe. <i>Scientific Reports</i> , 2020, 10, 21598.	3.3	11
20	Two new species and combinations of <i>Stipa</i> L. (Graminae) from northwest Africa. <i>Botanical Journal of the Linnean Society</i> , 1997, 124, 201-209.	1.6	10
21	Taxonomic peculiarities of marcescent oaks ( <i>Quercus</i> ) In southern Portugal. <i>Lazaroa</i> , 2014, 35, .	0.8	8
22	The Role of Hybridization on the Adaptive Potential of Mediterranean Sclerophyllous Oaks: The Case of the <i>Quercus ilex</i> x <i>Q. suber</i> Complex. <i>Tree Physiology</i> , 2017, , 239-260.	2.5	7
23	A new subspecies and two new combinations of <i>Nothofagus</i> Blume ( <i>Nothofagaceae</i> ) from Chile. <i>Botanical Journal of the Linnean Society</i> , 1999, 129, 75-83.	1.6	6
24	IAPT chromosome data 30. <i>Taxon</i> , 2019, 68, 1124-1130.	0.7	6
25	Two new taxa and a new combination for <i>Stipa</i> (Gramineae: Stipeae) in Tunisia. <i>Botanical Journal of the Linnean Society</i> , 2007, 153, 439-444.	1.6	5
26	Genesis, Evolution, and Genetic Diversity of the Hexaploid, Narrow Endemic <i>Centaurea tentudaica</i> . <i>Diversity</i> , 2021, 13, 72.	1.7	5
27	Interannual variability and evolution during the montanera period of Holm oak ( <i>Quercus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	0.6	5
28	Biosystematic study of the subsection <i>Thymastra</i> (Nyman ex Velen.) R. Morales of the <i>Thymus</i> L. genus (Lamiaceae). <i>Acta Botanica Gallica</i> , 2006, 153, 355-364.	0.9	4
29	Distribution and Germination Characteristics of <i>Astragalus gines-lopezii</i> : An Endangered Species. <i>Annales Botanici Fennici</i> , 2010, 47, 330-336.	0.1	4
30	The essential oil of the protected species: <i>Thymus praecox</i> ssp. <i>penyalarensis</i> . <i>Acta Societatis Botanicorum Poloniae</i> , 2012, 81, 23-27.	0.8	4
31	Short communication. Influence of phenological stage on the antioxidant activity of <i>Thymus zygis</i> s. l. essential oil. <i>Spanish Journal of Agricultural Research</i> , 2012, 10, 461.	0.6	4
32	Lectotypification of <i>Typha angustifolia</i> (Typhaceae). <i>Taxon</i> , 2013, 62, 1283-1286.	0.7	3
33	A new species of <i>Stipa</i> sect. <i>Leiostipa</i> (Poaceae) from SW Spain. <i>Willdenowia</i> , 2009, 39, 261-264.	0.8	3
34	Dos nuevas especies y una combinaci3n en el g3nero <i>Stipa</i> L., Secci3n <i>Leiostipa</i> Dumort (Poaceae) para el SE de Espa3a. <i>Acta Botanica Malacitana</i> , 0, 24, 27-32.	0.0	3
35	Two new species and combinations of L. (Graminae) from northwest Africa. <i>Botanical Journal of the Linnean Society</i> , 1997, 124, 201-209.	1.6	1
36	Typification of the names of Iberian Valerianaceae taxa described by Linnaeus. <i>Taxon</i> , 2010, 59, 1267-1270.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Study of the essential oil of three species of thyme in their limit of distribution in Spain. Acta Botanica Gallica, 2011, 158, 251-262.	0.9	1
38	(2569) Proposal to conserve the name <i>Quercus ilex</i> ( <i>Fagaceae</i> ) with a conserved type. Taxon, 2017, 66, 1473-1475.	0.7	1
39	Correct citation and lectotypification of <i>Quercus ãkabylica</i> and <i>Q. ãnumidica</i> ( <i>Fagaceae</i> ). Phytotaxa, 2021, 478, 275-280.	0.3	1
40	Lectotypification of names of <i>Quercus</i> spp. ( <i>Fagaceae</i> ) described by Lamarck from the Iberian Peninsula. Phytotaxa, 2020, 455, 205-213.	0.3	1
41	(2851) Proposal to reject the name <i>Senecio nebrodensis</i> ( <i>Asteraceae</i> ). Taxon, 2021, 70, 1370-1370.	0.7	1
42	(1968) Proposal to reject the name <i>Valeriana mixta</i> ( <i>Valerianaceae</i> ). Taxon, 2010, 59, 1289-1290.	0.7	0
43	(023â€“024) Proposals to add a new Article and some Examples under Article 5. Taxon, 2014, 63, 1142-1142.	0.7	0
44	A contribution to ex-situ conservation of Mediterranean thymes: Germination trials. Acta Botanica Malacitana, 0, 34, 39-55.	0.0	0
45	Chemotaxonomic study on <i>Thymus xtoletanus</i> Ladero and its parental species. Acta Societatis Botanicorum Poloniae, 2011, 79, 125-128.	0.8	0
46	Notes on the original materials of the three western Mediterranean oaks ( <i>Quercus</i> , <i>Fagaceae</i> ) described by Desfontaines. Mediterranean Botany, 0, 43, e76648.	0.9	0