

# Peter T Donnan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1354524/publications.pdf>

Version: 2024-02-01

71  
papers

2,869  
citations

201385

27  
h-index

182168

51  
g-index

72  
all docs

72  
docs citations

72  
times ranked

5354  
citing authors

#	ARTICLE	IF	CITATIONS
1	A gender-sensitised weight loss and healthy living programme for overweight and obese men delivered by Scottish Premier League football clubs (FFIT): a pragmatic randomised controlled trial. <i>Lancet</i> , The, 2014, 383, 1211-1221.	6.3	308
2	Non-steroidal anti-inflammatory drug induced acute kidney injury in the community dwelling general population and people with chronic kidney disease: systematic review and meta-analysis. <i>BMC Nephrology</i> , 2017, 18, 256.	0.8	160
3	Epidemiology and outcomes of people with dementia, delirium, and unspecified cognitive impairment in the general hospital: prospective cohort study of 10,014 admissions. <i>BMC Medicine</i> , 2017, 15, 140.	2.3	146
4	Cardiovascular Effects of Switching From Tobacco Cigarettes to Electronic Cigarettes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 3112-3120.	1.2	143
5	Cholecalciferol Treatment to Reduce Blood Pressure in Older Patients With Isolated Systolic Hypertension. <i>JAMA Internal Medicine</i> , 2013, 173, 1672-9.	2.6	123
6	Risk of postoperative acute kidney injury in patients undergoing orthopaedic surgery—development and validation of a risk score and effect of acute kidney injury on survival: observational cohort study. <i>BMJ</i> , The, 2015, 351, h5639-h5639.	3.0	118
7	Dapagliflozin Versus Placebo on Left Ventricular Remodeling in Patients With Diabetes and Heart Failure: The REFORM Trial. <i>Diabetes Care</i> , 2020, 43, 1356-1359.	4.3	102
8	Risk of AKI with Gentamicin as Surgical Prophylaxis. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2625-2632.	3.0	100
9	Adverse Respiratory Effect of Acute $\beta$ -Blocker Exposure in Asthma. <i>Chest</i> , 2014, 145, 779-786.	0.4	88
10	Long-term effect of lithium maintenance therapy on estimated glomerular filtration rate in patients with affective disorders: a population-based cohort study. <i>Lancet Psychiatry</i> , the, 2015, 2, 1075-1083.	3.7	83
11	Real time remote symptom monitoring during chemotherapy for cancer: European multicentre randomised controlled trial (eSMART). <i>BMJ</i> , The, 2021, 374, n1647.	3.0	81
12	Development and Validation of a Model for Predicting Emergency Admissions Over the Next Year (PEONY) & subtitle > A UK Historical Cohort Study & subtitle >. <i>Archives of Internal Medicine</i> , 2008, 168, 1416.	4.3	76
13	Derivation and Validation of a Prediction Score for Major Coronary Heart Disease Events in a U.K. Type 2 Diabetic Population. <i>Diabetes Care</i> , 2006, 29, 1231-1236.	4.3	69
14	Respiratory effect of beta-blockers in people with asthma and cardiovascular disease: population-based nested case control study. <i>BMC Medicine</i> , 2017, 15, 18.	2.3	67
15	Safety risks for patients with aspirin-exacerbated respiratory disease after acute exposure to selective nonsteroidal anti-inflammatory drugs and COX-2 inhibitors: Meta-analysis of controlled clinical trials. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 40-45.e10.	1.5	64
16	Football Fans in Training (FFIT): a randomised controlled trial of a gender-sensitised weight loss and healthy living programme for men – end of study report. <i>Public Health Research</i> , 2015, 3, 1-130.	0.5	64
17	Mortality in people with dementia, delirium, and unspecified cognitive impairment in the general hospital: prospective cohort study of 6,724 patients with 2 years follow-up. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1743-1753.	1.5	62
18	Dog ownership and physical activity in later life: A cross-sectional observational study. <i>Preventive Medicine</i> , 2014, 66, 101-106.	1.6	59

#	ARTICLE	IF	CITATIONS
19	Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland. <i>British Journal of Anaesthesia</i> , 2020, 125, 159-167.	1.5	59
20	Increased mortality and morbidity in patients with chronic hypoparathyroidism: A population-based study. <i>Clinical Endocrinology</i> , 2019, 90, 285-292.	1.2	58
21	Amputation-free survival in 17,353 people at high risk for foot ulceration in diabetes: a national observational study. <i>Diabetologia</i> , 2018, 61, 2590-2597.	2.9	55
22	The PRECIS-2 tool has good interrater reliability and modest discriminant validity. <i>Journal of Clinical Epidemiology</i> , 2017, 88, 113-121.	2.4	48
23	Intelligent liver function testing (iLFT): A trial of automated diagnosis and staging of liver disease in primary care. <i>Journal of Hepatology</i> , 2019, 71, 699-706.	1.8	45
24	Association of Day Length and Weather Conditions with Physical Activity Levels in Older Community Dwelling People. <i>PLoS ONE</i> , 2014, 9, e85331.	1.1	45
25	Respiratory effect of beta-blocker eye drops in asthma: population-based study and meta-analysis of clinical trials. <i>British Journal of Clinical Pharmacology</i> , 2016, 82, 814-822.	1.1	42
26	Propensity score methods in drug safety studies: practice, strengths and limitations. <i>Pharmacoepidemiology and Drug Safety</i> , 2001, 10, 341-344.	0.9	40
27	Identifying risk factors for progression to critical care admission and death among individuals with acute pancreatitis: a record linkage analysis of Scottish healthcare databases. <i>BMJ Open</i> , 2016, 6, e011474.	0.8	29
28	Adaptation and Implementation of a Mobile Phone-Based Remote Symptom Monitoring System for People With Cancer in Europe. <i>JMIR Cancer</i> , 2019, 5, e10813.	0.9	28
29	Cue-based versus scheduled feeding for preterm infants transitioning from tube to oral feeding: the Cubs mixed-methods feasibility study. <i>Health Technology Assessment</i> , 2021, 25, 1-146.	1.3	28
30	Prediction of initiation and cessation of breastfeeding from late pregnancy to 16 weeks: the Feeding Your Baby (FYB) cohort study. <i>BMJ Open</i> , 2013, 3, e003274.	0.8	27
31	The role of perceived barriers and objectively measured physical activity in adults aged 65-100. <i>Age and Ageing</i> , 2015, 44, 384-390.	0.7	27
32	Time series analysis of the impact of an intervention in Tayside, Scotland to reduce primary care broad-spectrum antimicrobial use. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2397-2404.	1.3	27
33	Association between GDF-15 levels and changes in vascular and physical function in older patients with hypertension. <i>Aging Clinical and Experimental Research</i> , 2017, 29, 1055-1059.	1.4	26
34	Prediction of liver disease in patients whose liver function tests have been checked in primary care: model development and validation using population-based observational cohorts. <i>BMJ Open</i> , 2014, 4, e004837-e004837.	0.8	24
35	The population risk of fractures attributable to oral corticosteroids. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 177-186.	0.9	21
36	Texting to Reduce Alcohol Misuse (TRAM): main findings from a randomized controlled trial of a text message intervention to reduce binge drinking among disadvantaged men. <i>Addiction</i> , 2018, 113, 1609-1618.	1.7	21

#	ARTICLE	IF	CITATIONS
37	The case-crossover and case-time-control designs in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2001, 10, 259-262.	0.9	20
38	Factors associated with change in objectively measured physical activity in older people – data from the physical activity cohort Scotland study. <i>BMC Geriatrics</i> , 2017, 17, 180.	1.1	19
39	Bad apples or spoiled barrels? Multilevel modelling analysis of variation in high-risk prescribing in Scotland between general practitioners and between the practices they work in. <i>BMJ Open</i> , 2015, 5, e008270.	0.8	19
40	Outpatient (same-day discharge) versus inpatient parotidectomy: A systematic review and meta-analysis. <i>Clinical Otolaryngology</i> , 2020, 45, 529-537.	0.6	15
41	Association Between Kidney Function, Rehabilitation Outcome, and Survival in Older Patients Discharged From Inpatient Rehabilitation. <i>American Journal of Kidney Diseases</i> , 2015, 66, 768-774.	2.1	14
42	Living at home after emergency hospital admission: prospective cohort study in older adults with and without cognitive spectrum disorder. <i>BMC Medicine</i> , 2018, 16, 231.	2.3	14
43	Sodium bicarbonate to improve physical function in patients over 60 years with advanced chronic kidney disease: the BiCARB RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-90.	1.3	14
44	Development of a decision support tool to facilitate primary care management of patients with abnormal liver function tests without clinically apparent liver disease [HTA03/38/02]. Abnormal Liver Function Investigations Evaluation (ALFIE). <i>BMC Health Services Research</i> , 2007, 7, 54.	0.9	13
45	Association between allopurinol use and hip fracture in older patients. <i>Bone</i> , 2016, 84, 189-193.	1.4	13
46	Effect of perindopril or leucine on physical performance in older people with sarcopenia: the LACE randomized controlled trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 858-871.	2.9	13
47	Early Treatment with Prednisolone or Acyclovir in Bell's Palsy. <i>Clinical Otolaryngology</i> , 2007, 32, 460-460.	0.6	12
48	Clinical effectiveness of pharmacy-led versus conventionally delivered antiviral treatment for hepatitis C in patients receiving opioid substitution therapy: a study protocol for a pragmatic cluster randomised trial. <i>BMJ Open</i> , 2018, 8, e021443.	0.8	12
49	Has primary care antimicrobial use really been increasing? Comparison of changes in different prescribing measures for a complete geographic population 1995–2014. <i>Journal of Antimicrobial Chemotherapy</i> , 2017, 72, 2921-2930.	1.3	11
50	Temporal changes in frequency of severe hypoglycemia treated by emergency medical services in types 1 and 2 diabetes: a population-based data-linkage cohort study. <i>Clinical Diabetes and Endocrinology</i> , 2017, 3, 7.	1.3	11
51	A novel approach to increasing community capacity for weight management a volunteer-delivered programme (ActWELL) initiated within breast screening clinics: a randomised controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 34.	2.0	11
52	Exposure to contrast media in the perioperative period confers no additional risk of acute kidney injury in surgical patients. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1751-1756.	0.4	10
53	Dynamic Lycra® orthoses as an adjunct to arm rehabilitation after stroke: a single-blind, two-arm parallel group, randomized controlled feasibility trial. <i>Clinical Rehabilitation</i> , 2019, 33, 1331-1343.	1.0	10
54	Development and preliminary testing of a brief clinical tool to enable daily monitoring of chemotherapy toxicity: The Daily Chemotherapy Toxicity self-Assessment Questionnaire. <i>European Journal of Cancer Care</i> , 2018, 27, e12890.	0.7	9

#	ARTICLE	IF	CITATIONS
55	Risk of acute kidney injury following community prescription of antibiotics: self-controlled case series. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1910-1916.	0.4	9
56	Recruitment strategies for sarcopenia trials: lessons from the LACE randomized controlled trial. <i>JCSM Rapid Communications</i> , 2021, 4, 93-102.	0.6	8
57	Text message intervention to reduce frequency of binge drinking among disadvantaged men: the TRAM RCT. <i>Public Health Research</i> , 2018, 6, 1-156.	0.5	7
58	Intolerance to Angiotensin Converting Enzyme Inhibitors in Asthma and the General Population: A UK Population-Based Cohort Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3431-3439.e4.	2.0	6
59	Association Between Objectively Measured Physical Activity and Opioid, Hypnotic, or Anticholinergic Medication Use in Older People: Data from the Physical Activity Cohort Scotland Study. <i>Drugs and Aging</i> , 2018, 35, 835-842.	1.3	5
60	Difficulties arising in reimbursement recommendations on new medicines due to inadequate reporting of population adjustment indirect comparison methods. <i>Research Synthesis Methods</i> , 2019, 10, 615-617.	4.2	5
61	Are antedementia drugs associated with reduced mortality after a hospital emergency admission in the population with dementia aged 65 years and older?. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 431-440.	1.8	5
62	Mode of presentation and skin thickening on ultrasound may predict nodal burden in breast cancer patients with a positive axillary core biopsy. <i>British Journal of Radiology</i> , 2020, 93, 20190711.	1.0	5
63	Death from cancer: frequent unscheduled care. <i>BMJ Supportive and Palliative Care</i> , 2022, , bmjspcare-2021-003448.	0.8	5
64	Association between bisphosphonate therapy and outcomes from rehabilitation in older people. <i>Archives of Gerontology and Geriatrics</i> , 2017, 70, 195-200.	1.4	4
65	Slower Decline in C-Reactive Protein after an Inflammatory Insult Is Associated with Longer Survival in Older Hospitalised Patients. <i>PLoS ONE</i> , 2016, 11, e0159412.	1.1	3
66	Long-term lithium and estimated glomerular filtration rate – Authors' reply. <i>Lancet Psychiatry</i> , 2016, 3, 106-107.	3.7	1
67	Serum sodium level variability as a prognosticator in older adults. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 632-638.	0.6	1
68	Effect of two different participant information sheets on recruitment to a falls trial: An embedded randomised recruitment trial. <i>Clinical Trials</i> , 2018, 15, 551-556.	0.7	1
69	Outpatient (Same-day Discharge) versus Inpatient Parotidectomy: A Systematic Review and Meta-analysis. , 2020, 99, .		1
70	Ambulante versus stationäre Parotidektomie: eine systematische Übersichtsarbeit und Meta-Analyse. <i>Laryngo- Rhino- Otologie</i> , 2020, 99, .	0.2	0
71	A pre-operative prognostic model predicting all cause and cause specific mortality for women presenting with invasive breast cancer. <i>Breast</i> , 2021, 61, 11-21.	0.9	0