
Peter T Donnan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1354524/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effect of perindopril or leucine on physical performance in older people with sarcopenia: the LACE randomized controlled trial. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 858-871.	7.3	13
2	Death from cancer: frequent unscheduled care. BMJ Supportive and Palliative Care, 2022, , bmjspcare-2021-003448.	1.6	5
3	A novel approach to increasing community capacity for weight management a volunteer-delivered programme (ActWELL) initiated within breast screening clinics: a randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 34.	4.6	11
4	Recruitment strategies for sarcopenia trials: lessons from the LACE randomized controlled trial. JCSM Rapid Communications, 2021, 4, 93-102.	1.6	8
5	Real time remote symptom monitoring during chemotherapy for cancer: European multicentre randomised controlled trial (eSMART). BMJ, The, 2021, 374, n1647.	6.0	81
6	Intolerance to Angiotensin Converting Enzyme Inhibitors in Asthma and the General Population: A UK Population-Based Cohort Study. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 3431-3439.e4.	3.8	6
7	A pre-operative prognostic model predicting all cause and cause specific mortality for women presenting with invasive breast cancer. Breast, 2021, 61, 11-21.	2.2	0
8	Cue-based versus scheduled feeding for preterm infants transitioning from tube to oral feeding: the Cubs mixed-methods feasibility study. Health Technology Assessment, 2021, 25, 1-146.	2.8	28
9	Trends in gabapentinoid prescribing, co-prescribing of opioids and benzodiazepines, and associated deaths in Scotland. British Journal of Anaesthesia, 2020, 125, 159-167.	3.4	59
10	Dapagliflozin Versus Placebo on Left Ventricular Remodeling in Patients With Diabetes and Heart Failure: The REFORM Trial. Diabetes Care, 2020, 43, 1356-1359.	8.6	102
11	Outpatient (sameâ€day discharge) versus inpatient parotidectomy: A systematic review and metaâ€analysis. Clinical Otolaryngology, 2020, 45, 529-537.	1.2	15
12	Mode of presentation and skin thickening on ultrasound may predict nodal burden in breast cancer patients with a positive axillary core biopsy. British Journal of Radiology, 2020, 93, 20190711.	2.2	5
13	Outpatient (Same-day Discharge) versus Inpatient Parotidectomy: A Systematic Review and Meta-analysis. , 2020, 99, .		1
14	Sodium bicarbonate to improve physical function in patients over 60 years with advanced chronic kidney disease: the BiCARB RCT. Health Technology Assessment, 2020, 24, 1-90.	2.8	14
15	Ambulante versus stationÃ r e Parotidektomie: eine systematische Übersichtsarbeit und Meta-Analyse. Laryngo- Rhino- Otologie, 2020, 99, .	0.2	0
16	Risk of acute kidney injury following community prescription of antibiotics: self-controlled case series. Nephrology Dialysis Transplantation, 2019, 34, 1910-1916.	0.7	9
17	Difficulties arising in reimbursement recommendations on new medicines due to inadequate reporting of population adjustment indirect comparison methods. Research Synthesis Methods, 2019, 10, 615-617.	8.7	5
18	Cardiovascular Effects of Switching FromÂTobacco Cigarettes to ElectronicÂCigarettes. Journal of the American College of Cardiology, 2019, 74, 3112-3120.	2.8	143

#	Article	IF	CITATIONS
19	Are antidementia drugs associated with reduced mortality after a hospital emergency admission in the population with dementia aged 65 years and older?. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 431-440.	3.7	5
20	Intelligent liver function testing (iLFT): A trial of automated diagnosis and staging of liver disease in primary care. Journal of Hepatology, 2019, 71, 699-706.	3.7	45
21	Dynamic Lycra® orthoses as an adjunct to arm rehabilitation after stroke: a single-blind, two-arm parallel group, randomized controlled feasibility trial. Clinical Rehabilitation, 2019, 33, 1331-1343.	2.2	10
22	Increased mortality and morbidity in patients with chronic hypoparathyroidism: A populationâ€based study. Clinical Endocrinology, 2019, 90, 285-292.	2.4	58
23	Adaptation and Implementation of a Mobile Phone–Based Remote Symptom Monitoring System for People With Cancer in Europe. JMIR Cancer, 2019, 5, e10813.	2.4	28
24	Exposure to contrast media in the perioperative period confers no additional risk of acute kidney injury in surgical patients. Nephrology Dialysis Transplantation, 2018, 33, 1751-1756.	0.7	10
25	Serum sodium level variability as a prognosticator in older adults. Scandinavian Journal of Clinical and Laboratory Investigation, 2018, 78, 632-638.	1.2	1
26	Clinical effectiveness of pharmacy-led versus conventionally delivered antiviral treatment for hepatitis C in patients receiving opioid substitution therapy: a study protocol for a pragmatic cluster randomised trial. BMJ Open, 2018, 8, e021443.	1.9	12
27	Living at home after emergency hospital admission: prospective cohort study in older adults with and without cognitive spectrum disorder. BMC Medicine, 2018, 16, 231.	5.5	14
28	Mortality in people with dementia, delirium, and unspecified cognitive impairment in the general hospital: prospective cohort study of 6,724 patients with 2 years follow-up. Clinical Epidemiology, 2018, Volume 10, 1743-1753.	3.0	62
29	Effect of two different participant information sheets on recruitment to a falls trial: An embedded randomised recruitment trial. Clinical Trials, 2018, 15, 551-556.	1.6	1
30	Amputation-free survival in 17,353 people at high risk for foot ulceration in diabetes: a national observational study. Diabetologia, 2018, 61, 2590-2597.	6.3	55
31	Development and preliminary testing of a brief clinical tool to enable daily monitoring of chemotherapy toxicity: The Daily Chemotherapy Toxicity self-Assessment Questionnaire. European Journal of Cancer Care, 2018, 27, e12890.	1.5	9
32	Association Between Objectively Measured Physical Activity and Opioid, Hypnotic, or Anticholinergic Medication Use in Older People: Data from the Physical Activity Cohort Scotland Study. Drugs and Aging, 2018, 35, 835-842.	2.7	5
33	Texting to Reduce Alcohol Misuse (TRAM): main findings from a randomized controlled trial of a text message intervention to reduce binge drinking among disadvantaged men. Addiction, 2018, 113, 1609-1618.	3.3	21
34	Text message intervention to reduce frequency of binge drinking among disadvantaged men: the TRAM RCT. Public Health Research, 2018, 6, 1-156.	1.3	7
35	Respiratory effect of beta-blockers in people with asthma and cardiovascular disease: population-based nested case control study. BMC Medicine, 2017, 15, 18.	5.5	67
36	Association between bisphosphonate therapy and outcomes from rehabilitation in older people. Archives of Gerontology and Geriatrics, 2017, 70, 195-200.	3.0	4

Peter T Donnan

#	Article	IF	CITATIONS
37	The PRECIS-2 tool has good interrater reliability and modest discriminant validity. Journal of Clinical Epidemiology, 2017, 88, 113-121.	5.0	48
38	Has primary care antimicrobial use really been increasing? Comparison of changes in different prescribing measures for a complete geographic population 1995–2014. Journal of Antimicrobial Chemotherapy, 2017, 72, 2921-2930.	3.0	11
39	Association between GDF-15 levels and changes in vascular and physical function in older patients with hypertension. Aging Clinical and Experimental Research, 2017, 29, 1055-1059.	2.9	26
40	Factors associated with change in objectively measured physical activity in older people – data from the physical activity cohort Scotland study. BMC Geriatrics, 2017, 17, 180.	2.7	19
41	Non-steroidal anti-inflammatory drug induced acute kidney injury in the community dwelling general population and people with chronic kidney disease: systematic review and meta-analysis. BMC Nephrology, 2017, 18, 256.	1.8	160
42	Epidemiology and outcomes of people with dementia, delirium, and unspecified cognitive impairment in the general hospital: prospective cohort study of 10,014 admissions. BMC Medicine, 2017, 15, 140.	5.5	146
43	Temporal changes in frequency of severe hypoglycemia treated by emergency medical services in types 1 and 2 diabetes: a population-based data-linkage cohort study. Clinical Diabetes and Endocrinology, 2017, 3, 7.	2.7	11
44	Respiratory effect of betaâ€blocker eye drops in asthma: populationâ€based study and metaâ€analysis of clinical trials. British Journal of Clinical Pharmacology, 2016, 82, 814-822.	2.4	42
45	Identifying risk factors for progression to critical care admission and death among individuals with acute pancreatitis: a record linkage analysis of Scottish healthcare databases. BMJ Open, 2016, 6, e011474.	1.9	29
46	Long-term lithium and estimated glomerular filtration rate – Authors' reply. Lancet Psychiatry,the, 2016, 3, 106-107.	7.4	1
47	Association between allopurinol use and hip fracture in older patients. Bone, 2016, 84, 189-193.	2.9	13
48	Slower Decline in C-Reactive Protein after an Inflammatory Insult Is Associated with Longer Survival in Older Hospitalised Patients. PLoS ONE, 2016, 11, e0159412.	2.5	3
49	Association Between Kidney Function, Rehabilitation Outcome, and Survival in Older Patients Discharged From Inpatient Rehabilitation. American Journal of Kidney Diseases, 2015, 66, 768-774.	1.9	14
50	Risk of postoperative acute kidney injury in patients undergoing orthopaedic surgerydevelopment and validation of a risk score and effect of acute kidney injury on survival: observational cohort study. BMJ, The, 2015, 351, h5639-h5639.	6.0	118
51	The role of perceived barriers and objectively measured physical activity in adults aged 65–100. Age and Ageing, 2015, 44, 384-390.	1.6	27
52	Time series analysis of the impact of an intervention in Tayside, Scotland to reduce primary care broad-spectrum antimicrobial use. Journal of Antimicrobial Chemotherapy, 2015, 70, 2397-2404.	3.0	27
53	Long-term effect of lithium maintenance therapy on estimated glomerular filtration rate in patients with affective disorders: a population-based cohort study. Lancet Psychiatry,the, 2015, 2, 1075-1083.	7.4	83
54	Bad apples or spoiled barrels? Multilevel modelling analysis of variation in high-risk prescribing in Scotland between general practitioners and between the practices they work in. BMJ Open, 2015, 5, e008270.	1.9	19

Peter T Donnan

#	Article	IF	CITATIONS
55	Football Fans in Training (FFIT): a randomised controlled trial of a gender-sensitised weight loss and healthy living programme for men – end of study report. Public Health Research, 2015, 3, 1-130.	1.3	64
56	Risk of AKI with Gentamicin as Surgical Prophylaxis. Journal of the American Society of Nephrology: JASN, 2014, 25, 2625-2632.	6.1	100
57	Safety risks for patients with aspirin-exacerbated respiratory disease after acute exposure to selective nonsteroidal anti-inflammatory drugs and COX-2 inhibitors: Meta-analysis of controlled clinical trials. Journal of Allergy and Clinical Immunology, 2014, 134, 40-45.e10.	2.9	64
58	A gender-sensitised weight loss and healthy living programme for overweight and obese men delivered by Scottish Premier League football clubs (FFIT): a pragmatic randomised controlled trial. Lancet, The, 2014, 383, 1211-1221.	13.7	308
59	Prediction of liver disease in patients whose liver function tests have been checked in primary care: model development and validation using population-based observational cohorts. BMJ Open, 2014, 4, e004837-e004837.	1.9	24
60	Dog ownership and physical activity in later life: A cross-sectional observational study. Preventive Medicine, 2014, 66, 101-106.	3.4	59
61	Adverse Respiratory Effect of Acute β-Blocker Exposure in Asthma. Chest, 2014, 145, 779-786.	0.8	88
62	Association of Day Length and Weather Conditions with Physical Activity Levels in Older Community Dwelling People. PLoS ONE, 2014, 9, e85331.	2.5	45
63	Cholecalciferol Treatment to Reduce Blood Pressure in Older Patients With Isolated Systolic Hypertension. JAMA Internal Medicine, 2013, 173, 1672-9.	5.1	123
64	Prediction of initiation and cessation of breastfeeding from late pregnancy to 16â€weeks: the Feeding Your Baby (FYB) cohort study. BMJ Open, 2013, 3, e003274.	1.9	27
65	Development and Validation of a Model for Predicting Emergency Admissions Over the Next Year (PEONY) <subtitle>A UK Historical Cohort Study</subtitle> . Archives of Internal Medicine, 2008, 168, 1416.	3.8	76
66	Early Treatment with Prednisolone or Acyclovir in Bell's Palsy. Clinical Otolaryngology, 2007, 32, 460-460.	1.2	12
67	Development of a decision support tool to facilitate primary care management of patients with abnormal liver function tests without clinically apparent liver disease [HTAO3/38/02]. Abnormal Liver Function Investigations Evaluation (ALFIE). BMC Health Services Research, 2007, 7, 54.	2.2	13
68	Derivation and Validation of a Prediction Score for Major Coronary Heart Disease Events in a U.K. Type 2 Diabetic Population. Diabetes Care, 2006, 29, 1231-1236.	8.6	69
69	The population risk of fractures attributable to oral corticosteroids. Pharmacoepidemiology and Drug Safety, 2005, 14, 177-186.	1.9	21
70	The case-crossover and case-time-control designs in pharmacoepidemiology. Pharmacoepidemiology and Drug Safety, 2001, 10, 259-262.	1.9	20
71	Propensity score methods in drug safety studies: practice, strengths and limitations. Pharmacoepidemiology and Drug Safety, 2001, 10, 341-344.	1.9	40