

Shunichiro Okazaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1354650/publications.pdf>

Version: 2024-02-01

18
papers

254
citations

840776

11
h-index

940533

16
g-index

18
all docs

18
docs citations

18
times ranked

310
citing authors

#	ARTICLE	IF	CITATIONS
1	Successful reimplantation surgery after extraction of well-fixed cementless stems by femoral longitudinal split procedure. <i>Arthroplasty Today</i> , 2020, 6, 123-128.	1.6	4
2	Restoration of proximal periprosthetic bone loss by denosumab in cementless total hip arthroplasty. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 1601-1607.	1.4	18
3	Susceptibility of Males, but Not Females to Developing Femoral Head Osteonecrosis in Response to Alcohol Consumption. <i>PLoS ONE</i> , 2016, 11, e0165490.	2.5	6
4	TLR4 stimulation and corticosteroid interactively induce osteonecrosis of the femoral head in rat. <i>Journal of Orthopaedic Research</i> , 2016, 34, 342-345.	2.3	18
5	Freezing effect on brain density in postmortem CT. <i>Legal Medicine</i> , 2016, 18, 62-65.	1.3	16
6	Experimental drowning lung images on postmortem CT – Difference between sea water and fresh water. <i>Legal Medicine</i> , 2016, 19, 11-15.	1.3	13
7	Postmortem computed tomography findings in the thorax – Experimental evaluation. <i>Legal Medicine</i> , 2016, 19, 96-100.	1.3	13
8	Extraction of well-fixed extended porous-coated cementless stems using a femoral longitudinal split procedure. <i>European Orthopaedics and Traumatology</i> , 2015, 6, 417-421.	0.1	7
9	Classification of hemopericardium on postmortem CT. <i>Legal Medicine</i> , 2015, 17, 376-380.	1.3	10
10	CT-guided percutaneous needle placement in forensic medicine. <i>Legal Medicine</i> , 2015, 17, 79-81.	1.3	6
11	Development of non-traumatic osteonecrosis of the femoral head requires toll-like receptor 7 and 9 stimulations and is boosted by repression on nuclear factor kappa B in rats. <i>Laboratory Investigation</i> , 2015, 95, 92-99.	3.7	21
12	Time-related course of pleural space fluid collection and pulmonary aeration on postmortem computed tomography (PMCT). <i>Legal Medicine</i> , 2015, 17, 221-225.	1.3	30
13	High risk of osteonecrosis of the femoral head in autoimmune disease patients showing no immediate increase in hepatic enzyme under steroid therapy. <i>Rheumatology International</i> , 2013, 33, 51-55.	3.0	13
14	Experimental rat model for alcohol-induced osteonecrosis of the femoral head. <i>International Journal of Experimental Pathology</i> , 2013, 94, 312-319.	1.3	39
15	Inhibitor of IRF7 prevents developing corticosteroid-induced osteonecrosis of the femoral head. <i>FASEB Journal</i> , 2013, 27, 874.7.	0.5	0
16	The suppression of TRIM21 and the accumulation of IFN- λ play crucial roles in the pathogenesis of osteonecrosis of the femoral head. <i>Laboratory Investigation</i> , 2012, 92, 1318-1329.	3.7	17
17	Weight bearing does not contribute to the development of osteonecrosis of the femoral head. <i>International Journal of Experimental Pathology</i> , 2012, 93, 458-462.	1.3	23
18	Innate immune signaling plays a crucial role in the pathogenesis of avascular osteonecrosis of the femoral head. <i>FASEB Journal</i> , 2012, 26, 478.6.	0.5	0