

Vincenzo Sforza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1354679/publications.pdf>

Version: 2024-02-01

22
papers

1,311
citations

623574

14
h-index

713332

21
g-index

22
all docs

22
docs citations

22
times ranked

2577
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | RET Inhibitors in Non-Small-Cell Lung Cancer. <i>Cancers</i> , 2021, 13, 4415. | 1.7 | 34 |
| 2 | The safety of atezolizumab plus chemotherapy for the treatment of metastatic lung cancer. <i>Expert Opinion on Drug Safety</i> , 2020, 19, 775-783. | 1.0 | 2 |
| 3 | Angiogenesis and epidermal growth factor receptor inhibitors in non-small cell lung cancer. , 2020, 1, 117-130. | | 1 |
| 4 | Pembrolizumab in lung cancer: current evidence and future perspectives. <i>Future Oncology</i> , 2019, 15, 3327-3336. | 1.1 | 4 |
| 5 | EPHA2 Is a Predictive Biomarker of Resistance and a Potential Therapeutic Target for Improving Antiepidermal Growth Factor Receptor Therapy in Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 845-855. | 1.9 | 58 |
| 6 | Exploratory findings from a prematurely closed international, multicentre, academic trial: RAVELLO, a phase III study of regorafenib versus placebo as maintenance therapy after first-line treatment in RAS wild-type metastatic colorectal cancer. <i>ESMO Open</i> , 2019, 4, e000519. | 2.0 | 5 |
| 7 | Sequential HER2 blockade as effective therapy in chemorefractory, HER2 gene-amplified, RAS wild-type, metastatic colorectal cancer: learning from a clinical case. <i>ESMO Open</i> , 2018, 3, e000299. | 2.0 | 29 |
| 8 | Trifluridine/Tipiracil (TAS-102) in Refractory Metastatic Colorectal Cancer: A Multicenter Register in the Frame of the Italian Compassionate Use Program. <i>Oncologist</i> , 2018, 23, 1178-1187. | 1.9 | 46 |
| 9 | Clinical outcome and molecular characterisation of chemorefractory metastatic colorectal cancer patients with long-term efficacy of regorafenib treatment. <i>ESMO Open</i> , 2017, 2, e000177. | 2.0 | 27 |
| 10 | Clinical outcome of patients with chemorefractory metastatic colorectal cancer treated with trifluridine/tipiracil (TAS-102): a single Italian institution compassionate use programme. <i>ESMO Open</i> , 2017, 2, e000229. | 2.0 | 14 |
| 11 | Present and future of metastatic colorectal cancer treatment: A review of new candidate targets. <i>World Journal of Gastroenterology</i> , 2017, 23, 4675. | 1.4 | 91 |
| 12 | Therapeutic efficacy of SYM004, a mixture of two anti-EGFR antibodies in human colorectal cancer with acquired resistance to cetuximab and MET activation. <i>Oncotarget</i> , 2017, 8, 67592-67604. | 0.8 | 15 |
| 13 | Regorafenib in combination with silybin as a novel potential strategy for the treatment of metastatic colorectal cancer. <i>Oncotarget</i> , 2017, 8, 68305-68316. | 0.8 | 27 |
| 14 | Mechanisms of resistance to anti-epidermal growth factor receptor inhibitors in metastatic colorectal cancer. <i>World Journal of Gastroenterology</i> , 2016, 22, 6345. | 1.4 | 94 |
| 15 | Phase III study of regorafenib versus placebo as maintenance therapy in RAS wild type metastatic colorectal cancer (RAVELLO trial).. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS3634-TPS3634. | 0.8 | 2 |
| 16 | Phase III study of regorafenib versus placebo as maintenance therapy in RAS wild type metastatic colorectal cancer (RAVELLO trial).. <i>Journal of Clinical Oncology</i> , 2015, 33, TPS789-TPS789. | 0.8 | 2 |
| 17 | Treatment of gastric cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 1635. | 1.4 | 508 |
| 18 | Primary and Acquired Resistance of Colorectal Cancer Cells to Anti-EGFR Antibodies Converge on MEK/ERK Pathway Activation and Can Be Overcome by Combined MEK/EGFR Inhibition. <i>Clinical Cancer Research</i> , 2014, 20, 3775-3786. | 3.2 | 89 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Clinical management of advanced gastric cancer: The role of new molecular drugs. World Journal of Gastroenterology, 2014, 20, 14537. | 1.4 | 41 |
| 20 | Antitumor activity of pimasertib, a selective MEK 1/2 inhibitor, in combination with PI3K/mTOR inhibitors or with multi-targeted kinase inhibitors in pimasertib-resistant human lung and colorectal cancer cells. International Journal of Cancer, 2013, 133, 2089-2101. | 2.3 | 81 |
| 21 | Increased TGF- β as a Mechanism of Acquired Resistance to the Anti-EGFR Inhibitor Cetuximab through EGFR β MET Interaction and Activation of MET Signaling in Colon Cancer Cells. Clinical Cancer Research, 2013, 19, 6751-6765. | 3.2 | 130 |
| 22 | Targeted approach to metastatic colorectal cancer: what comes beyond epidermal growth factor receptor antibodies and bevacizumab?. Therapeutic Advances in Medical Oncology, 2013, 5, 51-72. | 1.4 | 11 |