

F Nawaz Khan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1354748/publications.pdf>

Version: 2024-02-01

185
papers

1,928
citations

257450
24
h-index

345221
36
g-index

203
all docs

203
docs citations

203
times ranked

1842
citing authors

#	ARTICLE	IF	CITATIONS
1	Tetrabutylammonium-salt, a novel ionic medium for the synthesis of quinoline-“hybrid chalcones, and its biological evaluation. <i>Polycyclic Aromatic Compounds</i> , 2023, 43, 699-720.	2.6	0
2	One Pot Sequential Aldol condensation - Michael Addition – Sonogashira, and Heck Arylation toward Highly Functionalized Quinolines. <i>Polycyclic Aromatic Compounds</i> , 2023, 43, 1987-2000.	2.6	2
3	One-Pot Synthesis of Quinolinyl Amino Nitriles and Their Antidiabetic, Anti-inflammatory, Antioxidant, and Molecular Docking Studies. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 1581-1595.	2.6	3
4	Synthesis of 2, 4-Disubstituted Quinazolines via One-Pot Three-Component Assembly. <i>Polycyclic Aromatic Compounds</i> , 2022, 42, 3821-3828.	2.6	1
5	Tetrazoles: Structure and Activity Relationship as Anticancer Agents. , 2022, , 205-231.		0
6	Green synthesis of nano-titania (TiO ₂ NPs) utilizing aqueous Eucalyptus globulus leaf extract: applications in the synthesis of 4H-pyran derivatives. <i>Research on Chemical Intermediates</i> , 2021, 47, 3919-3931.	2.7	17
7	Rapid One-Pot Sequential Cyclization, Palladium Precatalyst Mediated Coupling Reactions of 6-Bromo-2-Chloroquinoline-3-Carboxaldehyde in Aqueous Medium. <i>Polycyclic Aromatic Compounds</i> , 2021, 41, 1797-1812.	2.6	0
8	Facile synthesis of 2-(2-chloroquinolin-3-yl)-2-((trimethylsilyl)oxy) acetonitriles utilizing TMS-CN-ZnI ₂ /DCM. <i>Silicon</i> , 2021, 13, 1381-1390.	3.3	1
9	Cu-TEMPO Catalyzed Dehydrogenative Friedlander Annulation/sp 3 H Functionalization/Spiroannulation towards Chemistry, 2020, 2020, 7035-7050.	2.4	4
10	Ir(I)-Catalyzed Synthesis of (E)-Benzylideneacridines and (E)-Styrylquinoline-3-carboxamide through Sequential Suzuki-Miyaura Coupling, Dehydrogenative Friedländer Reaction, and sp ³ -H Activation. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 5394-5410.	2.4	13
11	Design, synthesis and in silico evaluation of benzoxazepino(7,6-b)quinolines as potential antidiabetic agents. <i>Medicinal Chemistry Research</i> , 2020, 29, 1882-1901.	2.4	4
12	Radical Transformations towards the Synthesis of Quinoline: A Review. <i>Chemistry - an Asian Journal</i> , 2020, 15, 4153-4167.	3.3	38
13	Copper-Free, Pd(OAc) ₂ and Ruphos Catalyzed, Csp ² -Csp Bond Formation of Tautomerizable Quinolinones. <i>Polycyclic Aromatic Compounds</i> , 2020, , 1-10.	2.6	0
14	Regioselective Synthesis of Unsymmetrical 3-(Quinolin-3-yl)Pentane-1,5-Diones in the Aqueous Medium through Montmorillonite KSF Catalysis. <i>Polycyclic Aromatic Compounds</i> , 2020, , 1-8.	2.6	0
15	Pd2dba3/P(t-Bu)3H.BF ₄ /Cy2NMe Catalyzed Heck Coupling in Synthesis of 3-Alkenyl-1H-Isochromen-1-Ones. <i>Polycyclic Aromatic Compounds</i> , 2020, , 1-13.	2.6	1
16	Tetrabutylammonium-Bromide-Promoted Synthesis of Spirooxindoles through Alkyne-“Aldehyde C ³ C Coupling and 1,3-Dipolar Cycloaddition Using Ytterbium Triflate Catalyst. <i>ChemistrySelect</i> , 2020, 5, 6470-6474.	1.5	3
17	Ru-Catalyzed Sequential Dehydrogenative Friedlander Reaction/sp ³ -H Activation/Knovenagel Condensation in the Regioselective Synthesis of Chimanine B Analogues. <i>European Journal of Organic Chemistry</i> , 2020, 2020, 2888-2903.	2.4	9
18	Cu/TEMPO catalyzed dehydrogenative 1,3-dipolar cycloaddition in the synthesis of spirooxindoles as potential antidiabetic agents. <i>RSC Advances</i> , 2020, 10, 12262-12271.	3.6	16

#	ARTICLE	IF	CITATIONS
19	A Base-Free Pd-Precatalyst Mediated Suzuki-Miyaura and Sonogashira Cross-Coupling in Deep Eutectic Solvents. <i>ChemistrySelect</i> , 2020, 5, 2610-2617.	1.5	13
20	Facile Synthesis of 2-Acylthieno[2,3-b]quinolines via Cu-TEMPO-Catalyzed Dehydrogenation, sp ² -C-H Functionalization (Nucleophilic Thiolation by S8) of 2-Haloquinolinyl Ketones. <i>Organic Letters</i> , 2020, 22, 1726-1730.	4.6	25
21	In Water: Green Chemical Approach of 4-Iodo-3-(Trimethylsilyl)-1H-Pyrano[4,3-b]Quinolines through 1,3-Diido-5,5-Dimethylhydantoin (DIH) Mediated Regioselective Electrophilic Cyclisation of O-Alkynyl Aldehydes. <i>Silicon</i> , 2020, 12, 2141-2148.	3.3	2
22	RUCY-XylBINAP Catalyzed and Autoclave Assisted Rapid Enantioselective Synthesis of Benzhydrols. <i>ChemistrySelect</i> , 2020, 5, 1658-1662.	1.5	1
23	Synthesis of New Sulfoximine-Tethered Alkynes and Further Extension towards Metal-Free Synthesis of Pyrimidines, Amino Pyrimidines, Pyrazoles and Isoxazoles. <i>ChemistrySelect</i> , 2019, 4, 9573-9577.	1.5	2
24	Choline Chloride-Based Deep Eutectic Systems in Sequential Friedländer Reaction and Palladium-Catalyzed sp ³ CH Functionalization of Methyl Ketones. <i>ACS Omega</i> , 2019, 4, 8046-8055.	3.5	26
25	Synthesis of Imidazo[1,2-a]pyridines and Imidazo[2,1-b]thiazoles Attached to a Cycloalkyl or Saturated Heterocycle Containing a Tertiary Hydroxy Substitution. <i>Journal of Heterocyclic Chemistry</i> , 2019, 56, 1486-1497.	2.6	9
26	Facile synthesis of <i>N</i> -1,2,4-oxadiazole substituted sulfoximines from <i>N</i> -cyano sulfoximines. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 9187-9199.	2.8	7
27	Mineralization of toxic industrial dyes by gallic acid mediated synthesized photocatalyst SnO ₂ nanoparticles. <i>Environmental Technology and Innovation</i> , 2019, 13, 197-210.	6.1	14
28	Synthesis, characterization and photocatalytic activity of Zn ²⁺ , Mn ²⁺ and Co ²⁺ doped SnO ₂ nanoparticles. <i>Biointerface Research in Applied Chemistry</i> , 2019, 9, 4199-4204.	1.0	12
29	High reduction of 4-nitrophenol using reduced graphene oxide/Ag synthesized with tyrosine. <i>Environmental Chemistry Letters</i> , 2017, 15, 467-474.	16.2	15
30	Chemo-selective Suzuki-Miyaura reactions: Synthesis of highly substituted [1,6]-naphthyridines. <i>Chinese Chemical Letters</i> , 2017, 28, 1607-1612.	9.0	2
31	TiO ₂ Nanoparticles Catalyzed Chemoselective Synthesis of 2-Chloroquinolinyl-4-quinolinones and their Intramolecular Cyclization through Palladium Catalyzed Sonogashira Coupling Reaction. <i>Catalysis Letters</i> , 2017, 147, 919-925.	2.6	3
32	Discovery of a potential lead compound for treating leprosy with dapson resistance mutation in <i>M. leprae</i> folP1. <i>Molecular BioSystems</i> , 2016, 12, 2178-2188.	2.9	3
33	Palladium catalyzed Suzuki Miyaura cross coupling of 3-chloroisochromen-1-one: synthesis of glomellin and reticulol analogues. <i>Tetrahedron Letters</i> , 2015, 56, 941-945.	1.4	13
34	Efficient and convenient copper-free Pd(OAc) ₂ /Ruphos-catalyzed Sonogashira coupling in the preparation of corfin analogues. <i>Tetrahedron Letters</i> , 2015, 56, 784-788.	1.4	19
35	Synthesis and in vitro evaluation of novel 8-aminoquinoline-pyrazolopyrimidine hybrids as potent antimalarial agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 1100-1103.	2.2	26
36	Potential anti-tubercular agents: Hexahydro-3-phenyl indazol-2-yl(pyridin-4-yl)methanones from anti-tubercular drug isoniazid and bis(substituted-benzylidene)cycloalkanones. <i>Chinese Chemical Letters</i> , 2015, 26, 567-571.	9.0	11

#	ARTICLE	IF	CITATIONS
37	Water mediated reactions: TiO ₂ and ZnO nanoparticle catalyzed multi component domino reaction in the synthesis of tetrahydroacridinediones, acridindiones, xanthenones and xanthenes. RSC Advances, 2015, 5, 17257-17268.	3.6	18
38	Efficient one pot multi-component domino Aldol condensation-Michael addition-Suzuki coupling reaction for the highly functionalized quinolines. Tetrahedron Letters, 2015, 56, 4744-4748.	1.4	11
39	Synthesis of novel benzoxaborinin-4-ones and its application in indolin-2-ones synthesis using a Suzuki-Miyaura reaction protocol. RSC Advances, 2015, 5, 36902-36905.	3.6	4
40	Self-organized TiO ₂ nanotube arrays in the photocatalytic degradation of methylene blue under UV light irradiation. Journal of the Korean Physical Society, 2015, 66, 1135-1139.	0.7	5
41	Organiodine(III) mediated intramolecular oxidative cyclization of 1-(3-arylisouinolin-1-yl)-2-(arylmethylene)hydrazines to 5-aryl-3-(aryl)-[1,2,4]triazolo[3,4-a]isoquinolines. RSC Advances, 2015, 5, 3781-3785.	3.6	11
42	Efficient copper-free Pd(OAc) ₂ /Ruphos-catalyzed Sonogashira coupling in the preparation of 3-hydroxycorfin and gymnopalyne A analogues. Tetrahedron Letters, 2015, 56, 187-191.	1.4	15
43	Synthesis, structure determination, and antioxidant activity of novel 1-pyrazolyl-3-substituted isoquinolines, 1-pyrrolyl 3-substituted isoquinolin-1-amine, and 1-pyrazolonyl-substituted isoquinolines. Research on Chemical Intermediates, 2015, 41, 2081-2094.	2.7	4
44	Microwave-assisted solid acid-catalyzed synthesis of quinolinyl quinolinones and evaluation of their antibacterial, antioxidant activities. Research on Chemical Intermediates, 2015, 41, 4899-4912.	2.7	21
45	Montmorillonite-KSF-catalyzed synthesis of 4-heteroarylidene-N-arylhomophthalimides by Knoevenagel condensation. Research on Chemical Intermediates, 2015, 41, 5509-5519.	2.7	3
46	Water mediated catalyst-free efficient domino synthesis of 9-(quinolin-2(1H)-one)-xanthene-1,8(5H,9H)-diones using parallel synthesizer. Tetrahedron Letters, 2014, 55, 3717-3720.	1.4	22
47	Potential anti-bacterial agents: montmorillonite clay-catalyzed synthesis of novel 2-(3,5-substituted-1H-pyrazol-1-yl)-3-substituted quinolines and their in silico molecular docking studies. RSC Advances, 2014, 4, 58011-58018.	3.6	4
48	A convenient and efficient C=OH bond activation, PdCl ₂ (PPh ₃) ₂ catalyzed, C=C bond formation of tautomerizable quinolinones with the aid of BOP reagent and boronic acids. RSC Advances, 2014, 4, 40259-40268.	3.6	8
49	Green chemical approach: microwave assisted, titanium dioxide nanoparticles catalyzed, convenient and efficient C=C bond formation in the synthesis of highly functionalized quinolines and quinolinones. RSC Advances, 2014, 4, 44408-44417.	3.6	12
50	Potential anti-tubercular and in vitro anti-inflammatory agents: 9-substituted 1,8-dioxo-octahydroxanthenes through cascade/domino reaction by citric fruit juices. Medicinal Chemistry Research, 2014, 23, 4749-4760.	2.4	17
51	TiO ₂ nano crystallites catalyzed water mediated microwave assisted regioselective three component domino hydrolysis/aldol condensation/Michael addition reaction of 3-(1,5-dioxo-1,5-diphenylpentan-3-yl)quinolin-2(1H)-one. RSC Advances, 2014, 4, 57016-57025.	3.6	7
52	Regioselective synthesis of 3,4,6,7-tetrahydro-3,3-dimethyl-9-phenyl-2H-xanthene-1,8(5H,9H)-diones through ascorbic acid catalyzed three-component domino reaction. Tetrahedron Letters, 2014, 55, 5656-5659.	1.4	6
53	Green Chemical Approach: Low-Melting Mixture as a Green Solvent for Efficient Michael Addition of Homophthalimides with Chalcones. Industrial & Engineering Chemistry Research, 2014, 53, 10814-10819.	3.7	27
54	Thiourea-Mediated Regioselective Synthesis of Symmetrical and Unsymmetrical Diversified Thioethers. Industrial & Engineering Chemistry Research, 2014, 53, 7866-7870.	3.7	26

#	ARTICLE	IF	CITATIONS
55	Pharmacological evaluation of isochromen-1-ones and their thioanalogues derived from anti-inflammatory drug ketoprofen. Research on Chemical Intermediates, 2013, 39, 1343-1351.	2.7	5
56	Potential cytotoxic and apoptosis inducing agents: synthesis and evaluation of methoxy-substituted chalcones against human lung and cervical cancers. Medicinal Chemistry Research, 2013, 22, 5408-5417.	2.4	19
57	Synthesis of Methoxy-Substituted Chalcones and <i>< i></i> in vitro <i>< /i></i> Evaluation of their Anticancer Potential. Chemical Biology and Drug Design, 2013, 82, 732-742.	3.2	23
58	Antithyroid agents and QSAR studies: inhibition of lactoperoxidase-catalyzed iodination reaction by isochromene-1-thiones. Medicinal Chemistry Research, 2013, 22, 4810-4817.	2.4	4
59	Biogenic synthesis of silver nanoparticles utilizing the leaves aqueous extract of Ziziphus nummularia and citrullus colocynthis. , 2013, , .	0	0
60	Synthesis and cytotoxicity study of pyrazoline derivatives of methoxy substituted naphthalyl chalcones. Research on Chemical Intermediates, 2013, 39, 1833-1841.	2.7	14
61	Nicotinic acid conjugates of nonsteroidal anti-inflammatory drugs (NSAIDâ€™s) and their anti-inflammatory properties. European Journal of Pharmaceutical Sciences, 2013, 49, 227-232.	4.0	27
62	Acaricidal, insecticidal, and larvicidal efficacy of fruit peel aqueous extract of Annona squamosa and its compounds against blood-feeding parasites. Parasitology Research, 2012, 111, 2189-2199.	1.6	65
63	Quinoline-3-carboxylates as potential antibacterial agents. Research on Chemical Intermediates, 2012, 38, 1819-1826.	2.7	17
64	Flower-shaped ZnO nanoparticles as an efficient, heterogeneous and reusable catalyst in the synthesis of N-arylhomophthalimides and benzannelated isoquinolinones. Research on Chemical Intermediates, 2012, 38, 1881-1892.	2.7	8
65	Comparison of polarimetry and crown ether-based HPLC chiral stationary phase method to determine (l)-amino acid optical purity. Food Chemistry, 2012, 135, 343-347.	8.2	3
66	Zinc Oxide Nanoparticles Catalyzed Condensation Reaction of Isocoumarins and 1,7-Heptadiamine in the Formation of Bis-Isoquinolinones. Scientific World Journal, The, 2012, 2012, 1-7.	2.1	5
67	Ligand-free, PdCl ₂ (PPh ₃) ₂ catalyzed, microwave-assisted Suzuki coupling of 1-chloro-3-phenylisoquinoline in the synthesis of diversified 1,3-disubstituted isoquinolines. Research on Chemical Intermediates, 2012, 38, 337-346.	2.7	8
68	Facile benzannulation of isocoumarins in the efficient synthesis of diversified 1,3-disubstituted isoquinolines. Research on Chemical Intermediates, 2012, 38, 347-357.	2.7	5
69	Electro-catalytic performance of Pt-supported poly (o-phenylenediamine) microrods for methanol oxidation reaction. Research on Chemical Intermediates, 2012, 38, 383-391.	2.7	13
70	Indium bromide catalysed, ultrasound-assisted, regio-selective synthesis of ethyl-5-(trifluoromethyl)-1-(3-substituted-isoquinolin-1-yl)-1H-pyrazole-4-carboxylates. Research on Chemical Intermediates, 2012, 38, 429-441.	2.7	7
71	Efficient synthesis of AB ring core of luotonin A derivatives: (2-chloroquinolin-3-yl)methanamine. Research on Chemical Intermediates, 2012, 38, 443-451.	2.7	2
72	Iron-oxide nanoparticles mediated cyclization of 3-(4-chlorophenyl)-1-hydrazinylisoquinoline to 1-(4,5-dihydropyrazol-1-yl)isoquinolines. Research on Chemical Intermediates, 2012, 38, 571-582.	2.7	6

#	ARTICLE	IF	CITATIONS
73	An efficient 2-(1H-benzotriazole-1-yl)-1,1,3,3-tetramethyluronium tetrafluoroborate (TBTU)-mediated synthesis of 5-(trifluoromethyl)-N-alkyl-1-(3-phenylisoquinoline-1-yl)-1H-pyrazole-4-carboxamides. Research on Chemical Intermediates, 2012, 38, 615-627.	2.7	5
74	Effect of organic gelator template and preparation method on the structure and morphology of nanosized polymorphic titanium oxide using the sol-gel process. Research on Chemical Intermediates, 2012, 38, 685-692.	2.7	1
75	ZnO nanoparticles-mediated regioselective synthesis of methyl-N-alkylated 1,2,3-triazole-4-carboxylates. Research on Chemical Intermediates, 2012, 38, 1101-1109.	2.7	0
76	Regioselective O-alkylation: synthesis of 1-{2-[(2-chloroquinolin-3-yl)methoxy]-6-chloro-4-phenylquinolin-3-yl}ethanones. Research on Chemical Intermediates, 2012, 38, 1111-1118.	2.7	7
77	Nano SIMS characterization of boron- and aluminum-coated LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ cathode materials for lithium secondary ion batteries. Journal of Applied Electrochemistry, 2012, 42, 41-46.	2.9	13
78	Solvent-free synthesis and antibacterial studies of some quinolinones. Monatshefte fÃ¼r Chemie, 2012, 143, 485-489.	1.8	28
79	Ethanol Sensor Based on Dip Coated ZnO Thick Films. Journal of Applied Sciences, 2012, 12, 1618-1623.	0.3	4
80	Regioselective N-alkylation of (2-chloroquinolin-3-yl) methanol with N-heterocyclic compounds using the Mitsunobu reagent. Chemical Papers, 2011, 65, .	2.2	3
81	Morphology dependence of 1,2-diphenylethylenediamine-derived organogelator templates in solvents and their influence in the production of nanostructured silica. Chemical Papers, 2011, 65, .	2.2	1
82	Environmentally benign one-pot synthesis and antimicrobial activity of 1-methyl-2,6-diarylpiperidin-4-ones. Chemical Papers, 2011, 65, .	2.2	3
83	Silicon-based thiourea-mediated and microwave-assisted thio-Michael addition under solvent-free reaction conditions. Chemical Papers, 2011, 65, .	2.2	1
84	Facile synthesis of 3-aryl-1-((4-aryl-1,2,3-selenadiazol-5-yl)sulfanyl)isoquinolines. Chemical Papers, 2011, 65, .	2.2	6
85	Helical silica nanotubes: Nanofabrication architecture, transfer of helix and chirality to silica nanotubes. Chemical Papers, 2011, 65, .	2.2	3
86	An efficient one pot three component cyclocondensation in the synthesis of 2-(2-chloroquinolin-3-yl)-2,3-dihydroquinazolin-4(1H)-ones: potential antitumor agents. Research on Chemical Intermediates, 2011, 37, 919-927.	2.7	26
87	SnO ₂ nanoparticles mediated nontraditional synthesis of biologically active 9-chloro-6,13-dihydro-7-phenyl-5H-indolo [3,2-c]-acridine derivatives. Medicinal Chemistry Research, 2011, 20, 732-737.	2.4	54
88	Design and mechanism of iron catalyzed carbon-carbon bond cleavage and N-oxidation processes of hazardous dyes for selective synthesis of nitroarenes and aminoarenecarboxylic acids. Journal of Molecular Catalysis A, 2011, , .	4.8	0
89	An efficient copper-free Pd(OAc) ₂ /Ruphos-catalyzed Sonogashira coupling of 1-chloroisouquinolines in the formation of 1-alkynyl-3-substituted isoquinolines. Tetrahedron Letters, 2011, 52, 2566-2570.	1.4	47
90	Molecular Iodine as a Versatile Reagent for the Synthesis of Thiazoloquinoline-A Potential Antibacterial Agent. Phosphorus, Sulfur and Silicon and the Related Elements, 2011, 186, 450-456.	1.6	0

#	ARTICLE	IF	CITATIONS
91	Enhanced Photocatalytic Properties due to Electron-rich Ti-ion Doping in ZnFe ₂ O ₄ under Visible Light Irradiation. <i>Journal of the Korean Physical Society</i> , 2011, 59, 2750-2755.	0.7	7
92	N-[2-(4-Methyl-2-quinolyl)phenyl]acetamide: a P1 structure with Z= 4. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2043-o2044.	0.2	3
93	ZnO nanorods catalyzed N-alkylation of piperidin-4-one, 4(3H)-pyrimidone, and ethyl 6-chloro-1,2-dihydro-2-oxo-4-phenylquinoline-3-carboxylate. <i>Chemical Papers</i> , 2010, 64, .	2.2	12
94	ZnO nanoparticles in the synthesis of AB ring core of camptothecin. <i>Chemical Papers</i> , 2010, 64, .	2.2	26
95	Analysis of Cl-H and C-H interactions involving chlorine in substituted 2-chloroquinoline derivatives. <i>Journal of Chemical Sciences</i> , 2010, 122, 677-685.	1.5	68
96	Syntheses of 3-substituted 3,4-dihydroisochromen-1-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2010, 46, 620-622.	1.2	0
97	Fe nano particles mediated C-N bond-forming reaction: Regioselective synthesis of 3-[(2-chloroquinolin-3-yl)methyl]pyrimidin-4(3H)-ones. <i>Tetrahedron Letters</i> , 2010, 51, 2309-2311.	1.4	61
98	An effective BINAP and microwave accelerated palladium-catalyzed amination of 1-chloroisouquinolines in the synthesis of new 1,3-disubstituted isoquinolines. <i>Tetrahedron Letters</i> , 2010, 51, 4340-4343.	1.4	46
99	SYNTHESIS AND FREE RADICAL SCAVENGING PROPERTY OF SOME QUINOLINE DERIVATIVES. <i>Journal of the Chilean Chemical Society</i> , 2010, 55, 317-319.	1.2	15
100	2-Chloro-8-methyl-3-[(pyrimidin-4-yloxy)methyl]quinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1010-o1010.	0.2	0
101	5-(4-Chlorophenyl)-3-(2,4-dimethylthiazol-5-yl)-1,2,4-triazolo[3,4-a]isoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1056-o1057.	0.2	1
102	5-(4-Chlorophenyl)-3-(2-furyl)-1,2,4-triazolo[3,4-a]isoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1061-o1061.	0.2	1
103	3-(4-Chlorophenyl)-5-phenyl-1,2,4-triazolo[3,4-a]isoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1094-o1094.	0.2	1
104	N-[4-Chloro-2-(2-chlorobenzoyl)phenyl]acetamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1434-o1434.	0.2	1
105	Methyl 1-methyl-1H-1,2,3-triazole-4-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1468-o1468.	0.2	0
106	2,4-Dichloro-7,8-dimethylquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1535-o1535.	0.2	1
107	(2-Chloro-8-methoxyquinolin-3-yl)methanol monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1542-o1542.	0.2	2
108	3-[(2-Chloro-6-methylquinolin-3-yl)methyl]quinazolin-4(3H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1545-o1545.	0.2	0

#	ARTICLE	IF	CITATIONS
109	1-{6-Chloro-2-[(2-chloro-3-quinolyl)methoxy]-4-phenyl-3-quinolyl}ethan-1-one. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1607-o1608.	0.2	3
110	1-{6-Chloro-2-[(2-chloro-6-methylquinolin-3-yl)methoxy]-4-phenylquinolin-3-yl}ethanone. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1693-o1694.	0.2	2
111	1-{6-Chloro-2-[(2-chloro-8-methyl-3-quinolyl)methoxy]-4-phenylquinolin-3-yl}ethanone. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1930-o1930.	0.2	1
112	1-[(2-Chloro-8-methylquinolin-3-yl)methyl]pyridin-2(1H)-one. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1049-o1049.	0.2	1
113	4-(5-Phenyl-1,2,4-triazolo[3,4-a]isoquinolin-3-yl)benzonitrile. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1081-o1081.	0.2	1
114	(2-Chloro-8-methylquinolin-3-yl)methanol. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1543-o1543.	0.2	0
115	(2-Chloro-6-methylquinolin-3-yl)methanol. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1544-o1544.	0.2	0
116	3- <i>tert</i> -Butyl-1 <i>i</i> H-isochromene-1-thione. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1470-o1470.	0.2	1
117	1-(3,5-Diethyl-1H-pyrazol-1-yl)-3-phenylisoquinoline. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o2063-o2064.	0.2	0
118	1-[(2-Chloro-3-quinolyl)methyl]indoline-2,3-dione. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o1141-o1141.	0.2	0
119	Synthesis of Diversified Thioethers, 1-Aroylalkylisoquinolin-1-yl Thioethers, by Electrophilic S-Alkylation of 3-Phenyl Isoquinoline-1(2H)-thione. Phosphorus, Sulfur and Silicon and the Related Elements, 2010, 185, 1932-1942.	1.6	15
120	Synthesis and Antiproliferative Activity of Some 1H-Isochromen-1-ones and Their Thio Analogues. Phosphorus, Sulfur and Silicon and the Related Elements, 2010, 185, 387-393.	1.6	7
121	Basic Alumina-Catalyzed, Solvent-Free Synthesis of Diversified Thioethers. Phosphorus, Sulfur and Silicon and the Related Elements, 2010, 185, 825-831.	1.6	5
122	2-Chloro-3-hydroxymethyl-7,8-dimethylquinoline. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o200-o200.	0.2	8
123	2-Chloro-3-hydroxymethyl-6-methoxyquinoline. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o201-o201.	0.2	15
124	1-[3-(4-Chlorophenyl)isoquinolin-1-yl]-3,5-diphenyl-1 <i>i</i> H-pyrazole. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o369-o369.	0.2	3
125	3-Methyl-5-phenyl-1-(3-phenylisoquinolin-1-yl)-1H-pyrazole. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o368-o368.	0.2	2
126	1-[3-(4-Chlorophenyl)isoquinolin-1-yl]-3,5-diethyl-1H-pyrazole. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o370-o370.	0.2	3

#	ARTICLE	IF	CITATIONS
127	5-Phenyl-3-(2-thienyl)-1,2,4-triazolo[3,4- <i>i</i>]isoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o488-o488.	0.2	11
128	(2-Chlorobenzo[h]quinolin-3-yl)methanol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o953-o953.	0.2	1
129	Ethyl 6-chloro-2-[(2-chloro-7,8-dimethylquinolin-3-yl)methoxy]-4-phenylquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o972-o973.	0.2	5
130	Synthesis, antioxidant, hemolytic and cytotoxic activity of AB ring cores of mappicine. <i>Arkivoc</i> , 2010, 2009, 161-169.	0.5	44
131	2-[2-(Hydroxymethyl)phenyl]-1-(1-naphthyl)ethanol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o380-o380.	0.2	0
132	1,3,6-Trimethylpyrano[4,3- <i>b</i>]pyrrol-4(1H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o381-o381.	0.2	0
133	1-[(2-Chloro-7-methyl-3-quinolyl)methyl]pyridin-2(1H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o960-o960.	0.2	0
134	1-[(2-Chloro-7,8-dimethylquinolin-3-yl)methyl]pyridin-2(1H)-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o1001-o1001.	0.2	0
135	SYNTHESIS OF 3 SUBSTITUTED ISOQUINOLIN-1-YL-2-(CYCLOALK-2-ENYLIDENE) HYDRAZINES AND THEIR ANTIMICROBIAL PROPERTIES. <i>Journal of the Chilean Chemical Society</i> , 2009, 54, .	1.2	14
136	2-Chlorobenzo[h]quinoline-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2711-o2711.	0.2	7
137	Evaluation of intermolecular interactions in thioisocoumarin derivatives: the role of the sulfur atom in generating packing motifs. <i>CrystEngComm</i> , 2009, 11, 284-291.	2.6	25
138	Isocoumarin Thioanalogue as Potential Antibacterial Agents. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2009, 184, 2576-2582.	1.6	14
139	2-Chloroquinoline-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2710-o2710.	0.2	4
140	1-(2-Chloroacetyl)-3-methyl-2,6-diphenylpiperidin-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2985-o2985.	0.2	0
141	1,3-Dimethyl-2,6-diphenylpiperidin-4-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o439-o439.	0.2	2
142	1-Benzoyl-3-methyl-2,6-diphenyl-4-piperidone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1692-o1693.	0.2	2
143	Syntheses of some 3-substituted isothiochromen-1-ones. <i>Chemistry of Heterocyclic Compounds</i> , 2009, 45, 1276-1278.	1.2	6
144	CuX2-mediated [4+2] benzannulation as a new synthetic tool for stereoselective construction of haloaromatic compounds. <i>Tetrahedron</i> , 2009, 65, 9575-9582.	1.9	47

#	ARTICLE	IF	CITATIONS
145	Characterisation of novel pH indicator of natural dye< i>Oldenlandia umbellata</i>L.. Natural Product Research, 2009, 23, 1210-1217.	1.8	16
146	Electrochemical oxidation of methanol on Pt/V2O5-C composite catalysts. Catalysis Communications, 2009, 10, 433-436.	3.3	91
147	Synthesis of Some New 2,4-Disubstituted Hydrazinothiazoles and 2,5-Disubstituted Thiazolidinones. Phosphorus, Sulfur and Silicon and the Related Elements, 2009, 184, 2910-2922.	1.6	8
148	Methyl 2-methyl-2H-1,2,3-triazole-4-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1752-o1752.	0.2	1
149	3-Phenylisoquinolin-1(2H)-one. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o261-o261.	0.2	1
150	2-Chloro-6-methoxyquinoline-3-carbaldehyde. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2723-o2723.	0.2	2
151	2,4-Dichloro-6-methoxyquinoline. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o370-o370.	0.2	3
152	2-Chloro-6-methylquinoline-3-carbaldehyde. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2686-o2686.	0.2	6
153	N-Phenylnicotinamide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o571-o571.	0.2	5
154	3-(4-Methoxyphenyl)-1H-isochromen-1-one. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o128-o128.	0.2	3
155	Methyl 1H-1,2,3-triazole-4-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o300-o300.	0.2	2
156	3-(1,3-Dioxolan-2-yl)-2-hydrazino-7-methylquinoline. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o407-o408.	0.2	1
157	3-Acetyl-6-chloro-1-ethyl-4-phenylquinolin-2(1H)-one. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1800-o1801.	0.2	2
158	1-(3,5-Dimethyl-1H-pyrazol-1-yl)-3-phenylisoquinoline. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1798-o1798.	0.2	3
159	2-Chloro-7-methylquinoline-3-carbaldehyde. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2721-o2721.	0.2	1
160	2-Chloro-8-methylquinoline-3-carbaldehyde. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2722-o2722.	0.2	2
161	2,6-Bis(3-methoxyphenyl)-3-methylpiperidin-4-one. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o2984-o2984.	0.2	1
162	SYNTHESIS OF 2-(2-(HYDROXYMETHYL)PHENYL)ETHANOL DERIVATIVES AS POTENTIAL ANTIBACTERIAL AGENTS. Journal of the Chilean Chemical Society, 2009, 54, .	1.2	1

#	ARTICLE	IF	CITATIONS
163	1-(3-Phenylisoquinolin-1-yl)hydrazine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o137-o138.	0.2	4
164	1-(4-Chloro-3-fluorophenyl)-2-[(3-phenylisoquinolin-1-yl)sulfanyl]ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o334-o334.	0.2	1
165	1-(4-Chlorophenyl)-2-[(3-phenylisoquinolin-1-yl)sulfanyl]ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o254-o254.	0.2	1
166	2-[2-(Hydroxymethyl)phenyl]-1-phenylethanol. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o406-o406.	0.2	1
167	2-Chloro-8-methoxyquinoline-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2720-o2720.	0.2	2
168	2-[2-(Cyclohexylcarbonyl)phenyl]-1-phenylethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2745-o2745.	0.2	3
169	1-(4-Chlorophenyl)-2-phenyl-2-(3-phenyl-1-isoquinolylsulfanyl)ethanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2732-o2732.	0.2	2
170	2-Chloro-7,8-dimethylquinoline-3-carbaldehyde. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2709-o2709.	0.2	1
171	Ethyl 2,6-dichloro-4-phenylquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2982-o2982.	0.2	3
172	Ethyl 6-chloro-2-methyl-4-phenylquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2986-o2986.	0.2	1
173	Ethyl 6-chloro-2-oxo-4-phenyl-1,2-dihydroquinoline-3-carboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o2987-o2987.	0.2	1
174	Solvent-free syntheses of some quinazolin-4(3H)-ones derivatives. <i>Canadian Journal of Chemistry</i> , 2008, 86, 1019-1025.	1.1	67
175	SYNTHESIS OF O-SUBSTITUTED BENZOPHENONES BY GRIGNARD REACTION OF 3-SUBSTITUTED ISOCOUMARINS. <i>Journal of the Chilean Chemical Society</i> , 2008, 53, .	1.2	30
176	3-Phenyl-1-[2-(3-phenylisoquinolin-1-yl)diselanyl]isoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o2295-o2295.	0.2	9
177	Synthesis of Some 3â€¢Substituted Isochromenâ€¢1â€¢ones. <i>Synthetic Communications</i> , 2007, 37, 3649-3656.	2.1	44
178	3-Butyl-1H-isochromen-1-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3707-o3707.	0.2	16
179	3-Butyl-1H-isochromene-1-thione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3708-o3708.	0.2	14
180	Microwave-Enhanced Pd(0)/Acetic Acid Catalyzed Allylation Reactions of C, N, and O-Pronucleophiles with Alkynes.. <i>ChemInform</i> , 2005, 36, no.	0.0	0

#	ARTICLE	IF	CITATIONS
181	Microwave-enhanced Pd(0)/acetic acid catalyzed allylation reactions of C, N, and O-pronucleophiles with alkynes. <i>Tetrahedron Letters</i> , 2004, 45, 8497-8499.	1.4	65
182	Electrocatalytic oxidative cleavage by electrogenerated periodate. <i>Journal of Molecular Catalysis A</i> , 2003, 195, 139-145.	4.8	31
183	Electrochemical reductive allylation of N-benzylideneethanolamine. <i>Tetrahedron Letters</i> , 2002, 43, 6807-6809.	1.4	17
184	Montmorillonite Catalyzed Tandem Synthesis of 1,1,3-Trisubstituted-1H-Isochromenes from 3-Phenylisochromenes. <i>Polycyclic Aromatic Compounds</i> , 0, , 1-9.	2.6	0
185	Diversity Oriented Synthesis of Oxygen-Heterocycles, Warfarin Analogs Utilizing Microwave-Assisted Dimethyl Urea-Based Deep Eutectic Solvents. <i>Polycyclic Aromatic Compounds</i> , 0, , 1-11.	2.6	1