Dallas R English

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1354900/dallas-r-english-publications-by-year.pdf

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 451
papers
 24,405
citations
 75
h-index
 137
g-index

 482
ext. papers
 27,743
ext. citations
 6
avg, IF
 6.46
L-index

#	Paper	IF	Citations
45 ¹	Factors Explaining Inequalities in Colon Cancer Survival-Reply Cancer Epidemiology Biomarkers and Prevention, 2022 , 31, 297	4	
450	Adiposity and breast, endometrial, and colorectal cancer risk in postmenopausal women: Quantification of the mediating effects of leptin, C-reactive protein, fasting insulin, and estradiol <i>Cancer Medicine</i> , 2022 ,	4.8	3
449	The D-Health Trial: a randomised controlled trial of the effect of vitamin D on mortality Lancet Diabetes and Endocrinology,the, 2022,	18.1	8
448	HPV self-sampling and follow-up over two rounds of cervical screening in Australia - the iPap trial Journal of Medical Screening, 2022 , 9691413221080635	1.4	1
447	Television viewing time and all-cause mortality: interactions with BMI, physical activity, smoking, and dietary factors <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022 , 19, 30	8.4	О
446	Methodological considerations in D-health cancer mortality results - AuthorsOeply <i>Lancet Diabetes and Endocrinology,the</i> , 2022 , 10, 307-308	18.1	
445	Linking Physical Activity to Breast Cancer via Sex Hormones, Part 1: The Effect of Physical Activity on Sex Steroid Hormones. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	4
444	Latent Class Trajectory Modeling of Adult Body Mass Index and Risk of Obesity-Related Cancer: Findings from the Melbourne Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 373-379	4	2
443	Mortality Effects of Hypothetical Interventions on Physical Activity and TV Viewing. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 316-323	1.2	1
442	Linking Physical Activity to Breast Cancer: Text Mining Results and a Protocol for Systematically Reviewing Three Potential Mechanistic Pathways. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	4
441	Linking Physical Activity to Breast Cancer via Sex Steroid Hormones, Part 2: The Effect of Sex Steroid Hormones on Breast Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 ,	4	2
440	Association between circulating 25-hydroxyvitamin D concentrations and hip replacement for osteoarthritis: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 887	2.8	0
439	Biological Aging Measures Based on Blood DNA Methylation and Risk of Cancer: A Prospective Study. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkaa109	4.6	11
438	Prospective Evaluation of the Addition of Polygenic Risk Scores to Breast Cancer Risk Models. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkab021	4.6	3
437	Epigenetic Drift Association with Cancer Risk and Survival, and Modification by Sex. <i>Cancers</i> , 2021 , 13,	6.6	4
436	Prediagnosis alcohol intake and metachronous cancer risk in cancer survivors: A prospective cohort study. <i>International Journal of Cancer</i> , 2021 , 149, 827	7.5	1
435	Predicting deseasonalised serum 25 hydroxy vitamin D concentrations in the D-Health Trial: An analysis using boosted regression trees. <i>Contemporary Clinical Trials</i> , 2021 , 104, 106347	2.3	3

(2020-2021)

434	DNA Methylation Signatures and the Contribution of Age-Associated Methylomic Drift to Carcinogenesis in Early-Onset Colorectal Cancer. <i>Cancers</i> , 2021 , 13,	6.6	3
433	Association of markers of inflammation, the kynurenine pathway and B vitamins with age and mortality, and a signature of inflammaging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	7
432	Factors Explaining Socio-Economic Inequalities in Survival from Colon Cancer: A Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1807-1815	4	3
431	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 104-113	4	8
430	Methylation marks of prenatal exposure to maternal smoking and risk of cancer in adulthood. <i>International Journal of Epidemiology</i> , 2021 , 50, 105-115	7.8	2
429	DNA Methylation in Peripheral Blood and Risk of Gastric Cancer: A Prospective Nested Case-control Study. <i>Cancer Prevention Research</i> , 2021 , 14, 233-240	3.2	2
428	Alcohol consumption is associated with widespread changes in blood DNA methylation: Analysis of cross-sectional and longitudinal data. <i>Addiction Biology</i> , 2021 , 26, e12855	4.6	13
427	Genetic architectures of proximal and distal colorectal cancer are partly distinct. <i>Gut</i> , 2021 , 70, 1325-13	3 4 9.2	7
426	The effect of vitamin D supplementation on acute respiratory tract infection in older Australian adults: an analysis of data from the D-Health Trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2021 , 9, 69-87	1 18.1	20
425	Inflammation-Related Marker Profiling of Dietary Patterns and All-cause Mortality in the Melbourne Collaborative Cohort Study. <i>Journal of Nutrition</i> , 2021 , 151, 2908-2916	4.1	2
424	Vitamin D supplementation and risk of falling: outcomes from the randomized, placebo-controlled D-Health Trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	5
423	Smoking Methylation Marks for Prediction of Urothelial Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 2197-2206	4	1
422	Smoking, alcohol consumption, body fatness, and risk of myelodysplastic syndromes: A prospective study. <i>Leukemia Research</i> , 2021 , 109, 106593	2.7	
421	Diet and risk of gastro-oesophageal reflux disease in the Melbourne Collaborative Cohort Study. <i>Public Health Nutrition</i> , 2021 , 24, 5034-5046	3.3	1
420	Mendelian Randomization of Circulating Polyunsaturated Fatty Acids and Colorectal Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 860-870	4	12
419	Explaining the link between adiposity and colorectal cancer risk in men and postmenopausal women in the UK Biobank: A sequential causal mediation analysis. <i>International Journal of Cancer</i> , 2020 , 147, 1881-1894	7.5	7
418	Approaches to Improve Causal Inference in Physical Activity Epidemiology. <i>Journal of Physical Activity and Health</i> , 2020 , 17, 80-84	2.5	5
417	Consumption of sugar-sweetened and artificially sweetened soft drinks and risk of cancers not related to obesity. <i>International Journal of Cancer</i> , 2020 , 146, 3329-3334	7.5	4

416	Hospital characteristics, rather than surgical volume, predict length of stay following colorectal cancer surgery. <i>Australian and New Zealand Journal of Public Health</i> , 2020 , 44, 73-82	2.3	9
4 ¹ 5	Overall lack of replication of associations between dietary intake of folate and vitamin B-12 and DNA methylation in peripheral blood. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 228-230	7	2
414	Cumulative Burden of Colorectal Cancer-Associated Genetic Variants Is More Strongly Associated With Early-Onset vs Late-Onset Cancer. <i>Gastroenterology</i> , 2020 , 158, 1274-1286.e12	13.3	47
413	Circulating Levels of Insulin-like Growth Factor 1 and Insulin-like Growth Factor Binding Protein 3 Associate With Risk of Colorectal Cancer Based on Serologic and Mendelian Randomization Analyses. <i>Gastroenterology</i> , 2020 , 158, 1300-1312.e20	13.3	45
412	Postmenopausal Hormone Therapy and Colorectal Cancer Risk by Molecularly Defined Subtypes and Tumor Location. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa042	4.6	2
411	Stochastic Epigenetic Mutations Are Associated with Risk of Breast Cancer, Lung Cancer, and Mature B-cell Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2026-2037	4	6
410	Circulating 25-hydroxyvitamin D concentration and cause-specific mortality in the Melbourne Collaborative Cohort Study. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020 , 198, 105612	5.1	5
409	Geographic variation in tobacco use in India: a population-based multilevel cross-sectional study. <i>BMJ Open</i> , 2020 , 10, e033178	3	7
408	Adiposity and estrogen receptor-positive, postmenopausal breast cancer risk: Quantification of the mediating effects of fasting insulin and free estradiol. <i>International Journal of Cancer</i> , 2020 , 146, 1541-	1 <i>5</i> 552	9
407	Meta-analysis of 16 studies of the association of alcohol with colorectal cancer. <i>International Journal of Cancer</i> , 2020 , 146, 861-873	7.5	39
406	Physical activity and depression in men: Increased activity duration and intensity associated with lower likelihood of current depression. <i>Journal of Affective Disorders</i> , 2020 , 260, 426-431	6.6	26
405	Smoking and blood DNA methylation: an epigenome-wide association study and assessment of reversibility. <i>Epigenetics</i> , 2020 , 15, 358-368	5.7	22
404	Interval breast cancer risk associations with breast density, family history and breast tissue aging. <i>International Journal of Cancer</i> , 2020 , 147, 375-382	7.5	10
403	Body size and dietary risk factors for aggressive prostate cancer: a case-control study. <i>Cancer Causes and Control</i> , 2019 , 30, 1301-1312	2.8	2
402	Bivariate mixture models for the joint distribution of repeated serum ferritin and transferrin saturation measured 12 years apart in a cohort of healthy middle-aged Australians. <i>PLoS ONE</i> , 2019 , 14, e0214196	3.7	
401	Genome-wide association study of peripheral blood DNA methylation and conventional mammographic density measures. <i>International Journal of Cancer</i> , 2019 , 145, 1768-1773	7.5	13
400	Blood DNA methylation and breast cancer risk: a meta-analysis of four prospective cohort studies. Breast Cancer Research, 2019 , 21, 62	8.3	20
399	Maintenance of physical activity and sedentary behavior change, and physical activity and sedentary behavior change after an abridged intervention: Secondary outcomes from the ACTIVATE Trial Cancer 2019, 125, 2856-2860	6.4	14

(2019-2019)

398	A randomized controlled trial of a wearable technology-based intervention for increasing moderate to vigorous physical activity and reducing sedentary behavior in breast cancer survivors: The ACTIVATE Trial. <i>Cancer</i> , 2019 , 125, 2846-2855	6.4	39
397	Epigenome-wide association study for lifetime estrogen exposure identifies an epigenetic signature associated with breast cancer risk. <i>Clinical Epigenetics</i> , 2019 , 11, 66	7.7	12
396	Dietary Intake of Nutrients Involved in One-Carbon Metabolism and Risk of Gastric Cancer: A Prospective Study. <i>Nutrition and Cancer</i> , 2019 , 71, 605-614	2.8	13
395	Circulating 25-Hydroxyvitamin D Concentration and Risk of Breast, Prostate, and Colorectal Cancers: The Melbourne Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019 , 28, 900-908	4	14
394	A randomized placebo-controlled trial of vitamin D supplementation for reduction of mortality and cancer: Statistical analysis plan for the D-Health Trial. <i>Contemporary Clinical Trials Communications</i> , 2019 , 14, 100333	1.8	9
393	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019 , 145, 3244-3256	7.5	9
392	Rural-urban residence and cancer survival in high-income countries: A systematic review. <i>Cancer</i> , 2019 , 125, 2172-2184	6.4	29
391	Lifetime alcohol intake and pancreatic cancer incidence and survival: findings from the Melbourne Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2019 , 30, 323-331	2.8	5
390	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 146-157	9.7	67
389	Vitamin D status and the risk of type 2 diabetes: The Melbourne Collaborative Cohort Study. <i>Diabetes Research and Clinical Practice</i> , 2019 , 149, 179-187	7.4	15
388	Vitamin D Status and Mortality: A Systematic Review of Observational Studies. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	31
387	Physical Activity, Television Viewing Time, and DNA Methylation in Peripheral Blood. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 490-498	1.2	9
386	Trajectories of body mass index in adulthood and all-cause and cause-specific mortality in the Melbourne Collaborative Cohort Study. <i>BMJ Open</i> , 2019 , 9, e030078	3	13
385	Can public health policies on alcohol and tobacco reduce a cancer epidemic? Australia@ experience. <i>BMC Medicine</i> , 2019 , 17, 213	11.4	9
384	Sustained adherence to a Mediterranean diet and physical activity on all-cause mortality in the Melbourne Collaborative Cohort Study: application of the g-formula. <i>BMC Public Health</i> , 2019 , 19, 1733	4.1	4
383	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019 , 79, 274-285	10.1	17
382	Circulating concentrations of B group vitamins and urothelial cell carcinoma. <i>International Journal of Cancer</i> , 2019 , 144, 1909-1917	7.5	6
381	Discovery of common and rare genetic risk variants for colorectal cancer. <i>Nature Genetics</i> , 2019 , 51, 76-8	B 3 6.3	177

380	Assessing the ProMCol classifier as a prognostic marker for non-metastatic colorectal cancer within the Melbourne Collaborative Cohort Study. <i>Gut</i> , 2019 , 68, 761-762	19.2	
379	Consumption of sugar-sweetened and artificially sweetened soft drinks and risk of obesity-related cancers. <i>Public Health Nutrition</i> , 2018 , 21, 1618-1626	3.3	52
378	Heritable DNA methylation marks associated with susceptibility to breast cancer. <i>Nature Communications</i> , 2018 , 9, 867	17.4	52
377	Prediagnostic body size and risk of amyotrophic lateral sclerosis death in 10 studies. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018 , 19, 396-406	3.6	15
376	Multilevel Regression and Poststratification: A Modeling Approach to Estimating Population Quantities From Highly Selected Survey Samples. <i>American Journal of Epidemiology</i> , 2018 , 187, 1780-17	90 8	24
375	Dietary intake of nutrients involved in one-carbon metabolism and risk of urothelial cell carcinoma: A prospective cohort study. <i>International Journal of Cancer</i> , 2018 , 143, 298-306	7.5	11
374	Investigating the long-term impact of a childhood sun-exposure intervention, with a focus on eye health: protocol for the Kidskin-Young Adult Myopia Study. <i>BMJ Open</i> , 2018 , 8, e020868	3	8
373	Resting heart rate, temporal changes in resting heart rate, and overall and cause-specific mortality. Heart, 2018 , 104, 1076-1085	5.1	21
372	Somatic mutations of the coding microsatellites within the beta-2-microglobulin gene in mismatch repair-deficient colorectal cancers and adenomas. <i>Familial Cancer</i> , 2018 , 17, 91-100	3	11
371	Lifetime alcohol intake and risk of non-Hodgkin lymphoma: Findings from the Melbourne Collaborative Cohort Study. <i>International Journal of Cancer</i> , 2018 , 142, 919-926	7.5	5
370	Association of DNA Methylation-Based Biological Age With Health Risk Factors and Overall and Cause-Specific Mortality. <i>American Journal of Epidemiology</i> , 2018 , 187, 529-538	3.8	61
369	Associations of alcohol intake, smoking, physical activity and obesity with survival following colorectal cancer diagnosis by stage, anatomic site and tumor molecular subtype. <i>International Journal of Cancer</i> , 2018 , 142, 238-250	7.5	53
368	Heritable methylation marks associated with breast and prostate cancer risk. <i>Prostate</i> , 2018 , 78, 962-96	594.2	9
367	Temporal Associations of Alcohol and Tobacco Consumption With Cancer Mortality. <i>JAMA Network Open</i> , 2018 , 1, e180713	10.4	12
366	Women@role in the rise in drinking in Australia 1950-80: an age-period-cohort analysis of data from the Melbourne Collaborative Cohort Study. <i>Addiction</i> , 2018 , 113, 2194-2202	4.6	6
365	Dietary intake of one-carbon metabolism nutrients and DNA methylation in peripheral blood. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 611-621	7	24
364	DNA methylation-based biological aging and cancer risk and survival: Pooled analysis of seven prospective studies. <i>International Journal of Cancer</i> , 2018 , 142, 1611-1619	7.5	83
363	Study design and methods for the ACTIVity And TEchnology (ACTIVATE) trial. <i>Contemporary Clinical Trials</i> , 2018 , 64, 112-117	2.3	10

(2017-2018)

362	Early-onset baldness and the risk of aggressive prostate cancer: findings from a case-control study. <i>Cancer Causes and Control</i> , 2018 , 29, 93-102	2.8	3
361	Domain-specific physical activity and the risk of colorectal cancer: results from the Melbourne Collaborative Cohort Study. <i>BMC Cancer</i> , 2018 , 18, 1063	4.8	9
360	Predicting interval and screen-detected breast cancers from mammographic density defined by different brightness thresholds. <i>Breast Cancer Research</i> , 2018 , 20, 152	8.3	13
359	High calcium intake in men not women is associated with all-cause mortality risk: Melbourne Collaborative Cohort Study. <i>Archives of Osteoporosis</i> , 2018 , 13, 101	2.9	5
358	Differences in cancer survival by sex: a population-based study using cancer registry data. <i>Cancer Causes and Control</i> , 2018 , 29, 1059-1069	2.8	23
357	Tumor testing to identify lynch syndrome in two Australian colorectal cancer cohorts. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 427-438	4	27
356	Genome-Wide Measures of Peripheral Blood Dna Methylation and Prostate Cancer Risk in a Prospective Nested Case-Control Study. <i>Prostate</i> , 2017 , 77, 471-478	4.2	24
355	Dietary Quality Is Associated with Abdominal Aortic Calcification: A Mean of 18-Year Longitudinal Study in Community-Dwelling Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 147-151	5.2	2
354	Rationale, design, and baseline data of a cross-national randomized trial on the effect of built shade in public parks for sun protection. <i>Contemporary Clinical Trials</i> , 2017 , 55, 47-55	2.3	3
353	Training General Practitioners to Detect Probable Mental Disorders in Young People During Health Risk Screening. <i>Journal of Adolescent Health</i> , 2017 , 61, 302-309	5.8	3
352	Ejaculatory frequency and the risk of aggressive prostate cancer: Findings from a case-control study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 530.e7-530.e13	2.8	11
351	25-Hydroxyvitamin D concentration and all-cause mortality: the Melbourne Collaborative Cohort Study. <i>Public Health Nutrition</i> , 2017 , 20, 1775-1784	3.3	6
350	Lifetime alcohol intake is associated with an increased risk of KRAS+ and BRAF-/KRAS- but not BRAF+ colorectal cancer. <i>International Journal of Cancer</i> , 2017 , 140, 1485-1493	7.5	20
349	Mammographic density and risk of breast cancer by tumor characteristics: a case-control study. <i>BMC Cancer</i> , 2017 , 17, 859	4.8	5
348	Change in body size and mortality: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 526-546	7.8	35
347	Reply. Journal of Hypertension, 2017 , 35, 1722-1723	1.9	
346	Shade Sails and Passive Recreation in Public Parks of Melbourne and Denver: A Randomized Intervention. <i>American Journal of Public Health</i> , 2017 , 107, 1869-1875	5.1	16
345	Dietary protein from different food sources, incident metabolic syndrome and changes in its components: An 11-year longitudinal study in healthy community-dwelling adults. <i>Clinical Nutrition</i> , 2017 , 36, 1540-1548	5.9	38

344	DNA methylation changes measured in pre-diagnostic peripheral blood samples are associated with smoking and lung cancer risk. <i>International Journal of Cancer</i> , 2017 , 140, 50-61	7.5	83
343	Domain-specific physical activity and sedentary behaviour in relation to colon and rectal cancer risk: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2017 , 46, 1797-1813	7.8	47
342	Blood pressure and risk of breast cancer, overall and by subtypes: a prospective cohort study. Journal of Hypertension, 2017 , 35, 1371-1380	1.9	4
341	Cohort Profile: Ten to Men (the Australian Longitudinal Study on Male Health). <i>International Journal of Epidemiology</i> , 2017 , 46, 793-794i	7.8	25
340	Is breast cancer risk associated with alcohol intake before first full-term pregnancy?. <i>Cancer Causes and Control</i> , 2016 , 27, 1167-74	2.8	7
339	Dietary protein intake and risk of type 2 diabetes: results from the Melbourne Collaborative Cohort Study and a meta-analysis of prospective studies. <i>American Journal of Clinical Nutrition</i> , 2016 , 104, 1352	-1365	73
338	Adiposity assessed by anthropometric measures has a similar or greater predictive ability than dual-energy X-ray absorptiometry measures for abdominal aortic calcification in community-dwelling older adults. <i>International Journal of Cardiovascular Imaging</i> , 2016 , 32, 1451-1460	2.5	5
337	Reliability of DNA methylation measures from dried blood spots and mononuclear cells using the HumanMethylation450k BeadArray. <i>Scientific Reports</i> , 2016 , 6, 30317	4.9	38
336	The Australian longitudinal study on male health-methods. <i>BMC Public Health</i> , 2016 , 16, 1030	4.1	32
335	The Australian longitudinal study on male health sampling design and survey weighting: implications for analysis and interpretation of clustered data. <i>BMC Public Health</i> , 2016 , 16, 1062	4.1	19
334	Dietary inflammatory index, Mediterranean diet score, and lung cancer: a prospective study. <i>Cancer Causes and Control</i> , 2016 , 27, 907-17	2.8	78
333	Low Relative Lean Mass is Associated with Increased Likelihood of Abdominal Aortic Calcification in Community-Dwelling Older Australians. <i>Calcified Tissue International</i> , 2016 , 99, 340-9	3.9	11
332	Change in weight and waist circumference and risk of colorectal cancer: results from the Melbourne Collaborative Cohort Study. <i>BMC Cancer</i> , 2016 , 16, 157	4.8	13
331	Age Matters: Exploring Correlates of Self-Rated Health Across Four Generations of Australian Males. <i>Behavioral Medicine</i> , 2016 , 42, 132-42	4.4	13
330	Minimizing Matrix Effects for the Accurate Quantification of 25-Hydroxyvitamin D Metabolites in Dried Blood Spots by LC-MS/MS. <i>Clinical Chemistry</i> , 2016 , 62, 639-46	5.5	28
329	Global measures of peripheral blood-derived DNA methylation as a risk factor in the development of mature B-cell neoplasms. <i>Epigenomics</i> , 2016 , 8, 55-66	4.4	26
328	Long-Term Alcohol Consumption and Breast, Upper Aero-Digestive Tract and Colorectal Cancer Risk: A Systematic Review and Meta-Analysis. <i>Alcohol and Alcoholism</i> , 2016 , 51, 315-30	3.5	43
327	Home-based HPV self-sampling improves participation by never-screened and under-screened women: Results from a large randomized trial (iPap) in Australia. <i>International Journal of Cancer</i> , 2016 , 139, 281-90	7.5	52

(2015-2016)

326	Association between selected dietary scores and the risk of urothelial cell carcinoma: A prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 139, 1251-60	7.5	40
325	Validity and calibration of the FFQ used in the Melbourne Collaborative Cohort Study. <i>Public Health Nutrition</i> , 2016 , 19, 2357-68	3.3	30
324	Sleep apnoea in Australian men: disease burden, co-morbidities, and correlates from the Australian longitudinal study on male health. <i>BMC Public Health</i> , 2016 , 16, 1029	4.1	33
323	Diabetes in young adult men: social and health-related correlates. <i>BMC Public Health</i> , 2016 , 16, 1061	4.1	5
322	Mammographic density and risk of breast cancer by mode of detection and tumor size: a case-control study. <i>Breast Cancer Research</i> , 2016 , 18, 63	8.3	23
321	Efficacy of a workplace osteoporosis prevention intervention: a cluster randomized trial. <i>BMC Public Health</i> , 2016 , 16, 859	4.1	7
320	The D-Health Trial: A randomized trial of vitamin D for prevention of mortality and cancer. <i>Contemporary Clinical Trials</i> , 2016 , 48, 83-90	2.3	75
319	Plasma phospholipids fatty acids, dietary fatty acids, and breast cancer risk. <i>Cancer Causes and Control</i> , 2016 , 27, 759-73	2.8	39
318	Analysis of the breast cancer methylome using formalin-fixed paraffin-embedded tumour. <i>Breast Cancer Research and Treatment</i> , 2016 , 160, 173-180	4.4	4
317	Genome-wide measures of DNA methylation in peripheral blood and the risk of urothelial cell carcinoma: a prospective nested case-control study. <i>British Journal of Cancer</i> , 2016 , 115, 664-73	8.7	27
316	Dietary Linolenic Acid and Total B Fatty Acids Are Inversely Associated with Abdominal Aortic Calcification in Older Women, but Not in Older Men. <i>Journal of Nutrition</i> , 2015 , 145, 1778-86	4.1	7
315	Age-related macular degeneration in ethnically diverse Australia: Melbourne Collaborative Cohort Study. <i>Ophthalmic Epidemiology</i> , 2015 , 22, 75-84	1.9	6
314	A pilot study to compare dry cervical sample collection with standard practice of wet cervical samples for human papillomavirus testing. <i>Journal of Clinical Virology</i> , 2015 , 69, 210-3	14.5	14
313	The repeatability of DNA methylation measures may also affect the power of epigenome-wide association studies. <i>International Journal of Epidemiology</i> , 2015 , 44, 1460-1	7.8	8
312	Lifetime alcohol consumption and upper aero-digestive tract cancer risk in the Melbourne Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2015 , 26, 297-301	2.8	7
311	Natural history of HFE simple heterozygosity for C282Y and H63D: a prospective 12-year study. Journal of Gastroenterology and Hepatology (Australia), 2015 , 30, 719-25	4	22
310	Alcohol consumption for different periods in life, intake pattern over time and all-cause mortality. <i>Journal of Public Health</i> , 2015 , 37, 625-33	3.5	16
309	Effect of vitamin D supplementation on selected inflammatory biomarkers in older adults: a secondary analysis of data from a randomised, placebo-controlled trial. <i>British Journal of Nutrition</i> , 2015 , 114, 693-9	3.6	28

308	Higher Dietary Calcium Intakes Are Associated With Reduced Risks of Fractures, Cardiovascular Events, and Mortality: A Prospective Cohort Study of Older Men and Women. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 1758-66	6.3	43
307	Women@ experience with home-based self-sampling for human papillomavirus testing. <i>BMC Cancer</i> , 2015 , 15, 849	4.8	50
306	Tools for translational epigenetic studies involving formalin-fixed paraffin-embedded human tissue: applying the Infinium HumanMethyation450 Beadchip assay to large population-based studies. <i>BMC Research Notes</i> , 2015 , 8, 543	2.3	14
305	Dietary and biomarker estimates of fatty acids and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2015 , 137, 1224-34	7.5	48
304	Socioeconomic Gradients in Different Types of Tobacco Use in India: Evidence from Global Adult Tobacco Survey 2009-10. <i>BioMed Research International</i> , 2015 , 2015, 837804	3	14
303	Weight change and risk of colorectal cancer: a systematic review and meta-analysis. <i>American Journal of Epidemiology</i> , 2015 , 181, 832-45	3.8	64
302	Women@views on human papillomavirus self-sampling: focus groups to assess acceptability, invitation letters and a test kit in the Australian setting. <i>Sexual Health</i> , 2015 , 12, 279-86	2	15
301	Alcohol consumption over time and risk of death: a systematic review and meta-analysis. <i>American Journal of Epidemiology</i> , 2014 , 179, 1049-59	3.8	66
300	Dietary patterns and their associations with age-related macular degeneration: the Melbourne collaborative cohort study. <i>Ophthalmology</i> , 2014 , 121, 1428-1434.e2	7.3	52
299	Dietary patterns as predictors of successful ageing. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 22	1- 3 .2	32
298	A three-protein biomarker panel assessed in diagnostic tissue predicts death from prostate cancer for men with localized disease. <i>Cancer Medicine</i> , 2014 , 3, 1266-74	4.8	17
297	Associations of mammographic dense and nondense areas and body mass index with risk of breast cancer. <i>American Journal of Epidemiology</i> , 2014 , 179, 475-83	3.8	41
296	Should the grading of colorectal adenocarcinoma include microsatellite instability status?. <i>Human Pathology</i> , 2014 , 45, 2077-84	3.7	39
295	Rationale and design of the iPap trial: a randomized controlled trial of home-based HPV self-sampling for improving participation in cervical screening by never- and under-screened women in Australia. <i>BMC Cancer</i> , 2014 , 14, 207	4.8	17
294	Measurements of 25-hydroxyvitamin D concentrations in archived dried blood spots are reliable and accurately reflect those in plasma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3319	0- 2 4 ⁶	50
293	Effect of vitamin D supplementation on antibiotic use: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2014 , 99, 156-61	7	35
292	Change in body size and mortality: results from the Melbourne collaborative cohort study. <i>PLoS ONE</i> , 2014 , 9, e99672	3.7	20
291	Association of social determinants of health with self-rated health among Australian gay and bisexual men living with HIV. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2014, 26, 65-74	2.2	7

(2013-2014)

290	Circulating fatty acids and prostate cancer risk: individual participant meta-analysis of prospective studies. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	41
289	Dairy products and pancreatic cancer risk: a pooled analysis of 14 cohort studies. <i>Annals of Oncology</i> , 2014 , 25, 1106-15	10.3	40
288	Predictors of increased body weight and waist circumference for middle-aged adults. <i>Public Health Nutrition</i> , 2014 , 17, 1087-97	3.3	23
287	Re: Microsatellite instability and BRAF mutation testing in colorectal cancer prognostication. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	6
286	Environmental, personal, and genetic determinants of response to vitamin D supplementation in older adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1332-40	5.6	51
285	High-grade cervical abnormalities and cervical cancer in women following a negative Pap smear with and without an endocervical component: a cohort study with 10 years of follow-up. <i>International Journal of Cancer</i> , 2014 , 135, 1213-9	7.5	5
284	Epigenome-wide methylation in DNA from peripheral blood as a marker of risk for breast cancer. Breast Cancer Research and Treatment, 2014 , 148, 665-73	4.4	75
283	A pooled analysis of waist circumference and mortality in 650,000 adults. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 335-45	6.4	225
282	The use of DNA from archival dried blood spots with the Infinium HumanMethylation450 array. <i>BMC Biotechnology</i> , 2013 , 13, 23	3.5	49
281	Dietary intake of B vitamins and methionine and breast cancer risk. <i>Cancer Causes and Control</i> , 2013 , 24, 1555-63	2.8	38
280	Expression of MUC2, MUC5AC, MUC5B, and MUC6 mucins in colorectal cancers and their association with the CpG island methylator phenotype. <i>Modern Pathology</i> , 2013 , 26, 1642-56	9.8	99
279	AutoDensity: an automated method to measure mammographic breast density that predicts breast cancer risk and screening outcomes. <i>Breast Cancer Research</i> , 2013 , 15, R80	8.3	37
278	The impact of missing data on analyses of a time-dependent exposure in a longitudinal cohort: a simulation study. <i>Emerging Themes in Epidemiology</i> , 2013 , 10, 6	3.9	13
277	Patterns of dietary intake and psychological distress in older Australians: benefits not just from a Mediterranean diet. <i>International Psychogeriatrics</i> , 2013 , 25, 456-66	3.4	73
276	Dietary intake of B vitamins and methionine and colorectal cancer risk. <i>Nutrition and Cancer</i> , 2013 , 65, 659-67	2.8	33
275	Predicting vitamin D deficiency in older Australian adults. <i>Clinical Endocrinology</i> , 2013 , 79, 631-40	3.4	20
274	Reply to comment on: G econd to fourth digit ratio (2D:4D), breast cancer risk factors, and breast cancer risk: a prospective cohort studyO <i>British Journal of Cancer</i> , 2013 , 108, 743	8.7	2
273	Social connectedness and predictors of successful ageing. <i>Maturitas</i> , 2013 , 75, 361-6	5	48

272	Diabetes and ageing in the Melbourne Collaborative Cohort Study (MCCS). <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 398-403	7.4	9
271	Nodular melanoma: a distinct clinical entity and the largest contributor to melanoma deaths in Victoria, Australia. <i>Journal of the American Academy of Dermatology</i> , 2013 , 68, 568-575	4.5	62
270	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013 , 45, 385-91, 391e1-2	36.3	413
269	Colorectal carcinomas with KRAS mutation are associated with distinctive morphological and molecular features. <i>Modern Pathology</i> , 2013 , 26, 825-34	9.8	106
268	Association between hypermethylation of DNA repetitive elements in white blood cell DNA and early-onset colorectal cancer. <i>Epigenetics</i> , 2013 , 8, 748-55	5.7	36
267	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013 , 22, 408-15	5.6	109
266	Age-dependent associations between androgenetic alopecia and prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 209-15	4	17
265	Associations between weight in early adulthood, change in weight, and breast cancer risk in postmenopausal women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 1409-16	4	35
264	No strong association between second to fourth digit ratio (2D:4D) and adult anthropometric measures with emphasis on adiposity. <i>Annals of Human Biology</i> , 2013 , 40, 201-4	1.7	9
263	Plasma phospholipid fatty acids, dietary fatty acids and prostate cancer risk. <i>International Journal of Cancer</i> , 2013 , 133, 1882-91	7.5	37
262	The prevalence and risk factors of epiretinal membranes: the Melbourne Collaborative Cohort Study. <i>Retina</i> , 2013 , 33, 1026-34	3.6	71
261	Are bald men more virile than their well thatched contemporaries?. <i>Medical Journal of Australia</i> , 2013 , 199, 811-2	4	4
260	PIK3CA activating mutation in colorectal carcinoma: associations with molecular features and survival. <i>PLoS ONE</i> , 2013 , 8, e65479	3.7	102
259	HFE C282Y homozygosity is associated with an increased risk of total hip replacement for osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 872-8	5.3	15
258	Prevalence of trachoma in a single community, 1975-2007. <i>Clinical and Experimental Ophthalmology</i> , 2012 , 40, 121-6	2.4	5
257	Are genetic and environmental components of variance in mammographic density measures that predict breast cancer risk independent of within-twin pair differences in body mass index?. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 553-9	4.4	3
256	Increased fasting serum glucose concentration is associated with adverse knee structural changes in adults with no knee symptoms and diabetes. <i>Maturitas</i> , 2012 , 72, 373-8	5	20
255	Analysis of Xq27-28 linkage in the international consortium for prostate cancer genetics (ICPCG) families. <i>BMC Medical Genetics</i> , 2012 , 13, 46	2.1	5

254	The relationship between retinal vessel calibre and knee cartilage and BMLs. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 255	2.8	11	
253	A review of the reporting and handling of missing data in cohort studies with repeated assessment of exposure measures. <i>BMC Medical Research Methodology</i> , 2012 , 12, 96	4.7	83	
252	Non-melanoma skin cancer in Australia. <i>Medical Journal of Australia</i> , 2012 , 197, 565-8	4	154	
251	Chromosomes 4 and 8 implicated in a genome wide SNP linkage scan of 762 prostate cancer families collected by the ICPCG. <i>Prostate</i> , 2012 , 72, 410-26	4.2	14	
250	Interleukin-6 promoter variants, prostate cancer risk, and survival. <i>Prostate</i> , 2012 , 72, 1701-7	4.2	21	
249	Weight change and prostate cancer incidence and mortality. <i>International Journal of Cancer</i> , 2012 , 131, 1711-9	7.5	61	
248	Dietary intake of B vitamins and methionine and prostate cancer incidence and mortality. <i>Cancer Causes and Control</i> , 2012 , 23, 855-63	2.8	31	
247	Intake of fruits and vegetables and risk of pancreatic cancer in a pooled analysis of 14 cohort studies. <i>American Journal of Epidemiology</i> , 2012 , 176, 373-86	3.8	49	
246	Effect of long-term vigorous physical activity on healthy adult knee cartilage. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 985-92	1.2	13	
245	Body size and risk for colorectal cancers showing BRAF mutations or microsatellite instability: a pooled analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 1060-72	7.8	59	
244	A flatter proximal trochlear groove is associated with patella cartilage loss. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 496-500	1.2	7	
243	20/20Alcohol and age-related macular degeneration: the Melbourne Collaborative Cohort Study. <i>American Journal of Epidemiology</i> , 2012 , 176, 289-98	3.8	49	
242	Can genetic associations change with age? CFH and age-related macular degeneration. <i>Human Molecular Genetics</i> , 2012 , 21, 5229-36	5.6	18	
241	Mammographic screening and breast cancer mortality: a case-control study and meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1479-88	4	78	
240	Apolipoprotein E gene associations in age-related macular degeneration: the Melbourne Collaborative Cohort Study. <i>American Journal of Epidemiology</i> , 2012 , 175, 511-8	3.8	25	
239	Recruitment and results of a pilot trial of vitamin D supplementation in the general population of Australia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4473-80	5.6	19	
238	Coffee, tea, and sugar-sweetened carbonated soft drink intake and pancreatic cancer risk: a pooled analysis of 14 cohort studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 305-18	4	57	
237	Second to fourth digit ratio (2D:4D), breast cancer risk factors, and breast cancer risk: a prospective cohort study. <i>British Journal of Cancer</i> , 2012 , 107, 1631-6	8.7	62	

236	Dietary intake of B vitamins and methionine and risk of lung cancer. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 182-7	5.2	28
235	Screening and Breast Cancer MortalityResponse. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2276-2277	4	4
234	Inference about causation from examination of familial confounding: application to longitudinal twin data on mammographic density measures that predict breast cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1149-55	4	27
233	Does a Mediterranean diet reduce the mortality risk associated with diabetes: evidence from the Melbourne Collaborative Cohort Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 73	3- 4 5	58
232	Relationship of urinary sodium and sodium-to-potassium ratio to blood pressure in older adults in Australia. <i>Medical Journal of Australia</i> , 2011 , 195, 128-32	4	49
231	A comparison of self-reported and record-linked blood donation history in an Australian cohort. <i>Transfusion</i> , 2011 , 51, 2189-98	2.9	12
230	Dietary patterns and risk of breast cancer. British Journal of Cancer, 2011, 104, 524-31	8.7	65
229	Body mass index in early adulthood and colorectal cancer risk for carriers and non-carriers of germline mutations in DNA mismatch repair genes. <i>British Journal of Cancer</i> , 2011 , 105, 162-9	8.7	40
228	Iodine status in Melbourne adults in the early 1990s and 2007-08. <i>Australian and New Zealand Journal of Public Health</i> , 2011 , 35, 408-11	2.3	7
227	Validation of de-identified record linkage to ascertain hospital admissions in a cohort study. <i>BMC Medical Research Methodology</i> , 2011 , 11, 42	4.7	19
226	Meat consumption and risk of primary hip and knee joint replacement due to osteoarthritis: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 17	2.8	3
225	Second to fourth digit ratio (2D:4D) and concentrations of circulating sex hormones in adulthood. <i>Reproductive Biology and Endocrinology</i> , 2011 , 9, 57	5	66
224	A risk prediction algorithm based on family history and common genetic variants: application to prostate cancer with potential clinical impact. <i>Genetic Epidemiology</i> , 2011 , 35, 549-56	2.6	64
223	Association between melanoma thickness, clinical skin examination and socioeconomic status: results of a large population-based study. <i>International Journal of Cancer</i> , 2011 , 128, 2158-65	7.5	36
222	Alcohol consumption and risk of glioblastoma; evidence from the Melbourne Collaborative Cohort Study. <i>International Journal of Cancer</i> , 2011 , 128, 1929-34	7·5	31
221	A pooled analysis of 14 cohort studies of anthropometric factors and pancreatic cancer risk. <i>International Journal of Cancer</i> , 2011 , 129, 1708-17	7.5	173
220	NMR-determined lipoprotein subclass profile is associated with dietary composition and body size. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 603-9	4.5	10
219	Associations of breast cancer risk factors with tumor subtypes: a pooled analysis from the Breast Cancer Association Consortium studies. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 250-63	9.7	513

(2010-2011)

218	Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011 , 43, 785-91	36.3	243
217	7q21-rs6964587 and breast cancer risk: an extended case-control study by the Breast Cancer Association Consortium. <i>Journal of Medical Genetics</i> , 2011 , 48, 698-702	5.8	5
216	Folate intake and risk of pancreatic cancer: pooled analysis of prospective cohort studies. <i>Journal of the National Cancer Institute</i> , 2011 , 103, 1840-50	9.7	29
215	Body mass index in early adulthood and endometrial cancer risk for mismatch repair gene mutation carriers. <i>Obstetrics and Gynecology</i> , 2011 , 117, 899-905	4.9	21
214	Abdominal obesity and age-related macular degeneration. <i>American Journal of Epidemiology</i> , 2011 , 173, 1246-55	3.8	72
213	Circulating sex hormones and breast cancer risk factors in postmenopausal women: reanalysis of 13 studies. <i>British Journal of Cancer</i> , 2011 , 105, 709-22	8.7	254
212	Second to fourth digit ratio (2D:4D) and prostate cancer risk in the Melbourne Collaborative Cohort Study. <i>British Journal of Cancer</i> , 2011 , 105, 438-40	8.7	24
211	Is physical activity a risk factor for primary knee or hip replacement due to osteoarthritis? A prospective cohort study. <i>Journal of Rheumatology</i> , 2011 , 38, 350-7	4.1	46
21 0	Bivariate Mixture Models of Serum Ferritin and Transferrin Saturation Predict Stable Components Measured 12 Years Apart in a Healthy Australian Population. <i>Blood</i> , 2011 , 118, 5281-5281	2.2	
209	Plasma concentration of Propionibacterium acnes antibodies and prostate cancer risk: results from an Australian population-based case-control study. <i>British Journal of Cancer</i> , 2010 , 103, 411-5	8.7	16
208	Consumption of animal products, their nutrient components and postmenopausal circulating steroid hormone concentrations. <i>European Journal of Clinical Nutrition</i> , 2010 , 64, 176-83	5.2	36
207	Risk factors for colorectal cancer in patients with multiple serrated polyps: a cross-sectional case series from genetics clinics. <i>PLoS ONE</i> , 2010 , 5, e11636	3.7	60
206	Comprehensive analysis of the cytokine-rich chromosome 5q31.1 region suggests a role for IL-4 gene variants in prostate cancer risk. <i>Carcinogenesis</i> , 2010 , 31, 1748-54	4.6	34
205	Body size, weight change, and risk of colon cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2978-86	4	57
204	Body-mass index and mortality among 1.46 million white adults. <i>New England Journal of Medicine</i> , 2010 , 363, 2211-9	59.2	1532
203	Asthma, asthma medications, and prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2318-24	4	20
202	Circulating steroid hormone levels and risk of breast cancer for postmenopausal women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 492-502	4	83
201	Common genetic variants associated with breast cancer and mammographic density measures that predict disease. <i>Cancer Research</i> , 2010 , 70, 1449-58	10.1	63

200	A novel polymorphism in a forkhead box A1 (FOXA1) binding site of the human UDP glucuronosyltransferase 2B17 gene modulates promoter activity and is associated with altered levels of circulating androstane-3[17]: Thiologicular Pharmacology, 2010, 78, 714-22	4.3	29
199	Missense variants in ATM in 26,101 breast cancer cases and 29,842 controls. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 2143-51	4	31
198	Inequalities in cardiovascular disease mortality: the role of behavioural, physiological and social risk factors. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 542-8	5.1	49
197	Incidence and survival of lymphohematopoietic neoplasms according to the World Health Organization classification: a population-based study from the Victorian Cancer Registry in Australia. <i>Leukemia and Lymphoma</i> , 2010 , 51, 456-68	1.9	11
196	Associations among smoking status, lifestyle and lipoprotein subclasses. <i>Journal of Clinical Lipidology</i> , 2010 , 4, 522-30	4.9	7
195	Development of bone marrow lesions is associated with adverse effects on knee cartilage while resolution is associated with improvementa potential target for prevention of knee osteoarthritis: a longitudinal study. <i>Arthritis Research and Therapy</i> , 2010 , 12, R10	5.7	38
194	Prostate cancer segregation analyses using 4390 families from UK and Australian population-based studies. <i>Genetic Epidemiology</i> , 2010 , 34, 42-50	2.6	25
193	Using functional data analysis models to estimate future time trends in age-specific breast cancer mortality for the United States and England-Wales. <i>Journal of Epidemiology</i> , 2010 , 20, 159-65	3.4	8
192	Physical activity, body size and composition, and risk of ovarian cancer. <i>Cancer Causes and Control</i> , 2010 , 21, 2183-94	2.8	34
191	The 4q27 locus and prostate cancer risk. <i>BMC Cancer</i> , 2010 , 10, 69	4.8	5
191	The 4q27 locus and prostate cancer risk. <i>BMC Cancer</i> , 2010 , 10, 69 HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 13	<u> </u>	5 95
		<u> </u>	
190	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 13 Clinical whole-body skin examination reduces the incidence of thick melanomas. <i>International</i>	11182	95
190 189	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 13 Clinical whole-body skin examination reduces the incidence of thick melanomas. <i>International Journal of Cancer</i> , 2010 , 126, 450-8 Genome-wide linkage analysis of 1,233 prostate cancer pedigrees from the International Consortium for Prostate Cancer Genetics using novel sumLINK and sumLOD analyses. <i>Prostate</i> ,	7.5	95
190 189 188	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 13 Clinical whole-body skin examination reduces the incidence of thick melanomas. <i>International Journal of Cancer</i> , 2010 , 126, 450-8 Genome-wide linkage analysis of 1,233 prostate cancer pedigrees from the International Consortium for Prostate Cancer Genetics using novel sumLINK and sumLOD analyses. <i>Prostate</i> , 2010 , 70, 735-44 AdolescentsQuse of purpose built shade in secondary schools: cluster randomised controlled trial.	7.5 4.2	95 133 22
190 189 188	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 13 Clinical whole-body skin examination reduces the incidence of thick melanomas. <i>International Journal of Cancer</i> , 2010 , 126, 450-8 Genome-wide linkage analysis of 1,233 prostate cancer pedigrees from the International Consortium for Prostate Cancer Genetics using novel sumLINK and sumLOD analyses. <i>Prostate</i> , 2010 , 70, 735-44 Adolescents Cuse of purpose built shade in secondary schools: cluster randomised controlled trial. <i>BMJ</i> , <i>The</i> , 2009 , 338, b95 The natural history of bone marrow lesions in community-based adults with no clinical knee	7.5 4.2	95 133 22 46
190 189 188 187	HFE C282Y homozygotes are at increased risk of breast and colorectal cancer. <i>Hepatology</i> , 2010 , 51, 13 Clinical whole-body skin examination reduces the incidence of thick melanomas. <i>International Journal of Cancer</i> , 2010 , 126, 450-8 Genome-wide linkage analysis of 1,233 prostate cancer pedigrees from the International Consortium for Prostate Cancer Genetics using novel sumLINK and sumLOD analyses. <i>Prostate</i> , 2010 , 70, 735-44 AdolescentsQuse of purpose built shade in secondary schools: cluster randomised controlled trial. <i>BMJ</i> , <i>The</i> , 2009 , 338, b95 The natural history of bone marrow lesions in community-based adults with no clinical knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 904-8 Red meat and chicken consumption and its association with age-related macular degeneration.	7.5 4.2 5.9	95 133 22 46 70

(2009-2009)

182	Obesity and adiposity are associated with the rate of patella cartilage volume loss over 2 years in adults without knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 909-13	2.4	27
181	Familial correlations in postmenopausal serum concentrations of sex steroid hormones and other mitogens: a twins and sisters study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4793-80	o 5.6	20
180	Risk of estrogen receptor-positive and -negative breast cancer and single-nucleotide polymorphism 2q35-rs13387042. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1012-8	9.7	90
179	Non-mydriatic Digital Macular Photography: How Good is the Second Eye Photograph?. <i>Ophthalmic Epidemiology</i> , 2009 , 16, 254-261	1.9	15
178	Intakes of fruit, vegetables, and carotenoids and renal cell cancer risk: a pooled analysis of 13 prospective studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1730-9	4	85
177	Fat consumption and its association with age-related macular degeneration. <i>JAMA Ophthalmology</i> , 2009 , 127, 674-80		95
176	Smoking is associated with increased cartilage loss and persistence of bone marrow lesions over 2 years in community-based individuals. <i>Rheumatology</i> , 2009 , 48, 1227-31	3.9	31
175	Dietary patterns and prostate cancer risk. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 317	<u>26</u> -9	40
174	The effect of socioeconomic status on survival from colorectal cancer in the Melbourne Collaborative Cohort Study. <i>Social Science and Medicine</i> , 2009 , 68, 290-7	5.1	35
173	HFE C282Y/H63D compound heterozygotes are at low risk of hemochromatosis-related morbidity. <i>Hepatology</i> , 2009 , 50, 94-101	11.2	64
172	Season of diagnosis has no effect on survival from malignant melanoma. <i>International Journal of Cancer</i> , 2009 , 125, 488-90	7.5	14
171	Longitudinal effect of vigorous physical activity on patella cartilage morphology in people without clinical knee disease. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1095-102		27
170	Circulating steroid hormone concentrations in postmenopausal women in relation to body size and composition. <i>Breast Cancer Research and Treatment</i> , 2009 , 115, 171-9	4.4	89
169	A novel association between a SNP in CYBRD1 and serum ferritin levels in a cohort study of HFE hereditary haemochromatosis. <i>British Journal of Haematology</i> , 2009 , 147, 140-9	4.5	49
168	Identification of new genetic risk factors for prostate cancer. Asian Journal of Andrology, 2009, 11, 49-5	52.8	20
167	Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009 , 41, 585-	99 6.3	393
166	Identification of seven new prostate cancer susceptibility loci through a genome-wide association study. <i>Nature Genetics</i> , 2009 , 41, 1116-21	36.3	360
165	Multiple loci on 8q24 associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2009 , 41, 1058-60	36.3	252

164	NMR-determined lipoprotein subclass profile predicts type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2009 , 83, 132-9	7.4	33
163	Five polymorphisms and breast cancer risk: results from the Breast Cancer Association Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1610-6	4	53
162	Dietary fatty acid intake affects the risk of developing bone marrow lesions in healthy middle-aged adults without clinical knee osteoarthritis: a prospective cohort study. <i>Arthritis Research and Therapy</i> , 2009 , 11, R63	5.7	25
161	Reduced rates of primary joint replacement for osteoarthritis in Italian and Greek migrants to Australia: the Melbourne Collaborative Cohort Study. <i>Arthritis Research and Therapy</i> , 2009 , 11, R86	5.7	16
160	Relationship between body adiposity measures and risk of primary knee and hip replacement for osteoarthritis: a prospective cohort study. <i>Arthritis Research and Therapy</i> , 2009 , 11, R31	5.7	106
159	Women have increased rates of cartilage loss and progression of cartilage defects at the knee than men: a gender study of adults without clinical knee osteoarthritis. <i>Menopause</i> , 2009 , 16, 666-70	2.5	73
158	Non-mydriatic digital macular photography: how good is the second eye photograph?. <i>Ophthalmic Epidemiology</i> , 2009 , 16, 254-61	1.9	8
157	Vastus medialis cross-sectional area is positively associated with patella cartilage and bone volumes in a pain-free community-based population. <i>Arthritis Research and Therapy</i> , 2008 , 10, R143	5.7	13
156	The longitudinal relationship between body composition and patella cartilage in healthy adults. <i>Obesity</i> , 2008 , 16, 421-7	8	28
155	Multiple newly identified loci associated with prostate cancer susceptibility. <i>Nature Genetics</i> , 2008 , 40, 316-21	36.3	722
154	Immunoblotting using multiple antigens is essential to demonstrate the true risk of Helicobacter pylori infection for gastric cancer. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 903-10	6.1	24
153	Effect of fatty acids on bone marrow lesions and knee cartilage in healthy, middle-aged subjects without clinical knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 579-83	6.2	34
152	The natural history of serum iron indices for HFE C282Y homozygosity associated with hereditary hemochromatosis. <i>Gastroenterology</i> , 2008 , 135, 1945-52	13.3	65
151	PRIVALENCE OF AND RISK FACTORS FOR CEREBRAL PALSY IN A TOTAL POPULATION COHORT OF LOW-BIRTHWEIGHT (. <i>Developmental Medicine and Child Neurology</i> , 2008 , 28, 559-568	3.3	31
150	Iron-overload-related disease in HFE hereditary hemochromatosis. <i>New England Journal of Medicine</i> , 2008 , 358, 221-30	59.2	516
149	Bone marrow lesions predict progression of cartilage defects and loss of cartilage volume in healthy middle-aged adults without knee pain over 2 yrs. <i>Rheumatology</i> , 2008 , 47, 1392-6	3.9	67
148	Ethnicity and risk for colorectal cancers showing somatic BRAF V600E mutation or CpG island methylator phenotype. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1774-80	4	89
147	Multiple novel prostate cancer predisposition loci confirmed by an international study: the PRACTICAL Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2052-61	4	134

(2007-2008)

146	Heterogeneity of breast cancer associations with five susceptibility loci by clinical and pathological characteristics. <i>PLoS Genetics</i> , 2008 , 4, e1000054	6	280
145	Fat, protein, and meat consumption and renal cell cancer risk: a pooled analysis of 13 prospective studies. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 1695-706	9.7	61
144	Using mammographic density to improve breast cancer screening outcomes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2818-24	4	35
143	No association between common chemokine and chemokine receptor gene variants and prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3615-7	4	11
142	Predictors of mammographic density: insights gained from a novel regression analysis of a twin study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 3474-81	4	45
141	Insulin-like growth factors, their binding proteins, and prostate cancer risk: analysis of individual patient data from 12 prospective studies. <i>Annals of Internal Medicine</i> , 2008 , 149, 461-71, W83-8	8	226
140	Appearance of melanocytic nevi on the backs of young Australian children: a 7-year longitudinal study. <i>Melanoma Research</i> , 2008 , 18, 22-8	3.3	18
139	The rs743572 common variant in the promoter of CYP17A1 is not associated with prostate cancer risk or circulating hormonal levels. <i>BJU International</i> , 2008 , 101, 492-6	5.6	10
138	Effect of physical activity on articular knee joint structures in community-based adults. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1261-8		90
137	5alpha-Reductase type 2 gene variant associations with prostate cancer risk, circulating hormone levels and androgenetic alopecia. <i>International Journal of Cancer</i> , 2007 , 120, 776-80	7.5	47
136	Intakes of coffee, tea, milk, soda and juice and renal cell cancer in a pooled analysis of 13 prospective studies. <i>International Journal of Cancer</i> , 2007 , 121, 2246-53	7.5	54
135	A comparison of adiposity measures as predictors of all-cause mortality: the Melbourne Collaborative Cohort Study. <i>Obesity</i> , 2007 , 15, 994-1003	8	97
134	Alcohol consumption and cardiovascular mortality accounting for possible misclassification of intake: 11-year follow-up of the Melbourne Collaborative Cohort Study. <i>Addiction</i> , 2007 , 102, 1574-85	4.6	33
133	Association of bone marrow lesions with knee structures and risk factors for bone marrow lesions in the knees of clinically healthy, community-based adults. <i>Seminars in Arthritis and Rheumatism</i> , 2007 , 37, 112-8	5.3	59
132	A positive association of smoking and articular knee joint cartilage in healthy people. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 587-90	6.2	14
131	The relationship between the angle of the trochlear groove and patella cartilage and bone morphologya cross-sectional study of healthy adults. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 1158-62	6.2	16
130	The common variant rs1447295 on chromosome 8q24 and prostate cancer risk: results from an Australian population-based case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 610-2	4	63
129	A comparison of different methods for including @ge at menopauseOn analyses of the association between hormone replacement therapy use and breast cancer. <i>Journal of Family Planning and Reproductive Health Care</i> , 2007, 33, 11-6		10

128	Dietary patterns and diabetes incidence in the Melbourne Collaborative Cohort Study. <i>American Journal of Epidemiology</i> , 2007 , 165, 603-10	3.8	93
127	Circulating insulin-like growth factor-I and binding protein-3 and the risk of breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 763-8	4	84
126	Compelling evidence for a prostate cancer gene at 22q12.3 by the International Consortium for Prostate Cancer Genetics. <i>Human Molecular Genetics</i> , 2007 , 16, 1271-8	5.6	30
125	Serrated pathway colorectal cancer in the population: genetic consideration. <i>Gut</i> , 2007 , 56, 1453-9	19.2	72
124	Plasma phospholipid and dietary fatty acids as predictors of type 2 diabetes: interpreting the role of linoleic acid. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 189-97	7	218
123	Dietary patterns and cardiovascular mortality in the Melbourne Collaborative Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 221-9	7	67
122	Time spent outdoors at midday and children@ body mass index. <i>American Journal of Public Health</i> , 2007 , 97, 306-10	5.1	10
121	Clinical pathways to diagnose melanoma: a population-based study. <i>Melanoma Research</i> , 2007 , 17, 243	-9 3.3	15
120	Is cancer risk associated with anger control and negative affect? Findings from a prospective cohort study. <i>Psychosomatic Medicine</i> , 2007 , 69, 667-74	3.7	17
119	Substantial intentional weight loss and mortality in the severely obese. <i>Annals of Surgery</i> , 2007 , 246, 1028-33	7.8	105
118	Plasma phospholipid fatty acid composition as a biomarker of habitual dietary fat intake in an ethnically diverse cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 415-26	4.5	111
117	Effect of antioxidants on knee cartilage and bone in healthy, middle-aged subjects: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2007 , 9, R66	5.7	56
116	Body composition and knee cartilage properties in healthy, community-based adults. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1244-8	2.4	57
115	An ecological study of organochlorine pesticides and breast cancer in rural Victoria, Australia. <i>Archives of Environmental Contamination and Toxicology</i> , 2006 , 50, 452-61	3.2	5
114	Body size and composition and colon cancer risk in women. <i>International Journal of Cancer</i> , 2006 , 118, 1496-500	7.5	73
113	Dietary carbohydrate, fibre, glycaemic index, glycaemic load and the risk of postmenopausal breast cancer. <i>International Journal of Cancer</i> , 2006 , 118, 1843-7	7.5	79
112	Body size and composition and the risk of gastric and oesophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2006 , 118, 2628-31	7.5	85
111	Alcohol consumption and prostate cancer risk: results from the Melbourne collaborative cohort study. <i>International Journal of Cancer</i> , 2006 , 119, 1501-4	7.5	27

(2006-2006)

	110	Average volume of alcohol consumed, type of beverage, drinking pattern and the risk of death from all causes. <i>Alcohol and Alcoholism</i> , 2006 , 41, 664-71	3.5	38
	109	Circulating steroid hormones and the risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 86-91	4	145
·	108	The contribution of smoking to socioeconomic differentials in mortality: results from the Melbourne Collaborative Cohort Study, Australia. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 1077-9	5.1	38
	107	The heritability of mammographically dense and nondense breast tissue. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 612-7	4	84
	106	Physical activity, insulin-like growth factor 1, insulin-like growth factor binding protein 3, and survival from colorectal cancer. <i>Gut</i> , 2006 , 55, 689-94	19.2	72
:	105	Effect of physical activity and body size on survival after diagnosis with colorectal cancer. <i>Gut</i> , 2006 , 55, 62-7	19.2	255
-	104	Macrophage inhibitory cytokine-1 H6D polymorphism, prostate cancer risk, and survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1223-5	4	31
	103	Re: Prospective studies of dairy product and calcium intakes and prostate cancer risk: a meta-analysis. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 794-5; author reply 795	9.7	20
-	102	Variants in the prostate-specific antigen (PSA) gene and prostate cancer risk, survival, and circulating PSA. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1142-7	4	22
:	101	Circulating insulin-like growth factor-I and binding protein-3 and risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006 , 15, 1137-41	4	56
-	100	Is there a positive association between mammographic density and bone mineral density?. <i>Breast Cancer Research</i> , 2006 , 8, 401	8.3	8
	99	Presentation and detection of invasive melanoma in a high-risk population. <i>Journal of the American Academy of Dermatology</i> , 2006 , 54, 783-92	4.5	111
(98	The impact of the kidskin sun protection intervention on summer suntan and reported sun exposure: was it sustained?. <i>Preventive Medicine</i> , 2006 , 42, 14-20	4.3	22
(97	Hormone therapy and breast cancer: what factors modify the association?. <i>Menopause</i> , 2006 , 13, 178-84	42.5	13
(96	The relationship between melanoma thickness and time to diagnosis in a large population-based study. <i>Archives of Dermatology</i> , 2006 , 142, 1422-7		53
٩	95	Alcohol intake, consumption pattern and beverage type, and the risk of Type 2 diabetes. <i>Diabetic Medicine</i> , 2006 , 23, 690-7	3.5	70
9	94	Ultraviolet radiation at places of residence and the development of melanocytic nevi in children (Australia). <i>Cancer Causes and Control</i> , 2006 , 17, 103-7	2.8	36
(93	Body size and composition and prostate cancer risk: systematic review and meta-regression analysis. <i>Cancer Causes and Control</i> , 2006 , 17, 989-1003	2.8	288

92	Body size and composition and risk of rectal cancer (Australia). Cancer Causes and Control, 2006, 17, 12	!9 1≥. 8	32
91	Incidence of new and changed nevi and melanomas detected using baseline images and dermoscopy in patients at high risk for melanoma. <i>Archives of Dermatology</i> , 2005 , 141, 998-1006		129
90	A comparison of estradiol levels between women with a hysterectomy and ovarian conservation and women with an intact uterus. <i>Climacteric</i> , 2005 , 8, 300-3	3.1	4
89	Does dietary folate intake modify effect of alcohol consumption on breast cancer risk? Prospective cohort study. <i>BMJ, The</i> , 2005 , 331, 807	5.9	66
88	The effect of a school-based sun protection intervention on the development of melanocytic nevi in children: 6-year follow-up. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 977-80	4	34
87	Sun protection and the development of melanocytic nevi in children. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2873-6	4	27
86	Body size and composition and the risk of lymphohematopoietic malignancies. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1154-7	9.7	52
85	Macrophage scavenger receptor 1 999C>T (R293X) mutation and risk of prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 397-402	4	17
84	Is there overlap between the genetic determinants of mammographic density and bone mineral density?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 2266-8	4	8
83	Factors influencing the number needed to excise: excision rates of pigmented lesions by general practitioners. <i>Medical Journal of Australia</i> , 2004 , 180, 16-9	4	62
82	The potential for tobacco control to reduce PBS costs for smoking-related cardiovascular disease. <i>Medical Journal of Australia</i> , 2004 , 181, 252-5	4	7
81	Frequency of ejaculation and risk of prostate cancer. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 329; author reply 329	27.4	4
80	Creating SunSmart schools. <i>Health Education Research</i> , 2004 , 19, 98-109	1.8	31
79	Glycemic index and dietary fiber and the risk of type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 2701-6	14.6	317
78	Increased diabetes incidence in Greek and Italian migrants to Australia: how much can be explained by known risk factors?. <i>Diabetes Care</i> , 2004 , 27, 2330-4	14.6	29
77	Foods, nutrients and prostate cancer. Cancer Causes and Control, 2004, 15, 11-20	2.8	96
76	Descriptive epidemiology of skin cancer. Cancer Prevention, Cancer Causes, 2004, 73-87		7
75	Body size and composition and colon cancer risk in men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 553-9	4	54

(2001-2004)

74	Red meat, chicken, and fish consumption and risk of colorectal cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 1509-14	4	49
73	Body size and composition and risk of postmenopausal breast cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 2117-25	4	34
72	Evaluation of aid to diagnosis of pigmented skin lesions in general practice: controlled trial randomised by practice. <i>BMJ, The</i> , 2003 , 327, 375	5.9	29
71	Sun safety education intervention for school and home. <i>Health Education</i> , 2003 , 103, 342-351	1	4
70	Risk of prostate cancer associated with a family history in an era of rapid increase in prostate cancer diagnosis (Australia). <i>Cancer Causes and Control</i> , 2003 , 14, 161-6	2.8	18
69	Early growth, adult body size and prostate cancer risk. International Journal of Cancer, 2003, 103, 241-5	7.5	68
68	Birth defects in the offspring of non-Caucasian, non-Indigenous women in Western Australia. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2003 , 67, 515-21		
67	Sexual factors and prostate cancer. <i>BJU International</i> , 2003 , 92, 211-6	5.6	63
66	Androgenetic alopecia in men aged 40-69 years: prevalence and risk factors. <i>British Journal of Dermatology</i> , 2003 , 149, 1207-13	4	145
65	ELAC2/HPC2 polymorphisms, prostate-specific antigen levels, and prostate cancer. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 818-24	9.7	45
64	Body size and composition and prostate cancer risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003 , 12, 1417-21	4	32
63	Effect of a school-based sun-protection intervention on the development of melanocytic nevi in children. <i>American Journal of Epidemiology</i> , 2002 , 155, 739-45	3.8	38
62	Heritability of mammographic density, a risk factor for breast cancer. <i>New England Journal of Medicine</i> , 2002 , 347, 886-94	59.2	448
61	The impact of smoking on use of hospital services: the Busselton study. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 225-230	2.3	
60	Androgenetic alopecia and prostate cancer: findings from an Australian case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002 , 11, 549-53	4	27
59	Reduced sun exposure and tanning in children after 2 years of a school-based intervention (Australia). <i>Cancer Causes and Control</i> , 2001 , 12, 387-93	2.8	25
58	Segregation analyses of 1,476 population-based Australian families affected by prostate cancer. <i>American Journal of Human Genetics</i> , 2001 , 68, 1207-18	11	77
57	Smoking and prostate cancer: findings from an Australian case-control study. <i>Annals of Oncology</i> , 2001 , 12, 761-5	10.3	32

56	A psychometric experiment in causal inference to estimate evidential weights used by epidemiologists. <i>Epidemiology</i> , 2001 , 12, 246-55	3.1	30
55	Epidemiologists@haracteristics had little influence on causal inference. <i>Epidemiology</i> , 2001 , 12, 752-3	3.1	2
54	Improved sun protection behaviour in children after two years of the Kidskin intervention. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 481-7	2.3	30
53	Multiple sclerosis in Australia: prognostic factors. <i>Journal of Clinical Neuroscience</i> , 2000 , 7, 16-9	2.2	33
52	Melanoma in the elderly 🗈 neglected public health challenge. <i>Medical Journal of Australia</i> , 1999 , 170, 394-395	4	1
51	The use of observational methods for monitoring sun-protection activities in schools. <i>Health Education Research</i> , 1999 , 14, 167-75	1.8	18
50	The quantification of mortality resulting from the regular use of illicit opiates. <i>Addiction</i> , 1999 , 94, 221-	94.6	173
49	Favorable trends in melanoma incidence: can we claim credit?. Cancer Causes and Control, 1999, 10, 403	- 5 .8	4
48	First-time hospital admissions with illicit drug problems in indigenous and non-indigenous Western Australians: an application of record linkage to public health surveillance. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 460-3	2.3	11
47	Sun exposure and pterygium of the eye: a dose-response curve. <i>American Journal of Ophthalmology</i> , 1999 , 128, 280-7	4.9	177
46	Direct measurement of sun protection in primary schools. <i>Preventive Medicine</i> , 1999 , 29, 45-52	4.3	34
45	Nodular histogenetic typethe most significant factor for thick melanoma: implications for prevention. <i>Melanoma Research</i> , 1999 , 9, 303-4	3.3	2
44	Prostate cancer testing: behaviour, motivation and attitudes among Western Australian men. <i>Medical Journal of Australia</i> , 1999 , 171, 185-8	4	30
43	Demographic characteristics, pigmentary and cutaneous risk factors for squamous cell carcinoma of the skin: a case-control study. <i>International Journal of Cancer</i> , 1998 , 76, 628-34	7.5	104
42	Case-control study of sun exposure and squamous cell carcinoma of the skin. <i>International Journal of Cancer</i> , 1998 , 77, 347-53	7.5	95
41	Assessing the relationship between maternal opiate use and neonatal mortality. <i>Addiction</i> , 1998 , 93, 1033-42	4.6	73
40	UV-radiation-specific p53 mutation frequency in normal skin as a predictor of risk of basal cell carcinoma. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 523-31	9.7	70
39	Prostate cancer in Western Australia: trends in incidence and mortality from 1985 to 1996. <i>Medical Journal of Australia</i> , 1998 , 169, 21-4	4	36

(1991-1998)

38	Prognostic significance of MIB-1 proliferative activity in thin melanomas and immunohistochemical analysis of MIB-1 proliferative activity in melanocytic tumors. <i>American Journal of Dermatopathology</i> , 1998 , 20, 12-6	0.9	50
37	p16 and p21WAF1 protein expression in melanocytic tumors by immunohistochemistry. <i>American Journal of Dermatopathology</i> , 1998 , 20, 255-61	0.9	89
36	Case-control study of sun exposure and squamous cell carcinoma of the skin 1998, 77, 347		1
35	Sunlight and cancer. Cancer Causes and Control, 1997, 8, 271-83	2.8	224
34	Incidence of non-melanocytic skin cancer in Geraldton, Western Australia. <i>International Journal of Cancer</i> , 1997 , 73, 629-33	7.5	39
33	Further reflections on the NHMRC recommendations for alcohol consumption. <i>Medical Journal of Australia</i> , 1996 , 165, 117-117	4	
32	NHMRC recommendations on abstinence from alcohol in pregnancy. <i>Medical Journal of Australia</i> , 1996 , 164, 699-699	4	9
31	Meta-analysis of alcohol and all-cause mortality: a validation of NHMRC recommendations. <i>Medical Journal of Australia</i> , 1996 , 164, 141-5	4	174
30	An improved aetiologic fraction for alcohol-caused mortality. <i>Australian Journal of Public Health</i> , 1995 , 19, 138-41		21
29	Benign melanocytic lesions: risk markers or precursors of cutaneous melanoma?. <i>Journal of the American Academy of Dermatology</i> , 1995 , 33, 1000-7	4.5	154
28	A dose-response curve for sun exposure and basal cell carcinoma. <i>International Journal of Cancer</i> , 1995 , 60, 482-8	7.5	145
27	Does intermittent sun exposure cause basal cell carcinoma? a case-control study in Western Australia. <i>International Journal of Cancer</i> , 1995 , 60, 489-94	7.5	368
26	Melanocytic nevi in children. II. Observer variation in counting nevi. <i>American Journal of Epidemiology</i> , 1994 , 139, 402-7	3.8	22
25	Sun exposure and non-melanocytic skin cancer. Cancer Causes and Control, 1994, 5, 367-92	2.8	252
24	DNA repair capacity as a risk factor for non-melanocytic skin cancera molecular epidemiological study. <i>International Journal of Cancer</i> , 1994 , 58, 179-84	7.5	48
23	Melanocytic nevi in children. I. Anatomic sites and demographic and host factors. <i>American Journal of Epidemiology</i> , 1994 , 139, 390-401	3.8	112
22	UV and skin cancer: specific p53 gene mutation in normal skin as a biologically relevant exposure measurement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 360-4	11.5	491
21	Pigmentary and cutaneous risk factors for non-melanocytic skin cancera case-control study. International Journal of Cancer, 1991, 48, 650-62	7.5	204

20	Survival among patients with clinical stage I cutaneous malignant melanoma diagnosed in Western Australia in 1975/1976 and 1980/1981. <i>Cancer</i> , 1991 , 68, 2079-87	6.4	61
19	7. Case-control studies. <i>Medical Journal of Australia</i> , 1991 , 155, 167-172	4	3
18	Skin cancer in Geraldton, Western Australia: a survey of incidence and prevalence. <i>Medical Journal of Australia</i> , 1990 , 152, 399-407	4	95
17	An unjustified attack on "incidence"?. American Journal of Epidemiology, 1989 , 129, 653-4	3.8	1
16	A review of the effects of random measurement error on relative risk estimates in epidemiological studies. <i>International Journal of Epidemiology</i> , 1989 , 18, 705-12	7.8	62
15	Determinants of blood pressure in childhood and adolescence. <i>Journal of Hypertension</i> , 1989 , 7, S3-5	1.9	45
14	The epidemiology of multiple sclerosis in three Australian cities: Perth, Newcastle and Hobart. <i>Brain</i> , 1988 , 111 (Pt 1), 1-25	11.2	165
13	Case-control study of cutaneous malignant melanoma: AuthorsOeply 1988 , 296, 1799-1799		
12	Identifying people at high risk of cutaneous malignant melanoma: results from a case-control study in Western Australia. <i>British Medical Journal</i> , 1988 , 296, 1285-8		69
11	The epidemiology of multiple sclerosis in Queensland, Australia. <i>Journal of the Neurological Sciences</i> , 1987 , 80, 185-204	3.2	51
10	Melanoma in Western Australia in 1980-81: incidence and characteristics of histological types. <i>Pathology</i> , 1987 , 19, 383-92	1.6	22
9	Pineal neoplasms and third-ventricular teratomas in Niigata (Japan) and Western Australia: A comparative study of their incidence and clinicopathological features. <i>Medical Journal of Australia</i> , 1987 , 146, 357-359	4	6
8	Melanoma in Western Australia 1975-76 to 1980-81: trends in demographic and pathological characteristics. <i>International Journal of Cancer</i> , 1986 , 37, 209-15	7.5	38
7	The dysplastic naevus syndrome in patients with cutaneous malignant melanoma in Western Australia. <i>Medical Journal of Australia</i> , 1986 , 145, 194-8	4	14
6	A case-control study of maternal age in Alzheimer@ disease. <i>Journal of the American Geriatrics Society</i> , 1985 , 33, 167-9	5.6	15
5	The effect of stopping smoking on blood pressurea controlled trial. <i>Journal of Chronic Diseases</i> , 1985 , 38, 483-93		19
4	Dementia in elderly outpatients: a prospective study. <i>Annals of Internal Medicine</i> , 1984 , 100, 417-23	8	162
3	Alcohol consumption, pregnancy, and low birthweight. <i>Lancet, The</i> , 1983 , 1, 1111	40	6

LIST OF PUBLICATIONS

Oestrogens and endometrial cancer: effect of other risk factors on the association. *Maturitas*, **1980**, 2, 185-90 5

Biological aging measures based on blood DNA methylation and risk of cancer: a prospective study

1