

Gregory S Whiteley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1355579/publications.pdf>

Version: 2024-02-01

16
papers

244
citations

1039406

9
h-index

1058022

14
g-index

16
all docs

16
docs citations

16
times ranked

303
citing authors

#	ARTICLE	IF	CITATIONS
1	Using a simplified ATP algorithm to improve data reliability and improve cleanliness standards for surface and medical device hygiene. <i>Infection, Disease and Health</i> , 2022, 27, 3-9.	0.5	5
2	Halogenated Dihydropyrrol-2-One Molecules Inhibit Pyocyanin Biosynthesis by Blocking the <i>Pseudomonas</i> Quinolone Signaling System. <i>Molecules</i> , 2022, 27, 1169.	1.7	8
3	N-Acetylcysteine Protects Bladder Epithelial Cells from Bacterial Invasion and Displays Antibiofilm Activity against Urinary Tract Bacterial Pathogens. <i>Antibiotics</i> , 2021, 10, 900.	1.5	14
4	Disruption of biofilms and killing of <i>Burkholderia cenocepacia</i> from cystic fibrosis lung using an antioxidant-antibiotic combination therapy. <i>International Journal of Antimicrobial Agents</i> , 2021, 58, 106372.	1.1	10
5	Effect of N-Acetylcysteine in Combination with Antibiotics on the Biofilms of Three Cystic Fibrosis Pathogens of Emerging Importance. <i>Antibiotics</i> , 2021, 10, 1176.	1.5	7
6	Covalent Immobilization of N-Acetylcysteine on a Polyvinyl Chloride Substrate Prevents Bacterial Adhesion and Biofilm Formation. <i>Langmuir</i> , 2020, 36, 13023-13033.	1.6	6
7	The effect of N-acetylcysteine in a combined antibiofilm treatment against antibiotic-resistant <i>Staphylococcus aureus</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2020, 75, 1787-1798.	1.3	19
8	Conditions Under Which Glutathione Disrupts the Biofilms and Improves Antibiotic Efficacy of Both ESKAPE and Non-ESKAPE Species. <i>Frontiers in Microbiology</i> , 2019, 10, 2000.	1.5	22
9	Transmission of <i>Staphylococcus aureus</i> from dry surface biofilm (DSB) via different types of gloves. <i>Infection Control and Hospital Epidemiology</i> , 2019, 40, 60-64.	1.0	13
10	A new sampling algorithm demonstrates that ultrasound equipment cleanliness can be improved. <i>American Journal of Infection Control</i> , 2018, 46, 887-892.	1.1	12
11	Characterization of microbial community composition, antimicrobial resistance and biofilm on intensive care surfaces. <i>Journal of Infection and Public Health</i> , 2018, 11, 418-424.	1.9	52
12	A suggested sampling algorithm for use with ATP testing in cleanliness measurement. <i>Infection, Disease and Health</i> , 2016, 21, 169-175.	0.5	20
13	Response to Russotto et al. <i>American Journal of Infection Control</i> , 2016, 44, 733-734.	1.1	0
14	A pilot study into locating the bad bugs in a busy intensive care unit. <i>American Journal of Infection Control</i> , 2015, 43, 1270-1275.	1.1	10
15	A new dry-surface biofilm model: An essential tool for efficacy testing of hospital surface decontamination procedures. <i>Journal of Microbiological Methods</i> , 2015, 117, 171-176.	0.7	46
16	Flawed recommendations on surface hygiene within the existing Interim Influenza Pandemic National Infection Control Guidelines. <i>Healthcare Infection</i> , 2009, 14, 177-179.	0.6	0