

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1355963/publications.pdf Version: 2024-02-01



VANC CAO

#	Article	IF	CITATIONS
1	GSDMD-Mediated Cardiomyocyte Pyroptosis Promotes Myocardial I/R Injury. Circulation Research, 2021, 129, 383-396.	4.5	146
2	The selective NLRP3-inflammasome inhibitor MCC950 reduces myocardial fibrosis and improves cardiac remodeling in a mouse model of myocardial infarction. International Immunopharmacology, 2019, 74, 105575.	3.8	110
3	The covalent NLRP3-inflammasome inhibitor Oridonin relieves myocardial infarction induced myocardial fibrosis and cardiac remodeling in mice. International Immunopharmacology, 2021, 90, 107133.	3.8	52
4	CD13 promotes hepatocellular carcinogenesis and sorafenib resistance by activating HDAC5‣SD1â€№Fâ€ŶB oncogenic signaling. Clinical and Translational Medicine, 2020, 10, e233.	4.0	51
5	LASP1 promotes glioma cell proliferation and migration and is negatively regulated by miR-377-3p. Biomedicine and Pharmacotherapy, 2018, 108, 845-851.	5.6	26
6	The selective STING inhibitor H-151 preserves myocardial function and ameliorates cardiac fibrosis in murine myocardial infarction. International Immunopharmacology, 2022, 107, 108658.	3.8	26
7	Long Intergenic Noncoding RNA 00152 Promotes Glioma Cell Proliferation and Invasion by Interacting with MiR-16. Cellular Physiology and Biochemistry, 2018, 46, 1055-1064.	1.6	24
8	Neutrophilâ€derived advanced glycation end productsâ€Nεâ€(carboxymethyl) lysine promotes RIP3â€mediated myocardial necroptosis via RAGE and exacerbates myocardial ischemia/reperfusion injury. FASEB Journal, 2019, 33, 14410-14422.	0.5	20
9	The proteasome activator REGγ accelerates cardiac hypertrophy by declining PP2Acα–SOD2 pathway. Cell Death and Differentiation, 2020, 27, 2952-2972.	11.2	15
10	Chemotherapeutic perfusion of portal vein after tumor thrombectomy and hepatectomy benefits patients with advanced hepatocellular carcinoma: A propensity scoreâ€matched survival analysis. Cancer Medicine, 2019, 8, 6933-6944.	2.8	14
11	Relationship between body mass index and outcomes of coronary artery disease in Asian population: Insight from the FOCUS registry. International Journal of Cardiology, 2020, 300, 262-267.	1.7	11
12	TRIB3 confers glioma cell stemness via interacting with β atenin. Environmental Toxicology, 2020, 35, 697-706.	4.0	9
13	Clinical Characteristics and Outcomes in Asian Patients With Premature Coronary Artery Disease: Insight From the FOCUS Registry. Angiology, 2019, 70, 554-560.	1.8	8
14	KIF3C is associated with favorable prognosis in glioma patients and may be regulated by PI3K/AKT/mTOR pathway. Journal of Neuro-Oncology, 2020, 146, 513-521.	2.9	8
15	CDC42EP3 promotes glioma progression via regulation of CCND1. Cell Death and Disease, 2022, 13, 290.	6.3	8
16	Gender-Related Differences in Clinical Characteristics and Outcomes of Premature Coronary Artery Disease: Insight from the FOCUS Registry. Journal of Interventional Cardiology, 2019, 2019, 1-8.	1.2	5
17	A nomogram for predicting the risk of femoral pseudoaneurysm after neurointerventional procedures. Annals of Translational Medicine, 2022, 10, 62-62.	1.7	4
18	The proteasome activator REGÎ ³ promotes diabetic endothelial impairment by inhibiting HMGA2-GLUT1 pathway. Translational Research, 2022, 246, 33-48.	5.0	4

#	Article	IF	CITATIONS
19	Optimal strategy of primary percutaneous coronary intervention for acute myocardial infarction due to unprotected left main coronary artery occlusion (OPTIMAL): study protocol for a randomised controlled trial. Trials, 2019, 20, 162.	1.6	3
20	TM2D1 contributes the epithelial-mesenchymal transition of hepatocellular carcinoma via modulating AKT/β-catenin axis. American Journal of Cancer Research, 2021, 11, 1557-1571.	1.4	1