Juan Jose Jimenez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1356111/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	How natural infection by <i>Nosema ceranae</i> causes honeybee colony collapse. Environmental Microbiology, 2008, 10, 2659-2669.	3.8	570
2	Variability of brewer's spent grain within a brewery. Food Chemistry, 2003, 80, 17-21.	8.2	216
3	Overview of Pesticide Residues in Stored Pollen and Their Potential Effect on Bee Colony (Apis) Tj ETQq1 1 0.78	34314 rgB1 1.8	[/Oygrlock](
4	Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen–phosphorus detection. Journal of Chromatography A, 2001, 919, 147-156.	3.7	83
5	High-performance liquid chromatographic determination of methyl anthranilate, hydroxymethylfurfural and related compounds in honey. Journal of Chromatography A, 2001, 917, 95-103.	3.7	71
6	Solid-phase microextraction applied to the analysis of pesticide residues in honey using gas chromatography with electron-capture detection. Journal of Chromatography A, 1998, 829, 269-277.	3.7	66
7	Chemical pollution in inland shallow lakes in the Mediterranean region (NW Spain): PAHs, insecticides and herbicides in water and sediments. Science of the Total Environment, 2016, 544, 797-810.	8.0	62
8	Extraction of thymol, eucalyptol, menthol, and camphor residues from honey and beeswax. Journal of Chromatography A, 2002, 954, 207-215.	3.7	59
9	Determination of azolic fungicides in wine by solid-phase extraction and high-performance liquid chromatography–atmospheric pressure chemical ionization–mass spectrometry. Journal of Chromatography A, 2005, 1076, 90-96.	3.7	57
10	Comparative study of the enantioselective separation of several antiulcer drugs by high-performance liquid chromatography and supercritical fluid chromatography. Journal of Chromatography A, 2005, 1091, 118-123.	3.7	56
11	Determination of pesticide residues in waters from small loughs by solid-phase extraction and combined use of gas chromatography with electron-capture and nitrogen-phosphorus detection and high-performance liquid chromatography with diode array detection. Journal of Chromatography A, 1997, 778, 289-300.	3.7	54
12	Determination of rotenone residues in raw honey by solid-phase extraction and high-performance liquid chromatography. Journal of Chromatography A, 2000, 871, 67-73.	3.7	53
13	Pentoses and Hydroxycinnamic Acids in Brewer's Spent Grain. Journal of Cereal Science, 2002, 36, 51-58.	3.7	51
14	Gas chromatography with electron-capture and nitrogen–phosphorus detection in the analysis of pesticides in honey after elution from a Florisil column. Journal of Chromatography A, 1998, 823, 381-387.	3.7	49
15	Quality assurance of commercial beeswax. Journal of Chromatography A, 2004, 1024, 147-154.	3.7	48
16	Enantiomeric separation of several antimycotic azole drugs using supercritical fluid chromatography. Journal of Chromatography A, 2007, 1144, 255-261.	3.7	48
17	High-performance liquid chromatographic determination of benomyl and carbendazim residues in apiarian samples. Journal of Chromatography A, 1997, 787, 129-136.	3.7	45
18	Physico-chemical parameters for the characterization of pure beeswax and detection of adulterations. European Journal of Lipid Science and Technology, 2005, 107, 158-166.	1.5	44

#	Article	IF	CITATIONS
19	Matrix effects in the determination of acaricides and fungicides in must by gas chromatography with electron-capture and nitrogen-phosphorus detection. Journal of Chromatography A, 1997, 778, 111-117.	3.7	43
20	A new and simple method to determine trace levels of sulfonamides in honey by high performance liquid chromatography with fluorescence detection. Journal of Chromatography A, 2009, 1216, 7275-7280.	3.7	41
21	Applications of the Chiralpak AD and Chiralcel OD chiral columns in the enantiomeric separation of several dioxolane compounds by supercritical fluid chromatography. Journal of Chromatography A, 2001, 921, 305-313.	3.7	40
22	Enantiomeric separation of chiral sulfoxides by supercritical fluid chromatography. Journal of Separation Science, 2006, 29, 1363-1372.	2.5	40
23	Photobioreactors based on microalgae-bacteria and purple phototrophic bacteria consortia: A promising technology to reduce the load of veterinary drugs from piggery wastewater. Science of the Total Environment, 2019, 692, 259-266.	8.0	40
24	Determination of free molecular phenolics and catechins in wine by solid phase extraction on polymeric cartridges and liquid chromatography with diode array detection. Journal of Chromatography A, 2004, 1049, 97-105.	3.7	39
25	Multidetermination of PCBs and pesticides by use of a dual GC column-dual detector system. Chromatographia, 1992, 33, 67-76.	1.3	38
26	Quality assurance of commercial beeswax. Journal of Chromatography A, 2003, 1007, 101-116.	3.7	38
27	Chiral separation of omeprazole and several related benzimidazoles using supercritical fluid chromatography. Journal of Separation Science, 2004, 27, 1023-1029.	2.5	37
28	Residues of organic contaminants in beeswax. European Journal of Lipid Science and Technology, 2005, 107, 896-902.	1.5	35
29	Profile and relative concentrations of fatty acids in corn and soybean seeds from transgenic and isogenic crops. Journal of Chromatography A, 2009, 1216, 7288-7295.	3.7	35
30	Sample preparation methods to analyze fipronil in honey by gas chromatography with electron-capture and mass spectrometric detection. Journal of Chromatography A, 2008, 1187, 40-45.	3.7	33
31	Supercritical fluid extraction of fluvalinate residues in honey. Determination by high-performance liquid chromatography. Journal of Chromatography A, 1993, 655, 95-99.	3.7	32
32	Sample preparation methods for beeswax characterization by gas chromatography with flame ionization detection. Journal of Chromatography A, 2006, 1129, 262-272.	3.7	32
33	Persistence and degradation of metalaxyl, lindane, fenvalerate and deltamethrin during the wine making process. Food Chemistry, 2007, 104, 216-223.	8.2	31
34	CGC/AED and CGC/ECD/NPD comparison for the determination of acaricides in honey after hexane/acetone extraction. Chromatographia, 1996, 42, 130-134.	1.3	30
35	Comparative study of sample preparation procedures to determine fipronil in pollen by gas chromatography with mass spectrometric and electron-capture detection. Journal of Chromatography A, 2007, 1146, 8-16.	3.7	30
36	Some observations on clean-up procedures using sulphuric acid and Florisil. Journal of Chromatography A, 1992, 607, 303-309.	3.7	29

#	Article	IF	CITATIONS
37	Possibilities of gas chromatography-atomic emission detection in pesticide multiresidue analysis Application to herbicide analysis in soils. Journal of Chromatography A, 1996, 754, 245-256.	3.7	28
38	Extraction and clean-up methods for the determination of amitraz total residues in beeswax by gas chromatography with electron capture detection. Analytica Chimica Acta, 2004, 524, 271-278.	5.4	28
39	Determination of chlorsulfuron and tribenuron-methyl residues in agricultural soils. Journal of Chromatography A, 1997, 778, 119-125.	3.7	27
40	Removal of a mixture of veterinary medicinal products by adsorption onto a Scenedesmus almeriensis microalgae-bacteria consortium. Journal of Water Process Engineering, 2021, 43, 102226.	5.6	27
41	Determination of carbendazime in lettuce samples by SFE-HPLC. Chromatographia, 1994, 38, 395-399.	1.3	26
42	Validation of the removal of acetylsalicylic acid. Journal of Chromatography A, 2000, 870, 69-75.	3.7	24
43	Detection of beeswax adulterations using concentration guide-values. European Journal of Lipid Science and Technology, 2007, 109, 682-690.	1.5	24
44	Chiral separation of four 1,3-dioxolane derivatives by supercritical fluid chromatography on an amylose-based column. Journal of Chromatography A, 2000, 871, 127-137.	3.7	23
45	Separation of albendazole sulfoxide enantiomers by chiral supercritical-fluid chromatography. Journal of Proteomics, 2002, 54, 339-345.	2.4	23
46	Determination of the fungicide vinclozolin in honey and bee larvae by solid-phase and solvent extraction with gas chromatography and electron-capture and mass spectrometric detection. Journal of Chromatography A, 1996, 754, 507-513.	3.7	22
47	Packed-column supercritical fluid chromatography coupled with solid-phase extraction for the determination of organic microcontaminants in water. Journal of Chromatography A, 1998, 823, 163-170.	3.7	21
48	Gas chromatographic determination of acrinathrine and 3-phenoxybenzaldehyde residues in honey. Journal of Chromatography A, 2000, 882, 239-243.	3.7	20
49	Factors affecting the extraction, hydrolysis and derivatization steps for the quantitation of total residues of amitraz in honey by gas chromatography with electron capture detection. Analytical and Bioanalytical Chemistry, 2002, 374, 300-304.	3.7	20
50	Trace analysis of tiamulin in honey by liquid chromatography–diode array–electrospray ionization mass spectrometry detection. Journal of Chromatography A, 2006, 1116, 102-108.	3.7	20
51	Forced and long-term degradation assays of tenoxicam, piroxicam and meloxicam in river water. Degradation products and adsorption to sediment. Chemosphere, 2018, 191, 903-910.	8.2	20
52	A biorefinery based on brewer`s spent grains: Arabinoxylans recovery by microwave assisted pretreatment integrated with butanol production. Industrial Crops and Products, 2020, 158, 113044.	5.2	19
53	Influence of solvent and storage conditions on the stability of acaricide standard stock solutions. Journal of Chromatography A, 1997, 765, 109-114.	3.7	18
54	Development and validation of a liquid chromatographic method for determination of lacidipine residues on surfaces in the manufacture of pharmaceuticals. Journal of Chromatography A, 2004, 1024, 115-122.	3.7	18

#	Article	IF	CITATIONS
55	Enantiomeric resolution of bifonazole by supercritical fluid chromatography. Journal of Separation Science, 2006, 29, 1373-1378.	2.5	18
56	Degradation of indomethacin in river water under stress and non-stress laboratory conditions: degradation products, long-term evolution and adsorption to sediment. Journal of Environmental Sciences, 2017, 51, 13-20.	6.1	18
57	Determination of antibiotics and other veterinary drugs in the solid phase of pig manure. Chemosphere, 2021, 275, 130039.	8.2	18
58	Capillary gas chromatography with mass spectrometric and atomic emission detection for characterization and monitoring chlordimeform degradation in honey. Journal of Chromatography A, 2002, 946, 247-253.	3.7	17
59	Use of a high-pressure Soxhlet extractor for the determination of organochlorine residues by gas chromatography. Chromatographia, 1992, 34, 468-474.	1.3	16
60	Comparative study of three extraction procedures for imazamethabenz-methyl in agricultural soil. Journal of Chromatography A, 1996, 721, 113-121.	3.7	16
61	Semipreparative chiral supercritical fluid chromatography in the fractionation of lansoprazole and two related antiulcer drugs enantiomers. Journal of Separation Science, 2008, 31, 1307-1313.	2.5	16
62	Trace analysis of antibacterial tylosin A, B, C and D in honey by liquid chromatography-electrospray ionization-mass spectrometry. Journal of Separation Science, 2006, 29, 405-413.	2.5	15
63	Identification of adulterants added to beeswax: Estimation of detectable minimum percentages. European Journal of Lipid Science and Technology, 2009, 111, 902-911.	1.5	15
64	On-line solid-phase extraction coupled to supercritical fluid chromatography with diode array detection for the determination of pesticides in water. Journal of Chromatography A, 1996, 754, 145-157.	3.7	14
65	Determination of aminopolycarboxylic acids in river water by solid-phase extraction on activated charcoal cartridges and gas chromatography with mass spectrometric detection. Method performance characteristics and estimation of the uncertainty. Analytica Chimica Acta, 2013, 770, 94-102.	5.4	12
66	Determination of impurities in pesticides and their degradation products formed during the wine-making process by solid-phase extraction and gas chromatography with detection by electron impact mass spectrometry. I. Vinclozoline, procymidone and fenitrothion. Rapid Communications in Mass Spectrometry, 2004, 18, 657-663.	1.5	11
67	Use of SPE-GC/EIMS for residue analysis in wine elaborated from musts spiked with formulations of chlorpyriphos-methyl, methiocarb, dicofol, and cyproconazol. Journal of Separation Science, 2007, 30, 547-556.	2.5	10
68	Note. β—Carotene, α—tocopherol and γ—tocopherol contents in dry legumes. Influence of cooking Nota. Contenido de β—caroteno, α—tocopherol y γ—tocopherol en legumbres secas. Influencia de la cocción. Food Science and Technology International, 1998, 4, 437-441.	2.2	8
69	Use of a Particle Beam Interface Combined with Mass Spectrometry/Negative Chemical Ionization to Determine Polar Herbicide Residues in Soil by Liquid Chromatography. Journal of AOAC INTERNATIONAL, 2000, 83, 756-761.	1.5	8
70	Determination of impurities in pesticides and their degradation products formed during the wine-making process by solid-phase extraction and gas chromatography with detection by electron ionization mass spectrometry. II. Bromopropylate, trichlorphon, para. Rapid Communications in Mass Spectrometry, 2004, 18, 2629-2636.	1.5	8
71	Simultaneous liquid–liquid extraction and dispersive solid-phase extraction as a sample preparation method to determine acidic contaminants in river water by gas chromatography/mass spectrometry. Talanta, 2013, 116, 678-687.	5.5	8
72	Fate of the drug chlorpromazine in river water according to laboratory assays. Identification and evolution over time of degradation products. Sorption to sediment. Chemosphere, 2016, 162, 285-292.	8.2	7

#	Article	IF	CITATIONS
73	Persistence of alprazolam in river water according to forced and nonâ€forced degradation assays: adsorption to sediment and longâ€ŧerm degradation products. Drug Testing and Analysis, 2017, 9, 1204-1213.	2.6	6
74	Extraction of triallate from soil with supercritical carbon dioxide and determination by gas chromatography—atomic emission detection Comparison with a solvent extraction procedure. Journal of Chromatography A, 1996, 754, 257-263.	3.7	5
75	Use of deactivated fused-silica capillary precolumns in pesticide analysis by gas chromatography with electron-capture detection. Journal of Chromatography A, 2001, 919, 373-379.	3.7	5
76	Determination of calcium disodium ethylenediaminetetraacetate (E385) in marketed bottled legumes, artichokes and emulsified sauces by gas chromatography with mass spectrometric detection. Food Chemistry, 2014, 152, 81-87.	8.2	4
77	Photochemical, thermal, biological and long-term degradation of celecoxib in river water. Degradation products and adsorption to sediment. Journal of Hazardous Materials, 2018, 342, 252-259.	12.4	4
78	Determination of veterinary drugs in microalgae biomass from photobioreactors fed with piggery wastewater. Chemosphere, 2022, 287, 132076.	8.2	4
79	Incidence of organochlorine pesticide and PCB residues in an aquatic ecosystem of river duero in castile and Leon (Spain). Toxicological and Environmental Chemistry, 1993, 39, 37-50.	1.2	2
80	HPLC with Fluorescence Detection for the Study of Benomyl Dissipation on Treated Lettuces. Journal of Liquid Chromatography and Related Technologies, 1994, 17, 3999-4017.	1.0	2
81	diastereoisomers by supercritical fluid chromatography. Journal of Proteomics, 2000, 43, 251-260.	2.4	1