

Paul KÄ¶gerler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1356167/publications.pdf>

Version: 2024-02-01

338
papers

14,522
citations

16437
64
h-index

29127
104
g-index

376
all docs

376
docs citations

376
times ranked

7673
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclodextrin-Templated Co(II) Grids: Symmetry Control over Supramolecular Topology and Magnetic Properties. <i>Inorganic Chemistry</i> , 2022, 61, 2499-2508.	1.9	2
2	Hybrid lanthanide double-deckers based on calixarene and polyoxometalate units. <i>Dalton Transactions</i> , 2022, 51, 5409-5413.	1.6	6
3	Structural phase transitions and magnetic superexchange in M⁺*⁺Ag⁺*⁺F⁻*³⁻ perovskites at high pressure. <i>Chemistry - A European Journal</i> , 2022, , .	1.7	1
4	Tetrahedral M₄($\frac{1}{4}$₄-O) Motifs Beyond Zn: Efficient One-Pot Synthesis of Oxoamidate Clusters <i>via</i> a Transmetalation/Hydrolysis Approach. <i>Inorganic Chemistry</i> , 2022, 61, 7869-7877.	1.9	4
5	A {Na₂Fe₁₀} isobutyrate cluster, interlinked into 1D chains. <i>CrystEngComm</i> , 2021, 23, 5153-5156.	1.3	2
6	Cyclophane with eclipsed pyrene units enables construction of spin interfaces with chemical accuracy. <i>Chemical Science</i> , 2021, 12, 8430-8437.	3.7	8
7	Phosphorylated-calix[4]arene double-deckers of single rare earth metal ions. <i>Chemical Communications</i> , 2021, 57, 8087-8090.	2.2	4
8	A phosphonate-lanthanoid polyoxometalate coordination polymer: {Ce₂P₂W₁₆O₆₀L₂}_n<i>n</i></sub> zipper chains. <i>CrystEngComm</i> , 2021, 23, 5989-5993.	1.3	0
9	Exploiting complementary ligands for the construction of square antiprismatic monometallic lanthanide SMMs. <i>Dalton Transactions</i> , 2021, 50, 9648-9654.	1.6	7
10	Cluster-Based Coordination Polymers of Mn/Fe-Oxo Pivalates and Isobutyrates. <i>Chemistry</i> , 2021, 3, 314-326.	0.9	2
11	Polyoxotungstate Archetype {P₄W₂₇} and its 3d Derivatives. <i>Chemistry - A European Journal</i> , 2021, 27, 8500-8508.	1.7	6
12	Insertion of VIV Ions into the Polyoxotungstate Archetype {As₄W₄₀}. <i>Inorganic Chemistry</i> , 2021, 60, 8437-8441.	1.9	4
13	Expansion of Zirconium Oxide Clusters by 3d/4f Ions. <i>Inorganic Chemistry</i> , 2021, 60, 11599-11608.	1.9	2
14	Mn 2+ substitution within the {V 14 As 8 } polyoxovanadate archetype results in {Mn 2 V 12 As 8 } shells with trans positioned heterometal positions. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021, 647, 2098.	0.6	0
15	Trigonal Prismatic Coordination of Discrete Rare Earth Ions, Enforced by the Polyoxotungstate [P₄W₂₇O₉₉(H₂O)]¹⁶. <i>Chemistry - A European Journal</i> , 2021, 27, 13376-13383.	1.7	7
16	Fusing pyrene and ferrocene into a chiral, redox-active triangle. <i>Chemical Communications</i> , 2021, 57, 6660-6663.	2.2	3
17	Three intersecting {V₁₂} rings: {V₃₀Sb₈}, an ultra-large polyoxovanadate cluster shell. <i>Chemical Communications</i> , 2021, 57, 7661-7664.	2.2	5
18	A standing molecule as a coherent single-electron field emitter. , 2021, , .	0	

#	ARTICLE	IF	CITATIONS
19	Mononuclear zinc(II) Schiff base complexes as catalysts for the ring-opening polymerization of lactide. European Polymer Journal, 2020, 122, 109302.	2.6	33
20	Sonochemical synthesis of Dy ³⁺ substituted Mn _{0.5} Zn _{0.5} Fe _{2-x} O ₄ nanoparticles: Structural, magnetic and optical characterizations. Ultrasonics Sonochemistry, 2020, 61, 104836.	3.8	37
21	Exchange-coupling effect in hard/soft SrTb _{0.01} Tm _{0.01} Fe _{11.98} O ₁₉ /AFe ₂ O ₄ (where A = Co, Ni, Zn, Cu and) T _j ETQq _{2.3} 0.7843 ₃₀ rgB ₁ /J		
22	Compression of curium pyrrolidine-dithiocarbamate enhances covalency. Nature, 2020, 583, 396-399.	13.7	34
23	Metal-organic frameworks with solvent-free lanthanide coordination environments: synthesis from aqueous ethanol solutions. CrystEngComm, 2020, 22, 7935-7943.	1.3	7
24	Intramolecular crossover from unconventional diamagnetism to paramagnetism of palladium ions probed by soft X-ray magnetic circular dichroism. Communications Chemistry, 2020, 3, .	2.0	1
25	Phthalocyanine-polyoxotungstate lanthanide double deckers. Dalton Transactions, 2020, 49, 16638-16642.	1.6	11
26	Polyoxometalates with separate lacuna sites. Chemical Communications, 2020, 56, 14857-14860.	2.2	9
27	[Mn(terpy)Sb ₂ S ₄] _n , a 1D Network of MnSb ₄ S ₅ Rings Exhibiting a Pronounced Magnetocaloric Effect and Luminescence. European Journal of Inorganic Chemistry, 2020, 2020, 1751-1758.	1.0	5
28	Synthetic diversity and change in nuclearity in [Co-Dy] coordination aggregates: bridge removal, solvent induced structural reorganization and AC susceptibility measurements. Dalton Transactions, 2020, 49, 7576-7591.	1.6	5
29	Sensing alterations of the local environment of 3d, 4d, and 4f central ions in polyoxopalladates with soft X-ray magnetic dichroisms. Journal of Magnetism and Magnetic Materials, 2020, 514, 167063.	1.0	1
30	Lanthanide-Containing 22-Tungsto-2-germanates [Ln(GeW ₁₁ O ₃₉) ₂] ¹³⁻ : Synthesis, Structure, and Magnetic Properties. Inorganic Chemistry, 2020, 59, 4340-4348.	1.9	22
31	Size-isolation of superparamagnetic iron oxide nanoparticles improves MRI, MPI and hyperthermia performance. Journal of Nanobiotechnology, 2020, 18, 22.	4.2	120
32	Magnetic Phase Transitions in a Ni ₄ O ₄ Cubane-Based Metal-Organic Framework. Chemistry - A European Journal, 2020, 26, 7589-7594.	1.7	5
33	Unusually Distorted Pseudo-Octahedral Coordination Environment Around Co ^{II} from Thioether Schiff Base Ligands in Dinuclear [CoLn] (Ln = La, Gd, Tb, Dy, Ho) Complexes: Synthesis, Structure, and Understanding of Magnetic Behavior. Inorganic Chemistry, 2020, 59, 2387-2405.	1.9	18
34	Synthesis, structure and magnetic properties of a novel high-nuclearity oxo-carboxylate [Zn _x Co _{13-x} ($\text{O}^{1/4}$) ₄ -O) ₄ (O ₂ CPh) ₁₈] _{1.6} cluster. Dalton Transactions, 2019, 48, 12828-12831.	4	
35	Blurring the line between addenda and heteroatoms in a giant polyoxotungstotellurite. Chemical Communications, 2019, 55, 10744-10747.	2.2	6
36	Ce ^{III} -Functionalized Polyoxotungstates: Discrete vs Extended Architectures. Crystal Growth and Design, 2019, 19, 4860-4870.	1.4	12

#	ARTICLE	IF	CITATIONS
37	Sequential Isomerization of a Macroyclic Polyoxometalate Archetype. <i>Inorganic Chemistry</i> , 2019, 58, 9378-9386.	1.9	6
38	Amine-Functionalized Spin Crossover Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4621-4624.	1.0	7
39	Conductive Self-Assembled Monolayers of Paramagnetic {CoIICo4III} and {Co4IICo2III} Coordination Clusters on Gold Surfaces. <i>Frontiers in Chemistry</i> , 2019, 7, 681.	1.8	2
40	Robust and efficient electrocatalyst for water oxidation based on 4,4'-oxybis(benzoate)-linked copper(II) hydroxido layers. <i>Inorganica Chimica Acta</i> , 2019, 497, 119080.	1.2	7
41	Polyoxopalladates as Prototype Molecular Hydrogen Uptake Systems and Novel In situ Hydrogen Detectors on the Nanoscale. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 448-455.	1.0	4
42	Effect of Nb ³⁺ ion substitution on the magnetic properties of SrFe ₁₂ O ₁₉ hexaferrites. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 11181-11192.	1.1	36
43	Metal-organic frameworks based on polynuclear lanthanide complexes and octahedral rhenium clusters. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 1518-1526.	3.0	32
44	Tetranuclear Mn ^{II} , Co ^{II} , Cu ^{II} and Zn ^{II} grid complexes of an unsymmetrical ditopic ligand: synthesis, structure, redox and magnetic properties. <i>Dalton Transactions</i> , 2019, 48, 7766-7777.	1.6	10
45	Oxidation of uranium(iv) thiocyanate complexes: cation-cation interactions in mixed-valent uranium coordination chains. <i>Dalton Transactions</i> , 2019, 48, 6704-6708.	1.6	1
46	Borohydride as Magnetic Superexchange Pathway in Late Lanthanide Borohydrides. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 1776-1783.	1.0	18
47	A Spontaneous Condensation Sequence from a {Fe ₆ Dy ₃ } Wheel to a {Fe ₇ Dy ₄ } Globe. <i>Crystal Growth and Design</i> , 2019, 19, 2097-2103.	1.4	12
48	Ultrasound-Assisted Formation of {Fe ₆ Ln/Y ₄ } Wheel-Shaped Clusters and Condensed {Fe ₄ Ln/Y ₂ } Aggregates. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 2236-2244.	1.0	13
49	Ion-Directed Coordinative Polymerization of Copper(II) Pyridyl-Alcohol Complexes Through Thiane Functionalities. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2019, 645, 409-415.	0.6	3
50	Conversion of dinitrogen to tris(trimethylsilyl)amine catalyzed by titanium triamido-amine complexes. <i>Chemical Communications</i> , 2019, 55, 3231-3234.	2.2	43
51	Amine-Functionalized Spin Crossover Building Blocks. <i>European Journal of Inorganic Chemistry</i> , 2019, 2019, 4606-4606.	1.0	0
52	Synthesis, structure and magnetic properties of Ni(II) and Cu(II), [2-Å-2] grid complexes of pyrimidine-based symmetric ditopic ligands. <i>Inorganica Chimica Acta</i> , 2019, 486, 88-94.	1.2	4
53	Kinetics and Mechanism of Pyrrolidine Buffer-Catalyzed Fulvene Formation. <i>Journal of Organic Chemistry</i> , 2019, 84, 486-494.	1.7	5
54	Hexanuclear Fe(III) wheels functionalized by amino-acetonitrile derivatives. <i>Solid State Sciences</i> , 2018, 78, 156-162.	1.5	3

#	ARTICLE	IF	CITATIONS
55	Konfigurationsisomerie in Polyoxovanadaten. <i>Angewandte Chemie</i> , 2018, 130, 3024-3028.	1.6	8
56	Ordnung muss sein: heteroelement order and disorder in polyoxovanadates. <i>Dalton Transactions</i> , 2018, 47, 6672-6674.	1.6	4
57	Triangular {Ni ₃ } coordination cluster with a ferromagnetically coupled metal-ligand core. <i>Polyhedron</i> , 2018, 144, 144-151.	1.0	8
58	Configurational Isomerism in Polyoxovanadates. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2972-2975.	7.2	43
59	The homometallic polyoxotungstate archetype {P ₄ W ₂₄ }. <i>Chemical Communications</i> , 2018, 54, 2216-2219.	2.2	8
60	Ultraâ€High Vacuum Deposition of Pyrene Molecules on Metal Surfaces. <i>Physica Status Solidi (B): Basic Research</i> , 2018, 255, 1800235.	0.7	7
61	Hostâ€Guestâ€Induced Environment Tuning of 3d Ions in a Polyoxopalladate Matrix. <i>Chemistry - A European Journal</i> , 2018, 24, 17767-17778.	1.7	14
62	CONDON 3.0: An Updated Software Package for Magnetochemical Analysisâ€All the Way to Polynuclear Actinide Complexes. <i>Journal of Computational Chemistry</i> , 2018, 39, 2133-2145.	1.5	29
63	Mixing Sb _{III} and Ge _V occupancy in the polyoxovanadate {V ₁₄ E ₈ } archetype. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2018, 73, 773-779.	0.3	1
64	Organocatalytic asymmetric fulvene formation. <i>Tetrahedron</i> , 2018, 74, 6278-6287.	1.0	3
65	Molecular Model of a Quantum Dot Beyond the Constant Interaction Approximation. <i>Physical Review Letters</i> , 2018, 120, 206801.	2.9	14
66	Exploring Tuning of Structural and Magnetic Properties by Modification of Ancillary ^2-Diketonate Co-ligands in a Family of Near-Linear Tetranuclear Dy ^{III} Complexes. <i>Crystal Growth and Design</i> , 2018, 18, 4004-4016.	1.4	18
67	Versatility of copper(II) coordination compounds with 2,3-bis(2-pyridyl)pyrazine mediated by temperature, solvents and anions choice. <i>Solid State Sciences</i> , 2018, 82, 1-12.	1.5	7
68	Inâ€situ Complex and Sbâ€N Bond Formation in an Antimonato Polyoxovanadate Reaction System. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2018, 644, 1508-1512.	0.6	1
69	Element-Selective Molecular Charge Transport Characteristics of Binuclear Copper(II)-Lanthanide(III) Complexes. <i>Inorganic Chemistry</i> , 2018, 57, 9274-9285.	1.9	8
70	Leaching-free encapsulation of cobalt-polyoxotungstates in MIL-100 (Fe) for highly reproducible photocatalytic water oxidation. <i>Applied Catalysis A: General</i> , 2018, 567, 132-138.	2.2	54
71	Encapsulation of Keggin-type manganese-polyoxomolybdates in MIL-100 (Fe) for efficient reduction of p-nitrophenol. <i>Journal of Solid State Chemistry</i> , 2018, 268, 75-82.	1.4	26
72	Linear Cu ^I ₂ Pd ⁰ , Cu ^I Pd ⁰ ₂ , and Ag ^I ₂ Pd ⁰ Metal Chains Supported by Rigid $\langle\text{i-N}\rangle_2$ Diphenyl Nâ€Heterocyclic Carbene Ligands and Metallophilic Interactions. <i>Chemistry - A European Journal</i> , 2018, 24, 8787-8796.	1.7	11

#	ARTICLE	IF	CITATIONS
73	Magnetism of Actinide Coordination Compounds. <i>Topics in Organometallic Chemistry</i> , 2018, , 391-410.	0.7	1
74	Tuning the Condensation Degree of {Fe _n In} Oxo Clusters via Ligand Metathesis, Temperature, and Solvents. <i>Inorganic Chemistry</i> , 2018, 57, 7904-7913.	1.9	23
75	A planar decanuclear cobalt(II) coordination cluster. <i>Inorganica Chimica Acta</i> , 2018, 482, 522-525.	1.2	8
76	Linear Cu ^I ₂ Pd ⁰ , Cu ^I Pd ⁰ ₂ , and Ag ^I ₂ Pd ⁰ Metal Chains Supported by Rigid <i>i</i> N ₃ and Diphosphanyl N-heterocyclic Carbene Ligands and Metalophilic Interactions. <i>Chemistry - A European Journal</i> , 2018, 24, 8697-8697.	1.7	2
77	Ultralarge 3d/4f Coordination Wheels: From Carboxylate/Amino Alcohol-Supported {Fe ₄ Ln ₂ } to {Fe ₁₈ Ln ₆ } Rings. <i>Inorganic Chemistry</i> , 2017, 56, 1814-1822.	1.9	52
78	In situ ligand exchange-mediated 0D/1D transformation of a polyoxovanadate. <i>Dalton Transactions</i> , 2017, 46, 1618-1623.	1.6	12
79	Homometallic Dy ^{III} Complexes of Varying Nuclearity from 2 to 21: Synthesis, Structure, and Magnetism. <i>Chemistry - A European Journal</i> , 2017, 23, 5154-5170.	1.7	49
80	Perspectives for Polyoxometalates in Single-Molecule Electronics and Spintronics. <i>Advances in Inorganic Chemistry</i> , 2017, , 251-286.	0.4	33
81	A naphthalene-fused dimer of an anti-aromatic expanded isophlorin. <i>Chemical Communications</i> , 2017, 53, 8211-8214.	2.2	5
82	Covalent Co-O and Sb-N Bonds Enable Polyoxovanadate Charge Control. <i>Inorganic Chemistry</i> , 2017, 56, 7120-7126.	1.9	15
83	Linear, Trinuclear Cobalt Complexes with o-phenylenebis(silylamido) Ligands. <i>Chemistry - A European Journal</i> , 2017, 23, 6504-6508.	1.7	12
84	Heteroleptic, two-coordinate [M(NHC){N(SiMe ₃) ₂ } ₂] (M = Co, Fe) complexes: synthesis, reactivity and magnetism rationalized by an unexpected metal oxidation state. <i>Dalton Transactions</i> , 2017, 46, 1163-1171.	1.6	25
85	Probing Frontier Orbital Energies of {Co ₉ (P ₂ W ₁₅) ₃ } Polyoxometalate Clusters at Molecule-Metal and Molecule-Water Interfaces. <i>Journal of the American Chemical Society</i> , 2017, 139, 14501-14510.	6.6	30
86	Unprecedented Connection Mode of [V ₁₆ Sb ₄ O ₄₂ (H ₂ O)] ⁸⁻ Cluster Anions by Mn ²⁺ Centered Complexes: Solvothermal Synthesis and Properties of		

#	ARTICLE	IF	CITATIONS
91	Effective hamiltonian crystal field: Present status and applications to iron compounds. International Journal of Quantum Chemistry, 2016, 116, 282-294.	1.0	10
92	Classical/Nonclassical Polyoxometalate Hybrids. Chemistry - A European Journal, 2016, 22, 16052-16056.	1.7	11
93	Characterization of berkelium(III) dipicolinate and borate compounds in solution and the solid state. Science, 2016, 353, .	6.0	86
94	Supramolecular 3d-4f single-molecule magnet architectures. Dalton Transactions, 2016, 45, 16148-16152.	1.6	26
95	Quantum transport in carbon nanotubes covalently functionalized with magnetic molecules. Physica Status Solidi (B): Basic Research, 2016, 253, 2424-2427.	0.7	5
96	{Coll/III5} horseshoe and {NiII4} lacunary cubane coordination clusters: the isobutyrate/N-butyldiethanolamine reaction system. RSC Advances, 2016, 6, 100664-100669.	1.7	8
97	Spin-Hybrids: A Single-Molecule Approach to Spintronics. E-Journal of Surface Science and Nanotechnology, 2016, 14, 17-22.	0.1	11
98	Understanding the magnetism of {Fe ₂ Ln} dimers, step-by-step. Inorganic Chemistry Frontiers, 2016, 3, 1071-1075.	3.0	21
99	The roles of 4f- and 5f-orbitals in bonding: a magnetochemical, crystal field, density functional theory, and multi-reference wavefunction study. Dalton Transactions, 2016, 45, 11508-11521.	1.6	59
100	Small, beautiful and magnetically exotic: {V ₄ W ₂ }- and {V ₄ W ₄ }-type polyoxometalates. Dalton Transactions, 2016, 45, 10519-10522.	1.6	8
101	Catalysis of outer-phase-oxygen atom exchange reactions by encapsulated inner-phase-water in {V ₁₅ Sb ₆ }-type polyoxovanadates. Chemical Science, 2016, 7, 2684-2694.	3.7	34
102	Thioether-terminated nickel(<i>ii</i>) coordination clusters with {Ni ₆ } horseshoe- and {Ni ₈ } rollercoaster-shaped cores. Inorganic Chemistry Frontiers, 2016, 3, 523-531.	3.0	18
103	Low-lying magnetic excitations and magnetocaloric effect of molecular magnet K 6 [V 15 As 6 O 42 (H ₂) Tj ETQq1] _{0.7} ^{1.0} ₁₁ ^{0.784314} rgBT /Ov		
104	A Keggin-type Structure Expanded by an Eight-membered Ring of Alternating Edge-sharing VO ₅ and VO ₆ Polyhedra: Solvothermal Synthesis, Crystal Structure, and Magnetic Properties. European Journal of Inorganic Chemistry, 2015, 2015, 3285-3289.	1.0	4
105	[{Ni ₄ (OH) ₃ AsO ₄ } ₄ (<i>i</i> B ₁₄ PW ₉ O ₃₄) ₄] A New Polyoxometalate Structural Family with Catalytic Hydrogen Evolution Activity. Chemistry - A European Journal, 2015, 21, 17363-17370.	1.7	52
106	Dynamic magnetism of an iron(<i>ii</i>)-chlorido spin chain and its hexametallic segment. Dalton Transactions, 2015, 44, 1456-1464.	1.6	16
107	Supramolecular Recognition Influences Magnetism in [X@HV ^{IV} ₈V ^V ₁₄O ⁵⁴] ⁶⁻ Self-Assemblies with Symmetry-breaking Guest Anions. Chemistry - A European Journal, 2015, 21, 2387-2397.	1.7	38
108	Adsorption phenomena of cubane-type tetranuclear Ni(II) complexes with neutral, thioether-functionalized ligands on Au(111). Surface Science, 2015, 641, 210-215.	0.8	13

#	ARTICLE	IF	CITATIONS
109	Undecametallic and hexadecametallic ferric oxo“hydroxo/ethoxo pivalate clusters. Dalton Transactions, 2015, 44, 7777-7780.	1.6	12
110	Iron(Fe_{8}) carboxylate/aminoalcohol coordination clusters with propeller-shaped cores: approaching reasonable exchange energies. Dalton Transactions, 2015, 44, 20753-20762.	1.6	20
111	A Layered Manganese(IV)-Containing Heteropolyvanadate with a 1:14 Stoichiometry. Inorganic Chemistry, 2015, 54, 10604-10609.	1.9	12
112	A thioether-decorated {Mn ₁₁ Tb ₄ } coordination cluster with slow magnetic relaxation. Inorganic Chemistry Frontiers, 2015, 2, 1095-1100.	3.0	17
113	Tin(Sn_{ii})-functionalization of the archetypal {P ₈ W ₄₈ } polyoxotungstate. Dalton Transactions, 2015, 44, 19200-19206.	1.6	12
114	Pentanuclear [2.2] spirocyclic lanthanide(Dy^{III}) complexes: slow magnetic relaxation of the Dy ^{III} analogue. Dalton Transactions, 2015, 44, 19282-19293.	1.6	16
115	Semimetal-functionalised polyoxovanadates. Chemical Society Reviews, 2015, 44, 8443-8483.	18.7	227
116	An Ir ^{IV} -containing polyoxometalate. Chemical Communications, 2015, 51, 1222-1225.	2.2	23
117	Comprehensive insight into molecular magnetism via CONDON: Full vs. effective models. Coordination Chemistry Reviews, 2015, 289-290, 137-148.	9.5	71
118	STRUCTURAL INTEGRITY OF SINGLE BIS(PHTHALOCYANINATO)-NEODYMIUM(III) MOLECULES ON METAL SURFACES WITH DIFFERENT REACTIVITY. Spin, 2014, 04, 1440007.	0.6	10
119	Coordination frameworks assembled from Cu ^{II} ions and H ₂ -1,3-bdpb ligands: X-ray and magneto structural investigations, and catalytic activity in the aerobic oxidation of tetralin. Dalton Transactions, 2014, 43, 16846-16856.	1.6	14
120	A comparative synthetic, magnetic and theoretical study of functional M ₄ Cl ₄ cubane-type Co(ii) and Ni(ii) complexes. Dalton Transactions, 2014, 43, 7847.	1.6	40
121	Spin dynamics of the giant polyoxometalate molecule {Mn ₄₀ W ₂₂₄ } studied by NMR. Journal of Physics Condensed Matter, 2014, 26, 196003.	0.7	1
122	Interconnection of [V ₁₅ As ₆ O ₄₂ (H ₂ O)] ₆ - Clusters by Cu ²⁺ -centered Complexes: Synthesis, Crystal Structure and Selected Properties. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2014, 69, 1306-1314.	0.3	4
123	Magnetochemical Complexity of Hexa- and Heptanuclear Wheel Complexes of Late d Ions Supported by N,O-Donor Pyridyl-Methanolate Ligands. Chemistry - A European Journal, 2014, 20, 3769-3781.	1.7	15
124	Tetrapalladium-Containing Polyoxotungstate [Pd ₄ ($\text{P}_2\text{W}_{15}\text{O}_{56}$) ₂] ₁₆ : A Comparative Study. Inorganic Chemistry, 2014, 53, 11778-11784.	1.9	16
125	Solid-state coexistence of {Zr ₁₂ } and {Zr ₆ } zirconium oxocarboxylate clusters. CrystEngComm, 2014, 16, 43-46.	1.3	12
126	Interpenetrated (8,3)-c and (10,3)-b Metal-Organic Frameworks Based on {Fe ^{III} ₃ } and {Fe ^{III} ₂ Co ^{II} } Pivalate Spin Clusters. Crystal Growth and Design, 2014, 14, 4721-4728.	1.4	19

#	ARTICLE	IF	CITATIONS
127	Solvothermal synthesis and crystal structure of a heterometal-bridged {V 15 Sb 6 } dimer: [Ni 2 (tren) 3 (V 15 Sb 6 O 42 (H 2 O) 0.5) 2 [Ni(trenH) 2]Å·H 2 O. Inorganica Chimica Acta, 2014, 421, 549-552.	1.2	15
128	Assembly of Cerium(III) 2,2- ϵ -Bipyridine-5,5- ϵ -dicarboxylate-based Metal-Organic Frameworks by Solvent Tuning. Crystal Growth and Design, 2014, 14, 3541-3548.	1.4	19
129	Tetranuclear [2Å–2] Square-Grid Lanthanide(III) Complexes: Syntheses, Structures, and Magnetic Properties. European Journal of Inorganic Chemistry, 2014, 2014, 4159-4167.	1.0	22
130	Magneto-optical Response of 3d-Decorated Polyoxomolybdates with μ -Keggin Structure. Inorganic Chemistry, 2014, 53, 2892-2898.	1.9	2
131	Cluster-based networks: assembly of a (4,4) layer and a rare T-shaped bilayer from [MnIII2MnII4O2(RCOO)10] coordination clusters. CrystEngComm, 2014, 16, 6523.	1.3	13
132	Effects of Anion and Bipyridyl Bridging Ligand Identity on the Co(II) Coordination Networks. Crystal Growth and Design, 2014, 14, 3015-3025.	1.4	19
133	An Exceptionally Fast Homogeneous Carbon-Free Cobalt-Based Water Oxidation Catalyst. Journal of the American Chemical Society, 2014, 136, 9268-9271.	6.6	260
134	Synthesis, Structure, and Magnetic Properties of a New Family of Tetra-nuclear {Mn2III Ln2} (Ln = Dy, Gd,) Tj ETQq0 0 0 rgBT /Overlock 1 and Terbium Analogues. Inorganic Chemistry, 2013, 52, 5035-5044.	1.9	67
135	Accessing 4f-states in single-molecule spintronics. Nature Communications, 2013, 4, 2425.	5.8	71
136	Chain and layer networks of germanato-polyoxovanadates. CrystEngComm, 2013, 15, 10238. Coexistence of magnetic order and spin-glass-like phase in the pyrochlore antiferromagnet Na<math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle mml:math>\langle mml:msub>\langle mml:mrow>	1.3	16
137	/><math>\langle mml:mn>3</mml:mn></mml:msub></mml:mrow></math>Co(CO<math>\langle mml:math> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf150 337 T89<math>\langle mml:math>		
138	Antimonato Polyoxovanadate Based Three-Dimensional Framework Exhibiting Ferromagnetic Exchange Interactions: Synthesis, Structural Characterization, and Magnetic Investigation of {[Fe(C₆H₁₄)N₂]₂}₂[V₁₅Sb₆O₄₂]. Inorganic Chemistry, 2013, 52, 3280-3284.		
139	Polyoxometalate-stabilized, water dispersible Fe ₂ Pt magnetic nanoparticles. Nanoscale, 2013, 5, 2511.	2.8	20
140	Avoiding Magnetochemical Overparametrization, Exemplified by One-Dimensional Chains of Hexanuclear Iron(III) Pivalate Clusters. Inorganic Chemistry, 2013, 52, 4154-4156.	1.9	15
141	{Ce10Mn8}: Cerium Analogues of the Decavanadate Archetype. European Journal of Inorganic Chemistry, 2013, 2013, 1635-1638.	1.0	15
142	MAGNETISM OF KEPLERATES. World Scientific Series in Nanoscience and Nanotechnology, 2013, , 173-200.	0.1	2
143	Zigzag polymer chains in catena-poly[[[triaqua(isobutyrate- O)magnesium(II)]- $\frac{1}{4}$ -isobutyrate- O] O]. Acta Crystallographica Section C: Crystal Structure Communications, 2013, 69, 1144-1146.	0.4	5
144	Determination of exchange energies in the sawtooth spin ring {Mo75V20} by ESR. Physical Review B, 2012, 85, .	1.1	3

#	ARTICLE	IF	CITATIONS
145	Spin freezing in geometrically frustrated magnetic molecule Fe ₃₀ revealed by NMR. <i>Journal of Physics: Conference Series</i> , 2012, 400, 032012.	0.3	0
146	Cerium oxide nanoclusters: commensurate with concepts of polyoxometalate chemistry?. <i>Chemical Communications</i> , 2012, 48, 1499-1501.	2.2	79
147	A polyoxometalate-based single-molecule magnet with an S = 21/2 ground state. <i>Chemical Communications</i> , 2012, 48, 1218-1220.	2.2	84
148	Covalent functionalization of carbon nanotubes with tetramanganese complexes. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2412-2415.	0.7	5
149	Expansion of Antimonato Polyoxovanadates with Transition Metal Complexes: (Co(N ₃ C ₅ H ₁₅) ₂) ₂ [{Co(N ₃ C ₅ H ₁₅) ₅ H ₁₅ } ₂] and (Ni(N ₃ C ₅ H ₁₅) ₂) ₂ [{Ni(N ₃ C ₅ H ₁₅) ₅ H ₁₅ } ₂]. <i>Inorganic Chemistry</i> , 2012, 51, 2311-2317.	1.9	43
150	A C ₂ -symmetric antimonato polyoxovanadate cluster [V ₁₆ Sb ₄ O ₄₂ (H ₂ O)] ₈ derived from the {V ₁₈ O ₄₂ } archetyp. <i>Dalton Transactions</i> , 2012, 41, 6957.	1.6	23
151	[CoxCu _{1-x} (DDOP)(OH ₂)(NO ₃)](NO ₃): hydrogen bond-driven distortion of cobalt(ii) by solid solution network mismatch™. <i>Dalton Transactions</i> , 2012, 41, 4927.	1.6	6
152	Linear, Zigzag, and Helical Cerium(III) Coordination Polymers. <i>Crystal Growth and Design</i> , 2012, 12, 1593-1602.	1.4	31
153	Chiral Hexanuclear Ferric Wheels. <i>Inorganic Chemistry</i> , 2012, 51, 2734-2736.	1.9	9
154	Cubic Box versus Spheroidal Capsule Built from Defect and Intact Pentagonal Units. <i>Journal of the American Chemical Society</i> , 2012, 134, 19342-19345.	6.6	59
155	Anomalous dynamical line shapes in a quantum magnet at finite temperature. <i>Physical Review B</i> , 2012, 85, .	1.1	33
156	Polyoxometalate-directed assembly of water-soluble AgCl nanocubes. <i>Chemical Communications</i> , 2012, 48, 2207.	2.2	12
157	[Coll ₄ MoV ₁₂ O ₂₈ (OH) ₁₂ (H ₂ O) ₁₂] _· 12H ₂ O: facilitating single-crystal growth by deuteration. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2012, 68, i17-i19.	0.4	6
158	Cluster-Based Networks: 1D and 2D Coordination Polymers Based on {MnFe ₂ ($\text{I}\frac{1}{4}$ 3-O)}-Type Clusters. <i>Inorganic Chemistry</i> , 2012, 51, 5110-5117.	1.9	33
159	A regioselective Huisgen reaction inside a Keplerate polyoxomolybdate nanoreactor. <i>Dalton Transactions</i> , 2012, 41, 9852.	1.6	54
160	A fluorophosphate-based inverse Keggin structure. <i>Dalton Transactions</i> , 2012, 41, 9876.	1.6	12
161	Wateroxidation catalyzed by a new tetracobalt-substituted polyoxometalate complex: [{Co ₄ ($\text{I}\frac{1}{4}$ -OH)(H ₂ O) ₃ }(Si ₂ W ₁₉ O ₇₀)] ₁₁ ⁺ . <i>Dalton Transactions</i> , 2012, 41, 2084-2090.	1.6	87
162	Revisiting the Polyoxometalate-Based Late-Transition-Metal-Oxo Complexes: The "Oxo Wall" Stands. <i>Inorganic Chemistry</i> , 2012, 51, 7025-7031.	1.9	86

#	ARTICLE	IF	CITATIONS
163	Mapping the formation areas of giant molybdenum blue clusters: a spectroscopic study. <i>Dalton Transactions</i> , 2012, 41, 8951.	1.6	31
164	Macrocycles based on magnetically functionalized zirconium oxide clusters. <i>Inorganica Chimica Acta</i> , 2012, 380, 72-77.	1.2	9
165	[V15Ge6O42S6(H ₂ O)] ₁₂ -, a Thiogermanatopolyoxovanadate Cluster Featuring the Spin Topology of the Molecular Magnet [V15As ₆ O ₄₂ (H ₂ O)] ₆ -. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 1237-1242.	1.0	13
166	Exploring the Structure and Properties of Transition Metal Tempered {V _M ₁₇ (VO ₄) ₂ } Dawson-Like Capsules. <i>Inorganic Chemistry</i> , 2011, 50, 8384-8391.	1.9	51
167	Exploring the thermochromism of sulfite-embedded polyoxometalate capsules. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 7295.	1.3	19
168	Utilizing the Adaptive Polyoxometalate [As ₂ W ₁₉ O ₆₇ (H ₂ O)] ¹⁴⁻ To Support a Polynuclear Lanthanoid-Based Single-Molecule Magnet. <i>Inorganic Chemistry</i> , 2011, 50, 7004-7014.	1.9	113
169	Heterometal expansion of oxozirconium carboxylate clusters. <i>Dalton Transactions</i> , 2011, 40, 331-333.	1.6	32
170	Magnetic properties of the triangular quantum spin tube [(CuCl ₂ tachH) ₃ Cl] _{Cl2} studied by NMR and magnetization. <i>Journal of Physics: Conference Series</i> , 2011, 320, 012047.	0.3	5
171	A Computational Framework for Magnetic Polyoxometalates and Molecular Spin Structures: CONDON 2.0. <i>Israel Journal of Chemistry</i> , 2011, 51, 215-227.	1.0	77
172	A Heptanuclear Iron(III) Oxo-Carboxylate Cluster. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 821-823.	0.6	6
173	A spin-frustrated cobalt(II) carbonate pyrochlore network. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, i56-i58.	0.4	9
174	An octanuclear iron(III) isobutyrate wheel. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, m371-m374.	0.4	3
175	Organic Functionalization of Polyoxovanadates: Sb ₂ N Bonds and Charge Control. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 764-767.	7.2	65
176	Molecular Growth of a Core-Shell Polyoxometalate. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 5212-5216.	7.2	141
177	{Fe ₆ O ₂ }-Based Assembly of a Tetradecanuclear Iron Nanocluster. <i>Materials</i> , 2011, 4, 300-310.	1.3	13
178	Magnetic Coupling in Enantiomerically Pure Trinuclear Helicate-Type Complexes Formed by Hierarchical Self-Assembly. <i>Chemistry - A European Journal</i> , 2010, 16, 8797-8804.	1.7	19
179	Terbium Polyoxometalate Organic Complexes: Correlation of Structure with Luminescence Properties. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7702-7705.	7.2	172
180	Heterometallic hexanuclear isobutyrate clusters based on di- and tripodal alcohols. <i>Polyhedron</i> , 2010, 29, 1990-1997.	1.0	12

#	ARTICLE	IF	CITATIONS
181	Synthesis, crystal structure and magnetism of a new mixed germaniumâ€“polyoxovanadate cluster. <i>Inorganica Chimica Acta</i> , 2010, 363, 4399-4404.	1.2	21
182	[Cr ₈ (PhCO ₂) ₁₆ O ₄]â€¢4CH ₃ CNâ€¢2H ₂ O: structural origin of magnetic anisotropy in a molecular spin cluster. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2010, 66, m253-m256.	0.4	2
183	Synthesis, High-resolution Crystal Structure Refinement and Magnetic Properties of the Manganese-rich Cementite-type Mn _{1.8} Fe _{1.2} C. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 1235-1239.	0.3	2
184	Heat Capacity Reveals the Physics of a Frustrated Spin Tube. <i>Physical Review Letters</i> , 2010, 105, 037206.	2.9	45
185	Level crossings and zero-field splitting in the {Cr ₈ }-cubane spin cluster studied using inelastic neutron scattering and magnetization. <i>Journal of Physics Condensed Matter</i> , 2010, 22, 466001.	0.7	6
186	An approach to the magnetic ground state of the molecular magnet {Mo ₇₂ Fe ₃₀ }. <i>New Journal of Physics</i> , 2010, 12, 083044.	1.2	12
187	A tetrานuclear cobalt(ii) chain with slow magnetization relaxation. <i>Dalton Transactions</i> , 2010, 39, 10827.	1.6	29
188	Synthesis, Characterization, and Quantum-Chemical Studies of Ni(CN) ₂ MX (M = Rb, Cs; X =) T _j ETQq0.0 rgBT _{1.9} /Overlock 1		
189	Effect of Ligand Substitution on the Exchange Interactions in {Mn ₁₂ }-Type Single-Molecule Magnets. <i>Inorganic Chemistry</i> , 2010, 49, 10902-10906.	1.9	27
190	Syntheses and Magnetostructural Investigations on Kuratowski-Type Homo- and Heteropentanuclear Coordination Compounds [M ₂ Zn ₄ Cl ₄ (L) ₆] (M ²⁺ = Zn, Fe,) T _j ETQq0.0 rgBT _{1.9} /Overlock 43		
191	Nonplanar <i>i</i> K <i>i</i> _{3,3} Graph. <i>Inorganic Chemistry</i> , 2010, 49, 7424-7434. One-Dimensional Coordination Polymers from Hexanuclear Manganese Carboxylate Clusters Featuring a {Mn ²⁺ ₁₁ Mn ³⁺ ₄ ₂ -(1/4 ₄ -O) ₂ } Core and Spacer Linkers. <i>Inorganic Chemistry</i> , 2010, 49, 7764-7772.	1.9	28
192	Structure-related frustrated magnetism of nanosized polyoxometalates: aesthetics and properties in harmony. <i>Dalton Transactions</i> , 2010, 39, 21-36.	1.6	227
193	Switching slow relaxation in a Mn ^{II} ₃ Mn ^{IV} cluster: an example of grafting single-molecule magnets onto polyoxometalates. <i>Chemical Communications</i> , 2010, 46, 2760.	2.2	92
194	Following the self assembly of supramolecular MOFs using X-ray crystallography and cryospray mass spectrometry. <i>Chemical Science</i> , 2010, 1, 62.	3.7	48
195	The role of â€¢ stacking in stabilizing a,a-trans-cyclohexane-1,4-dicarboxylate in a 2D Co(<i>scp</i>) _{ii} / <i>scp</i>) network. <i>CrystEngComm</i> , 2010, 12, 1057-1059.	1.3	31
196	New iron(III) undeca- and tetradecanuclear carboxylate clusters. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2010, 66, s265-s265.	0.3	0
197	A Homochiral 2D Copper(II) Coordination Framework. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 717-720.	1.0	6
198	Diphenic Acid-Based Cobalt(II) Complexes: Trinuclear and Doubleâ€¢Helical Structures. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 1011-1018.	1.0	26

#	ARTICLE	IF	CITATIONS
199	Nonanuclear Coordination Compounds Featuring {M ₉ L ₁₂ } ⁶⁺ Cores (M = Ni ^{II} , Co ^{II} , or Zn ^{II} ; L = 1,2,3-Benzotriazolate). European Journal of Inorganic Chemistry, 2009, 2009, 3094-3101.	1.0	24
200	Decanuclear Manganese Isobutyrate Clusters Featuring a Novel Mn ^{II} ₈ Mn ^{III} ₂ Core. European Journal of Inorganic Chemistry, 2009, 2009, 4209-4212.	1.0	8
201	Removing Compositional Boundaries in Mixed-Linker Keplerate Clusters. European Journal of Inorganic Chemistry, 2009, 2009, 5071-5074.	1.0	12
202	Electronic Control of Spin Coupling in Keplerate-type Polyoxomolybdates. Angewandte Chemie - International Edition, 2009, 48, 9080-9083.	7.2	50
203	A Novel Expansion Mode of Polyoxovanadate Clusters: Synthesis, Crystal Structure and Properties of {[Cu(H ₂ O) ₅ H ₁₄ N ₂] ₂ } ₂ [V ₁₆ O ₃₈]}. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2009, 635, 1094-1099.		
204	Transition Metal Tetrathiosquarates: One-dimensional Linking in the Iron(II) Salt FeC ₄ S ₄ H ₂ O. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2009, 635, 1991-1996.	0.6	3
205	CVD growth of carbon nanotubes using molecular nanoclusters as catalyst. Physica Status Solidi (B): Basic Research, 2009, 246, 2494-2497.	0.7	13
206	Mn ₃ (OAc) ₆ ·CH ₃ CN: a porous dehydrated manganese(II) acetate. Acta Crystallographica Section C: Crystal Structure Communications, 2009, 65, m224-m227.	0.4	2
207	Synthesis, structure and magnetism of a one-dimensional silicotungstate array: K ₃ H ₄ Cu _{0.5} {Cu[Cu _{7.5} Si ₂ W ₁₆ O ₆₀ (H ₂ O) ₄ (OH) ₄] ₂ }·9H ₂ O. Polyhedron, 2009, 28, 215-220.	1.0	10
208	Synthesis of Cu(I) octamolybdates using tetrakis-acetonitrilecopper(I) hexafluorophosphate. Polyhedron, 2009, 28, 2803-2807.	1.0	17
209	Acetate-controlled demetalation in multiiron polyoxometalates: A triiron cluster trapped between I^2 - and I^3 -Keggin isomers. Dalton Transactions, 2009, , 5606.	1.6	18
210	Exploring a Series of Isostructural Dodecanuclear Mixed Ni:Co Clusters: Toward the Control of Elemental Composition Using pH and Stoichiometry. Inorganic Chemistry, 2009, 48, 1097-1104.	1.9	32
211	Cucurbit[<i>n</i>]uril ⁺ Polyxoanion Hybrids. Journal of the American Chemical Society, 2009, 131, 432-433.	6.6	154
212	Structural, Physicochemical, and Reactivity Properties of an All-Inorganic, Highly Active Tetraruthenium Homogeneous Catalyst for Water Oxidation. Journal of the American Chemical Society, 2009, 131, 17360-17370.	6.6	162
213	Synthesis, Structure, and Magnetism of a Polyoxometalate with Coordinatively Unsaturated d-Electron-Transition Metal Centers. Inorganic Chemistry, 2009, 48, 7812-7817.	1.9	35
214	Polyoxotungstate-encapsulated Gd ₆ and Yb ₁₀ complexes. Chemical Communications, 2009, , 328-330.	2.2	118
215	Caesium-templated lanthanoid-containing polyoxotungstates. Dalton Transactions, 2009, , 4423.	1.6	52
216	An All-inorganic, Stable, and Highly Active Tetraruthenium Homogeneous Catalyst for Water Oxidation. Angewandte Chemie - International Edition, 2008, 47, 3896-3899.	7.2	559

#	ARTICLE	IF	CITATIONS
217	Capture of Periodate in a {W ₁₈ O ₅₄ } Cluster Cage Yielding a Catalytically Active Polyoxometalate [H ₃ W ₁₈ O ₅₆ (IO ₆) ₆] ⁶⁻ Embedded with High-valent Iodine. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 4384-4387.	7.2	107
218	Platinum-containing Polyoxometalates. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 9380-9382.	7.2	31
219	Polyoxometalate-mediated Self-Assembly of Single-molecule Magnets: {[XW ₉ O ₃₄] ₂ [Mn ³⁺] ₄ Mn ²⁺ I ₂ O ₂₅]} _n . <i>Angewandte Chemie - International Edition</i> , 2008, 47, 5609-5612.		
220	PO ₄ ³⁻ -Mediated Polyoxometalate Supercluster Assembly. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8123-8126.	7.2	138
221	Reversible electron-transfer reactions within a nanoscale metal oxide cage mediated by metallic substrates. <i>Nature Nanotechnology</i> , 2008, 3, 229-233.	15.6	96
222	Synthesis, structure, magnetism and nuclease activity of tetranuclear copper(II) phosphonates containing ancillary 2,2'-bipyridine or 1,10-phenanthroline ligands. <i>Dalton Transactions</i> , 2008, , 1150.	1.6	58
223	Polynuclear Cobalt(II/III) Sulfites: Synthesis, Structure, and Magnetic Properties of the Octanuclear Cluster (NH ₄) ₁₁ [Co ₄ Co ₄ III ₂ (SO ₃) ₁₉] ₂ Encapsulating a Lithium Cation. <i>Inorganic Chemistry</i> , 2008, 47, 4451-4453.		
224	Mehr als nur Einzelmolekülmagnete. <i>Nachrichten Aus Der Chemie</i> , 2008, 56, 743-746.	0.0	0
225	[V ₁₆ Sb ₄ O ₄₂ (H ₂ O){VO(C ₆ H ₁₄ N ₂) ₂ } ₄]: A Terminal Expansion to a Polyoxovanadate Archetype. <i>Inorganic Chemistry</i> , 2008, 47, 1916-1918.	1.9	69
226	Synthesis, structure and magnetism of a new dimeric silicotungstate: K ₂ Na ₂ Cu _{0.5} [³ Cu ₂ (H ₂ O) ₈ SiW ₃₁ O ₁₅] ₂ . <i>Dalton Transactions</i> , 2008, , 54-58.		
227	Acetate-driven polyoxometalate demetalation: An open-shell diiron polytungstate comprising two rotational Keggin isomers. <i>Dalton Transactions</i> , 2008, , 3150.	1.6	24
228	Bridging the gap between solution and solid state studies in polyoxometalate chemistry: Discovery of a family of [V ₁₇ M ₁]-based cages encapsulating two {V ⁴⁺ O ₄ } moieties. <i>Dalton Transactions</i> , 2008, , 214-221.	1.6	54
229	A polyoxometalate-based manganese carboxylate cluster. <i>Chemical Communications</i> , 2008, , 3396.	2.2	118
230	Trading Templates: Supramolecular Transformations between {Coll13} and {Coll12} Nanoclusters. <i>Journal of the American Chemical Society</i> , 2008, 130, 790-791.	6.6	75
231	Local Spin Moment Distribution In Molecular Nanomagnets V ₁₅ And Cr ₇ Cd Determined By NMR. <i>AIP Conference Proceedings</i> , 2008, , .	0.3	0
232	Correlation effects in the electronic structure of the $\text{Mn}_{4}\text{O}_{4}$ molecular magnet. <i>Physical Review B</i> , 2008, 77, .	1.1	8
233	Multiple nearest-neighbor exchange model for the frustrated magnetic molecules {Mo ₇₂ Fe ₃₀ } and {Mo ₇₂ Cr ₃₀ }. <i>Physical Review B</i> , 2008, 77, .	1.1	39
234	Magnetic properties of Heisenberg triangular antiferromagnet V ₁₅ cluster studied by NMR. , 2008, , 65-68.	0	

#	ARTICLE	IF	CITATIONS
235	Local spin moment configuration in the frustrateds=1â•2Heisenberg triangular antiferromagnet V15 determined by NMR. <i>Physical Review B</i> , 2007, 75, Low-energy spin dynamics in the giant keplerate molecule$\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$$\text{mathvariant="normal">Mo$$\text{mathvariant="normal">Fe$$\text{mathvariant="normal">A$$\text{mathvariant="normal">B$$\text{mathvariant="normal">C$	1.1	31
236	A muon spin relaxation and Ligand and Counterion Control of Ag(I) Architectures:â‰% Assembly of a {Ag ₈ } Ring Cluster Mediated by Hydrophobic and Ag-A-Ag Interactions. <i>Inorganic Chemistry</i> , 2007, 46, 9090-9097.	1.1	14
237	Controlled assembly and solution observation of a 2.6 nm polyoxometalate â€“superâ€™ tetrahedron cluster: [KFe ₁₂ (OH) ₁₈ (I ₂ ,3-P ₂ W ₁₅ O ₅₆) ₄] ₂₉ . <i>Chemical Communications</i> , 2007, , 4254.	1.9	58
238	[V ₁₅ Sb ₁₁ O ₄₂] ₆ : An antimony analogue of the molecular magnet [V ₁₅ As ₆ O ₄₂ (H ₂ O)] ₆ . <i>Dalton Transactions</i> , 2007, , 3221.	2.2	115
239	Exploiting the multifunctionality of organocations in the assembly of hybrid polyoxometalate clusters and networks. <i>Chemical Communications</i> , 2007, , 468-470.	1.6	64
240	Terminal Gold-Oxo Complexes. <i>Journal of the American Chemical Society</i> , 2007, 129, 11118-11133.	6.6	72
241	Tetrairon and Hexairon Hydroxo/Acetato Clusters Stabilized by Multiple Polyoxometalate Scaffolds. Structures, Magnetic Properties, and Chemistry of a Dimer and a Trimer. <i>Inorganic Chemistry</i> , 2007, 46, 5398-5403.	1.9	66
242	Structural and Compositional Control in {M ₁₂ } Cobalt and Nickel Coordination Clusters Detected Magnetochemically and with Cryospray Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 1340-1344.	7.2	84
243	Modular Assembly of a Functional Polyoxometalateâ€Based Open Framework Constructed from Unsupported Ag ⁺ ...Ag ⁺ Interactions. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7579-7582.	7.2	248
244	Inside Cover Picture: Structural and Compositional Control in {M ₁₂ } Cobalt and Nickel Coordination Clusters Detected Magnetochemically and with Cryospray Mass Spectrometry (Angew. Chem. Int. Ed.) Tj ETQq1 1 0.284314 4gBT /Over		
245	Direct estimation of zero-field energy gap in the nano-scale single molecular magnet. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 310, 1203-1205.	1.0	20
246	Temperature effects on multi-particle scattering in a gapped quantum magnet. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 310, 1236-1238.	1.0	1
247	Spin structure of the nanoscale molecular magnet V15 cluster revealed by. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 310, 1429-1431.	1.0	13
248	Magnetic properties of Heisenberg triangular antiferromagnet V15 cluster studied by NMR. <i>Hyperfine Interactions</i> , 2007, 176, 65-68.	0.2	4
249	⁵¹V-NMR STUDIES OF HEISENBERG TRIANGULAR SYSTEM V15 CLUSTER. , 2007, , .	0	
250	Unsymmetrical surface modification of a heteropolyoxotungstate via in-situ generation of monomeric and dimeric copper(ii) species. <i>Dalton Transactions</i> , 2006, , 1712.	1.6	83
251	The True Nature of the Di-iron(III) $\text{^{13}\text{-Keggin}}$ Structure in Water:â Catalytic Aerobic Oxidation and Chemistry of an Unsymmetrical Trimer. <i>Journal of the American Chemical Society</i> , 2006, 128, 11268-11277.	6.6	105

#	ARTICLE	IF	CITATIONS
253	Controlling Aggregation of Copper(II)-Based Coordination Compounds: From Mononuclear to Dinuclear, Tetranuclear, and Polymeric Copper Complexes. <i>Inorganic Chemistry</i> , 2006, 45, 2886-2895.	1.9	47
254	A Nanoringâ' Nanosphere Molecule, {Mo214V30}: Pushing the Boundaries of Controllable Inorganic Structural Organization at the Molecular Level. <i>Journal of the American Chemical Society</i> , 2006, 128, 5336-5337.	6.6	55
255	15V NMR Studies on the Nanoscale Molecular Magnet V15 at Very Low Temperature. <i>AIP Conference Proceedings</i> , 2006, , .	0.3	2
256	Anion control of isomerism, crystal packing and binding properties in a mononuclear zinc complex. <i>Polyhedron</i> , 2006, 25, 3474-3480.	1.0	14
257	Synthetic, structural and magnetic characterisation of a one-dimensional nickel chain constructed using cis,trans-1,3,5-triaminocyclohexane as a building block. <i>Journal of Molecular Structure</i> , 2006, 796, 23-27.	1.8	6
258	Linking Chiral Clusters with Molybdate Building Blocks: From Homochiral Helical Supramolecular Arrays to Coordination Helices. <i>Chemistry - an Asian Journal</i> , 2006, 1, 352-357.	1.7	55
259	Inducing Molecular Growth in an {Mo57Fe6}-type Nanocluster: Synthesis, Structure, and Properties of \$\$\{Mo\}_{57}\{Mo\}_{2}\{Fe\}^{m III}\{6\}\$\$*. <i>Journal of Cluster Science</i> , 2006, 17, 291-302.	1.7	2
260	Observation and Theoretical Analysis of the â€œSensitive Coordination Sitesâ€ in the Isopolyoxomolybdate Cluster \$\$\{Mo\}_{36}\{O\}_{112}\{H\}_2\{O\}_{14}]^{8-}\$\$\$. <i>Journal of Cluster Science</i> , 2006, 17, 257-266.	1.7	19
261	Experimental and Theoretical Investigations of the Sulfite-Based Polyoxometalate Cluster Redox Series: I^{\pm} - and I^2 -[Mo18O54(SO ₃) ₂]4 ⁺ /5 ⁺ /6 ⁺ . <i>Chemistry - A European Journal</i> , 2006, 12, 8472-8483.	1.7	58
262	Discovery of a Family of Isopolyoxotungstates [H ₄ W ₁₉ O ₆₂] ⁶⁻ Encapsulating a {WO ₆ } Moiety within a {W ₁₈ } Dawson-like Cluster Cage. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4798-4803.	7.2	96
263	Understanding the gap in polyoxovanadate molecule-based magnets. <i>Physical Review B</i> , 2006, 74, .	1.1	27
264	Low-energy excitations in the S=12 molecular nanomagnet K ₆ [V ₁₅ IVAs ₆ O ₄₂ (H ₂ O)] ⁸ H ₂ O from proton NMR and $^{1/4}$ SR. <i>Physical Review B</i> , 2006, 73, .	1.1	34
265	Observation of field-dependent magnetic parameters in the magnetic molecule{Ni ₄ Mo ₁₂ }. <i>Physical Review B</i> , 2006, 73, .	1.1	35
266	Probing spin frustration in high-symmetry magnetic nanomolecules by inelastic neutron scattering. <i>Physical Review B</i> , 2006, 73, .	1.1	54
267	SPIN DYNAMICS IN HEISENBERG TRIANGULAR SYSTEM V15 CLUSTER STUDIED BY ¹ H-NMR. , 2006, , .		0
268	Spin dynamics and level crossing in nanoscale molecular magnet V15 cluster studied by ¹ H-NMR. <i>Polyhedron</i> , 2005, 24, 2737-2744.	1.0	11
269	Synthesis, structure and magnetism of a linear Cuâ€“Clâ€“Cu entity found in [(Cu(tachH)(tach)) ₂ ($\text{I}^{1/4}$ -Cl)] ⁵⁺ . <i>Polyhedron</i> , 2005, 24, 1651-1655.	1.0	11
270	Hysteresis Loops and Adiabatic Landau-Zener-StÃ¼ckelberg Transitions in the Magnetic Molecule{V6}. <i>Physical Review Letters</i> , 2005, 94, 147204.	2.9	39

#	ARTICLE	IF	CITATIONS
271	1H-NMR studies on spin dynamics in molecular nanomagnet V15. <i>Journal of Magnetism and Magnetic Materials</i> , 2005, 294, 141-146.	1.0	5
272	Polyoxometalate Nanostructures, Superclusters, and Colloids: From Functional Clusters to Chemical Aesthetics. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 844-846.	7.2	152
273	Confined Electron-Transfer Reactions within a Molecular Metal Oxide "Trojan Horse". <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3415-3419.	7.2	113
274	Cover Picture: Confined Electron-Transfer Reactions within a Molecular Metal Oxide "Trojan Horse". (<i>Angew. Chem. Int. Ed.</i> 22/2005). <i>Angewandte Chemie - International Edition</i> , 2005, 44, 3323-3323.	7.2	2
275	Controllable Growth of Chains and Grids from Polyoxomolybdate Building Blocks Linked by Silver(I) Dimers. <i>Chemistry - A European Journal</i> , 2005, 11, 1071-1078.	1.7	130
276	Expanding the Hierarchy of Metal-Oxide Building Blocks from Fragments via Clusters to Networks: A $\tilde{\chi}_2 [\{Mo_{17}(NO)_2\}3\{MoV_2\}3\{FeIII\}_6](Fell\ 1.5)$ -Type Layer Compound. <i>Journal of Cluster Science</i> , 2005, 16, 391-396.	1.7	2
277	Dielectric and transport properties of $K_6[V_{15}As_6O_{42}(H_2O)] \cdot 8H_2O$. <i>Physical Review B</i> , 2005, 71, .	1.1	12
278	Competing Spin Phases in Geometrically Frustrated Magnetic Molecules. <i>Physical Review Letters</i> , 2005, 94, 017205.	2.9	85
279	$[(Mo)Mo_5O_{21}(H_2O)_3(SO_4)_12(VO)_30(H_2O)_20]^{36-}$: A molecular quantum spin icosidodecahedron. <i>Chemical Communications</i> , 2005, , 3138.	2.2	96
280	Ferrimagnetically ordered nanosized polyoxomolybdate-based cluster spheres. <i>Chemical Communications</i> , 2005, , 5621.	2.2	36
281	A new structural form for a decanuclear copper(ii) assembly. <i>Dalton Transactions</i> , 2005, , 3143.	1.6	55
282	Asymmetric terminal ligation on substituted sites in a disorder-free Keggin anion, $[I^2-SiFe_2W_{10}O_{36}(OH)_2(H_2O)Cl]^{5-}$. <i>Dalton Transactions</i> , 2005, , 2017.	1.6	27
283	Reactions of a {Mo16}-type polyoxometalate cluster with electrophiles: a synthetic, theoretical and magnetic investigation. <i>Dalton Transactions</i> , 2005, , 1372-1380.	1.6	62
284	Magnetic characterization of the frustrated three-leg ladder compound $[(CuCl_2tachH)_3Cl]Cl_2$. <i>Physical Review B</i> , 2004, 70, .	1.1	86
285	Magnetic susceptibility and spin dynamics of a polyoxovanadate cluster: A proton NMR study of a model spin tetramer. <i>Physical Review B</i> , 2004, 69, .	1.1	21
286	Electronic structure and exchange interactions in V15magnetic molecules:LDA+Uresults. <i>Physical Review B</i> , 2004, 70, .	1.1	47
287	Infinite octamolybdate chains cross-linked by paramagnetic iron (II) centers. <i>Open Chemistry</i> , 2004, 2, 323-333.	1.0	0
288	Old Clusters with New Tricks: Engineering S...-...-S Interactions and Novel Physical Properties in Sulfite-Based Dawson Clusters. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 1817-1820.	7.2	154

#	ARTICLE	IF	CITATIONS
289	NMR and $\frac{1}{4}$ SR investigation of spin dynamics in {Mo ₇₂ Fe ₃₀ } molecular clusters. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, 1099-1101.	1.0	5
290	¹ H NMR study of dodecanuclear polyoxovanadate cluster {V ₁₂ }. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 272-276, E759-E761.	1.0	4
291	Supramolecular assembly of ligand-directed triangular {Cu ₁₃ Cl} clusters with spin frustration and spin-chain behaviour. <i>Chemical Communications</i> , 2004, , 1580-1581.	2.2	59
292	Pentadecadentate Chelating Ligands as Building Blocks for a {Fe ₆ } Cage with 12 Exo-Coordinated Sodium Cations. <i>Inorganic Chemistry</i> , 2004, 43, 7266-7268.	1.9	11
293	A High-Nuclearity "Celtic-Ring" Isopolyoxotungstate, [H ₁₂ W ₃₆ O ₁₂₀] ¹²⁻ , That Captures Trace Potassium Ions. <i>Journal of the American Chemical Society</i> , 2004, 126, 13880-13881.	6.6	136
294	The Missing Link in Low Nuclearity Pure Polyoxovanadate Clusters: Preliminary Synthesis and Structural Analysis of a New {V ₁₆ } Cluster and Related Products. <i>Journal of Cluster Science</i> , 2003, 14, 313-324.	1.7	30
295	Restraining Symmetry in the Formation of Small Polyoxomolybdates: Building Blocks of Unprecedented Topology Resulting From "Shrink-Wrapping" [H ₂ Mo ₁₆ O ₅₂] ¹⁰⁻ -Type Clusters. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 4180-4183.	7.2	141
296	Combinatorially Linkable Metal-Oxide Based Units: Perspectives for Nano, Supramolecular, and Solid-State Chemistry. , 2003, , 297-323.		6
297	Synergetic activation of "silent receptor" sites leading to a new type of inclusion complex: integration of a 64-membered ring comprising K ⁺ and SO ₄ ²⁻ ions into a molybdenum oxide-based nanoobject. <i>Chemical Communications</i> , 2003, , 2000-2001.	2.2	23
298	Electronic structure and exchange interactions in V ₁₅ magnetic molecules: LDA+U results. <i>Journal of Applied Physics</i> , 2003, 93, 7080-7082.	1.1	20
299	A Phosphorus Supported Multisite Coordinating Tris Hydrazone P(S)[N(Me)NCHC ₆ H ₄ -o-OH] ₃ as an Efficient Ligand for the Assembly of Trinuclear Metal Complexes: Synthesis, Structure, and Magnetism. <i>Inorganic Chemistry</i> , 2003, 42, 5989-5998.	1.9	60
300	Heisenberg model of a {Cr ₈ }-cubane magnetic molecule. <i>Journal of Applied Physics</i> , 2003, 93, 7083-7085.	1.1	6
301	Optical properties of the molecule-based magnet K ₆ [V ₁₅ As ₆ O ₄₂ (H ₂ O)] ₈ ·8H ₂ O. <i>Physical Review B</i> , 2003, 68, .	1.1	21
302	Ferromagnetic Cu ^{ll} "Cu ^{ll} exchange interactions in a polyoxomolybdate-based nanocluster. <i>Journal of Applied Physics</i> , 2003, 93, 7101-7102.	1.1	11
303	Unconventional Heisenberg spin triangle in magnetic molecule {V ₁₅ } : A proton nuclear magnetic resonance study. <i>Journal of Applied Physics</i> , 2003, 93, 7810-7812.	1.1	12
304	Electronic structure of magnetic molecules V ₁₅ : LSDA+U calculations, x-ray emissions, and photoelectron spectra. <i>Physical Review B</i> , 2003, 67, .	1.1	29
305	Proton NMR in the giant paramagnetic molecule {Mo ₇₂ Fe ₃₀ }. <i>Journal of Applied Physics</i> , 2002, 91, 7388.	1.1	9
306	Heisenberg spin triangles in {V ₆ }-type magnetic molecules: Experiment and theory. <i>Physical Review B</i> , 2002, 66, .	1.1	52

#	ARTICLE	IF	CITATIONS
307	[sup 1]H and [sup 23]Na nuclear magnetic resonance study of V6 magnetic molecular clusters. <i>Journal of Applied Physics</i> , 2002, 91, 7391.	1.1	7
308	Chemistry with Nanoparticles: Linking of Ring-and Ball-Shaped Species. <i>Nanostructure Science and Technology</i> , 2002, , 1-15.	0.1	6
309	Inelastic Neutron Scattering on Three Mixed-Valence Dodecanuclear Polyoxovanadate Clustersâ€. <i>Inorganic Chemistry</i> , 2002, 41, 5675-5685.	1.9	49
310	Low-energy spin excitations in the molecular magnetic cluster V 15. <i>Europhysics Letters</i> , 2002, 59, 291-297.	0.7	70
311	Structure and Properties of the Dendron-Encapsulated Polyoxometalate (C52H60NO12)12[(Mn(H2O))3(SbW9O33)2], a First Generation Dendrizyme. <i>Journal of the American Chemical Society</i> , 2002, 124, 10489-10496.	6.6	120
312	A potassium selective â€“nanospongeâ€™ with well defined pores. <i>Chemical Communications</i> , 2002, , 2944-2945.	2.2	37
313	Paramagnetic Keplerate â€œNecklacesâ€. Synthesized by a Novel Room-Temperature Solid-State Reaction: Controlled Linking of Metal-Oxide-Based Nanoparticles. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 579-582.	7.2	47
314	â€œMolecular Symmetry Breakersâ€. Generating Metal-Oxide-Based Nanoobject Fragments as Synthons for Complex Structures: [{Mo128Eu4O388H10(H2O)81}2]20, a Giant-Cluster Dimer. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 2805-2808.	7.2	153
315	Inelastic neutron scattering on a mixed-valence dodecanuclear polyoxovanadate cluster. <i>Applied Physics A: Materials Science and Processing</i> , 2002, 74, s734-s736.	1.1	4
316	Classical and Quantum Magnetism in Giant Keplerate Magnetic Molecules. <i>ChemPhysChem</i> , 2001, 2, 517-521.	1.0	180
317	<small>â€œNanoobjectsâ€. Self-Assembly Concomitant with Modifications under Alterable Boundary Conditions: Incorporation of Paramagnetic Metal Centers (Cu2+) in Ring-Shaped Molybdenum-Oxide Based Clusters</small> The authors thank Prof. D. Gatteschi, University of Florence (Italy), for helping with the interpretation of the ESR spectrum, and Dipl.-Chem. A. Berke and Dr. J. Hockemeyer, University of Bielefeld (Germany), for their collaboration. C. R. thanks the Alexander von Humboldt Foundation for her fellowship. <i>Financia. Angewandte Chemie - International Edition</i> , 2001, 40, 4034.	7.2	40
318	Giant metal-oxide-based spheres and their topology: from pentagonal building blocks to keplerates and unusual spin systems. <i>Coordination Chemistry Reviews</i> , 2001, 222, 193-218.	9.5	372
319	Classical and Quantum Magnetism in Giant Keplerate Magnetic Molecules. <i>ChemPhysChem</i> , 2001, 2, 517-521.	1.0	4
320	Polyoxometalate Chemistry: a Source for Unusual Spin Topologies. , 2001, , 319-328.	0	
321	Linking Icosahedral, Strong Molecular Magnets {MoFe} to Layersâ€”A Solid-State Reaction at Room Temperature. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1612-1614.	7.2	81
322	Thirty Electrons â€œTrappedâ€ in a Spherical Matrix: A Molybdenum Oxide-Based Nanostructured Keplerate Reduced by 36 Electrons. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1614-1616.	7.2	72
323	Controlling Growth of Novel Solid-State Materials via Discrete Molybdenum-Oxide-Based Building Blocks as Synthons. <i>Journal of Solid State Chemistry</i> , 2000, 152, 57-67.	1.4	64
324	A New Type of Supramolecular Compound: Molybdenum-Oxide-Based Composites Consisting of Magnetic Nanocapsules with Encapsulated Keggin-Ion Electron Reservoirs Cross-Linked to a Two-Dimensional Network. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 3413-3417.	7.2	85

#	ARTICLE	IF	CITATIONS
325	Cross-linking nanostructured spherical capsules as building units by crystal engineering: related chemistry. <i>Solid State Sciences</i> , 2000, 2, 847-854.	1.5	48
326	Pythagorean Harmony in the World of Metal Oxygen Clusters of the Mo11 Type: Giant Wheels and Spheres both Based on a Pentagonal Type Unit. , 2000, , 203-236.		68
327	[MoV12O30(1/42-OH)10H2{Nill(H2O)3}4], a Highly Symmetrical μ -Keggin Unit Capped with Four Nill Centers: Synthesis and Magnetism. <i>Inorganic Chemistry</i> , 2000, 39, 5176-5177.	1.9	102
328	From simple building blocks to structures with increasing size and complexity. <i>Coordination Chemistry Reviews</i> , 1999, 182, 3-17.	9.5	89
329	Archimedean Synthesis and Magic Numbers: "Sizing" Giant Molybdenum-Oxide-Based Molecular Spheres of the Keplerate Type. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 3238-3241.	7.2	381
330	Building blocks as disposition in solution: [{MoVIIO3(H2O)}10{VIVO(H2O)}20{(MoVI/MoVI5O21)(H2O)3}10({MoVIO2(H2O)2}5/2)2 ({NaSO4}5)2]20 ^a , a giant spherical cluster with unusual structural features of interest for supramolecular and magneto chemistry. <i>Chemical Communications</i> , 1999, , 1885-1886.	2.2	43
331	From giant molecular clusters and precursors to solid-state structures. <i>Current Opinion in Solid State and Materials Science</i> , 1999, 4, 141-153.	5.6	14
332	A variety of combinatorially linkable units as disposition: from a giant icosahedral Keplerate to multi-functional metal oxide based network structures. <i>Chemical Communications</i> , 1999, , 1347-1358.	2.2	333
333	Crystal structure, spectroscopic, magnetochemical, thermoanalytical and electrochemical properties of binuclear copper(II) complexes of Suprofen. <i>Inorganica Chimica Acta</i> , 1998, 268, 239-248.	1.2	33
334	Unusual Stepwise Assembly and Molecular Growth: [H14Mo37O112]14 ^a and [H3Mo57V6(NO)6O189(H2O)12(MoO)6]21 ^a . <i>Chemistry - A European Journal</i> , 1998, 4, 1000-1006.	1.7	74
335	Formation of a Ring-Shaped Reduced "Metal Oxide" with the Simple Composition [(MoO3)176(H2O)80H32]. <i>Angewandte Chemie - International Edition</i> , 1998, 37, 1220-1223.	7.2	251
336	Wrapping oxometalates with macrocyclic ligands: the decavanadate "cryptand" system. <i>Inorganic Chemistry Communication</i> , 1998, 1, 111-114.	1.8	20
337	Preparation of LaFeO ₃ particles by sol-gel technology. <i>Journal of Materials Research</i> , 1998, 13, 451-456.	1.2	47
338	Rb ₃ Er ₄ Cu ₅ Te ₁₀ : exploring the frontier between polar intermetallics and Zintl phases via experimental and quantumchemical approaches. <i>European Journal of Inorganic Chemistry</i> , 0, , .	1.0	4