

# Alissara Reungsang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1358365/alissara-reungsang-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155  
papers

3,473  
citations

34  
h-index

50  
g-index

170  
ext. papers

4,162  
ext. citations

5.2  
avg, IF

6.05  
L-index

#	Paper	IF	Citations
155	Bio-hydrogen production from the fermentation of sugarcane bagasse hydrolysate by <i>Clostridium butyricum</i> . <i>International Journal of Hydrogen Energy</i> , <b>2008</b> , 33, 5256-5265	6.7	251
154	Ubiquitous occurrence of sulfonamides in tropical Asian waters. <i>Science of the Total Environment</i> , <b>2013</b> , 452-453, 108-15	10.2	153
153	Biohydrogen production from sugarcane bagasse hydrolysate by elephant dung: Effects of initial pH and substrate concentration. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 8687-8696	6.7	93
152	Optimization of key factors affecting hydrogen production from food waste by anaerobic mixed cultures. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 14120-14133	6.7	77
151	Co-digestion of food waste and sludge for hydrogen production by anaerobic mixed cultures: Statistical key factors optimization. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 14227-14237	6.7	75
150	Life-cycle assessment of biofuel production from microalgae via various bioenergy conversion systems. <i>Energy</i> , <b>2019</b> , 171, 1033-1045	7.9	69
149	Effect of hydraulic retention time on hydrogen production and chemical oxygen demand removal from tapioca wastewater using anaerobic mixed cultures in anaerobic baffled reactor (ABR). <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 15503-15510	6.7	67
148	Biochemical hydrogen and methane potential of sugarcane syrup using a two-stage anaerobic fermentation process. <i>Industrial Crops and Products</i> , <b>2016</b> , 82, 88-99	5.9	62
147	Optimization of biohydrogen production from sweet sorghum syrup using statistical methods. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 13435-13444	6.7	62
146	Continuous hydrogen production from cassava starch processing wastewater by two-stage thermophilic dark fermentation and microbial electrolysis. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 27584-27592	6.7	57
145	Effect of acid, heat and combined acid-heat pretreatments of anaerobic sludge on hydrogen production by anaerobic mixed cultures. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 6146-6153	6.7	56
144	Fluoroquinolone (FQ) contamination does not correlate with occurrence of FQ-resistant bacteria in aquatic environments of Vietnam and Thailand. <i>Microbes and Environments</i> , <b>2011</b> , 26, 135-43	2.6	54
143	Poly-Hydroxyalkanoates production from cassava starch hydrolysate by <i>Cupriavidus</i> sp. KKU38. <i>International Journal of Biological Macromolecules</i> , <b>2014</b> , 65, 51-64	7.9	52
142	Direct integration of CSTR-UASB reactors for two-stage hydrogen and methane production from sugarcane syrup. <i>International Journal of Hydrogen Energy</i> , <b>2016</b> , 41, 17884-17895	6.7	52
141	ADSORPTION AND DESORPTION OF ATRAZINE IN SOILS AND SUBSURFACE SEDIMENTS. <i>Soil Science</i> , <b>2001</b> , 166, 921-929	0.9	51
140	Non-sterile bio-hydrogen fermentation from food waste in a continuous stirred tank reactor (CSTR): Performance and population analysis. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 15630-15637	6.7	50
139	Enhanced bio-hydrogen production from sugarcane juice by immobilized <i>Clostridium butyricum</i> on sugarcane bagasse. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 15525-15532	6.7	49

138	Biological hydrogen production from sweet sorghum syrup by mixed cultures using an anaerobic sequencing batch reactor (ASBR). <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 8765-8773	6.7	49
137	Production of biohydrogen from hydrolyzed bagasse with thermally preheated sludge. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 7612-7617	6.7	48
136	Biohydrogen production from xylose by <i>Thermoanaerobacterium thermosaccharolyticum</i> KCU19 isolated from hot spring sediment. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 12219-12228	6.7	46
135	Optimization of fermentative hydrogen production from hydrolysate of microwave assisted sulfuric acid pretreated oil palm trunk by hot spring enriched culture. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 14204-14216	6.7	45
134	Performance and population analysis of hydrogen production from sugarcane juice by non-sterile continuous stirred tank reactor augmented with <i>Clostridium butyricum</i> . <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 8697-8703	6.7	45
133	Bioaugmentation of carbofuran by <i>Burkholderia cepacia</i> PCL3 in a bioslurry phase sequencing batch reactor. <i>Process Biochemistry</i> , <b>2010</b> , 45, 230-238	4.8	44
132	Comparative bioremediation of carbofuran contaminated soil by natural attenuation, bioaugmentation and biostimulation. <i>International Biodeterioration and Biodegradation</i> , <b>2013</b> , 85, 196-204	4.8	43
131	Bio-hydrogen production from glycerol by immobilized <i>Enterobacter aerogenes</i> ATCC 13048 on heat-treated UASB granules as affected by organic loading rate. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 6970-6979	6.7	40
130	Purification and characterization of a halotolerant serine proteinase from thermotolerant <i>Bacillus licheniformis</i> RKK-04 isolated from Thai fish sauce. <i>Applied Microbiology and Biotechnology</i> , <b>2010</b> , 86, 1867-75	5.7	40
129	Photo-fermentational hydrogen production of <i>Rhodobacter</i> sp. KCU-PS1 isolated from an UASB reactor. <i>Electronic Journal of Biotechnology</i> , <b>2015</b> , 18, 221-230	3.1	39
128	Optimization of Key Factors Affecting Methane Production from Acidic Effluent Coming from the Sugarcane Juice Hydrogen Fermentation Process. <i>Energies</i> , <b>2012</b> , 5, 4746-4757	3.1	38
127	Enhanced bio-ethanol production from <i>Chlorella</i> sp. biomass by hydrothermal pretreatment and enzymatic hydrolysis. <i>Renewable Energy</i> , <b>2019</b> , 141, 482-492	8.1	37
126	A solar-driven continuous hydrothermal pretreatment system for biomethane production from microalgae biomass. <i>Applied Energy</i> , <b>2019</b> , 236, 1011-1018	10.7	37
125	Simultaneous production of hydrogen and ethanol from waste glycerol by <i>Enterobacter aerogenes</i> KCU-S1. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 1813-1825	6.7	36
124	Biohydrogen production from mixed xylose/arabinose at thermophilic temperature by anaerobic mixed cultures in elephant dung. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 13928-13938	6.7	36
123	Bioaugmentation of carbofuran residues in soil using <i>Burkholderia cepacia</i> PCL3 adsorbed on agricultural residues. <i>International Biodeterioration and Biodegradation</i> , <b>2009</b> , 63, 515-522	4.8	35
122	Isolation, characterization and optimization of photo-hydrogen production conditions by newly isolated <i>Rhodobacter sphaeroides</i> KCU-PS5. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 10870-10882	6.7	34
121	. <i>ScienceAsia</i> , <b>2006</b> , 32, 377	1.4	33

120	Characterization of polyhydroxyalkanoates (PHAs) biosynthesis by isolated <i>Novosphingobium</i> sp. THA_AIK7 using crude glycerol. <i>Journal of Industrial Microbiology and Biotechnology</i> , <b>2012</b> , 39, 749-58	4.2	32
119	Recent advanced biotechnological strategies to enhance photo-fermentative biohydrogen production by purple non-sulphur bacteria: An overview. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 13211-13230	6.7	31
118	Hydrogen production from sludge of poultry slaughterhouse wastewater treatment plant pretreated with microwave. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 8751-8757	6.7	30
117	Optimization of key factors affecting bio-hydrogen production from sweet potato starch. <i>Energy Procedia</i> , <b>2017</b> , 138, 973-978	2.3	29
116	Biohydrogen production from dual digestion pretreatment of poultry slaughterhouse sludge by anaerobic self-fermentation. <i>International Journal of Hydrogen Energy</i> , <b>2010</b> , 35, 13427-13434	6.7	29
115	Optimization of biohydrogen production from sugarcane bagasse by mixed cultures using a statistical method. <i>Sustainable Environment Research</i> , <b>2016</b> , 26, 235-242	3.8	29
114	Improvement in energy recovery from <i>Chlorella</i> sp. biomass by integrated dark-photo biohydrogen production and dark fermentation-anaerobic digestion processes. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 23899-23911	6.7	28
113	Biohydrogen production from waste glycerol and sludge by anaerobic mixed cultures. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 13789-13796	6.7	27
112	Biogas production from palm oil mill effluent and empty fruit bunches by coupled liquid and solid-state anaerobic digestion. <i>Bioresource Technology</i> , <b>2020</b> , 296, 122304	11	27
111	Bio-hythane production from residual biomass of <i>Chlorella</i> sp. biomass through a two-stage anaerobic digestion. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 3339-3346	6.7	27
110	Co-digestion of cassava starch wastewater with buffalo dung for bio-hydrogen production. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 14694-14706	6.7	26
109	Fermentation of hydrogen, 1,3-propanediol and ethanol from glycerol as affected by organic loading rate using up-flow anaerobic sludge blanket (UASB) reactor. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 27558-27569	6.7	24
108	TRANSPORT AND FATE OF ATRAZINE IN MIDWESTERN RIPARIAN BUFFER STRIPS <sup>1</sup> . <i>Journal of the American Water Resources Association</i> , <b>2001</b> , 37, 1681-1692	2.1	24
107	Simultaneous saccharification and fermentation of cellulose for bio-hydrogen production by anaerobic mixed cultures in elephant dung. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 9028-9035	6.7	23
106	Ethanol production from glucose and xylose by immobilized <i>Thermoanaerobacter pentosaceus</i> at 70 °C in an up-flow anaerobic sludge blanket (UASB) reactor. <i>Bioresource Technology</i> , <b>2013</b> , 143, 598-607	11	23
105	Co-Digestion of Napier Grass and Its Silage with Cow Dung for Methane Production. <i>Energies</i> , <b>2017</b> , 10, 1654	3.1	23
104	Media optimization for biohydrogen production from waste glycerol by anaerobic thermophilic mixed cultures. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 15473-15482	6.7	23
103	Bio-Hydrogen Production from Pineapple Waste Extract by Anaerobic Mixed Cultures. <i>Energies</i> , <b>2013</b> , 6, 2175-2190	3.1	23

102	Two-stage thermophilic bio-hydrogen and methane production from oil palm trunk hydrolysate using <i>Thermoanaerobacterium thermosaccharolyticum</i> KKU19. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 28222-28232	6.7	22
101	Methane production from acidic effluent discharged after the hydrogen fermentation of sugarcane juice using batch fermentation and UASB reactor. <i>Renewable Energy</i> , <b>2016</b> , 86, 1224-1231	8.1	22
100	Delignification of disposable wooden chopsticks waste for fermentative hydrogen production by an enriched culture from a hot spring. <i>Journal of Environmental Sciences</i> , <b>2014</b> , 26, 1361-8	6.4	22
99	Anaerobic solid-state fermentation of bio-hydrogen from microalgal <i>Chlorella</i> sp. biomass. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 9650-9659	6.7	21
98	Repeated batch fermentation for photo-hydrogen and lipid production from wastewater of a sugar manufacturing plant. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 3605-3617	6.7	21
97	Two-stage thermophilic bio-hydrogen and methane production from lime-pretreated oil palm trunk by simultaneous saccharification and fermentation. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 4284-4293	6.7	21
96	Comparison between free cells and immobilized cells of <i>Candida shehatae</i> in ethanol production from rice straw hydrolysate using repeated batch cultivation. <i>Renewable Energy</i> , <b>2018</b> , 115, 634-640	8.1	21
95	A sequential process of anaerobic solid-state fermentation followed by dark fermentation for bio-hydrogen production from <i>Chlorella</i> sp.. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 3306-3316	6.7	21
94	Synthesis, Characterization, and Application of Carboxymethyl Cellulose from Asparagus Stalk End. <i>Polymers</i> , <b>2020</b> , 13,	4.5	21
93	Hydrogen production from xylose by moderate thermophilic mixed cultures using granules and biofilm up-flow anaerobic reactors. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 3317-3324	6.7	20
92	Improvement of hydrogen production from sp. biomass by acid-thermal pretreatment. <i>PeerJ</i> , <b>2019</b> , 7, e6637	3.1	19
91	High efficient biohydrogen production from palm oil mill effluent by two-stage dark fermentation and microbial electrolysis under thermophilic condition. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 31841-31852	6.7	19
90	Bioconversion of soybean residue for use as alternative nutrient source for ethanol fermentation. <i>Biochemical Engineering Journal</i> , <b>2017</b> , 125, 65-72	4.2	18
89	Biohydrogen production by <i>Thermoanaerobacterium thermosaccharolyticum</i> KKU-ED1: Culture conditions optimization using xylan as the substrate. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 6167-6173	6.7	18
88	Membrane bioreactor-assisted volatile fatty acids production and in situ recovery from cow manure. <i>Bioresource Technology</i> , <b>2021</b> , 321, 124456	11	18
87	Cold hydrolysis of cassava pulp and its use in simultaneous saccharification and fermentation (SSF) process for ethanol fermentation. <i>Journal of Biotechnology</i> , <b>2019</b> , 292, 57-63	3.7	17
86	Co-Digestion of Napier Grass and Its Silage with Cow Dung for Bio-Hydrogen and Methane Production by Two-Stage Anaerobic Digestion Process. <i>Energies</i> , <b>2018</b> , 11, 47	3.1	17
85	Rheological properties of microalgae slurry under subcritical conditions for hydrothermal hydrolysis systems. <i>Algal Research</i> , <b>2018</b> , 33, 78-83	5	17

84	Enhancing Hydrogen Production from <i>Chlorella</i> sp. Biomass by Pre-Hydrolysis with Simultaneous Saccharification and Fermentation (PSSF). <i>Energies</i> , <b>2019</b> , 12, 908	3.1	16
83	Sequential fermentation of hydrogen and methane from steam-exploded sugarcane bagasse hydrolysate. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 9924-9934	6.7	16
82	Thermophilic biohydrogen production from the enzymatic hydrolysate of cellulose fraction of sweet sorghum bagasse by <i>Thermoanaerobacterium thermosaccharolyticum</i> KCU19: Optimization of media composition. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 15777-15786	6.7	16
81	Bioaugmentation of carbofuran residues in soil by <i>Burkholderia cepacia</i> PCL3: A small-scale field study. <i>International Biodeterioration and Biodegradation</i> , <b>2011</b> , 65, 902-905	4.8	16
80	Hydrogen from Photo Fermentation. <i>Green Energy and Technology</i> , <b>2018</b> , 221-317	0.6	15
79	Optimization of Batch Dark Fermentation of <i>Chlorella</i> sp. Using Mixed-Cultures for Simultaneous Hydrogen and Butyric Acid Production. <i>Energies</i> , <b>2019</b> , 12, 2529	3.1	15
78	Extreme-thermophilic biohydrogen production by an anaerobic heat treated digested sewage sludge culture. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 8727-8734	6.7	15
77	Screening of PHA-Producing Bacteria Using Biodiesel-Derived Waste Glycerol as a Sole Carbon Source. <i>Journal of Water and Environment Technology</i> , <b>2010</b> , 8, 373-381	1.1	15
76	Effects of rhizosphere remediation and bioaugmentation on carbofuran removal from soil. <i>World Journal of Microbiology and Biotechnology</i> , <b>2008</b> , 24, 983-989	4.4	15
75	Characterization of Chitosan Film Incorporated with Curcumin Extract. <i>Polymers</i> , <b>2021</b> , 13,	4.5	15
74	Antioxidant Films from Cassava Starch/Gelatin Biocomposite Fortified with Quercetin and TBHQ and Their Applications in Food Models. <i>Polymers</i> , <b>2021</b> , 13,	4.5	15
73	Hydrothermal hydrolysis pretreatment of microalgae slurries in a continuous reactor under subcritical conditions for large-scale application. <i>Bioresource Technology</i> , <b>2018</b> , 266, 306-314	11	15
72	Feasibility of bio-hythane production by co-digesting skim latex serum (SLS) with palm oil mill effluent (POME) through two-phase anaerobic process. <i>International Journal of Hydrogen Energy</i> , <b>2018</b> , 43, 9577-9590	6.7	14
71	Coupling of zero valent iron and biobarriers for remediation of trichloroethylene in groundwater. <i>Journal of Environmental Sciences</i> , <b>2011</b> , 23, 560-7	6.4	14
70	Carboxymethyl Bacterial Cellulose from Nata de Coco: Effects of NaOH. <i>Polymers</i> , <b>2021</b> , 13,	4.5	14
69	Co-digestion of oil palm trunk hydrolysate with slaughterhouse wastewater for thermophilic bio-hydrogen production by <i>Thermoanaerobacterium thermosaccharolyticum</i> KCU19. <i>International Journal of Hydrogen Energy</i> , <b>2014</b> , 39, 6872-6880	6.7	13
68	Simultaneous biohythane production and sulfate removal from rubber sheet wastewater by two-stage anaerobic digestion. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 263-274	6.7	13
67	Volatile Fatty Acid Production From Organic Waste with the Emphasis on Membrane-Based Recovery. <i>Fermentation</i> , <b>2021</b> , 7, 159	4.7	13



66	Polyhydroxyalkanoates production from effluent of hydrogen fermentation process by <i>Cupriavidus</i> sp. KKU38. <i>Environmental Technology (United Kingdom)</i> , <b>2013</b> , 34, 477-83	2.6	12
65	Biohythane production from <i>Chlorella</i> sp. biomass by two-stage thermophilic solid-state anaerobic digestion. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 27792-27800	6.7	12
64	Bioaugmentation of <i>Lactobacillus delbrueckii</i> ssp. <i>bulgaricus</i> TISTR 895 to enhance bio-hydrogen production of <i>Rhodobacter sphaeroides</i> KKU-PS5. <i>Biotechnology for Biofuels</i> , <b>2015</b> , 8, 190	7.8	12
63	Effect of biogas sparging on the performance of bio-hydrogen reactor over a long-term operation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171248	3.7	11
62	Repeated-batch fermentative for bio-hydrogen production from. <i>Pakistan Journal of Biological Sciences</i> , <b>2007</b> , 10, 1782-9	0.8	11
61	Trace metals supplementation enhanced microbiota and biohythane production by two-stage thermophilic fermentation. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 3325-3338	6.7	11
60	Co-Digestion of Napier Grass with Food Waste and Napier Silage with Food Waste for Methane Production. <i>Energies</i> , <b>2018</b> , 11, 3200	3.1	11
59	Improvement of biohythane production from <i>Chlorella</i> sp. TISTR 8411 biomass by co-digestion with organic wastes in a two-stage fermentation. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 17238-17247	6.7	10
58	Biodegradation of carbofuran in sequencing batch reactor augmented with immobilised <i>Burkholderia cepacia</i> PCL3 on corncob. <i>Chemistry and Ecology</i> , <b>2013</b> , 29, 44-57	2.3	10
57	Factors affecting hydrogen production from cassava wastewater by a co-culture of anaerobic sludge and <i>Rhodospirillum rubrum</i> . <i>Pakistan Journal of Biological Sciences</i> , <b>2007</b> , 10, 3571-7	0.8	10
56	Alkalinity of Cassava Wastewater Feed in Anodic Enhance Electricity Generation by a Single Chamber Microbial Fuel Cells. <i>Engineering Journal</i> , <b>2012</b> , 16, 17-28	1.8	10
55	Valorization of microalgal biomass for biohydrogen generation: A review. <i>Bioresource Technology</i> , <b>2021</b> , 322, 124533	11	10
54	Feasibility of ABE fermentation from <i>Rhizoclonium</i> spp. hydrolysate with low nutrient supplementation. <i>Biomass and Bioenergy</i> , <b>2019</b> , 127, 105269	5.3	9
53	Evaluation of Napier Grass for Bioethanol Production through a Fermentation Process. <i>Processes</i> , <b>2020</b> , 8, 567	2.9	9
52	Biohydrogen production by <i>Thermoanaerobacterium thermosaccharolyticum</i> KKU-ED1: Culture conditions optimization using mixed xylose/arabinose as substrate. <i>Electronic Journal of Biotechnology</i> , <b>2013</b> , 16,	3.1	9
51	Photofermentation and lipid accumulation by <i>Rhodobacter</i> sp. KKU-PS1 using malic acid as a substrate. <i>International Journal of Hydrogen Energy</i> , <b>2016</b> , 41, 6259-6270	6.7	9
50	Isolation and characterisation of a carbofuran degrading <i>Burkholderia</i> sp. PCL3 from carbofuran-phytoremediated rhizosphere soil. <i>Chemistry and Ecology</i> , <b>2012</b> , 28, 253-266	2.3	8
49	Enhancement of biohydrogen production from sweet sorghum syrup by anaerobic seed sludge in an anaerobic sequencing batch reactor by nutrient and vitamin supplementations. <i>Environmental Technology (United Kingdom)</i> , <b>2013</b> , 34, 2503-11	2.6	8

48	Photo-hydrogen and lipid production from lactate, acetate, butyrate, and sugar manufacturing wastewater with an alternative nitrogen source by sp KKU-PS1. <i>PeerJ</i> , <b>2019</b> , 7, e6653	3.1	8
47	Valorization of crude glycerol into hydrogen, 1,3-propanediol, and ethanol in an up-flow anaerobic sludge blanket (UASB) reactor under thermophilic conditions. <i>Renewable Energy</i> , <b>2020</b> , 161, 361-372	8.1	8
46	Drag reduction and shear-induced cells migration behavior of microalgae slurry in tube flow. <i>Bioresource Technology</i> , <b>2018</b> , 270, 38-45	11	8
45	INFLUENCE OF NITROGEN, ACETATE AND PROPIONATE ON HYDROGEN PRODUCTION FROM PINEAPPLE WASTE EXTRACT BY <i>Rhodospirillum rubrum</i> . <i>Journal of Water and Environment Technology</i> , <b>2005</b> , 3, 93-117	1.1	7
44	Methane Production from the Co-digestion of Algal Biomass with Crude Glycerol by Anaerobic Mixed Cultures. <i>Waste and Biomass Valorization</i> , <b>2020</b> , 11, 1873-1881	3.2	7
43	Upgrading biogas to biomethane: Alkaline recovery of absorbed solution by thermal decomposition. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 138, 157-166	5.5	6
42	Biotechnological approach to generate green biohydrogen through the utilization of succinate-rich fermentation wastewater. <i>International Journal of Hydrogen Energy</i> , <b>2020</b> , 45, 22246-22259	6.7	6
41	Investigation of hydrogen-producing ability of extremely halotolerant bacteria from a salt pan and salt-damaged soil in Thailand. <i>International Journal of Hydrogen Energy</i> , <b>2019</b> , 44, 3407-3413	6.7	5
40	Bio-hydrogen and Methane Production from Lignocellulosic Materials		5
39	Influences of size reduction, hydration, and thermal-assisted hydration pretreatment to increase the biogas production from Napier grass and Napier silage. <i>Bioresource Technology</i> , <b>2021</b> , 331, 125034	11	5
38	Effect of Monochloroacetic Acid on Properties of Carboxymethyl Bacterial Cellulose Powder and Film from Nata de Coco. <i>Polymers</i> , <b>2021</b> , 13,	4.5	5
37	Enhanced simultaneous saccharification and fermentation of Napier grass and Napier silage for two stage bio-hydrogen and methane production using organosolv and hydrothermal. <i>Materials Chemistry and Physics</i> , <b>2021</b> , 267, 124614	4.4	5
36	Selection of support materials for immobilization of <i>Burkholderia cepacia</i> PCL3 in treatment of carbofuran-contaminated water. <i>Environmental Technology (United Kingdom)</i> , <b>2013</b> , 34, 2587-97	2.6	4
35	Bioremediation of carbofuran contaminated soil under saturated condition: soil column study. <i>Biodegradation</i> , <b>2012</b> , 23, 473-85	4.1	4
34	Integrative Effects of Sonication and Particle Size on Biomethanation of Tropical Grass <i>Pennisetum purpureum</i> Using Superior Diverse Inocula Cultures. <i>Energies</i> , <b>2019</b> , 12, 4226	3.1	4
33	Co-fermentation of 1,3-propanediol and 2,3-butanediol from crude glycerol derived from the biodiesel production process by newly isolated <i>Enterobacter</i> sp.: Optimization factors affecting. <i>Bioresource Technology Reports</i> , <b>2021</b> , 13, 100616	4.1	4
32	Anaerobic co-digestion of biogas effluent and sugarcane filter cake for methane production. <i>Biomass Conversion and Biorefinery</i> , 1	2.3	4
31	Thermophilic Fermentative Biohydrogen Production From Xylan by Anaerobic Mixed Cultures in Elephant Dung. <i>International Journal of Green Energy</i> , <b>2015</b> , 12, 900-907	3	3



30	Water environment conservation in a closed water body by high concentrated oxygen water. <i>Water Science and Technology</i> , <b>2008</b> , 58, 2313-8	2.2	3
29	Effect of Pectin/Nanochitosan-Based Coatings and Storage Temperature on Shelf-Life Extension of "Elephant" Mango ( L.) Fruit. <i>Polymers</i> , <b>2021</b> , 13,	4.5	3
28	Ethanol and phenylacetylcarbinol production processes of <i>Candida tropicalis</i> TISTR 5306 and <i>Saccharomyces cerevisiae</i> TISTR 5606 in fresh juices from longan fruit of various sizes. <i>Journal of Food Processing and Preservation</i> , <b>2018</b> , 42, e13815	2.1	3
27	Assessment of organosolv, hydrothermal, and combined organosolv and hydrothermal with enzymatic pretreatment to increase the production of biogas from Napier grass and Napier silage. <i>Renewable Energy</i> , <b>2021</b> , 181, 1237-1237	8.1	3
26	Valorising fermentation effluent rich in short-chain fatty acids and sugars for biohydrogen via photofermentation by <i>Rhodobacter sphaeroides</i> KKU-PS1. <i>IOP Conference Series: Earth and Environmental Science</i> , <b>2019</b> , 268, 012077	0.3	2
25	Optimization of Enzymatic Hydrolysis for Pretreated Wood Waste by Response Surface Methodology in Fermentative Hydrogen Production. <i>Journal of Water and Environment Technology</i> , <b>2015</b> , 13, 153-166	1.1	2
24	Morphology, Mechanical, and Water Barrier Properties of Carboxymethyl Rice Starch Films: Sodium Hydroxide Effect.. <i>Molecules</i> , <b>2022</b> , 27,	4.8	2
23	High Substitution Synthesis of Carboxymethyl Chitosan for Properties Improvement of Carboxymethyl Chitosan Films Depending on Particle Sizes. <i>Molecules</i> , <b>2021</b> , 26,	4.8	2
22	Two-stage fermentation process for bioenergy and biochemicals production from industrial and agricultural wastewater. <i>Advances in Bioenergy</i> , <b>2020</b> , 5, 249-308	3.9	2
21	Single and Combined Enzymatic Saccharification and Biohydrogen Production from <i>Chlorella</i> sp. Biomass. <i>Bioenergy Research</i> , <b>2020</b> , 14, 940	3.1	2
20	New Vegetable Oils with Different Fatty Acids on Natural Rubber Composite Properties. <i>Polymers</i> , <b>2021</b> , 13,	4.5	2
19	Two-Stage Anaerobic Codigestion of Crude Glycerol and Micro-Algal Biomass for Biohydrogen and Methane Production by Anaerobic Sludge Consortium. <i>Fermentation</i> , <b>2021</b> , 7, 175	4.7	2
18	Co-generation of biohydrogen and biochemicals from co-digestion of <i>Chlorella</i> sp. biomass hydrolysate with sugarcane leaf hydrolysate in an integrated circular biorefinery concept. <i>Biotechnology for Biofuels</i> , <b>2021</b> , 14, 197	7.8	2
17	Thermophilic Fermentation for Enhanced Biohydrogen Production <b>2019</b> , 123-139		1
16	lux-Marking and application of carbofuran degrader <i>Burkholderia cepacia</i> PCL3. <i>New Biotechnology</i> , <b>2011</b> , 28, 798-805	6.4	1
15	Kinetics of Whole Cells and Ethanol Production from <i>Candida tropicalis</i> TISTR 5306 Cultivation in Batch and Fed-batch Modes Using Assorted Grade Fresh Longan Juice. <i>Anais Da Academia Brasileira De Ciencias</i> , <b>2021</b> , 93, e20200220	1.4	1
14	Repeated-batch simultaneous saccharification and fermentation of cassava pulp for ethanol production using amylases and <i>Saccharomyces cerevisiae</i> immobilized on bacterial cellulose. <i>Biochemical Engineering Journal</i> , <b>2022</b> , 177, 108258	4.2	1
13	Enhancement of Thermophilic Biogas Production from Palm Oil Mill Effluent by pH Adjustment and Effluent Recycling. <i>Processes</i> , <b>2021</b> , 9, 878	2.9	1

12	Extremely Halophilic Biohydrogen Producing Microbial Communities from High-Salinity Soil and Salt Evaporation Pond. <i>Fuels</i> , <b>2021</b> , 2, 241-252	2.3	1
11	Assessing oleaginous yeasts for their potentials on microbial lipid production from sugarcane bagasse and the effects of physical changes on lipid production. <i>Bioresource Technology Reports</i> , <b>2021</b> , 14, 100650	4.1	1
10	Physico-Chemical Characteristics and Amino Acid Content Evaluation of Citric Acid by-Product Produced by Microbial Fermentation as a Potential Use in Animal Feed. <i>Fermentation</i> , <b>2021</b> , 7, 149	4.7	1
9	Upgrading biogas to biomethane using untreated groundwater-NaOH absorbent: Pilot-scale experiment and scale-up estimation for a palm oil mill. <i>Journal of Water Process Engineering</i> , <b>2021</b> , 44, 102405	6.7	0
8	Acidogenic phase anaerobic digestion of pretreated sugarcane filter cake for co-digestion with biogas effluent to enhance the methane production. <i>Fuel</i> , <b>2021</b> , 122466	7.1	0
7	One-step multi enzyme pretreatment and biohydrogen production from <i>Chlorella</i> sp. biomass. <i>International Journal of Hydrogen Energy</i> , <b>2021</b> , 46, 39675-39675	6.7	0
6	Validation of mathematical model with phosphate activation effect by batch (R)-phenylacetylcarbinol biotransformation process utilizing <i>Candida tropicalis</i> pyruvate decarboxylase in phosphate buffer. <i>Scientific Reports</i> , <b>2021</b> , 11, 11813	4.9	0
5	Co-production of hydrogen and ethanol by <i>Thermoanaerobacterium thermosaccharolyticum</i> KKU-ED1 from alpha-cellulose and cellulose fraction of sugarcane bagasse. <i>Bioresource Technology Reports</i> , <b>2021</b> , 15, 100759	4.1	0
4	A study on citric acid by-product as an energy source for Japanese quail. <i>Tropical Animal Health and Production</i> , <b>2021</b> , 53, 474	1.7	0
3	Bio-productions of Hydrogen and Ethanol from Sugarcane <b>2010</b> , 365-378		
2	Butanol production from algal biomass by acetone-butanol-ethanol fermentation process <b>2021</b> , 421-446		
1	Biohydrogen Production from Lignocellulosic Biomass by Extremely Halotolerant Bacterial Communities from a Salt Pan and Salt-Damaged Soil. <i>Handbook of Environmental Engineering</i> , <b>2021</b> , 411-427		