

Xiufang Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1359257/xiufang-zhang-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

1,003
citations

19
h-index

30
g-index

46
ext. papers

1,246
ext. citations

5.7
avg, IF

4.63
L-index

#	Paper	IF	Citations
46	Confining peroxymonosulfate activation in carbon nanotube intercalated nitrogen doped reduced graphene oxide membrane for enhanced water treatment: The role of nanoconfinement effect. <i>Journal of Colloid and Interface Science</i> , 2021 , 608, 2740-2740	9.3	4
45	Hydrothermal carbonation carbon-based photocatalysis under visible light: Modification for enhanced removal of organic pollutant and novel insight into the photocatalytic mechanism. <i>Journal of Hazardous Materials</i> , 2021 , 127821	12.8	1
44	Controlling the up-conversion photoluminescence property of carbon quantum dots (CQDs) by modifying its surface functional groups for enhanced photocatalytic performance of CQDs/BiVO ₄ under a broad-spectrum irradiation. <i>Research on Chemical Intermediates</i> , 2021 , 47, 3469-3485	2.8	1
43	One-Pot Solvothermal Synthesis of Flower-Like S-Doped BiOCl for Enhanced Photocatalytic Property in Dye Degradation and Nitrogen Fixation. <i>ChemistrySelect</i> , 2021 , 6, 5771-5777	1.8	1
42	Enhanced peroxymonosulfate activation on dual active sites of N vacancy modified g-CN under visible-light assistance and its selective removal of organic pollutants. <i>Science of the Total Environment</i> , 2021 , 756, 144139	10.2	26
41	One-step in-situ synthesis of Bi-decorated BiOBr microspheres with abundant oxygen vacancies for enhanced photocatalytic nitrogen fixation properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 623, 126744	5.1	9
40	Green and controllable synthesis of one-dimensional BiO/BiOI heterojunction for highly efficient visible-light-driven photocatalytic reduction of Cr(VI). <i>Chemosphere</i> , 2020 , 257, 127210	8.4	24
39	Enhanced activation of peroxymonosulfate by nitrogen-doped graphene/TiO ₂ under photo-assistance for organic pollutants degradation: Insight into N doping mechanism. <i>Chemosphere</i> , 2020 , 244, 125526	8.4	20
38	Novel visible-light irradiation niobium-doped BiOBr microspheres with enhanced photocatalytic performance. <i>Journal of Materials Science</i> , 2020 , 55, 16522-16532	4.3	5
37	Bi-modified 3D BiOBr microsphere with oxygen vacancies for efficient visible-light photocatalytic performance. <i>Journal of Materials Science</i> , 2019 , 54, 9397-9413	4.3	34
36	Fabrication of black TiO ₂ /TiO ₂ homojunction for enhanced photocatalytic degradation. <i>Journal of Materials Science</i> , 2019 , 54, 14320-14329	4.3	12
35	Graphitic Carbon Nitride with Carbon Vacancies for Photocatalytic Degradation of Bisphenol A. <i>ACS Applied Nano Materials</i> , 2019 , 2, 517-524	5.6	46
34	Electrospun nanostructured CoO/BiVO ₄ composite films for photoelectrochemical applications. <i>Journal of Colloid and Interface Science</i> , 2019 , 539, 442-447	9.3	13
33	Carbon quantum dots decorated BiVO ₄ quantum tube with enhanced photocatalytic performance for efficient degradation of organic pollutants under visible and near-infrared light. <i>Journal of Materials Science</i> , 2019 , 54, 6488-6499	4.3	20
32	Supporting carbon quantum dots on NH ₂ -MIL-125 for enhanced photocatalytic degradation of organic pollutants under a broad spectrum irradiation. <i>Applied Surface Science</i> , 2019 , 467-468, 320-327	6.7	22
31	Photoelectrocatalytic performance of conductive carbon black-modified Ti/F-PbO ₂ anode for degradation of dye wastewater (reactive brilliant blue KN-R). <i>Journal of Solid State Electrochemistry</i> , 2018 , 22, 1131-1141	2.6	19
30	Polyvinylidene fluoride effects on the electrocatalytic properties of air cathodes in microbial fuel cells. <i>Bioelectrochemistry</i> , 2018 , 120, 138-144	5.6	7

29	Incorporation of graphene nanodots and oxygen defects triggers robust coupling between solar energy and reactive oxygen. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 5426-5435	13	9
28	Synthesis of a hydrophilic Sulfur/PDA composite as a metal-free photocatalyst with enhanced photocatalytic performance under visible light. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2017 , 54, 334-338	2.2	6
27	Efficient photocatalytic dye degradation over Er-doped BiOBr hollow microspheres wrapped with graphene nanosheets: enhanced solar energy harvesting and charge separation. <i>RSC Advances</i> , 2017 , 7, 22415-22423	3.7	34
26	Interfacial defect engineering over fusiform bismuth vanadate photocatalyst enables to excellent solar-to-chemical energy coupling. <i>RSC Advances</i> , 2017 , 7, 26717-26721	3.7	15
25	Ratiometric Visualization of NO/HS Cross-Talk in Living Cells and Tissues Using a Nitroxyl-Responsive Two-Photon Fluorescence Probe. <i>Analytical Chemistry</i> , 2017 , 89, 4587-4594	7.8	75
24	The controllable fabrication of a novel hierarchical nanosheet-assembled Bi ₂ MoO ₆ hollow micronbox with ultra-high surface area for excellent solar to chemical energy conversion. <i>RSC Advances</i> , 2017 , 7, 50040-50043	3.7	11
23	A novel supramolecular preorganization route for improving g-C ₃ N ₄ /g-C ₃ N ₄ metal-free homojunction photocatalysis. <i>New Journal of Chemistry</i> , 2017 , 41, 11872-11880	3.6	20
22	Fabrication and photo-electrocatalytic activity of black TiO ₂ embedded Ti/PbO ₂ electrode. <i>Journal of Applied Electrochemistry</i> , 2017 , 47, 1045-1056	2.6	9
21	A TP-FRET-based two-photon fluorescent probe for ratiometric visualization of endogenous sulfur dioxide derivatives in mitochondria of living cells and tissues. <i>Chemical Communications</i> , 2016 , 52, 10289-92	5.8	97
20	Ultrathin-nanosheet-assembled Bi ₂ MoO ₆ mesoporous hollow framework for realizing optimized sunlight-driven photocatalytic water oxidation. <i>RSC Advances</i> , 2016 , 6, 102155-102158	3.7	9
19	Hydrogenated Bismuth Molybdate Nanoframe for Efficient Sunlight-Driven Nitrogen Fixation from Air. <i>Chemistry - A European Journal</i> , 2016 , 22, 18722-18728	4.8	73
18	Controllable self-assembly of a novel Bi ₂ MoO ₆ -based hybrid photocatalyst: excellent photocatalytic activity under UV, visible and near-infrared irradiation. <i>Chemical Communications</i> , 2016 , 52, 6525-8	5.8	57
17	The Role of Graphene Oxide in Ag ₃ PO ₄ /graphene Oxide Composites for Enhanced Visible-light-driven Photocatalytic Ability. <i>Journal of Advanced Oxidation Technologies</i> , 2016 , 19,		3
16	Towards understanding the photocatalytic activity enhancement of ordered mesoporous Bi ₂ MoO ₆ crystals prepared via a novel vacuum-assisted nanocasting method. <i>RSC Advances</i> , 2016 , 6, 35709-35718	3.7	19
15	Controllable electrostatic self-assembly of sub-3 nm graphene quantum dots incorporated into mesoporous Bi ₂ MoO ₆ frameworks: efficient physical and chemical simultaneous co-catalysis for photocatalytic oxidation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 8298-8307	13	66
14	Preparation of Bi ₂ O ₃ /g-C ₃ N ₄ nanosheet p-n junction for enhanced photocatalytic ability under visible light illumination. <i>Journal of Nanoparticle Research</i> , 2015 , 17, 1	2.3	26
13	Preparation of BiOBr by solvothermal routes with different solvents and their photocatalytic activity. <i>Journal of Renewable and Sustainable Energy</i> , 2015 , 7, 063120	2.5	11
12	Improved Visible Light Photocatalytic Activity for TiO ₂ Nanomaterials by Codoping with Zinc and Sulfur. <i>Journal of Nanomaterials</i> , 2015 , 2015, 1-8	3.2	5

11	Ultra-thin C ₃ N ₄ nanosheets for rapid charge transfer in the core-shell heterojunction of Sulfur@C ₃ N ₄ for superior metal-free photocatalysis under visible light. <i>RSC Advances</i> , 2015 , 5, 15052-15058	3.7	35
10	Construction of Au@TiO ₂ /graphene nanocomposites with plasmonic effect and super adsorption ability for enhanced visible-light-driven photocatalytic organic pollutant degradation. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	16
9	Multilayered TiO ₂ @SnO ₂ hollow nanostructures: facile synthesis and enhanced photocatalytic performance. <i>RSC Advances</i> , 2014 , 4, 59503-59507	3.7	7
8	Photonic crystal coupled porous BiVO ₄ hybrid for efficient photocatalysis under visible light irradiation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17366-17370	13	21
7	Bi-doped TiO ₂ with Remarkably Enhanced Photocatalytic Activity Under Simulated Sunlight Induced by Increased Hydrophilicity and Light Absorption Ability. <i>Journal of Advanced Oxidation Technologies</i> , 2014 , 17,		1
6	Preparation of Mesoporous BiVO ₄ for Efficient Photocatalytic Degradation of RhB Under Illuminated Visible Light. <i>Journal of Advanced Oxidation Technologies</i> , 2014 , 17,		2
5	Preparation of Ni Doped ZnO-TiO ₂ Composites and Their Enhanced Photocatalytic Activity. <i>International Journal of Photoenergy</i> , 2014 , 2014, 1-8	2.1	7
4	The p-n heterojunction with porous BiVO ₄ framework and well-distributed Co ₃ O ₄ as a super visible-light-driven photocatalyst. <i>RSC Advances</i> , 2014 , 4, 54655-54661	3.7	8
3	Synthesis and properties of magnetically separable Fe ₃ O ₄ /TiO ₂ /Bi ₂ O ₃ photocatalysts. <i>Research on Chemical Intermediates</i> , 2014 , 40, 2953-2961	2.8	19
2	Constructing graphene/InNbO ₄ composite with excellent adsorptivity and charge separation performance for enhanced visible-light-driven photocatalytic ability. <i>Applied Catalysis B: Environmental</i> , 2011 , 105, 237-242	21.8	74
1	Facile construction of a hierarchical Bi@BiOBr/Bi ₂ MoO ₆ ternary heterojunction with abundant oxygen vacancies for excellent photocatalytic nitrogen fixation. <i>Sustainable Energy and Fuels</i> ,	5.8	4