

Vladimir I Muronetz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1359498/publications.pdf>

Version: 2024-02-01

104
papers

1,908
citations

236612

25
h-index

360668

35
g-index

105
all docs

105
docs citations

105
times ranked

1671
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidation of glyceraldehyde-3-phosphate dehydrogenase enhances its binding to nucleic acids. <i>Biochemical and Biophysical Research Communications</i> , 2003, 307, 547-552.	1.0	94
2	Novel mechanism of Hsp70 chaperone-mediated prevention of polyglutamine aggregates in a cellular model of huntington disease. <i>Human Molecular Genetics</i> , 2011, 20, 3953-3963.	1.4	66
3	Binding Constants and Stoichiometries of Glyceraldehyde 3-Phosphate Dehydrogenase-Tubulin Complexes. <i>Archives of Biochemistry and Biophysics</i> , 1994, 313, 253-260.	1.4	62
4	Influence of Complexing Polyanions on the Thermostability of Basic Proteins. <i>Macromolecular Bioscience</i> , 2003, 3, 210-215.	2.1	62
5	Non-native glyceraldehyde-3-phosphate dehydrogenase can be an intrinsic component of amyloid structures. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 2052-2058.	1.1	49
6	Interaction of Polyanions with Basic Proteins, 2. <i>Macromolecular Bioscience</i> , 2005, 5, 1184-1192.	2.1	46
7	Glyceraldehyde-3-phosphate dehydrogenase: Aggregation mechanisms and impact on amyloid neurodegenerative diseases. <i>International Journal of Biological Macromolecules</i> , 2017, 100, 55-66.	3.6	43
8	Mildly oxidized GAPDH: the coupling of the dehydrogenase and acyl phosphatase activities. <i>FEBS Letters</i> , 1999, 452, 219-222.	1.3	42
9	Isolation of antigens and antibodies by affinity chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003, 790, 53-66.	1.2	42
10	Association of glyceraldehyde-3-phosphate dehydrogenase with mono-and polyribosomes of rabbit reticulocytes. <i>FEBS Journal</i> , 1988, 171, 301-305.	0.2	37
11	Decrease of dehydrogenase activity of cerebral glyceraldehyde-3-phosphate dehydrogenase in different animal models of Alzheimer's disease. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 826-832.	1.1	34
12	Aggregation and structural changes of β -S1-, β 2- and β -caseins induced by homocysteinylation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 1234-1245.	1.1	34
13	Disruption of Amyloid Prion Protein Aggregates by Cationic Pyridylphenylene Dendrimers. <i>Macromolecular Bioscience</i> , 2016, 16, 266-275.	2.1	32
14	A Study on the Complexes between Human Erythrocyte Enzymes Participating in the Conversions of 1,3-Diphosphoglycerate. <i>Archives of Biochemistry and Biophysics</i> , 1997, 345, 185-192.	1.4	30
15	Conjugates of monoclonal antibodies with polyelectrolyte complexes – an attempt to make an artificial chaperone1Part of this paper was presented first as a communication at 12th International Symposium on Affinity Interactions – Fundamentals and Applications of Biomolecular Recognition – in June 15-19, 1997, Kalmar, Sweden.1. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1998, 1381, 279-285.	1.1	30
16	Unfolded, oxidized, and thermoinactivated forms of glyceraldehyde-3-phosphate dehydrogenase interact with the chaperonin GroEL in different ways. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2006, 1764, 831-838.	1.1	30
17	Recombinant human sperm-specific glyceraldehyde-3-phosphate dehydrogenase: Structural basis for enhanced stability. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 2207-2212.	1.1	30
18	S-glutathionylation of glyceraldehyde-3-phosphate dehydrogenase induces formation of C150-C154 intrasubunit disulfide bond in the active site of the enzyme. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 3167-3177.	1.1	30

#	ARTICLE	IF	CITATIONS
19	Ascorbate-induced oxidation of glyceraldehyde-3-phosphate dehydrogenase. <i>Biochemical and Biophysical Research Communications</i> , 2003, 308, 492-496.	1.0	29
20	Interaction of Polyelectrolytes with Proteins, 3. <i>Macromolecular Bioscience</i> , 2007, 7, 929-939.	2.1	29
21	Study of subunit interactions in immobilized d-glyceraldehyde-3-phosphate dehydrogenase. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1980, 613, 292-308.	1.4	28
22	Sulfated and sulfonated polymers are able to solubilize efficiently the protein aggregates of different nature. <i>Archives of Biochemistry and Biophysics</i> , 2015, 567, 22-29.	1.4	28
23	Antibodies to the Nonnative Forms of d-Glyceraldehyde-3-Phosphate Dehydrogenase: Identification, Purification, and Influence on the Renaturation of the Enzyme. <i>Archives of Biochemistry and Biophysics</i> , 1999, 369, 252-260.	1.4	27
24	Antioxidant and prooxidant effects of quercetin on glyceraldehyde-3-phosphate dehydrogenase. <i>Food and Chemical Toxicology</i> , 2007, 45, 1988-1993.	1.8	26
25	Naturally occurring cinnamic acid derivatives prevent amyloid transformation of alpha-synuclein. <i>Biochimie</i> , 2020, 170, 128-139.	1.3	26
26	Protein-polyelectrolyte complexes: Molecular dynamics simulations and experimental study. <i>Polymer</i> , 2017, 113, 39-45.	1.8	25
27	Similarly charged polyelectrolyte can be the most efficient suppressor of the protein aggregation. <i>Polymer</i> , 2017, 108, 281-287.	1.8	25
28	Influence of Oxidative Stress on Catalytic and Non-glycolytic Functions of Glyceraldehyde-3-phosphate Dehydrogenase. <i>Current Medicinal Chemistry</i> , 2020, 27, 2040-2058.	1.2	24
29	Use of protein-protein interactions in affinity chromatography. <i>Journal of Proteomics</i> , 2001, 49, 29-47.	2.4	23
30	Effect of poly(phosphate) anions on glyceraldehyde-3-phosphate dehydrogenase structure and thermal aggregation: comparison with influence of poly(sulfoanions). <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 4800-4805.	1.1	23
31	Interaction of antibodies and antigens conjugated with synthetic polyanions: on the way of creating an artificial chaperone. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2000, 1475, 141-150.	1.1	22
32	Misfolded forms of glyceraldehyde-3-phosphate dehydrogenase interact with GroEL and inhibit chaperonin-assisted folding of the wild-type enzyme. <i>Protein Science</i> , 2005, 14, 921-928.	3.1	22
33	Inhibition of Prion Propagation by 3,4-Dimethoxycinnamic Acid. <i>Phytotherapy Research</i> , 2017, 31, 1046-1055.	2.8	22
34	Protein Interaction with Charged Macromolecules: From Model Polymers to Unfolded Proteins and Post-Translational Modifications. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1252.	1.8	22
35	Natural and Synthetic Derivatives of Hydroxycinnamic Acid Modulating the Pathological Transformation of Amyloidogenic Proteins. <i>Molecules</i> , 2020, 25, 4647.	1.7	22
36	N-homocysteinylolation of ovine prion protein induces amyloid-like transformation. <i>Archives of Biochemistry and Biophysics</i> , 2012, 526, 29-37.	1.4	21

#	ARTICLE	IF	CITATIONS
37	GAPDH binders as potential drugs for the therapy of polyglutamine diseases: Design of a new screening assay. <i>FEBS Letters</i> , 2015, 589, 581-587.	1.3	21
38	Dimerization of Tyr136Cys alpha-synuclein prevents amyloid transformation of wild type alpha-synuclein. <i>International Journal of Biological Macromolecules</i> , 2017, 96, 35-43.	3.6	21
39	Binding of alpha-synuclein to partially oxidized glyceraldehyde-3-phosphate dehydrogenase induces subsequent inactivation of the enzyme. <i>Archives of Biochemistry and Biophysics</i> , 2018, 642, 10-22.	1.4	21
40	Phosphorylation of D-glyceraldehyde-3-phosphate dehydrogenase by Ca ²⁺ /calmodulin-dependent protein kinase II. <i>FEBS Letters</i> , 1988, 231, 413-416.	1.3	20
41	Testis-specific glyceraldehyde-3-phosphate dehydrogenase: origin and evolution. <i>BMC Evolutionary Biology</i> , 2011, 11, 160.	3.2	18
42	Milk protein-based nanodelivery systems for the cancer treatment. <i>Journal of Nanostructure in Chemistry</i> , 2021, 11, 483-500.	5.3	18
43	Association of rabbit muscle glyceraldehyde-3-phosphate dehydrogenase and 3-phosphoglycerate kinase The biochemical and electron-microscopic evidence. <i>FEBS Letters</i> , 1988, 238, 161-166.	1.3	17
44	Chaperonins induce an amyloid-like transformation of ovine prion protein: The fundamental difference in action between eukaryotic TRiC and bacterial GroEL. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 1730-1738.	1.1	17
45	A biophysical study on the mechanism of interactions of DOX or PTX with $\hat{\alpha}$ -lactalbumin as a delivery carrier. <i>Scientific Reports</i> , 2018, 8, 17345.	1.6	17
46	Sperm-specific glyceraldehyde-3-phosphate dehydrogenase is expressed in melanoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2012, 427, 649-653.	1.0	16
47	Glycation of $\hat{\alpha}$ -synuclein amplifies the binding with glyceraldehyde-3-phosphate dehydrogenase. <i>International Journal of Biological Macromolecules</i> , 2019, 127, 278-285.	3.6	16
48	Yeast glyceraldehyde-3-phosphate dehydrogenase. Evidence that subunit cooperativity in catalysis can be controlled by the formation of a complex with phosphoglycerate kinase. <i>FEBS Journal</i> , 1985, 149, 67-72.	0.2	15
49	Light Scattering Study of the Antibody-Poly(methacrylic acid) and Antibody-Poly(acrylic acid) Conjugates in Aqueous Solutions. <i>Macromolecular Bioscience</i> , 2001, 1, 157-163.	2.1	15
50	Chaperone-like activity of synthetic polyanions can be higher than the activity of natural chaperones at elevated temperature. <i>Biochemical and Biophysical Research Communications</i> , 2017, 489, 200-205.	1.0	15
51	Evidence for the stabilizing effect of antibodies on the subunit association of glyceraldehyde-3-phosphate dehydrogenase. <i>Molecular Immunology</i> , 1981, 18, 1055-1064.	1.0	14
52	Thermal Unfolding Used As a Probe To Characterize the Intra- and Intersubunit Stabilizing Interactions in Phosphorylatingd-Glyceraldehyde-3-phosphate Dehydrogenase from <i>Bacillus stearothermophilus</i> . <i>Biochemistry</i> , 2002, 41, 7556-7564.	1.2	14
53	Sperm-specific glyceraldehyde-3-phosphate dehydrogenase is stabilized by additional proline residues and an interdomain salt bridge. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 1820-1826.	1.1	14
54	Alpha-Synuclein Amyloid Aggregation Is Inhibited by Sulfated Aromatic Polymers and Pyridinium Polycation. <i>Polymers</i> , 2020, 12, 517.	2.0	14

#	ARTICLE	IF	CITATIONS
55	Infection of Human Cells by SARS-CoV-2 and Molecular Overview of Gastrointestinal, Neurological, and Hepatic Problems in COVID-19 Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 4802.	1.0	14
56	Immobilized d-glyceraldehyde-3-phosphate dehydrogenase can exist as a trimer. <i>FEBS Letters</i> , 1981, 128, 22-26.	1.3	13
57	Isolation of antibodies against different protein conformations using immunoaffinity chromatography. <i>Analytical Biochemistry</i> , 2012, 426, 47-53.	1.1	13
58	Structural and functional diversity of novel and known bacteriophage-encoded chaperonins. <i>International Journal of Biological Macromolecules</i> , 2020, 157, 544-552.	3.6	13
59	Engineering of caseins and modulation of their structures and interactions. <i>Biotechnology Advances</i> , 2009, 27, 1124-1131.	6.0	12
60	Isolation of recombinant human untagged glyceraldehyde-3-phosphate dehydrogenase from <i>E. coli</i> producer strain. <i>Protein Expression and Purification</i> , 2017, 137, 1-6.	0.6	12
61	Artificial chaperones based on thermoresponsive polymers recognize the unfolded state of the protein. <i>International Journal of Biological Macromolecules</i> , 2019, 121, 536-545.	3.6	12
62	S-glutathionylation of human glyceraldehyde-3-phosphate dehydrogenase and possible role of Cys152-Cys156 disulfide bridge in the active site of the protein. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129560.	1.1	12
63	Bivalent metal ions induce formation of β -synuclein fibril polymorphs with different cytotoxicities. <i>Scientific Reports</i> , 2022, 12, .	1.6	12
64	Half-of-the-sites reactivity in immobilized hybrids of glyceraldehyde-3-phosphate dehydrogenase. <i>FEBS Letters</i> , 1979, 107, 277-280.	1.3	11
65	An Uncoupling of the Processes of Oxidation and Phosphorylation in Glycolysis. <i>Bioscience Reports</i> , 1997, 17, 521-527.	1.1	11
66	Structural basis for the NAD binding cooperativity and catalytic characteristics of sperm-specific glyceraldehyde-3-phosphate dehydrogenase. <i>Biochimie</i> , 2015, 115, 28-34.	1.3	11
67	Interaction of NAD-dependent dehydrogenases with human erythrocyte membranes. <i>Applied Biochemistry and Biotechnology</i> , 1996, 61, 39-46.	1.4	10
68	Differential Analysis of A-to-I mRNA Edited Sites in Parkinson's Disease. <i>Genes</i> , 2022, 13, 14.	1.0	10
69	Evidence for a change in catalytic properties of glyceraldehyde 3-phosphate dehydrogenase monomers upon their association in a tetramer. <i>FEBS Letters</i> , 1982, 144, 43-46.	1.3	9
70	Structure-Based Design of Small Molecule Ligands of Phosphofructokinase-2 Activating or Inhibiting Glycolysis. <i>ChemMedChem</i> , 2013, 8, 1322-1329.	1.6	9
71	Two-stage binding of a protein to the polyanion: Non-denaturing interaction followed by denaturation. <i>Polymer</i> , 2015, 65, 210-214.	1.8	9
72	Structural basis for regulation of stability and activity in glyceraldehyde-3-phosphate dehydrogenases. Differential scanning calorimetry and molecular dynamics. <i>Journal of Structural Biology</i> , 2015, 190, 224-235.	1.3	9

#	ARTICLE	IF	CITATIONS
73	Denaturing action of adjuvant affects specificity of polyclonal antibodies. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 1265-1270.	1.0	9
74	Novel cryo-EM structure of an ADP-bound GroEL-GroES complex. <i>Scientific Reports</i> , 2021, 11, 18241.	1.6	9
75	Modification of Glyceraldehyde-3-Phosphate Dehydrogenase with Nitric Oxide: Role in Signal Transduction and Development of Apoptosis. <i>Biomolecules</i> , 2021, 11, 1656.	1.8	9
76	D-glyceraldehyde-3-phosphate dehydrogenase. <i>Applied Biochemistry and Biotechnology</i> , 1996, 61, 47-56.	1.4	7
77	Study on the interactions between protein disulfide isomerase and target proteins, using immobilization on solid support. <i>FEBS Letters</i> , 1998, 426, 107-110.	1.3	7
78	Participation of chaperonin GroEL in the folding of D-glyceraldehyde-3-phosphate dehydrogenase. An approach based on the use of different oligomeric forms of the enzyme immobilized on sepharose. <i>The Protein Journal</i> , 1999, 18, 79-87.	1.1	7
79	Catalytically active monomers of <i>E. coli</i> glyceraldehyde-3-phosphate dehydrogenase. <i>The Protein Journal</i> , 1998, 17, 229-235.	1.1	6
80	Chaperonin TRiC assists the refolding of sperm-specific glyceraldehyde-3-phosphate dehydrogenase. <i>Archives of Biochemistry and Biophysics</i> , 2011, 516, 75-83.	1.4	6
81	An unusual effect of NADP ⁺ on the thermostability of the nonphosphorylating glyceraldehyde-3-phosphate dehydrogenase from <i>Streptococcus mutans</i> . <i>Biochemistry and Cell Biology</i> , 2013, 91, 295-302.	0.9	6
82	Cinnamic acid derivatives as the potential modulators of prion aggregation. <i>Mendeleev Communications</i> , 2017, 27, 493-494.	0.6	6
83	Spontaneous formation of nanofilms under interaction of 4th generation pyridylphenylene dendrimer with proteins. <i>Polymer</i> , 2018, 137, 186-194.	1.8	6
84	Expression of glyceraldehyde-3-phosphate dehydrogenase from <i>M. tuberculosis</i> in <i>E. coli</i> . Purification and characteristics of the untagged recombinant enzyme. <i>Protein Expression and Purification</i> , 2019, 157, 28-35.	0.6	6
85	Promising anti-amyloid behavior of cationic pyridylphenylene dendrimers: Role of structural features and mechanism of action. <i>European Polymer Journal</i> , 2019, 116, 20-29.	2.6	6
86	The influence of Î²-casein glycation on its interaction with natural and synthetic polyelectrolytes. <i>Food Hydrocolloids</i> , 2019, 89, 425-433.	5.6	6
87	The chaperonin TRiC is blocked by native and glycated prion protein. <i>Archives of Biochemistry and Biophysics</i> , 2020, 683, 108319.	1.4	6
88	Glycation of glyceraldehyde-3-phosphate dehydrogenase inhibits the binding with Î±-synuclein and RNA. <i>Archives of Biochemistry and Biophysics</i> , 2021, 698, 108744.	1.4	6
89	Structural and Computational Study of the GroEL-Prion Protein Complex. <i>Biomedicines</i> , 2021, 9, 1649.	1.4	6
90	Interaction of glyceraldehyde-3-phosphate dehydrogenase with SH-containing compounds: evidence for the binding of l-cysteine and for the dependence of the binding on the functional state of the enzyme. <i>FEBS Letters</i> , 1995, 375, 18-20.	1.3	5

#	ARTICLE	IF	CITATIONS
91	Creation of catalytically active particles from enzymes crosslinked with a natural bifunctional agent—homocysteine thiolactone. <i>Biopolymers</i> , 2014, 101, 975-984.	1.2	5
92	Modification by glyceraldehyde-3-phosphate prevents amyloid transformation of alpha-synuclein. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2019, 1867, 396-404.	1.1	5
93	Natural Quinones: Antioxidant and Antiaggregant Action Towards Glyceraldehyde-3-Phosphate Dehydrogenase. <i>Current Organic Chemistry</i> , 2017, 21, .	0.9	5
94	Thermocontrolled Reversible Enzyme Complexation-Inactivation-Protection by Poly(N-acryloyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622	2.0	5
95	Antibodies specific to modified glyceraldehyde-3-phosphate dehydrogenase induce inactivation of the native enzyme and change its conformation. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2004, 1700, 35-41.	1.1	4
96	Hydrophobic Plant Antioxidants. Preparation of Nanoparticles and their Application for Prevention of Neurodegenerative Diseases. Review and Experimental Data. <i>Current Topics in Medicinal Chemistry</i> , 2014, 14, 2520-2528.	1.0	4
97	Regulation by Different Types of Chaperones of Amyloid Transformation of Proteins Involved in the Development of Neurodegenerative Diseases. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2747.	1.8	4
98	Effect of bacteriophage-encoded chaperonins on amyloid transformation of α -synuclein. <i>Biochemical and Biophysical Research Communications</i> , 2022, 622, 136-142.	1.0	4
99	Use of immobilized enzymatically active monomers of glyceraldehyde-3-phosphate dehydrogenase to investigate subunit cooperativity in the oligomeric enzyme. <i>FEBS Letters</i> , 1980, 118, 141-144.	1.3	3
100	Selective Introduction of Sulfhydryl Groups into Recombinant Proteins for Study of Protein—Protein Interactions. <i>Chromatographia</i> , 2013, 76, 621-628.	0.7	3
101	Methylglyoxal modification hinders amyloid conversion of prion protein. <i>Mendeleev Communications</i> , 2018, 28, 314-316.	0.6	2
102	Synthetic Sulfated Polymers Control Amyloid Aggregation of Ovine Prion Protein and Decrease Its Toxicity. <i>Polymers</i> , 2022, 14, 1478.	2.0	2
103	Unusual spiral structures formed by glycosylated β -casein in the presence of thioflavin T: amyloid transformation?. <i>Mendeleev Communications</i> , 2021, 31, 73-75.	0.6	0
104	Potential Effect of Post-Transcriptional Substitutions of Tyrosine for Cysteine Residues on Transformation of Amyloidogenic Proteins. <i>Biochemistry (Moscow)</i> , 2022, 87, 170-178.	0.7	0