

# Leif E Dahlberg

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1359813/publications.pdf>

Version: 2024-02-01

26  
papers

948  
citations

516710

16  
h-index

580821

25  
g-index

29  
all docs

29  
docs citations

29  
times ranked

867  
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased levels of proteoglycan fragments in knee joint fluid after injury. <i>Arthritis and Rheumatism</i> , 1989, 32, 1434-1442.	6.7	189
2	Better Management of Patients with Osteoarthritis: Development and Nationwide Implementation of an Evidence-Based Supported Osteoarthritis Self-Management Programme. <i>Musculoskeletal Care</i> , 2015, 13, 67-75.	1.4	121
3	Gd-DTPA2-enhanced MRI of femoral knee cartilage: A dose-response study in healthy volunteers. <i>Magnetic Resonance in Medicine</i> , 2001, 46, 1067-1071.	3.0	119
4	The Better Management of Patients with Osteoarthritis Program: Outcomes after evidence-based education and exercise delivered nationwide in Sweden. <i>PLoS ONE</i> , 2019, 14, e0222657.	2.5	60
5	The effect of education and supervised exercise on physical activity, pain, quality of life and self-efficacy - an intervention study with a reference group. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 198.	1.9	57
6	A Web-Based Platform for Patients With Osteoarthritis of the Hip and Knee: A Pilot Study. <i>JMIR Research Protocols</i> , 2016, 5, e115.	1.0	49
7	Improving osteoarthritis care by digital means - Effects of a digital self-management program after 24- or 48-weeks of treatment. <i>PLoS ONE</i> , 2020, 15, e0229783.	2.5	48
8	Pre-contrast T1 and cartilage thickness as confounding factors in dGEMRIC when evaluating human cartilage adaptation to physical activity. <i>BMC Medical Imaging</i> , 2020, 20, 1.	2.7	41
9	A 6-Week Web-Based Osteoarthritis Treatment Program: Observational Quasi-Experimental Study. <i>Journal of Medical Internet Research</i> , 2017, 19, e422.	4.3	36
10	Sick leave in Sweden before and after total joint replacement in hip and knee osteoarthritis patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 152-157.	3.3	31
11	"I would never have done it if it hadn't been digital": a qualitative study on patients' experiences of a digital management programme for hip and knee osteoarthritis in Sweden. <i>BMJ Open</i> , 2019, 9, e028388.	1.9	28
12	Factors Associated With Patients' Willingness to Consider Joint Surgery After Completion of a Digital Osteoarthritis Treatment Program: A Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 1194-1201.	3.4	22
13	Willingness to Undergo Joint Surgery Following a First-Line Intervention for Osteoarthritis: Data From the Better Management of People With Osteoarthritis Register. <i>Arthritis Care and Research</i> , 2021, 73, 818-827.	3.4	21
14	Factors Associated With the Outcome of a First-Line Intervention for Patients With Hip or Knee Osteoarthritis or Both: Data From the BOA Register. <i>Physical Therapy</i> , 2020, 100, 1771-1781.	2.4	20
15	Targeted proteomics of hip articular cartilage in OA and fracture patients. <i>Journal of Orthopaedic Research</i> , 2019, 37, 131-135.	2.3	18
16	Association between thigh muscle strength four years after partial meniscectomy and radiographic features of osteoarthritis 11 years later. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 512.	1.9	17
17	Socioeconomic status of patients in a Swedish national self-management program for osteoarthritis compared with the general population—a descriptive observational study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 10.	1.9	17
18	FEASIBILITY FOR MAPPING CARTILAGE T1 RELAXATION TIMES IN THE DISTAL METACARPUS3/METATARSUS3 OF THOROUGHbred RACEHORSES USING DELAYED GADOLINIUM-ENHANCED MAGNETIC RESONANCE IMAGING OF CARTILAGE (dGEMRIC): NORMAL CADAVER STUDY. <i>Veterinary Radiology and Ultrasound</i> , 2013, 54, 365-372.	0.9	12

#	ARTICLE	IF	CITATIONS
19	Impact of a national guideline on use of knee arthroscopy: An interrupted time-series analysis. <i>International Journal for Quality in Health Care</i> , 2019, 31, G113-G118.	1.8	10
20	Delayed gadolinium-enhanced MRI of meniscus (dGEMRIM) and cartilage (dGEMRIC) in healthy knees and in knees with different stages of meniscus pathology. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 406.	1.9	9
21	Health status of individuals referred to first-line intervention for hip and knee osteoarthritis compared with the general population: an observational register-based study. <i>BMJ Open</i> , 2021, 11, e049476.	1.9	8
22	Digitally Delivered Exercise and Education Treatment Program for Low Back Pain: Longitudinal Observational Cohort Study. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2022, 9, e38084.	2.2	5
23	Study protocol for an observational register-based study on health and risk factors in patients with hip and knee osteoarthritis. <i>BMJ Open</i> , 2018, 8, e022812.	1.9	4
24	Evaluation of a digital platform for osteoarthritis treatment: study protocol for a randomised clinical study. <i>BMJ Open</i> , 2018, 8, e022925.	1.9	4
25	Sick leave before and after arthroscopic partial meniscectomy due to traumatic meniscal tear. <i>Osteoarthritis and Cartilage Open</i> , 2020, 2, 100040.	2.0	2
26	Articular cartilage and osteoarthritis: Klaus E Kuettner, Rudolf Schleyerbach, Jacques G Peyron and Vincent C Hascall (editors), 800 pages, Raven Press, New York, 1992 ISBN 0-88167-862-7. <i>Acta Orthopaedica</i> , 1992, 63, 468-468.	1.4	0