
## Masaya Sakamoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1359873/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diabetic Cardiovascular Disease Induced by Oxidative Stress. International Journal of Molecular Sciences, 2015, 16, 25234-25263.	1.8	314
2	Effect of canagliflozin on left ventricular diastolic function in patients with type 2 diabetes. Cardiovascular Diabetology, 2018, 17, 73.	2.7	117
3	Cardiac 12/15 lipoxygenase–induced inflammation is involved in heart failure. Journal of Experimental Medicine, 2009, 206, 1565-1574.	4.2	115
4	Arachidonate 12/15-Lipoxygenase–Induced Inflammation and Oxidative Stress Are Involved in the Development of Diabetic Cardiomyopathy. Diabetes, 2015, 64, 618-630.	0.3	110
5	Comparison of vildagliptin twice daily vs. sitagliptin once daily using continuous glucose monitoring (CGM): Crossover pilot study (J-VICTORIA study). Cardiovascular Diabetology, 2012, 11, 92.	2.7	73
6	Evidence-based practice guideline for the treatment for diabetes in Japan 2013. Diabetology International, 2015, 6, 151-187.	0.7	65
7	Glycemic variability in continuous glucose monitoring is inversely associated with baroreflex sensitivity in type 2 diabetes: a preliminary report. Cardiovascular Diabetology, 2018, 17, 36.	2.7	37
8	Seasonal Variations in the Achievement of Guideline Targets for HbA1c, Blood Pressure, and Cholesterol Among Patients With Type 2 Diabetes: A Nationwide Population-Based Study (ABC Study:) Tj ETQq	0 0 <b>0.8</b> gBT	/Oværlock 10
9	High Glucose Stimulates Mineralocorticoid Receptor Transcriptional Activity Through the Protein Kinase C β Signaling. International Heart Journal, 2017, 58, 794-802.	0.5	20
10	Type 2 Diabetes and Glycemic Variability: Various Parameters in Clinical Practice. Journal of Clinical Medicine Research, 2018, 10, 737-742.	0.6	18
11	Time-dependent effects of ipragliflozin on behaviour and energy homeostasis in normal and type 2 diabetic rats: continuous glucose telemetry analysis. Scientific Reports, 2017, 7, 11906.	1.6	13
12	Possibility of a New Therapeutic Strategy for Left Ventricular Dysfunction in Type 2 Diabetes. Journal of Clinical Medicine Research, 2018, 10, 799-805.	0.6	13
13	Visit-to-visit HbA1c variability is inversely related to baroreflex sensitivity independently of HbA1c value in type 2 diabetes. Cardiovascular Diabetology, 2018, 17, 100.	2.7	12
14	Effect of One-Week Salt Restriction on Blood Pressure Variability in Hypertensive Patients with Type 2 Diabetes. PLoS ONE, 2016, 11, e0144921.	1.1	12
15	The Durability of Basal Insulin Affects Day-to-Day Glycemic Variability Assessed by Continuous Glucose Monitoring in Type 2 Diabetes Patients: A Randomized Crossover Trial. Diabetes Technology and Therapeutics, 2017, 19, 457-462.	2.4	11
16	Effects of co-administration of candesartan with pioglitazone on inflammatory parameters in hypertensive patients with type 2 diabetes mellitus: a preliminary report. Cardiovascular Diabetology, 2013, 12, 71.	2.7	8
17	Therapeutic targeting of mitochondrial ROS ameliorates murine model of volume overload cardiomyopathy. Journal of Pharmacological Sciences, 2019, 141, 56-63.	1.1	8
18	Effects of candesartan in hypertensive patients with type 2 diabetes mellitus on inflammatory parameters and their relationship to pulse pressure. Cardiovascular Diabetology, 2012, 11, 118.	2.7	7

#	Article	IF	CITATIONS
19	Clinical Implications of Baroreflex Sensitivity in Type 2 Diabetes. International Heart Journal, 2019, 60, 241-246.	0.5	6
20	Aldosterone-producing adrenocortical carcinoma with prominent hepatic metastasis diagnosed by liver biopsy: a case report. BMC Endocrine Disorders, 2016, 16, 3.	0.9	3
21	A case of acute abdomen caused by bladder rupture attributable to diabetic neurogenic bladder. Diabetology International, 2014, 5, 144-147.	0.7	1