

# Akira Ono

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1361226/akira-ono-publications-by-year.pdf>

**Version:** 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65  
papers

4,429  
citations

30  
h-index

66  
g-index

75  
ext. papers

4,921  
ext. citations

6.3  
avg, IF

5.64  
L-index

#	Paper	IF	Citations
65	Movements of Ancient Human Endogenous Retroviruses Detected in SOX2-Expressing Cells.. <i>Journal of Virology</i> , <b>2022</b> , e0035622	6.6	3
64	Molecular determinants in tRNA D-arm required for inhibition of HIV-1 Gag membrane binding. <i>Journal of Molecular Biology</i> , <b>2021</b> , 167390	6.5	2
63	HIV-1 entry: Duels between Env and host antiviral transmembrane proteins on the surface of virus particles. <i>Current Opinion in Virology</i> , <b>2021</b> , 50, 59-68	7.5	0
62	Toxoplasma gondii exploits the host ESCRT machinery for parasite uptake of host cytosolic proteins.. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1010138	7.6	5
61	Host Retromer Protein Sorting Nexin 2 Interacts with Human Respiratory Syncytial Virus Structural Proteins and is Required for Efficient Viral Production. <i>MBio</i> , <b>2020</b> , 11,	7.8	4
60	A molecularly engineered antiviral banana lectin inhibits fusion and is efficacious against influenza virus infection in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 2122-2132	11.5	40
59	Virion-incorporated PSGL-1 and CD43 inhibit both cell-free infection and transinfection of HIV-1 by preventing virus-cell binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2020</b> , 117, 8055-8063	11.5	15
58	Rendezvous at Plasma Membrane: Cellular Lipids and tRNA Set up Sites of HIV-1 Particle Assembly and Incorporation of Host Transmembrane Proteins. <i>Viruses</i> , <b>2020</b> , 12,	6.2	3
57	Relationships between MA-RNA Binding in Cells and Suppression of HIV-1 Gag Mislocalization to Intracellular Membranes. <i>Journal of Virology</i> , <b>2019</b> , 93,	6.6	13
56	Friend or Foe: The Role of the Cytoskeleton in Influenza A Virus Assembly. <i>Viruses</i> , <b>2019</b> , 11,	6.2	13
55	A Defect in Influenza A Virus Particle Assembly Specific to Primary Human Macrophages. <i>MBio</i> , <b>2018</b> , 9,	7.8	6
54	Secondary lymphoid organ fibroblastic reticular cells mediate trans-infection of HIV-1 via CD44-hyaluronan interactions. <i>Nature Communications</i> , <b>2018</b> , 9, 2436	17.4	12
53	The tumour suppressor APC promotes HIV-1 assembly via interaction with Gag precursor protein. <i>Nature Communications</i> , <b>2017</b> , 8, 14259	17.4	9
52	Inhibition of HIV-1 Gag-membrane interactions by specific RNAs. <i>Rna</i> , <b>2017</b> , 23, 395-405	5.8	23
51	Molecular mechanisms by which HERV-K Gag interferes with HIV-1 Gag assembly and particle infectivity. <i>Retrovirology</i> , <b>2017</b> , 14, 27	3.6	21
50	Molecular Determinants Directing HIV-1 Gag Assembly to Virus-Containing Compartments in Primary Macrophages. <i>Journal of Virology</i> , <b>2016</b> , 90, 8509-19	6.6	8
49	Visualization of HIV-1 Gag Binding to Giant Unilamellar Vesicle (GUV) Membranes. <i>Journal of Visualized Experiments</i> , <b>2016</b> ,	1.6	1

48	Methods to Study Determinants for Membrane Targeting of HIV-1 Gag In Vitro. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1354, 175-85	1.4	1
47	Characterizing natural hydrogel for reconstruction of three-dimensional lymphoid stromal network to model T-cell interactions. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 2701-10	5.4	9
46	Basic motifs target PSGL-1, CD43, and CD44 to plasma membrane sites where HIV-1 assembles. <i>Journal of Virology</i> , <b>2015</b> , 89, 454-67	6.6	16
45	Phosphatidylinositol-(4,5)-Bisphosphate Acyl Chains Differentiate Membrane Binding of HIV-1 Gag from That of the Phospholipase C $\beta$ Pleckstrin Homology Domain. <i>Journal of Virology</i> , <b>2015</b> , 89, 7861-73	6.6	22
44	Roles played by acidic lipids in HIV-1 Gag membrane binding. <i>Virus Research</i> , <b>2014</b> , 193, 108-15	6.4	24
43	Membrane binding and subcellular localization of retroviral Gag proteins are differentially regulated by MA interactions with phosphatidylinositol-(4,5)-bisphosphate and RNA. <i>MBio</i> , <b>2014</b> , 5, e02202-14	7.8	34
42	Evidence in support of RNA-mediated inhibition of phosphatidylserine-dependent HIV-1 Gag membrane binding in cells. <i>Journal of Virology</i> , <b>2013</b> , 87, 7155-9	6.6	58
41	Roles played by capsid-dependent induction of membrane curvature and Gag-ESCRT interactions in tetherin recruitment to HIV-1 assembly sites. <i>Journal of Virology</i> , <b>2013</b> , 87, 4650-64	6.6	26
40	HIV-1 Gag associates with specific uropod-directed microdomains in a manner dependent on its MA highly basic region. <i>Journal of Virology</i> , <b>2013</b> , 87, 6441-54	6.6	30
39	Bacterial curli protein promotes the conversion of PAP248-286 into the amyloid SEVI: cross-seeding of dissimilar amyloid sequences. <i>PeerJ</i> , <b>2013</b> , 1, e5	3.1	56
38	Post-digestion $^{15}N$ exchange/labeling for quantitative shotgun proteomics of membrane proteins. <i>Methods in Molecular Biology</i> , <b>2012</b> , 893, 223-40	1.4	2
37	Dynamic Association between HIV-1 Gag and Membrane Domains. <i>Molecular Biology International</i> , <b>2012</b> , 2012, 979765		15
36	Human endogenous retrovirus K Gag coassembles with HIV-1 Gag and reduces the release efficiency and infectivity of HIV-1. <i>Journal of Virology</i> , <b>2012</b> , 86, 11194-208	6.6	43
35	Molecular determinants that regulate plasma membrane association of HIV-1 Gag. <i>Journal of Molecular Biology</i> , <b>2011</b> , 410, 512-24	6.5	88
34	Gag localization and virus-like particle release mediated by the matrix domain of human T-lymphotropic virus type 1 Gag are less dependent on phosphatidylinositol-(4,5)-bisphosphate than those mediated by the matrix domain of HIV-1 Gag. <i>Journal of Virology</i> , <b>2011</b> , 85, 3802-10	6.6	57
33	Gag induces the coalescence of clustered lipid rafts and tetraspanin-enriched microdomains at HIV-1 assembly sites on the plasma membrane. <i>Journal of Virology</i> , <b>2011</b> , 85, 9749-66	6.6	87
32	Assembly and replication of HIV-1 in T cells with low levels of phosphatidylinositol-(4,5)-bisphosphate. <i>Journal of Virology</i> , <b>2011</b> , 85, 3584-95	6.6	26
31	Opposing mechanisms involving RNA and lipids regulate HIV-1 Gag membrane binding through the highly basic region of the matrix domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 1600-5	11.5	171

30	Nucleocapsid promotes localization of HIV-1 gag to uropods that participate in virological synapses between T cells. <i>PLoS Pathogens</i> , <b>2010</b> , 6, e1001167	7.6	58
29	Viruses and lipids. <i>Viruses</i> , <b>2010</b> , 2, 1236-8	6.2	10
28	Relationships between plasma membrane microdomains and HIV-1 assembly. <i>Biology of the Cell</i> , <b>2010</b> , 102, 335-50	3.5	90
27	Optimized method for computing (18)O/(16)O ratios of differentially stable-isotope labeled peptides in the context of postdigestion (18)O exchange/labeling. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 5878-86	7.8	20
26	HIV-1 assembly at the plasma membrane. <i>Vaccine</i> , <b>2010</b> , 28 Suppl 2, B55-9	4.1	27
25	HIV-1 Assembly at the Plasma Membrane: Gag Trafficking and Localization. <i>Future Virology</i> , <b>2009</b> , 4, 241-257	2.7	67
24	Quantitative fluorescence resonance energy transfer microscopy analysis of the human immunodeficiency virus type 1 Gag-Gag interaction: relative contributions of the CA and NC domains and membrane binding. <i>Journal of Virology</i> , <b>2009</b> , 83, 7322-36	6.6	56
23	Methods for the study of HIV-1 assembly. <i>Methods in Molecular Biology</i> , <b>2009</b> , 485, 163-84	1.4	24
22	Interaction between the human immunodeficiency virus type 1 Gag matrix domain and phosphatidylinositol-(4,5)-bisphosphate is essential for efficient gag membrane binding. <i>Journal of Virology</i> , <b>2008</b> , 82, 2405-17	6.6	194
21	Inhibition of human immunodeficiency virus type 1 assembly and release by the cholesterol-binding compound amphotericin B methyl ester: evidence for Vpu dependence. <i>Journal of Virology</i> , <b>2008</b> , 82, 9776-81	6.6	40
20	Dominant negative inhibition of human immunodeficiency virus particle production by the nonmyristoylated form of gag. <i>Journal of Virology</i> , <b>2008</b> , 82, 4384-99	6.6	14
19	Real-time visualization of HIV-1 GAG trafficking in infected macrophages. <i>PLoS Pathogens</i> , <b>2008</b> , 4, e1000015	6.15	161
18	Depletion of cellular cholesterol inhibits membrane binding and higher-order multimerization of human immunodeficiency virus type 1 Gag. <i>Virology</i> , <b>2007</b> , 360, 27-35	3.6	76
17	Role of lipid rafts in virus replication. <i>Advances in Virus Research</i> , <b>2005</b> , 64, 311-58	10.7	117
16	Pravastatin does not have a consistent antiviral effect in chronically HIV-infected individuals on antiretroviral therapy. <i>Aids</i> , <b>2005</b> , 19, 1109-11	3.5	23
15	Association of human immunodeficiency virus type 1 gag with membrane does not require highly basic sequences in the nucleocapsid: use of a novel Gag multimerization assay. <i>Journal of Virology</i> , <b>2005</b> , 79, 14131-40	6.6	77
14	Cell-type-dependent targeting of human immunodeficiency virus type 1 assembly to the plasma membrane and the multivesicular body. <i>Journal of Virology</i> , <b>2004</b> , 78, 1552-63	6.6	223
13	Human apolipoprotein B mRNA-editing enzyme-catalytic polypeptide-like 3G (APOBEC3G) is incorporated into HIV-1 virions through interactions with viral and nonviral RNAs. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 35822-8	5.4	221

12	Phosphatidylinositol (4,5) biphosphate regulates HIV-1 Gag targeting to the plasma membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 14889-94	11.5	388
11	Defects in human immunodeficiency virus budding and endosomal sorting induced by TSG101 overexpression. <i>Journal of Virology</i> , <b>2003</b> , 77, 6507-19	6.6	91
10	Overexpression of the N-terminal domain of TSG101 inhibits HIV-1 budding by blocking late domain function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 955-60	11.5	299
9	Plasma membrane rafts play a critical role in HIV-1 assembly and release. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 13925-30	11.5	550
8	Role of the Gag matrix domain in targeting human immunodeficiency virus type 1 assembly. <i>Journal of Virology</i> , <b>2000</b> , 74, 2855-66	6.6	198
7	Relationship between human immunodeficiency virus type 1 Gag multimerization and membrane binding. <i>Journal of Virology</i> , <b>2000</b> , 74, 5142-50	6.6	101
6	Binding of human immunodeficiency virus type 1 Gag to membrane: role of the matrix amino terminus. <i>Journal of Virology</i> , <b>1999</b> , 73, 4136-44	6.6	206
5	Reversion of a human immunodeficiency virus type 1 matrix mutation affecting Gag membrane binding, endogenous reverse transcriptase activity, and virus infectivity. <i>Journal of Virology</i> , <b>1999</b> , 73, 4728-37	6.6	24
4	Role of matrix in an early postentry step in the human immunodeficiency virus type 1 life cycle. <i>Journal of Virology</i> , <b>1998</b> , 72, 4116-26	6.6	112
3	Transport of envelope proteins of Sendai virus, HN and F0, is blocked at different steps by thapsigargin and other perturbants to intracellular Ca <sup>2+</sup> . <i>Journal of Biochemistry</i> , <b>1994</b> , 116, 649-56	3.1	12
2	Relationships between MA-RNA binding in cells and suppression of HIV-1 Gag mislocalization to intracellular membranes		1
1	<i>Toxoplasma gondii</i> subverts the host ESCRT machinery for parasite uptake of host cytosolic proteins		2