Stephen J Gange

List of Publications by Citations

Source: https://exaly.com/author-pdf/1361514/stephen-j-gange-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 258 19,495 134 h-index g-index citations papers 21,815 269 5.9 5.97 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
258	Latent infection of CD4+ T cells provides a mechanism for lifelong persistence of HIV-1, even in patients on effective combination therapy. <i>Nature Medicine</i> , 1999 , 5, 512-7	50.5	1681
257	Long-term follow-up studies confirm the stability of the latent reservoir for HIV-1 in resting CD4+ T cells. <i>Nature Medicine</i> , 2003 , 9, 727-8	50.5	1187
256	Epidemiology and estimated population burden of selected autoimmune diseases in the United States. <i>Clinical Immunology and Immunopathology</i> , 1997 , 84, 223-43		1122
255	Closing the gap: increases in life expectancy among treated HIV-positive individuals in the United States and Canada. <i>PLoS ONE</i> , 2013 , 8, e81355	3.7	894
254	Effect of early versus deferred antiretroviral therapy for HIV on survival. <i>New England Journal of Medicine</i> , 2009 , 360, 1815-26	59.2	852
253	Consistent viral evolutionary changes associated with the progression of human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 1999 , 73, 10489-502	6.6	790
252	Competing risk regression models for epidemiologic data. <i>American Journal of Epidemiology</i> , 2009 , 170, 244-56	3.8	728
251	The Women@Interagency HIV Study: an observational cohort brings clinical sciences to the bench. <i>Vaccine Journal</i> , 2005 , 12, 1013-9		426
250	Association between adherence to antiretroviral therapy and human immunodeficiency virus drug resistance. <i>Clinical Infectious Diseases</i> , 2003 , 37, 1112-8	11.6	366
249	Treatment intensification does not reduce residual HIV-1 viremia in patients on highly active antiretroviral therapy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9403-8	11.5	337
248	Effects of glucosinolate-rich broccoli sprouts on urinary levels of aflatoxin-DNA adducts and phenanthrene tetraols in a randomized clinical trial in He Zuo township, Qidong, People@Republic of China. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2605-13	4	245
247	T cell activation and senescence predict subclinical carotid artery disease in HIV-infected women. Journal of Infectious Diseases, 2011 , 203, 452-63	7	232
246	Chlorophyllin intervention reduces aflatoxin-DNA adducts in individuals at high risk for liver cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14601-6	11.5	226
245	Low CD4+ T-cell count as a major atherosclerosis risk factor in HIV-infected women and men. <i>Aids</i> , 2008 , 22, 1615-24	3.5	200
244	Driving status and risk of entry into long-term care in older adults. <i>American Journal of Public Health</i> , 2006 , 96, 1254-9	5.1	190
243	Association of cigarette smoking with HIV prognosis among women in the HAART era: a report from the women@interagency HIV study. <i>American Journal of Public Health</i> , 2006 , 96, 1060-5	5.1	189
242	Comparison of risk and age at diagnosis of myocardial infarction, end-stage renal disease, and non-AIDS-defining cancer in HIV-infected versus uninfected adults. <i>Clinical Infectious Diseases</i> , 2015 , 60, 627-38	11.6	187

(2000-2003)

241	Human papillomavirus type 16 and immune status in human immunodeficiency virus-seropositive women. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 1062-71	9.7	184
240	Short-course raltegravir intensification does not reduce persistent low-level viremia in patients with HIV-1 suppression during receipt of combination antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2010 , 50, 912-9	11.6	176
239	Ten-year predicted coronary heart disease risk in HIV-infected men and women. <i>Clinical Infectious Diseases</i> , 2007 , 45, 1074-81	11.6	167
238	Late presentation for human immunodeficiency virus care in the United States and Canada. <i>Clinical Infectious Diseases</i> , 2010 , 50, 1512-20	11.6	165
237	Predictive accuracy of the Veterans Aging Cohort Study index for mortality with HIV infection: a North American cross cohort analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 149-63	3.1	156
236	Intrinsic stability of episomal circles formed during human immunodeficiency virus type 1 replication. <i>Journal of Virology</i> , 2002 , 76, 4138-44	6.6	156
235	Stability of the latent reservoir for HIV-1 in patients receiving valproic acid. <i>Journal of Infectious Diseases</i> , 2007 , 195, 833-6	7	149
234	Predictors of proteinuria and renal failure among women with HIV infection. <i>Kidney International</i> , 2002 , 61, 195-202	9.9	147
233	Invasive cervical cancer risk among HIV-infected women: a North American multicohort collaboration prospective study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 405	:- 1 3	146
222	C-reactive protein is a marker for human immunodeficiency virus disease progression. <i>Archives of</i>		
232	Internal Medicine, 2006 , 166, 64-70		144
231		11.6	144
	Association between renal disease and outcomes among HIV-infected women receiving or not	11.6 7	
231	Association between renal disease and outcomes among HIV-infected women receiving or not receiving antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2004 , 39, 1199-206 Increases in human papillomavirus detection during early HIV infection among women in		143
231	Association between renal disease and outcomes among HIV-infected women receiving or not receiving antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2004 , 39, 1199-206 Increases in human papillomavirus detection during early HIV infection among women in Zimbabwe. <i>Journal of Infectious Diseases</i> , 2011 , 203, 1182-91 Cohort profile: the North American AIDS Cohort Collaboration on Research and Design	7	143
231 230 229	Association between renal disease and outcomes among HIV-infected women receiving or not receiving antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2004 , 39, 1199-206 Increases in human papillomavirus detection during early HIV infection among women in Zimbabwe. <i>Journal of Infectious Diseases</i> , 2011 , 203, 1182-91 Cohort profile: the North American AIDS Cohort Collaboration on Research and Design (NA-ACCORD). <i>International Journal of Epidemiology</i> , 2007 , 36, 294-301 Association of race and gender with HIV-1 RNA levels and immunologic progression. <i>Journal of</i>	7	143 140 139
231 230 229 228	Association between renal disease and outcomes among HIV-infected women receiving or not receiving antiretroviral therapy. Clinical Infectious Diseases, 2004, 39, 1199-206 Increases in human papillomavirus detection during early HIV infection among women in Zimbabwe. Journal of Infectious Diseases, 2011, 203, 1182-91 Cohort profile: the North American AIDS Cohort Collaboration on Research and Design (NA-ACCORD). International Journal of Epidemiology, 2007, 36, 294-301 Association of race and gender with HIV-1 RNA levels and immunologic progression. Journal of Acquired Immune Deficiency Syndromes (1999), 2000, 24, 218-26	7 7.8 3.1	143 140 139
231 230 229 228 227	Association between renal disease and outcomes among HIV-infected women receiving or not receiving antiretroviral therapy. Clinical Infectious Diseases, 2004, 39, 1199-206 Increases in human papillomavirus detection during early HIV infection among women in Zimbabwe. Journal of Infectious Diseases, 2011, 203, 1182-91 Cohort profile: the North American AIDS Cohort Collaboration on Research and Design (NA-ACCORD). International Journal of Epidemiology, 2007, 36, 294-301 Association of race and gender with HIV-1 RNA levels and immunologic progression. Journal of Acquired Immune Deficiency Syndromes (1999), 2000, 24, 218-26 Determinants of graft survival after renal transplantation. Transplantation, 1996, 61, 1581-6 Chemoprevention of hepatocellular carcinoma in aflatoxin endemic areas. Gastroenterology, 2004,	7 7.8 3.1 1.8	143 140 139 131

223	Retention among North American HIV-infected persons in clinical care, 2000-2008. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 356-62	3.1	117
222	Random survival forests for competing risks. <i>Biostatistics</i> , 2014 , 15, 757-73	3.7	113
221	End-stage renal disease among HIV-infected adults in North America. <i>Clinical Infectious Diseases</i> , 2015 , 60, 941-9	11.6	112
220	Patterns and predictors of changes in adherence to highly active antiretroviral therapy: longitudinal study of men and women. <i>Clinical Infectious Diseases</i> , 2007 , 45, 1377-85	11.6	112
219	Persistence of wild-type virus and lack of temporal structure in the latent reservoir for human immunodeficiency virus type 1 in pediatric patients with extensive antiretroviral exposure. <i>Journal of Virology</i> , 2002 , 76, 9481-92	6.6	110
218	Stochastic simulation of the impact of antiretroviral therapy and HIV vaccines on HIV transmission; Rakai, Uganda. <i>Aids</i> , 2003 , 17, 1941-51	3.5	108
217	Risk of non-AIDS-related mortality may exceed risk of AIDS-related mortality among individuals enrolling into care with CD4+ counts greater than 200 cells/mm3. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 44, 179-87	3.1	103
216	Atazanavir concentration in hair is the strongest predictor of outcomes on antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2011 , 52, 1267-75	11.6	101
215	T cell activation predicts carotid artery stiffness among HIV-infected women. <i>Atherosclerosis</i> , 2011 , 217, 207-13	3.1	100
214	Highly active antiretroviral therapy and cervical squamous intraepithelial lesions in human immunodeficiency virus-positive women. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1070-6	9.7	100
213	Incidence of oral lesions in HIV-1-infected women: reduction with HAART. <i>Journal of Dental Research</i> , 2004 , 83, 145-50	8.1	97
212	Patterns of the hazard of death after AIDS through the evolution of antiretroviral therapy: 1984-2004. <i>Aids</i> , 2005 , 19, 2009-18	3.5	95
211	U.S. trends in antiretroviral therapy use, HIV RNA plasma viral loads, and CD4 T-lymphocyte cell counts among HIV-infected persons, 2000 to 2008. <i>Annals of Internal Medicine</i> , 2012 , 157, 325-35	8	92
210	Factors associated with preclinical disability and frailty among HIV-infected and HIV-uninfected women in the era of cART. <i>Journal of Womend Health</i> , 2009 , 18, 1965-74	3	92
209	The effect of HIV infection and HAART on inflammatory biomarkers in a population-based cohort of women. <i>Aids</i> , 2011 , 25, 1823-32	3.5	91
208	Cytomegalovirus immunoglobulin G antibody is associated with subclinical carotid artery disease among HIV-infected women. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1788-96	7	89
207	Virologic and immunologic response to HAART, by age and regimen class. Aids, 2010, 24, 2469-79	3.5	87
206	HIV Infection Is Associated With Progression of Subclinical Carotid Atherosclerosis. <i>Clinical Infectious Diseases</i> , 2015 , 61, 640-50	11.6	83

(2004-2018)

205	Multimorbidity Among Persons Living with Human Immunodeficiency Virus in the United States. <i>Clinical Infectious Diseases</i> , 2018 , 66, 1230-1238	11.6	83
204	Specific human leukocyte antigen class I and II alleles associated with hepatitis C virus viremia. <i>Hepatology</i> , 2010 , 51, 1514-22	11.2	83
203	Trends and disparities in antiretroviral therapy initiation and virologic suppression among newly treatment-eligible HIV-infected individuals in North America, 2001-2009. <i>Clinical Infectious Diseases</i> , 2013 , 56, 1174-82	11.6	82
202	Protease inhibitor levels in hair strongly predict virologic response to treatment. <i>Aids</i> , 2009 , 23, 471-8	3.5	80
201	Increased Risk of Myocardial Infarction in HIV-Infected Individuals in North America Compared With the General Population. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, 568-576	3.1	77
200	Death rates in HIV-positive antiretroviral-naive patients with CD4 count greater than 350 cells per microL in Europe and North America: a pooled cohort observational study. <i>Lancet, The</i> , 2010 , 376, 340-5	40	77
199	Global Trends in CD4 Cell Count at the Start of Antiretroviral Therapy: Collaborative Study of Treatment Programs. <i>Clinical Infectious Diseases</i> , 2018 , 66, 893-903	11.6	75
198	Incidence of AIDS-Defining Opportunistic Infections in a Multicohort Analysis of HIV-infected Persons in the United States and Canada, 2000-2010. <i>Journal of Infectious Diseases</i> , 2016 , 214, 862-72	7	73
197	Marginal and mixed-effects models in the analysis of human papillomavirus natural history data. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 159-69	4	73
196	Regulatory CD4 T Cells Recognize Major Histocompatibility Complex Class II Molecule-Restricted Peptide Epitopes of Apolipoprotein B. <i>Circulation</i> , 2018 , 138, 1130-1143	16.7	71
195	Trajectories of injection drug use over 20 years (1988-2008) in Baltimore, Maryland. <i>American Journal of Epidemiology</i> , 2011 , 173, 829-36	3.8	70
194	Eligibility criteria for HIV clinical trials and generalizability of results: the gap between published reports and study protocols. <i>Aids</i> , 2005 , 19, 1885-96	3.5	69
193	The association of race, sociodemographic, and behavioral characteristics with response to highly active antiretroviral therapy in women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005 , 39, 537-44	3.1	69
192	The parametric g-formula to estimate the effect of highly active antiretroviral therapy on incident AIDS or death. <i>Statistics in Medicine</i> , 2012 , 31, 2000-9	2.3	68
191	Weight gain among treatment-nalle persons with HIV starting integrase inhibitors compared to non-nucleoside reverse transcriptase inhibitors or protease inhibitors in a large observational cohort in the United States and Canada. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25484	5.4	66
190	Association of Macrophage Inflammation Biomarkers With Progression of Subclinical Carotid Artery Atherosclerosis in HIV-Infected Women and Men. <i>Journal of Infectious Diseases</i> , 2017 , 215, 1352-1361	7	65
189	CD4 count at presentation for HIV care in the United States and Canada: are those over 50 years more likely to have a delayed presentation?. <i>AIDS Research and Therapy</i> , 2010 , 7, 45	3	63
188	Changes in sexual behavior among HIV-infected women after initiation of HAART. <i>American Journal of Public Health</i> , 2004 , 94, 1141-6	5.1	61

187	Disparities in the quality of HIV care when using US Department of Health and Human Services indicators. <i>Clinical Infectious Diseases</i> , 2014 , 58, 1185-9	11.6	60
186	Effectiveness of highly active antiretroviral therapy among HIV-1 infected women. <i>Journal of Epidemiology and Community Health</i> , 2002 , 56, 153-9	5.1	60
185	The prognostic importance of changes in CD4+ cell count and HIV-1 RNA level in women after initiating highly active antiretroviral therapy. <i>Annals of Internal Medicine</i> , 2004 , 140, 256-64	8	60
184	Contributions of traditional and HIV-related risk factors on non-AIDS-defining cancer, myocardial infarction, and end-stage liver and renal diseases in adults with HIV in the USA and Canada: a collaboration of cohort studies. <i>Lancet HIV,the</i> , 2019 , 6, e93-e104	7.8	58
183	Selection by indication of potent antiretroviral therapy use in a large cohort of women infected with human immunodeficiency virus. <i>American Journal of Epidemiology</i> , 2000 , 152, 923-33	3.8	58
182	A single-nucleotide polymorphism in CYP2B6 leads to >3-fold increases in efavirenz concentrations in plasma and hair among HIV-infected women. <i>Journal of Infectious Diseases</i> , 2012 , 206, 1453-61	7	57
181	Inflammatory biomarkers and abacavir use in the Women@Interagency HIV Study and the Multicenter AIDS Cohort Study. <i>Aids</i> , 2010 , 24, 1657-65	3.5	55
180	Common clinical conditions - age, low BMI, ritonavir use, mild renal impairment - affect tenofovir pharmacokinetics in a large cohort of HIV-infected women. <i>Aids</i> , 2014 , 28, 59-66	3.5	54
179	Serum albumin is a powerful predictor of survival among HIV-1-infected women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 33, 66-73	3.1	54
178	Outcomes after treatment of cervical intraepithelial neoplasia among women with HIV. <i>Journal of Lower Genital Tract Disease</i> , 2007 , 11, 90-7	3.6	52
177	Trends in multidrug treatment failure and subsequent mortality among antiretroviral therapy-experienced patients with HIV infection in North America. <i>Clinical Infectious Diseases</i> , 2009 , 49, 1582-90	11.6	51
176	Serum albumin as a predictor of survival in HIV-infected women in the Women@ Interagency HIV study. <i>Aids</i> , 2000 , 14, 863-70	3.5	51
175	The effect of neighborhood deprivation and residential relocation on long-term injection cessation among injection drug users (IDUs) in Baltimore, Maryland. <i>Addiction</i> , 2011 , 106, 1966-74	4.6	50
174	Prevalence of clinical symptoms associated with highly active antiretroviral therapy in the Women@ Interagency HIV Study. <i>Clinical Infectious Diseases</i> , 2004 , 39, 717-24	11.6	50
173	Slow human immunodeficiency virus type 1 evolution in viral reservoirs in infants treated with effective antiretroviral therapy. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 381-90	1.6	48
172	Interval and clinical cohort studies: epidemiological issues. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 769-76	1.6	48
171	Potential cardiovascular disease risk markers among HIV-infected women initiating antiretroviral treatment. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 60, 359-68	3.1	47
170	Quantification of sulforaphane mercapturic acid pathway conjugates in human urine by high-performance liquid chromatography and isotope-dilution tandem mass spectrometry. Chemical Research in Toxicology, 2008, 21, 1991-6	4	47

(2018-2006)

169	Impact of inversion of the CD4/CD8 ratio on the natural history of HIV-1 infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 42, 620-6	3.1	46	
168	Evaluation of the cancer chemopreventive potency of dithiolethione analogs of oltipraz. <i>Carcinogenesis</i> , 2003 , 24, 1919-28	4.6	45	
167	Strong association between failure of T cell homeostasis and the syncytium-inducing phenotype among HIV-1-infected men in the Amsterdam Cohort Study. <i>Aids</i> , 2000 , 14, 1155-61	3.5	45	
166	Cancer-Attributable Mortality Among People With Treated Human Immunodeficiency Virus Infection in North America. <i>Clinical Infectious Diseases</i> , 2017 , 65, 636-643	11.6	44	
165	Determinants of incidence and clearance of high-risk human papillomavirus infections in rural Rakai, Uganda. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 1300-7	4	44	
164	Variants of human papillomaviruses 16 and 18 and their natural history in human immunodeficiency virus-positive women. <i>Journal of General Virology</i> , 2005 , 86, 2709-2720	4.9	44	
163	Geographic Variations in Retention in Care among HIV-Infected Adults in the United States. <i>PLoS ONE</i> , 2016 , 11, e0146119	3.7	43	
162	Disparities among US states in HIV-related mortality in persons with HIV infection, 2001-2007. <i>Aids</i> , 2012 , 26, 95-103	3.5	42	
161	Effect of HAART on salivary gland function in the Women@Interagency HIV Study (WIHS). <i>Oral Diseases</i> , 2009 , 15, 52-60	3.5	41	
160	Assessing the effect of HAART on change in quality of life among HIV-infected women. <i>AIDS Research and Therapy</i> , 2006 , 3, 6	3	41	
159	Increase in sexual risk behavior associated with immunologic response to highly active antiretroviral therapy among HIV-infected injection drug users. <i>Clinical Infectious Diseases</i> , 2004 , 38, 1167-74	11.6	41	
158	Generating Multivariate Categorical Variates Using the Iterative Proportional Fitting Algorithm. <i>American Statistician</i> , 1995 , 49, 134-138	5	41	
157	Mortality among a cohort of drug users after their release from prison: an evaluation of the effectiveness of a harm reduction program in Taiwan. <i>Addiction</i> , 2011 , 106, 1437-45	4.6	40	
156	Hepatitis C viremia and the risk of chronic kidney disease in HIV-infected individuals. <i>Journal of Infectious Diseases</i> , 2013 , 208, 1240-9	7	39	
155	Assessing mortality in women with hepatitis C virus and HIV using indirect markers of fibrosis. <i>Aids</i> , 2012 , 26, 599-607	3.5	39	
154	Levels of aflatoxin-albumin biomarkers in rat plasma are modulated by both long-term and transient interventions with oltipraz. <i>Carcinogenesis</i> , 1995 , 16, 1769-73	4.6	39	
153	Sex, Race, and HIV Risk Disparities in Discontinuity of HIV Care After Antiretroviral Therapy Initiation in the United States and Canada. <i>AIDS Patient Care and STDs</i> , 2017 , 31, 129-144	5.8	37	
152	Recent Abacavir Use Increases Risk of Type 1 and Type 2 Myocardial Infarctions Among Adults With HIV. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 62-72	3.1	37	

151	Nevirapine Concentration in Hair Samples Is a Strong Predictor of Virologic Suppression in a Prospective Cohort of HIV-Infected Patients. <i>PLoS ONE</i> , 2015 , 10, e0129100	3.7	36
150	Distinguishing efficacy, individual effectiveness and population effectiveness of therapies. <i>Aids</i> , 2000 , 14, 754-6	3.5	36
149	Disclosure of complementary and alternative medicine use to health care providers among HIV-infected women. <i>AIDS Patient Care and STDs</i> , 2009 , 23, 965-71	5.8	35
148	Effectiveness of highly-active antiretroviral therapy by race/ethnicity. <i>Aids</i> , 2006 , 20, 1531-8	3.5	35
147	CYP1A1 genotype modifies the impact of smoking on effectiveness of HAART among women. <i>AIDS Education and Prevention</i> , 2009 , 21, 81-93	2	33
146	The effect of highly active antiretroviral therapy on dermatologic disease in a longitudinal study of HIV type 1-infected women. <i>Clinical Infectious Diseases</i> , 2004 , 38, 579-84	11.6	33
145	The impact of kidney function at highly active antiretroviral therapy initiation on mortality in HIV-infected women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 55, 217-20	3.1	32
144	Association of Race and Gender With HIV-1 RNA Levels and Immunologic Progression. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2000 , 24, 218-226	3.1	32
143	Methodological issues for biomarkers and intermediate outcomes in cohort studies. <i>Epidemiologic Reviews</i> , 1998 , 20, 29-42	4.1	32
142	Risk factors for tuberculosis after highly active antiretroviral therapy initiation in the United States and Canada: implications for tuberculosis screening. <i>Journal of Infectious Diseases</i> , 2011 , 204, 893-901	7	31
141	CC chemokine receptor 5 genotype and susceptibility to transmission of human immunodeficiency virus type 1 in women. <i>Journal of Infectious Diseases</i> , 2003 , 187, 569-75	7	31
140	Age and racial/ethnic differences in the prevalence of reported symptoms in human immunodeficiency virus-infected persons on antiretroviral therapy. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 197-207	4.8	30
139	Multiple-infection and recombination in HIV-1 within a longitudinal cohort of women. <i>Retrovirology</i> , 2009 , 6, 54	3.6	29
138	Dependence of the hazard of AIDS on markers. <i>Aids</i> , 1997 , 11, 217-28	3.5	29
137	Collaborative, pooled and harmonized study designs for epidemiologic research: challenges and opportunities. <i>International Journal of Epidemiology</i> , 2018 , 47, 654-668	7.8	28
136	Frailty and Constellations of Factors in Aging HIV-infected and Uninfected WomenThe Women@Interagency HIV Study. <i>Journal of Frailty & Aging,the</i> , 2016 , 5, 43-8	2.6	28
135	Effects of Antiretroviral Therapy and Depressive Symptoms on All-Cause Mortality Among HIV-Infected Women. <i>American Journal of Epidemiology</i> , 2017 , 185, 869-878	3.8	27
134	Herpes simplex virus infection in women in the WIHS: epidemiology and effect of antiretroviral therapy on clinical manifestations. <i>Aids</i> , 2006 , 20, 1051-8	3.5	27

(1993-2005)

133	Hormonal contraceptive use and the effectiveness of highly active antiretroviral therapy. <i>American Journal of Epidemiology</i> , 2005 , 161, 881-90	3.8	27
132	Prevalence and predictors of skin disease in the Women@Interagency HIV Study (WIHS). <i>Journal of the American Academy of Dermatology</i> , 2001 , 44, 785-8	4.5	26
131	Cytokines Elevated in HIV Elite Controllers Reduce HIV Replication and Modulate HIV Restriction Factor Expression. <i>Journal of Virology</i> , 2017 , 91,	6.6	25
130	Association of immunosuppression and HIV viraemia with non-Hodgkin lymphoma risk overall and by subtype in people living with HIV in Canada and the USA: a multicentre cohort study. <i>Lancet HIV,the</i> , 2019 , 6, e240-e249	7.8	25
129	Host APOL1 genotype is independently associated with proteinuria in HIV infection. <i>Kidney International</i> , 2013 , 84, 834-40	9.9	25
128	Acquisition of new sexual partners among women with HIV infection: patterns of disclosure and sexual behavior within new partnerships. <i>AIDS Education and Prevention</i> , 2007 , 19, 151-9	2	25
127	Anti-HIV type 1 memory cytotoxic T lymphocyte responses associated with changes in CD4+ T cell numbers in progression of HIV type 1 infection. <i>AIDS Research and Human Retroviruses</i> , 1998 , 14, 1423-	3 ^{ქ.6}	25
126	High-risk behavior and potential transmission of drug-resistant HIV among injection drug users. Journal of Acquired Immune Deficiency Syndromes (1999), 2004, 35, 503-10	3.1	24
125	Human immunodeficiency virus-1 (HIV-1) gp120 superantigen-binding serum antibodies. A host factor in homosexual HIV-1 transmission. <i>Journal of Clinical Investigation</i> , 1996 , 98, 1794-801	15.9	24
124	Identification of inflections in T-cell counts among HIV-1-infected individuals and relationship with progression to clinical AIDS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 10848-53	11.5	24
123	Comparison of Kaposi Sarcoma Risk in Human Immunodeficiency Virus-Positive Adults Across 5 Continents: A Multiregional Multicohort Study. <i>Clinical Infectious Diseases</i> , 2017 , 65, 1316-1326	11.6	23
122	Strong agreement of nationally recommended retention measures from the Institute of Medicine and Department of Health and Human Services. <i>PLoS ONE</i> , 2014 , 9, e111772	3.7	23
121	Elevated NT-pro-BNP levels are associated with comorbidities among HIV-infected women. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 997-1004	1.6	23
120	Injection drug use and patterns of highly active antiretroviral therapy use: an analysis of ALIVE, WIHS, and MACS cohorts. <i>AIDS Research and Therapy</i> , 2007 , 4, 12	3	23
119	Longitudinal relationships between use of highly active antiretroviral therapy and satisfaction with care among women living with HIV/AIDS. <i>American Journal of Public Health</i> , 2006 , 96, 1044-51	5.1	23
118	Factors associated with incident self-reported AIDS among women enrolled in the women@ interagency HIV study (WIHS). WIHS Collaboratorive Study Group. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 1105-11	1.6	23
117	Sequential monitoring of clinical trials with correlated responses. <i>Biometrika</i> , 1996 , 83, 157-167	2	23
116	Ocular renin angiotensin: EM immunocytochemical localization of prorenin. <i>Current Eye Research</i> , 1993 , 12, 945-50	2.9	23

115	First Occurrence of Diabetes, Chronic Kidney Disease, and Hypertension Among North American HIV-Infected Adults, 2000-2013. <i>Clinical Infectious Diseases</i> , 2017 , 64, 459-467	11.6	23
114	Rapid declines in total lymphocyte counts and hemoglobin concentration prior to AIDS among HIV-1-infected men. <i>Aids</i> , 2003 , 17, 2035-44	3.5	22
113	The Effect of Sexual and Physical Violence on Risky Sexual Behavior and STDs Among a Cohort of HIV Seropositive Women. <i>AIDS and Behavior</i> , 2001 , 5, 353-361	4.3	22
112	Prevalence and correlates of highly active antiretroviral therapy switching in the Women@ Interagency HIV Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002 , 29, 495-503	3.1	22
111	Parametric mixture models to evaluate and summarize hazard ratios in the presence of competing risks with time-dependent hazards and delayed entry. <i>Statistics in Medicine</i> , 2011 , 30, 654-65	2.3	21
110	Reduced fertility among HIV-infected women associated with viral load in Rakai district, Uganda. <i>International Journal of STD and AIDS</i> , 2006 , 17, 842-6	1.4	21
109	Incidence of violence against HIV-infected and uninfected women: findings from the HIV Epidemiology Research (HER) study. <i>Journal of Urban Health</i> , 2002 , 79, 512-24	5.8	21
108	Evidence that anoreceptive intercourse with ejaculate exposure is associated with rapid CD4 cell loss. <i>Aids</i> , 2000 , 14, 707-15	3.5	21
107	A comparison of methods for correlated ordinal measures with ophthalmic applications. <i>Statistics in Medicine</i> , 1995 , 14, 1961-74	2.3	21
106	Underutilization of Statins When Indicated in HIV-Seropositive and Seronegative Women. <i>AIDS Patient Care and STDs</i> , 2017 , 31, 447-454	5.8	20
105	Laboratory Measures as Proxies for Primary Care Encounters: Implications for Quantifying Clinical Retention Among HIV-Infected Adults in North America. <i>American Journal of Epidemiology</i> , 2015 , 182, 952-60	3.8	20
104	Nonnucleoside reverse transcriptase inhibitor pharmacokinetics in a large unselected cohort of HIV-infected women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 50, 482-91	3.1	20
103	Insulin-like growth factor axis and oncogenic human papillomavirus natural history. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 245-8	4	20
102	Consistency of initial antiretroviral therapy with HIV treatment guidelines in a US cohort of HIV-infected women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 47, 377-83	3.1	20
101	Rapid declines in total lymphocyte count and hemoglobin in HIV infection begin at CD4 lymphocyte counts that justify antiretroviral therapy. <i>Aids</i> , 2003 , 17, 119-21	3.5	20
100	Human leukocyte antigen genotype and risk of HIV disease progression before and after initiation of antiretroviral therapy. <i>Journal of Virology</i> , 2011 , 85, 10826-33	6.6	19
99	The effect of HAART on HIV RNA trajectory among treatment-naße men and women: a segmental Bernoulli/lognormal random effects model with left censoring. <i>Epidemiology</i> , 2010 , 21 Suppl 4, S25-34	3.1	19
98	From Smallpox to Big Data: The Next 100 Years of Epidemiologic Methods. <i>American Journal of Epidemiology</i> , 2016 , 183, 423-6	3.8	18

97	Prevalence and risk factors for carcinogenic human papillomavirus infections in rural Rakai, Uganda. <i>Sexually Transmitted Infections</i> , 2008 , 84, 306-11	2.8	18
96	Longitudinal assessment of de novo T cell production in relation to HIV-associated T cell homeostasis failure. <i>AIDS Research and Human Retroviruses</i> , 2006 , 22, 501-7	1.6	18
95	The relationship between virus load response to highly active antiretroviral therapy and change in CD4 cell counts: A report from the Women@interagency HIV study. <i>Journal of Infectious Diseases</i> , 2000 , 182, 1527-30	7	18
94	Genital herpes evaluation by quantitative TaqMan PCR: correlating single detection and quantity of HSV-2 DNA in cervicovaginal lavage fluids with cross-sectional and longitudinal clinical data. <i>Virology Journal</i> , 2010 , 7, 328	6.1	16
93	Dissatisfaction with medical care among women with HIV: dimensions and associated factors. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2003 , 15, 451-62	2.2	16
92	Individual variation in CD4 cell count trajectory among human immunodeficiency virus-infected men and women on long-term highly active antiretroviral therapy: an application using a Bayesian random change-point model. <i>American Journal of Epidemiology</i> , 2005 , 162, 787-97	3.8	16
91	Prevalence and Correlates of Highly Active Antiretroviral Therapy Switching in the Women@ Interagency HIV Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002 , 29, 495-503	3.1	16
90	Superior cervical ganglionectomy in monkeys: aqueous humor dynamics and their responses to drugs. <i>Experimental Eye Research</i> , 1995 , 60, 575-84	3.7	16
89	Echolucency of the carotid artery intima-media complex and intima-media thickness have different cardiovascular risk factor relationships: the WomenQ Interagency HIV Study. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	15
88	Determinants of newly detected human papillomavirus infection in HIV-infected and HIV-uninfected injection drug using women. <i>Sexually Transmitted Diseases</i> , 2009 , 36, 149-56	2.4	15
87	Correlates of CD4+ and CD8+ lymphocyte counts in high-risk immunodeficiency virus (HIV)-seronegative women enrolled in the women@interagency HIV study (WIHS). <i>Human Immunology</i> , 2007 , 68, 342-9	2.3	15
86	Effect of discontinuing antiretroviral therapy on survival of women initiated on highly active antiretroviral therapy. <i>Aids</i> , 2004 , 18, 1579-84	3.5	15
85	Longitudinal patterns of HIV type 1 RNA among individuals with late disease progression. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 1223-9	1.6	15
84	Carotid artery atherosclerosis is associated with mortality in HIV-positive women and men. <i>Aids</i> , 2018 , 32, 2393-2403	3.5	15
83	Life-Expectancy Disparities Among Adults With HIV in the United States and Canada: The Impact of a Reduction in Drug- and Alcohol-Related Deaths Using the Lives Saved Simulation Model. <i>American Journal of Epidemiology</i> , 2019 , 188, 2097-2109	3.8	14
82	Identifying the appropriate comparison group for HIV-infected individuals. <i>Current Opinion in HIV and AIDS</i> , 2014 , 9, 379-85	4.2	14
81	A critical epidemiological review of cardiovascular disease risk in HIV-infected adults: the importance of the HIV-uninfected comparison group, confounding, and competing risks. <i>HIV Medicine</i> , 2013 , 14, 191-2	2.7	14
80	The relation of HLA genotype to hepatitis C viral load and markers of liver fibrosis in HIV-infected and HIV-uninfected women. <i>Journal of Infectious Diseases</i> , 2011 , 203, 1807-14	7	14

79	Evaluating competing adverse and beneficial outcomes using a mixture model. <i>Statistics in Medicine</i> , 2008 , 27, 4313-27	2.3	14
78	Association of Immunosuppression and Human Immunodeficiency Virus (HIV) Viremia With Anal Cancer Risk in Persons Living With HIV in the United States and Canada. <i>Clinical Infectious Diseases</i> , 2020 , 70, 1176-1185	11.6	14
77	Use of total lymphocyte count and hemoglobin concentration for monitoring progression of HIV infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2005 , 39, 620-5	3.1	13
76	An instrumental variables evaluation of the effect of antidepressant use on employment among HIV-infected women using antiretroviral therapy in the United States: 1996-2004. <i>Health Economics</i> (United Kingdom), 2010 , 19, 173-88	2.4	12
75	Outcome after negative colposcopy among human immunodeficiency virus-infected women with borderline cytologic abnormalities. <i>Obstetrics and Gynecology</i> , 2005 , 106, 525-32	4.9	12
74	Relation of HLA class I and II supertypes with spontaneous clearance of hepatitis C virus. <i>Genes and Immunity</i> , 2013 , 14, 330-5	4.4	11
73	Ascertainment and verification of end-stage renal disease and end-stage liver disease in the north american AIDS cohort collaboration on research and design. <i>AIDS Research and Treatment</i> , 2015 , 2015, 923194	2.3	11
72	Interleukin 10 responses are associated with sustained CD4 T-cell counts in treated HIV infection. Journal of Infectious Diseases, 2012, 206, 780-9	7	11
71	Lower liver-related death in African-American women with human immunodeficiency virus/hepatitis C virus coinfection, compared to Caucasian and Hispanic women. <i>Hepatology</i> , 2012 , 56, 1699-705	11.2	11
70	Predictors of reported influenza vaccination in HIV-infected women in the United States, 2006-2007 and 2007-2008 seasons. <i>Preventive Medicine</i> , 2010 , 50, 223-9	4.3	11
69	Evaluation of human immunodeficiency virus biomarkers: inferences from interval and clinical cohort studies. <i>Epidemiology</i> , 2009 , 20, 664-72	3.1	11
68	Teaching epidemiologic methods. <i>Epidemiology</i> , 2008 , 19, 353-6	3.1	11
67	Predicting death over 8 years in a prospective cohort of HIV-infected women: the Women@ Interagency HIV Study. <i>BMJ Open</i> , 2017 , 7, e013993	3	10
66	Increased gonorrhoea and chlamydia testing did not increase case detection in an HIV clinical cohort 1999-2007. <i>Sexually Transmitted Infections</i> , 2011 , 87, 469-75	2.8	10
65	Genotypic resistance and immunologic outcomes among HIV-1-infected women with viral failure. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 41, 68-74	3.1	10
64	Clinical reactivations of herpes simplex virus type 2 infection and human immunodeficiency virus disease progression markers. <i>PLoS ONE</i> , 2010 , 5, e9973	3.7	10
63	Association of subclinical atherosclerosis with lipid levels amongst antiretroviral-treated and untreated HIV-infected women in the Women@Interagency HIV study. <i>Atherosclerosis</i> , 2012 , 225, 408-1	3 .1	9
62	Association between U.S. state AIDS Drug Assistance Program (ADAP) features and HIV antiretroviral therapy initiation, 2001-2009. <i>PLoS ONE</i> , 2013 , 8, e78952	3.7	9

(2013-2009)

61	Computer-aided assessment of diagnostic images for epidemiological research. <i>BMC Medical Research Methodology</i> , 2009 , 9, 74	4.7	9
60	Missing data on the estimation of the prevalence of accumulated human immunodeficiency virus drug resistance in patients treated with antiretroviral drugs in north america. <i>American Journal of Epidemiology</i> , 2011 , 174, 727-35	3.8	9
59	Quantitative and qualitative correlates of cervicovaginal herpes simplex virus type 2 shedding among HIV-infected women in the Women@Interagency HIV Study. <i>International Journal of STD and AIDS</i> , 2011 , 22, 273-7	1.4	9
58	Associations of insulin-like growth factor (IGF)-I and IGF-binding protein-3 with HIV disease progression in women. <i>Journal of Infectious Diseases</i> , 2008 , 197, 319-27	7	9
57	Vitamin A deficiency and genital viral burden in women infected with HIV-1. Lancet, The, 2002, 359, 121	0420	9
56	Prevalence and 1-year incidence of frailty among women with and without HIV in the Women@ Interagency HIV Study. <i>Aids</i> , 2019 , 33, 357-359	3.5	9
55	One Size Fits (n)One: The Influence of Sex, Age, and Sexual Human Immunodeficiency Virus (HIV) Acquisition Risk on Racial/Ethnic Disparities in the HIV Care Continuum in the United States. <i>Clinical Infectious Diseases</i> , 2019 , 68, 795-802	11.6	9
54	Genome-wide admixture and association study of subclinical atherosclerosis in the Women@ Interagency HIV Study (WIHS). <i>PLoS ONE</i> , 2017 , 12, e0188725	3.7	8
53	Mortality under plausible interventions on antiretroviral treatment and depression in HIV-infected women: an application of the parametric g-formula. <i>Annals of Epidemiology</i> , 2017 , 27, 783-789.e2	6.4	8
52	Retrospective mortality study among employees occupationally exposed to toner. <i>Journal of Occupational and Environmental Medicine</i> , 2010 , 52, 1035-41	2	8
51	Association of cutaneous anergy with human papillomavirus and cervical neoplasia in HIV-seropositive and seronegative women. <i>Aids</i> , 2007 , 21, 1933-41	3.5	8
50	Timing of Antiretroviral Therapy Initiation and Risk of Cancer Among Persons Living With Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1900-1909	11.6	8
49	Patterns, predictors, and consequences of initial regimen type among HIV-infected women receiving highly active antiretroviral therapy. <i>Clinical Infectious Diseases</i> , 2008 , 46, 305-12	11.6	7
48	Application of case-crossover and case-time-control study designs in analyses of time-varying predictors of T-cell homeostasis failure. <i>Annals of Epidemiology</i> , 2005 , 15, 137-44	6.4	7
47	CCR2 genotype and disease progression in a treated population of HIV type 1-infected women. <i>Clinical Infectious Diseases</i> , 2004 , 39, 861-5	11.6	7
46	AIDS onset at high CD4+ cell levels is associated with high HIV load. <i>AIDS Research and Human Retroviruses</i> , 2000 , 16, 103-7	1.6	7
45	The effect of HIV infection and HCV viremia on inflammatory mediators and hepatic injury-The Women@Interagency HIV Study. <i>PLoS ONE</i> , 2017 , 12, e0181004	3.7	7
44	Treatment-related changes in serum lipids and inflammation: clinical relevance remains unclear. Analyses from the Women@Interagency HIV study. <i>Aids</i> , 2013 , 27, 1516-9	3.5	6

43	Serum lipid profiles among patients initiating ritonavir-boosted atazanavir versus efavirenz-based regimens. <i>AIDS Research and Therapy</i> , 2009 , 6, 13	3	6
42	Relationship of injection drug use, antiretroviral therapy resistance, and genetic diversity in the HIV-1 pol gene. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 50, 381-9	3.1	6
41	Methods for the analysis of continuous biomarker assay data with increased sensitivity. <i>Epidemiology</i> , 2004 , 15, 724-32	3.1	6
40	Mind the gap: observation windows to define periods of event ascertainment as a quality control method for longitudinal electronic health record data. <i>Annals of Epidemiology</i> , 2019 , 33, 54-63	6.4	5
39	Evaluating the association of single-nucleotide polymorphisms with tenofovir exposure in a diverse prospective cohort of women living with HIV. <i>Pharmacogenomics Journal</i> , 2018 , 18, 245-250	3.5	5
38	Systemic Cytokine Levels Do Not Predict CD4(+) T-Cell Recovery After Suppressive Combination Antiretroviral Therapy in Chronic Human Immunodeficiency Virus Infection. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw025	1	5
37	The Changing Science of HIV Epidemiology in the United States. <i>American Journal of Epidemiology</i> , 2019 , 188, 2061-2068	3.8	5
36	Interferon Lambda 4 Genotype Is Not Associated with Recurrence of Oral or Genital Herpes. <i>PLoS ONE</i> , 2015 , 10, e0138827	3.7	5
35	Examining the Relationships Between Experienced and Anticipated Stigma in Health Care Settings, Patient-Provider Race Concordance, and Trust in Providers Among Women Living with HIV. <i>AIDS Patient Care and STDs</i> , 2021 , 35, 441-448	5.8	5
34	Hepatic fibrosis and immune phenotype vary by HCV viremia in HCV/HIV co-infected subjects: A Women@interagency HIV study. <i>Medicine (United States)</i> , 2016 , 95, e4483	1.8	5
33	Loss of CXCR4 on non-classical monocytes in participants of the Women@Interagency HIV Study (WIHS) with subclinical atherosclerosis. <i>Cardiovascular Research</i> , 2019 , 115, 1029-1040	9.9	5
32	History of Incarceration Among Women with HIV: Impact on Prognosis and Mortality. <i>Journal of Womend</i> : Health, 2019 , 28, 1083-1093	3	4
31	Association of a 3Quntranslated region polymorphism in proprotein convertase subtilisin/kexin type 9 with HIV viral load and CD4+ levels in HIV/hepatitis C virus coinfected women. <i>Aids</i> , 2017 , 31, 2483-24	19 ³ 2 ⁵	4
30	Elevated caspase-3 expression and T-cell activation in elite suppressors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 54, 110-1	3.1	4
29	Combined analysis of retrospective and prospective occurrences in cohort studies: HIV-1 serostatus and incident pneumonia. <i>International Journal of Epidemiology</i> , 2006 , 35, 1442-6	7.8	4
28	Parametric models to assess tracking of categorical high-risk sexual behaviour for HIV infection. <i>Statistics in Medicine</i> , 1996 , 15, 2323-36; discussion 2337-40	2.3	4
27	CD4 Count at Entry into Care and at Antiretroviral Therapy Prescription among Adults with Human Immunodeficiency Virus in the United States, 2005-2018. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2334-e2	23376	4
26	Upregulated IL-32 Expression And Reduced Gut Short Chain Fatty Acid Caproic Acid in People Living With HIV With Subclinical Atherosclerosis. <i>Frontiers in Immunology</i> , 2021 , 12, 664371	8.4	4

25	Classical monocyte transcriptomes reveal significant anti-inflammatory statin effect in women with chronic HIV. <i>Cardiovascular Research</i> , 2021 , 117, 1166-1177	9.9	4
24	Antiretroviral therapy modifies the genetic effect of known type 2 diabetes-associated risk variants in HIV-infected women. <i>Aids</i> , 2014 , 28, 1815-23	3.5	3
23	Estimation and inference on correlations between biomarkers with repeated measures and left-censoring due to minimum detection levels. <i>Statistics in Medicine</i> , 2012 , 31, 2275-89	2.3	3
22	Seroincidence of 2009 H1N1 infection in HIV-infected and HIV-uninfected women prior to vaccine availability. <i>Aids</i> , 2011 , 25, 1229-32	3.5	3
21	The insulin-like growth factor axis and risk of liver disease in hepatitis C virus/HIV-co-infected women. <i>Aids</i> , 2008 , 22, 527-31	3.5	3
20	Assessment of Different Classification Schemes for Identification of Diastolic Dysfunction in the Women@Interagency HIV Study. <i>Journal of the American Society of Echocardiography</i> , 2019 , 32, 547-548	5.8	2
19	Intracellular Tenofovir and Emtricitabine Concentrations in Younger and Older Women with HIV Receiving Tenofovir Disoproxil Fumarate/Emtricitabine. <i>Antimicrobial Agents and Chemotherapy</i> , 2020 , 64,	5.9	2
18	Antiretroviral-treated HIV-infected women have similar long-term kidney function trajectories as HIV-uninfected women. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 755-60	1.6	2
17	Identifying individuals with virologic failure after initiating effective antiretroviral therapy: The surprising value of mean corpuscular hemoglobin in a cross-sectional study. <i>AIDS Research and Therapy</i> , 2010 , 7, 25	3	2
16	Screening HIV-positive pregnant women for antiretroviral therapy: utility of self-reported symptoms. <i>International Journal of STD and AIDS</i> , 2006 , 17, 112-5	1.4	2
15	Patient Health Literacy and Communication with Providers Among Women Living with HIV: A Mixed Methods Study. <i>AIDS and Behavior</i> , 2021 , 1	4.3	2
14	A Genome-Wide Association Study Identifies a Candidate Gene Associated With Atazanavir Exposure Measured in Hair. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 104, 949-956	6.1	1
13	Association between Use of Methadone, Other Central Nervous System Depressants, and QTc Interval-Prolonging Medications and Risk of Mortality in a Large Cohort of Women Living with or at Risk for Human Immunodeficiency Virus Infection. <i>Pharmacotherapy</i> , 2019 , 39, 899-911	5.8	1
12	Virologic and immunologic response to HAART, by age and regimen class: Erratum. <i>Aids</i> , 2011 , 25, 397	3.5	1
11	A genomic variant of ALPK2 is associated with increased liver fibrosis risk in HIV/HCV coinfected women. <i>PLoS ONE</i> , 2021 , 16, e0247277	3.7	1
10	Brief Report: Subclinical Carotid Artery Atherosclerosis Is Associated With Increased Expression of Peripheral Blood IL-32 Isoforms Among Women Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 186-191	3.1	1
9	Elevated Microparticle Tissue Factor Activity Is Associated With Carotid Artery Plaque in HIV-Infected Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 36-43	3.1	1
8	Association of Pharmacogenetic Markers With Atazanavir Exposure in HIV-Infected Women. <i>Clinical Pharmacology and Therapeutics</i> , 2020 , 107, 315-318	6.1	1

7	Restriction of HIV-1 infection in sickle cell trait. <i>Blood Advances</i> , 2021 , 5, 4922-4934	7.8	1
6	Prevalence and correlates of restless legs syndrome in men living with HIV. <i>PLoS ONE</i> , 2021 , 16, e0258 ²	13,97	1
5	BMI 25 predicted higher overall mortality in adults. <i>Evidence-Based Medicine</i> , 2009 , 14, 152		
4	Resultados clflicos tras el tratamiento de la neoplasia cervical intraepitelial en mujeres con VIH. Journal of Lower Genital Tract Disease, 2008 , 1, 27-35	3.6	
3	Definition of proteinuria among women with HIV infection. Kidney International, 2004, 65, 1519	9.9	
2	Control of HIV-1 Infection By Ferroportin Q248H Mutation. <i>Blood</i> , 2019 , 134, 953-953	2.2	
1	Parametric models for studying time to antiretroviral resistance associated with illicit drug use. Wisconsin Medical Journal, 2009, 108, 266-8	0.5	