

Michelle Watt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1361780/publications.pdf>

Version: 2024-02-01

94
papers

7,346
citations

61857

43
h-index

60497

81
g-index

100
all docs

100
docs citations

100
times ranked

7331
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Modulators or facilitators? Roles of lipids in plant root-microbe interactions. Trends in Plant Science, 2022, 27, 180-190. | 4.3 | 45 |
| 2 | A toolkit to rapidly modify root systems through single plant selection. Plant Methods, 2022, 18, 2. | 1.9 | 8 |
| 3 | Root Growth and Architecture of Wheat and Brachypodium Vary in Response to Algal Fertilizer in Soil and Solution. Agronomy, 2022, 12, 285. | 1.3 | 4 |
| 4 | The root system architecture of wheat establishing in soil is associated with varying elongation rates of seminal roots: quantification using 4D magnetic resonance imaging. Journal of Experimental Botany, 2022, 73, 2050-2060. | 2.4 | 19 |
| 5 | Rhizosphere models: their concepts and application to plant-soil ecosystems. Plant and Soil, 2022, 474, 17-55. | 1.8 | 9 |
| 6 | N-dependent dynamics of root growth and nitrate and ammonium uptake are altered by the bacterium <i>Herbaspirillum seropedicae</i> in the cereal model <i>Brachypodium distachyon</i> . Journal of Experimental Botany, 2022, 73, 5306-5321. | 2.4 | 11 |
| 7 | Alleviation of salinity stress in plants by endophytic plant-fungal symbiosis: Current knowledge, perspectives and future directions. Plant and Soil, 2021, 461, 219-244. | 1.8 | 109 |
| 8 | Time-resolution of the shoot and root growth of the model cereal Brachypodium in response to inoculation with Azospirillum bacteria at low phosphorus and temperature. Plant Growth Regulation, 2021, 93, 149-162. | 1.8 | 10 |
| 9 | Wheat Can Access Phosphorus From Algal Biomass as Quickly and Continuously as From Mineral Fertilizer. Frontiers in Plant Science, 2021, 12, 631314. | 1.7 | 7 |
| 10 | Understanding plant-root interactions with rhizobacteria to improve biological nitrogen fixation in crops. Burleigh Dodds Series in Agricultural Science, 2021, , 163-194. | 0.1 | 1 |

11

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Energy costs of salt tolerance in crop plants. <i>New Phytologist</i> , 2020, 225, 1072-1090. | 3.5 | 284 |
| 20 | Crop Improvement from Phenotyping Roots: Highlights Reveal Expanding Opportunities. <i>Trends in Plant Science</i> , 2020, 25, 105-118. | 4.3 | 141 |
| 21 | Beyond Digging: Noninvasive Root and Rhizosphere Phenotyping. <i>Trends in Plant Science</i> , 2020, 25, 119-120. | 4.3 | 49 |
| 22 | Effects of Root Temperature on the Plant Growth and Food Quality of Chinese Broccoli (<i>Brassica</i>) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 6 | 1.3 | 18 |
| 23 | Editorial: Phenotyping; From Plant, to Data, to Impact and Highlights of the International Plant Phenotyping Symposium - IPPS 2018. <i>Frontiers in Plant Science</i> , 2020, 11, 618342. | 1.7 | 2 |
| 24 | Root phenotypes at maturity in diverse wheat and triticale genotypes grown in three field experiments: Relationships to shoot selection, biomass, grain yield, flowering time, and environment. <i>Field Crops Research</i> , 2020, 255, 107870. | 2.3 | 25 |
| 25 | Phenotyping: New Windows into the Plant for Breeders. <i>Annual Review of Plant Biology</i> , 2020, 71, 689-712. | 8.6 | 102 |
| 26 | Root phenotypes of young wheat plants grown in controlled environments show inconsistent correlation with mature root traits in the field. <i>Journal of Experimental Botany</i> , 2020, 71, 4751-4762. | 2.4 | 43 |
| 27 | Effects of Root Cooling on Plant Growth and Fruit Quality of Cocktail Tomato during Two Consecutive Seasons. <i>Journal of Food Quality</i> , 2019, 2019, 1-15. | 1.4 | 14 |
| 28 | Soil compaction and the architectural plasticity of root systems. <i>Journal of Experimental Botany</i> , 2019, 70, 6019-6034. | 2.4 | 166 |
| 29 | Multilab EcoFAB study shows highly reproducible physiology and depletion of soil metabolites by a model grass. <i>New Phytologist</i> , 2019, 222, 1149-1160. | 3.5 | 55 |
| 30 | A sterile hydroponic system for characterising root exudates from specific root types and whole-root systems of large crop plants. <i>Plant Methods</i> , 2018, 14, 114. | 1.9 | 25 |
| 31 | Monitoring of Plant Protein Post-translational Modifications Using Targeted Proteomics. <i>Frontiers in Plant Science</i> , 2018, 9, 1168. | 1.7 | 41 |
| 32 | GrowScreen-PaGe, a non-invasive, high-throughput phenotyping system based on germination paper to quantify crop phenotypic diversity and plasticity of root traits under varying nutrient supply. <i>Functional Plant Biology</i> , 2017, 44, 76. | 1.1 | 47 |
| 33 | Root hairs enable high transpiration rates in drying soils. <i>New Phytologist</i> , 2017, 216, 771-781. | 3.5 | 123 |
| 34 | Root type is not an important driver of mycorrhizal colonisation in <i>Brachypodium distachyon</i> . <i>Pedobiologia</i> , 2017, 65, 5-15. | 0.5 | 13 |
| 35 | O<sc>pen</sc>S<sc>im</sc>R<sc>oot</sc>: widening the scope and application of root architectural models. <i>New Phytologist</i> , 2017, 215, 1274-1286. | 3.5 | 158 |
| 36 | Field Phenotyping. , 2017, , 53-81. | | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Microbiome and Exudates of the Root and Rhizosphere of <i>Brachypodium distachyon</i> , a Model for Wheat. <i>PLoS ONE</i> , 2016, 11, e0164533. | 1.1 | 211 |
| 38 | <i>Brachypodium distachyon</i> genotypes vary in resistance to <i>Rhizoctonia solani</i> AG8. <i>Functional Plant Biology</i> , 2016, 43, 189. | 1.1 | 7 |
| 39 | Plant roots: understanding structure and function in an ocean of complexity. <i>Annals of Botany</i> , 2016, 118, 555-559. | 1.4 | 55 |
| 40 | A portable fluorescence spectroscopy imaging system for automated root phenotyping in soil cores in the field. <i>Journal of Experimental Botany</i> , 2016, 67, 1033-1043. | 2.4 | 60 |
| 41 | Wheats developed for high yield on stored soil moisture have deep vigorous root systems. <i>Functional Plant Biology</i> , 2016, 43, 173. | 1.1 | 27 |
| 42 | <i>Brachypodium</i> as an emerging model for cereal-pathogen interactions. <i>Annals of Botany</i> , 2015, 115, 717-731. | 1.4 | 60 |
| 43 | Simultaneous effects of leaf irradiance and soil moisture on growth and root system architecture of novel wheat genotypes: implications for phenotyping. <i>Journal of Experimental Botany</i> , 2015, 66, 5441-5452. | 2.4 | 21 |
| 44 | Variation in Adult Plant Phenotypes and Partitioning among Seed and Stem-Borne Roots across <i>Brachypodium distachyon</i> Accessions to Exploit in Breeding Cereals for Well-Watered and Drought Environments. <i>Plant Physiology</i> , 2015, 168, 953-967. | 2.3 | 44 |
| 45 | Evolution of bacterial communities in the wheat crop rhizosphere. <i>Environmental Microbiology</i> , 2015, 17, 610-621. | 1.8 | 297 |
| 46 | <i>Brachypodium distachyon</i> is a pathosystem model for the study of the wheat disease <i>Rhizoctonia</i> root rot. <i>Plant Pathology</i> , 2015, 64, 91-100. | 1.2 | 16 |
| 47 | Quantifying the response of wheat (<i>Triticum aestivum</i> L) root system architecture to phosphorus in an Oxisol. <i>Plant and Soil</i> , 2014, 385, 303-310. | 1.8 | 35 |
| 48 | Digital imaging approaches for phenotyping whole plant nitrogen and phosphorus response in <i>Brachypodium distachyon</i> . <i>Journal of Integrative Plant Biology</i> , 2014, 56, 781-796. | 4.1 | 49 |
| 49 | Genetically vigorous wheat genotypes maintain superior early growth in no-till soils. <i>Plant and Soil</i> , 2014, 377, 127-144. | 1.8 | 14 |
| 50 | Soil coring at multiple field environments can directly quantify variation in deep root traits to select wheat genotypes for breeding. <i>Journal of Experimental Botany</i> , 2014, 65, 6231-6249. | 2.4 | 134 |
| 51 | Evaluation of root characteristics, canopy temperature depression and stay green trait in relation to grain yield in wheat under early and late sown conditions. <i>Indian Journal of Plant Physiology</i> , 2014, 19, 43-47. | 0.8 | 11 |
| 52 | Sense and nonsense in conservation agriculture: Principles, pragmatism and productivity in Australian mixed farming systems. <i>Agriculture, Ecosystems and Environment</i> , 2014, 187, 133-145. | 2.5 | 152 |
| 53 | A rapid, controlled-environment seedling root screen for wheat correlates well with rooting depths at vegetative, but not reproductive, stages at two field sites. <i>Annals of Botany</i> , 2013, 112, 447-455. | 1.4 | 146 |
| 54 | Response of millet and sorghum to a varying water supply around the primary and nodal roots. <i>Annals of Botany</i> , 2013, 112, 439-446. | 1.4 | 59 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Soil conditions and cereal root system architecture: review and considerations for linking Darwin and Weaver. <i>Journal of Experimental Botany</i> , 2013, 64, 1193-1208. | 2.4 | 207 |
| 56 | Root Gravitropism. , 2013, , 284-297. | | 1 |
| 57 | Application of Brachypodium to the genetic improvement of wheat roots. <i>Journal of Experimental Botany</i> , 2012, 63, 3467-3474. | 2.4 | 35 |
| 58 | The Autoregulation Gene <i>SUNN</i> Mediates Changes in Root Organ Formation in Response to Nitrogen through Alteration of Shoot-to-Root Auxin Transport. <i>Plant Physiology</i> , 2012, 159, 489-500. | 2.3 | 55 |
| 59 | Non-destructive quantification of cereal roots in soil using high-resolution X-ray tomography. <i>Journal of Experimental Botany</i> , 2012, 63, 2503-2511. | 2.4 | 121 |
| 60 | Mechanisms for cellular transport and release of allelochemicals from plant roots into the rhizosphere. <i>Journal of Experimental Botany</i> , 2012, 63, 3445-3454. | 2.4 | 155 |
| 61 | Traits and selection strategies to improve root systems and water uptake in water-limited wheat crops. <i>Journal of Experimental Botany</i> , 2012, 63, 3485-3498. | 2.4 | 643 |
| 62 | A screening method to identify genetic variation in root growth response to a salinity gradient. <i>Journal of Experimental Botany</i> , 2011, 62, 69-77. | 2.4 | 114 |
| 63 | Brachypodium as a Model for the Grasses: Today and the Future. <i>Plant Physiology</i> , 2011, 157, 3-13. | 2.3 | 243 |
| 64 | Large root systems: are they useful in adapting wheat to dry environments?. <i>Functional Plant Biology</i> , 2011, 38, 347. | 1.1 | 241 |
| 65 | Breeding to improve grain yield in water-limited environments: the CSIRO experience with wheat.. , 2011, , 105-121. | | 3 |
| 66 | Breeding for improved water productivity in temperate cereals: phenotyping, quantitative trait loci, markers and the selection environment. <i>Functional Plant Biology</i> , 2010, 37, 85. | 1.1 | 310 |
| 67 | Path of water for root growth. <i>Functional Plant Biology</i> , 2010, 37, 1105. | 1.1 | 33 |
| 68 | Rhizosphere Signals for Plant-Microbe Interactions: Implications for Field-Grown Plants. <i>Progress in Botany Fortschritte Der Botanik</i> , 2010, , 125-161. | 0.1 | 11 |
| 69 | The rhizosphere: biochemistry and organic substances at the soil-plant interface. 2nd edn.. <i>Annals of Botany</i> , 2009, 104, ix-x. | 1.4 | 11 |
| 70 | Specialised root adaptations display cell-specific developmental and physiological diversity. <i>Plant and Soil</i> , 2009, 322, 39-47. | 1.8 | 9 |
| 71 | Vigorous Crop Root Systems. , 2009, , 309-325. | | 34 |
| 72 | The shoot and root growth of Brachypodium and its potential as a model for wheat and other cereal crops. <i>Functional Plant Biology</i> , 2009, 36, 960. | 1.1 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Types, structure and potential for axial water flow in the deepest roots of field-grown cereals. <i>New Phytologist</i> , 2008, 178, 135-146. | 3.5 | 110 |
| 74 | Organic anions in the rhizosphere of Al-tolerant and Al-sensitive wheat lines grown in an acid soil in controlled and field environments. <i>Soil Research</i> , 2008, 46, 257. | 0.6 | 16 |
| 75 | Pathways of infection of <i>Brassica napus</i> roots by <i>Leptosphaeria maculans</i> . <i>New Phytologist</i> , 2007, 176, 211-222. | 3.5 | 41 |
| 76 | Physiological traits and cereal germplasm for sustainable agricultural systems. <i>Euphytica</i> , 2007, 154, 409-425. | 0.6 | 96 |
| 77 | Rhizosphere biology and crop productivity—a review. <i>Soil Research</i> , 2006, 44, 299. | 0.6 | 107 |
| 78 | Numbers and locations of native bacteria on field-grown wheat roots quantified by fluorescence in situ hybridization (FISH). <i>Environmental Microbiology</i> , 2006, 8, 871-884. | 1.8 | 160 |
| 79 | Frozen in time: a new method using cryo-scanning electron microscopy to visualize root-fungal interactions. <i>New Phytologist</i> , 2006, 172, 369-374. | 3.5 | 19 |
| 80 | Rates of Root and Organism Growth, Soil Conditions, and Temporal and Spatial Development of the Rhizosphere. <i>Annals of Botany</i> , 2006, 97, 839-855. | 1.4 | 224 |
| 81 | A wheat genotype developed for rapid leaf growth copes well with the physical and biological constraints of unploughed soil. <i>Functional Plant Biology</i> , 2005, 32, 695. | 1.1 | 106 |
| 82 | Strategies to isolate transporters that facilitate organic anion efflux from plant roots. <i>Plant and Soil</i> , 2003, 248, 61-69. | 1.8 | 24 |
| 83 | Phosphorus acquisition from soil by white lupin (<i>Lupinus albus</i> L.) and soybean (<i>Glycine max</i> L.), species with contrasting root development. <i>Plant and Soil</i> , 2003, 248, 271-283. | 1.8 | 60 |
| 84 | Soil strength and rate of root elongation alter the accumulation of <i>Pseudomonas</i> spp. and other bacteria in the rhizosphere of wheat. <i>Functional Plant Biology</i> , 2003, 30, 483. | 1.1 | 70 |
| 85 | Phosphorus acquisition from soil by white lupin (<i>Lupinus albus</i> L.) and soybean (<i>Glycine max</i> L.), species with contrasting root development. , 2003, , 271-283. | | 2 |
| 86 | Strategies to isolate transporters that facilitate organic anion efflux from plant roots. , 2003, , 61-69. | | 0 |
| 87 | Roots of <i>Banksia</i> spp. (Proteaceae) with Special Reference to Functioning of Their Specialized Proteoid Root Clusters. , 2002, , 989-1006. | | 19 |
| 88 | Linking Development and Determinacy with Organic Acid Efflux from Proteoid Roots of White Lupin Grown with Low Phosphorus and Ambient or Elevated Atmospheric CO ₂ Concentration ¹ . <i>Plant Physiology</i> , 1999, 120, 705-716. | 2.3 | 211 |
| 89 | Proteoid Roots. <i>Physiology and Development</i> . <i>Plant Physiology</i> , 1999, 121, 317-323. | 2.3 | 210 |
| 90 | Point specific measurement and monitoring of soil water content with an emphasis on TDR. <i>Canadian Journal of Soil Science</i> , 1996, 76, 307-316. | 0.5 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Effects of Local Variations in Soil Moisture on Hydrophobic Deposits and Dye Diffusion in Corn Roots. <i>Botanica Acta</i> , 1996, 109, 492-501. | 1.6 | 17 |
| 92 | Formation and Stabilization of Rhizosheaths of <i>Zea mays</i> L. (Effect of Soil Water Content). <i>Plant Physiology</i> , 1994, 106, 179-186. | 2.3 | 177 |
| 93 | Plant and bacterial mucilages of the maize rhizosphere: Comparison of their soil binding properties and histochemistry in a model system. <i>Plant and Soil</i> , 1993, 151, 151-165. | 1.8 | 114 |
| 94 | Phosphorus Efficient Phenotype of Rice. , 0, , . | | 6 |