

Jyotsna Dutta Majumdar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1361914/jyotsna-dutta-majumdar-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110 papers	2,305 citations	25 h-index	44 g-index
112 ext. papers	2,614 ext. citations	3.1 avg, IF	5.45 L-index

#	Paper	IF	Citations
110	Advancement in Titanium Aluminide and its High Temperature Oxidation Behaviour. <i>Indian Institute of Metals Series</i> , 2022 , 295-314	0.3	
109	Ultrafast Laser-Induced Periodic Structuring of Titanium Alloy (Ti-6Al-4V). <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 4000-4011	1.6	2
108	Metallurgical Characteristics, Compressive Strength, and Chemical Degradation Behavior of Aluminum-Cenosphere Composite Foam Developed by Spray Forming Route. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 5750-5762	1.6	2
107	Wear and Corrosion Protection of Interstitial Free Steel by Sputter Deposition of Alloy Coating as a Novel Alternative to Galvanizing. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 5682-5691	1.6	
106	Electron Beam Surface Treatment of 316L Austenitic Stainless Steel: Improvements in Hardness, Wear, and Corrosion Resistance. <i>Metals and Materials International</i> , 2021 , 27, 953-961	2.4	2
105	Microstructures, wear and corrosion resistance of laser composite surfaced austenitic stainless steel (AISI 304 SS) with tungsten carbide. <i>Optics and Laser Technology</i> , 2021 , 134, 106585	4.2	6
104	Structure-property-process parameters correlation of laser additive manufactured TiC dispersed titanium aluminide (Ti45Al5Nb0.5Si) composite. <i>Intermetallics</i> , 2021 , 134, 107185	3.5	5
103	3-D Printing by Laser-Assisted Direct Energy Deposition (LDED): The Present Status 2021 , 6, 933		1
102	Radio Frequency Magnetron Sputtering Coatings of Biomedical Implants Using Nanostructured Titanium Carbide Thin Films. <i>Journal of Bio- and Tribo-Corrosion</i> , 2021 , 7, 1	2.9	
101	Development of graded composition and microstructure on Inconel 718 by laser surface alloying with Si, Al and ZrB2 for improvement in high temperature oxidation resistance. <i>Surface and Coatings Technology</i> , 2020 , 402, 126345	4.4	2
100	Studies on the effect of composition and pre-heating on microstructure and mechanical properties of direct laser clad titanium aluminide. <i>Optics and Lasers in Engineering</i> , 2020 , 131, 106041	4.6	9
99	Microstructural change during laser welding of Inconel 718. <i>Optik</i> , 2020 , 218, 165029	2.5	5
98	Effect of Heat Input on Mechanical and Electrochemical Properties of Electron-Beam-Welded Inconel 718. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 1706-1714	1.6	6
97	Studies on Electron Beam Surface Remelted Inconel 718 Superalloy. <i>Metals and Materials International</i> , 2020 , 1	2.4	3
96	Study of Variation in Fracture Location of Electron Beam-Welded Hastelloy C-276 Sheets under Uniaxial Tension. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 8370-8394	1.6	1
95	High Temperature Oxidation Study of Nano-Y2O3 Dispersed Ferritic Alloys Synthesized by Mechanical Alloying and Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020 , 51, 5257-5267	2.3	5
94	Microstructural characterization of laser surface-melted Inconel 718. <i>Journal of Optics (India)</i> , 2020 , 49, 494-509	1.3	1

93	Linear Reciprocating Wear of Yttria-Stabilized Zirconia-Based Composite Coatings Developed by Thermal Spray. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 5041-5056	1.6	1
92	Microstructural Evolution and Microhardness of Direct Laser Clad TiC Dispersed Titanium Aluminide (Ti45Al5Nb0.5Si) Alloy. <i>Procedia Manufacturing</i> , 2019 , 35, 840-846	1.5	5
91	Studies on Microstructure and Mechanical properties of Aluminium Foam prepared by Spray Forming Route. <i>Procedia Manufacturing</i> , 2019 , 35, 861-865	1.5	0
90	Wear behaviour of Electron beam surface melted Inconel 718. <i>Procedia Manufacturing</i> , 2019 , 35, 866-873	1.5	9
89	Study of intergranular corrosion mechanism of fiber laser welded 3-mm-thick Hastelloy C-276 sheet. <i>Corrosion Science</i> , 2019 , 157, 406-419	6.8	14
88	Studies on Ti, Zn and Ti + Zn Bilayer Coatings on Interstitial Free Steel for Enhancement of Wear and Corrosion Resistance. <i>Journal of Materials Engineering and Performance</i> , 2019 , 28, 4434-4442	1.6	1
87	Effect of Elemental Coating of Sn or Zn by Magnetron Sputtering on Corrosion and Wear Resistance of Interstitial-Free Steel. <i>INAE Letters</i> , 2019 , 4, 181-189	0.7	1
86	Surface modification of structural material for nuclear applications by electron beam melting: enhancement of microstructural and corrosion properties of Inconel 617. <i>SN Applied Sciences</i> , 2019 , 1, 1	1.8	9
85	Investigation into the intergranular corrosion behaviour of electron beam welded Hastelloy C-276 sheet using laser displacement sensor. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019 , 144, 345-365	4.6	9
84	Microstructure and corrosion behavior of laser induced periodic patterned titanium based alloy. <i>Optics and Laser Technology</i> , 2019 , 116, 196-213	4.2	5
83	Effect of Prior Cold Deformation and Nitriding Conditions on Microstructure and Mechanical Properties of Plasma Nitrided IF Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2019 , 50, 4319-4330	2.3	2
82	Study of melting efficiency, micro-segregation, and corrosion resistance of Ytterbium fiber laser welded Hastelloy C-276 sheet in pulsed wave mode. <i>Advances in Materials and Processing Technologies</i> , 2019 , 5, 568-581	0.8	4
81	Effect of electron beam accelerating voltage on the melt zone area, secondary-dendrite arm spacing and fusion line microstructure of bead-on-plate welded Hastelloy C-276 sheet. <i>Optik</i> , 2019 , 183, 355-366	2.5	9
80	Studies on wear behavior of aluminium foam developed by spray forming route. <i>Materials Today: Proceedings</i> , 2019 , 19, 532-535	1.4	1
79	Effect of post-weld heat treatment on the tensile strength of laser beam welded Hastelloy C-276 sheets at different heat inputs. <i>Journal of Manufacturing Processes</i> , 2019 , 37, 578-594	5	24
78	Optimization of Melt Zone Area for Electron Beam Welded Hastelloy C-276 Sheet and Study of Corrosion Resistance of the Optimized Melt Zone in 3.5 wt% NaCl Aqueous Solution. <i>Arabian Journal for Science and Engineering</i> , 2019 , 44, 1617-1630	2.5	14
77	Interfacial Microstructural and Corrosion Characterizations of Friction Stir Welded AA6061-T6 and AISI304 Materials. <i>Metals and Materials International</i> , 2019 , 25, 752-767	2.4	22
76	Direct laser cladding of the silicide dispersed titanium aluminide (Ti45Al5Nb0.5Si) composites. <i>Optics and Laser Technology</i> , 2018 , 106, 182-190	4.2	9

75	Wear Behavior of Plasma Spray Deposited and Post Heat-Treated Hydroxyapatite (HA)-Based Composite Coating on Titanium Alloy (Ti-6Al-4V) Substrate. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2018 , 49, 3122-3132	2.3	6
74	Laser Surface Melting of AISI 316L Stainless Steel for Bio-implant Application. <i>Proceedings of the National Academy of Sciences India Section A - Physical Sciences</i> , 2018 , 88, 387-403	0.9	12
73	Study on uni-axial tensile strength properties of Ytterbium fiber laser welded Hastelloy C-276 sheet. <i>Optics and Laser Technology</i> , 2018 , 108, 392-403	4.2	22
72	Minimization of bead geometry by optimization of regression equations for laser-beam bead-on-plate welded Hastelloy C-276 sheet. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , 2018 , 40, 1	2	10
71	Laser Surface Alloying of AISI 304 Stainless Steel with WC+Co+NiCr for Improving Wear Resistance. <i>Procedia Manufacturing</i> , 2017 , 7, 8-14	1.5	5
70	Studies on Electron Beam Welded Inconel 718 Similar Joints. <i>Procedia Manufacturing</i> , 2017 , 7, 654-659	1.5	9
69	Microstructure and surface mechanical properties of plasma spray deposited and post spray heat treated hydroxyapatite (HA) based composite coating on titanium alloy (Ti-6Al-4V) substrate. <i>Materials Characterization</i> , 2017 , 131, 12-20	3.9	20
68	Thermophysical behavior of thermal sprayed yttria stabilized zirconia based composite coatings. <i>Ceramics International</i> , 2017 , 43, 11204-11217	5.1	14
67	Studies on Electron Beam Surface Melting of AISI 316 Stainless Steel and AISI 347 Stainless Steel. <i>Procedia Manufacturing</i> , 2017 , 7, 647-653	1.5	7
66	Heat-Treated TiO ₂ Plasma Spray Deposition for Bioactivity Improvement in Ti-6Al-4V Alloy. <i>Journal of Materials Engineering and Performance</i> , 2017 , 26, 6207-6218	1.6	7
65	Microstructures and Properties of Plasma Electrolytic Oxidized Ti Alloy (Ti-6Al-4V) for Bio-implant Application. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 788-800	2.3	18
64	Studies on nanotribological and oxidation resistance properties of yttria stabilized zirconia (YSZ), alumina (Al ₂ O ₃) based thin films developed by pulsed laser deposition. <i>Ceramics International</i> , 2016 , 42, 7060-7071	5.1	13
63	Investigation on femto-second laser irradiation assisted shock peening of medium carbon (0.4% C) steel. <i>Applied Surface Science</i> , 2016 , 364, 133-140	6.7	23
62	Studies on nano-crystalline CoNiCrAlY consolidated by conventional and microwave sintering. <i>Advanced Powder Technology</i> , 2016 , 27, 72-84	4.6	6
61	Laser Surface Processing for Tailoring of Properties by Optimization of Microstructure. <i>Advances in Civil and Industrial Engineering Book Series</i> , 2016 , 121-171	0.5	1
60	Laser surface textured titanium alloy (Ti6Al4V): Part 1 Surface characterization. <i>Applied Surface Science</i> , 2015 , 355, 104-111	6.7	65
59	Microstructure and Mechanical Properties of Laser Clad and Post-cladding Tempered AISI H13 Tool Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 2309-2321	2.3	17
58	Microstructural Characterization and Wear Behavior of Nano-Boride Dispersed Coating on AISI 304 Stainless Steel by Hybrid High Velocity Oxy-Fuel Spraying Laser Surface Melting. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015 , 46, 3157-3165	2.3	5

57	Laser surface textured titanium alloy (Ti6Al4V) [Part II] Studies on bio-compatibility. <i>Applied Surface Science</i> , 2015 , 357, 750-758	6.7	81
56	Effect of Aluminum Coating on the Surface Properties of Ti-(~49 at. pct) Ni Alloy. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2015 , 46, 1951-1958	2.5	2
55	Nanomechanical behavior of yttria stabilized zirconia (YSZ) based thermal barrier coating. <i>Ceramics International</i> , 2015 , 41, 5247-5256	5.1	29
54	Laser surface engineering of titanium and its alloys for improved wear, corrosion and high-temperature oxidation resistance 2015 , 483-521		14
53	Microstructural characterisation and property evaluation of titanium cenosphere syntactic foam developed by powder metallurgy route. <i>Powder Metallurgy</i> , 2015 , 58, 289-299	1.9	13
52	Thermal and Cold Spraying Technology in Manufacturing 2015 , 2805-2850		1
51	Kinetics and mechanism of isothermal oxidation of compositionally graded yttria stabilized zirconia (YSZ) based thermal barrier coating. <i>Corrosion Science</i> , 2014 , 88, 10-22	6.8	62
50	Phase Evolution and Mechanical Properties of Nano-TiO ₂ Dispersed Zr-Based Alloys by Mechanical Alloying and Conventional Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 3748-3754	2.3	11
49	Nano-Borides and Silicide Dispersed Composite Coating on AISI 304 Stainless Steel by Laser-Assisted HVOF Spray Deposition. <i>Journal of Thermal Spray Technology</i> , 2014 , 23, 1105-1115	2.5	4
48	Compositionally Graded Thermal Barrier Coating by Hybrid Thermal Spraying Route and its Non-isothermal Oxidation Behavior. <i>Journal of Thermal Spray Technology</i> , 2013 , 22, 901-917	2.5	12
47	Microstructural Characterization and Properties Evaluation of Ni-Based Hardfaced Coating on AISI 304 Stainless Steel by High Velocity Oxyfuel Coating Technique. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013 , 44, 372-380	2.3	11
46	Highly porous open cell Ti-foam using NaCl as temporary space holder through powder metallurgy route. <i>Materials & Design</i> , 2013 , 47, 810-819		126
45	Introduction to Laser Assisted Fabrication of Materials. <i>Springer Series in Materials Science</i> , 2013 , 1-67	0.9	12
44	Evaluation of Microstructure and Mechanical Properties of Nano-Y ₂ O ₃ -Dispersed Ferritic Alloy Synthesized by Mechanical Alloying and Consolidated by High-Pressure Sintering. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2013 , 44, 2884-2894	2.3	17
43	Thermal and Cold Spraying Technology in Manufacturing 2013 , 1-37		0
42	Structure-property-correlation in laser surface alloyed AISI 304 stainless steel with WC+Ni+NiCr. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 536, 159-169	5.3	25
41	Laser surface alloying of aluminium with WC+Co+NiCr for improved wear resistance. <i>Surface and Coatings Technology</i> , 2012 , 206, 3333-3341	4.4	52
40	Microstructure and mechanical properties of nano-Y ₂ O ₃ dispersed ferritic steel synthesized by mechanical alloying and consolidated by pulse plasma sintering. <i>Philosophical Magazine</i> , 2012 , 92, 516-534	1.6	31

39	Laser-Surface Alloying of Nimonic 80 with Silicon and Aluminum and its Oxidation Behavior. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2012 , 43, 3786-3796 ^{2,3}	11
38	Surface Characterization and Mechanical Properties Evaluation of Boride-Dispersed Nickel-Based Coatings Deposited on Copper Through Thermal Spray Routes. <i>Journal of Thermal Spray Technology</i> , 2012 , 21, 800-809	2.5 13
37	Complete and Incomplete Wetting of Ferrite Grain Boundaries by Austenite in the Low-Alloyed Ferritic Steel. <i>Journal of Materials Engineering and Performance</i> , 2012 , 21, 667-670	1.6 84
36	Effect of laser post-treatment on Al ₂ O ₃ -TiB ₂ -TiN composite coating with free hBN. <i>International Journal of Advanced Manufacturing Technology</i> , 2012 , 61, 559-567	3.2 14
35	Laser Gas Alloying of Ti-6Al-4V. <i>Physics Procedia</i> , 2011 , 12, 472-477	17
34	Advances in Metallic Materials Processing. <i>Advances in Materials Science and Engineering</i> , 2011 , 2011, 1-2	1.5 2
33	In Situ Metal Matrix Composite Surfacing by Laser Surface Alloying. <i>Advanced Materials Research</i> , 2011 , 227, 84-91	0.5
32	Laser material processing. <i>International Materials Reviews</i> , 2011 , 56, 341-388	16.1 166
31	Direct Laser Cladding of Cobalt on Ti-6Al-4V with a Compositionally Graded Interface. <i>Advances in Materials Science and Engineering</i> , 2011 , 2011, 1-4	1.5 1
30	Mechanical properties of a laser-surface-alloyed magnesium-based alloy (AZ91) with nickel. <i>Scripta Materialia</i> , 2010 , 62, 579-581	5.6 31
29	Laser assisted composite surfacing of materials for improved wear resistance. <i>Physics Procedia</i> , 2010 , 5, 425-430	6
28	Effect of h-BN addition on the properties of nanostructured Al ₂ O ₃ -TiB ₂ -TiN based coatings developed by combined SHS and laser surface alloying. <i>Surface and Coatings Technology</i> , 2010 , 204, 1702-1709 ²²	4.4 1709
27	Development of in-situ composite surface on mild steel by laser surface alloying with silicon and its remelting. <i>Surface and Coatings Technology</i> , 2010 , 205, 1820-1825	4.4 16
26	Surface characterization and mechanical property evaluation of thermally oxidized Ti-6Al-4V. <i>Materials Characterization</i> , 2009 , 60, 513-518	3.9 59
25	Studies on Direct Laser Cladding of SiC Dispersed AISI 316L Stainless Steel. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2009 , 40, 3001-3008	2.3 16
24	Diode Laser Assisted Surface Nitriding of Ti-6Al-4V: Properties of the Nitrided Surface. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2009 , 40, 3031-3037 ^{2,3}	2.3 25
23	Direct laser cladding of SiC dispersed AISI 316L stainless steel. <i>Tribology International</i> , 2009 , 42, 750-753 ^{4,9}	77
22	Direct laser cladding of Co on Ti-6Al-4V with a compositionally graded interface. <i>Journal of Materials Processing Technology</i> , 2009 , 209, 2237-2243	5.3 65

21	Mechanical and electrochemical properties of laser surface nitrided Ti-6Al-4V. <i>Scripta Materialia</i> , 2008 , 59, 239-242	5.6	42
20	Development of wear resistant composite surface on mild steel by laser surface alloying with silicon and reactive melting. <i>Materials Letters</i> , 2008 , 62, 4257-4259	3.3	15
19	Chemical oxidation of Ti-6Al-4V for improved wear and corrosion resistance. <i>Surface Engineering</i> , 2008 , 24, 442-446	2.6	7
18	Studies on compositionally graded silicon carbide dispersed composite surface on mild steel developed by laser surface cladding. <i>Journal of Materials Processing Technology</i> , 2008 , 203, 505-512	5.3	41
17	Friction and wear behavior of laser composite surfaced aluminium with silicon carbide. <i>Wear</i> , 2007 , 262, 641-648	3.5	35
16	Laser composite surfacing of AISI 304 stainless steel with titanium boride for improved wear resistance. <i>Tribology International</i> , 2007 , 40, 146-152	4.9	32
15	Prospects and future applications for diode lasers in surface engineering. <i>Surface Engineering</i> , 2007 , 23, 73-75	2.6	5
14	Laser composite surfacing of stainless steel with SiC. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006 , 203, 2260-2265	1.6	10
13	Laser assisted fabrication of Co on Ti-6Al-4V for bio-implant application. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006 , 203, 2236-2240	1.6	4
12	Compositionally graded SiC dispersed metal matrix composite coating on Al by laser surface engineering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 433, 241-250	5.3	35
11	In situ dispersion of titanium boride on aluminium by laser composite surfacing for improved wear resistance. <i>Surface and Coatings Technology</i> , 2006 , 201, 1236-1242	4.4	28
10	Microstructure characterisation and process optimization of laser assisted rapid fabrication of 316L stainless steel. <i>Applied Surface Science</i> , 2005 , 247, 320-327	6.7	81
9	Mechanical and electrochemical properties of multiple-layer diode laser cladding of 316L stainless steel. <i>Applied Surface Science</i> , 2005 , 247, 373-377	6.7	64
8	Laser processing of materials. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2003 , 28, 495-562	1	206
7	High-Temperature Oxidation Behavior of Laser-Surface-Alloyed Ti with Si and Si + Al. <i>Oxidation of Metals</i> , 2002 , 57, 473-498	1.6	29
6	Laser surface alloying of an Mg alloy with Al + Mn to improve corrosion resistance. <i>Lasers in Engineering</i> , 2002 , 12, 147-169		23
5	A mathematical model to predict the thermal history and microstructure developed in laser surface alloying. <i>Lasers in Engineering</i> , 2002 , 12, 171-190		8
4	Laser surface alloying of copper with chromium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 268, 216-226	5.3	30

- 3 Surface treatment by laser-melting induced self-propagating high temperature synthesis. *Journal of Materials Science Letters*, **1995**, 14, 828-829 3
- 2 Modelling of Porous Titanium and Understanding Its Mechanical Behavior Using Micro-Computed Tomography. *Journal of Materials Engineering and Performance*,¹ 1.6
- 1 Short and Ultrashort Laser Surface Processing of Alpha + Beta Titanium Alloy (Ti6Al4V): Present Status¹ 0