Donal Leech

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1362272/donal-leech-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155 6,182 44 72 g-index

163 6,759 6.8 6.01 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 155 | Electrochemical glucose biosensor based on an osmium redox polymer and glucose oxidase grafted to carbon nanotubes: A design-of-experiments optimisation of current density and stability. <i>Electrochimica Acta</i> , 2021 , 371, 137845 | 6.7 | 5 |
| 154 | Self-Powered Detection of Glucose by Enzymatic Glucose/Oxygen Fuel Cells on Printed Circuit Boards. <i>ACS Applied Materials & Acs Applied & Acs A</i> | 9.5 | 4 |
| 153 | Aqueous-Eutectic-in-Salt Electrolytes for High-Energy-Density Supercapacitors with an Operational Temperature Window of 100 LC, from -35 to +65 LC. ACS Applied Materials & Amp; Interfaces, 2020, 12, 29181-29193 | 9.5 | 3 |
| 152 | Improved operational stability of mediated glucose enzyme electrodes for operation in human physiological solutions. <i>Bioelectrochemistry</i> , 2020 , 133, 107460 | 5.6 | 13 |
| 151 | Glucose oxidation by enzyme electrodes using genipin to crosslink chitosan, glucose oxidase and amine-containing osmium redox complexes. <i>Electrochemistry Communications</i> , 2020 , 113, 106703 | 5.1 | 4 |
| 150 | Electroactive biofilms on surface functionalized anodes: The anode respiring behavior of a novel electroactive bacterium, Desulfuromonas acetexigens. <i>Water Research</i> , 2020 , 185, 116284 | 12.5 | 14 |
| 149 | Antimicrobial enzymatic biofuel cells. <i>Chemical Communications</i> , 2020 , 56, 15589-15592 | 5.8 | 4 |
| 148 | An oxygen-reducing biocathode with "oxygen tanks". Chemical Communications, 2020, 56, 9767-9770 | 5.8 | 8 |
| 147 | Use of a Thermophile Desiccation-Tolerant Cyanobacterial Culture and Os Redox Polymer for the Preparation of Photocurrent Producing Anodes. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 900 | 5.8 | 1 |
| 146 | The influence of surface composition of carbon nanotubes on the photobioelectrochemical activity of thylakoid bioanodes mediated by osmium-complex modified redox polymer. <i>Electrochimica Acta</i> , 2019 , 310, 20-25 | 6.7 | 15 |
| 145 | Increasing Redox Potential, Redox Mediator Activity, and Stability in a Fungal Laccase by Computer-Guided Mutagenesis and Directed Evolution. <i>ACS Catalysis</i> , 2019 , 9, 4561-4572 | 13.1 | 54 |
| 144 | Glucose biosensor based on open-source wireless microfluidic potentiostat. <i>Sensors and Actuators B: Chemical</i> , 2019 , 290, 616-624 | 8.5 | 23 |
| 143 | Effect of individual plasma components on the performance of a glucose enzyme electrode based on redox polymer mediation of a flavin adenine dinucleotide-dependent glucose dehydrogenase. <i>Electrochimica Acta</i> , 2019 , 302, 270-276 | 6.7 | 12 |
| 142 | Electron Transfer between the Gram-Positive Enterococcus faecalis Bacterium and Electrode Surface through Osmium Redox Polymers. <i>ChemElectroChem</i> , 2019 , 6, 110-113 | 4.3 | 9 |
| 141 | Use of Polymer Coatings to Enhance the Response of Redox-Polymer-Mediated Electrodes. <i>ChemElectroChem</i> , 2019 , 6, 1344-1349 | 4.3 | 13 |
| 140 | Multiplexed Electrochemical Cancer Diagnostics With Automated Microfluidics. <i>Electroanalysis</i> , 2019 , 31, 208-211 | 3 | 9 |
| 139 | Substrate Preference Pattern of Agaricus meleagris Pyranose Dehydrogenase Evaluated through Bioelectrochemical Flow Injection Amperometry. <i>ChemElectroChem</i> , 2019 , 6, 801-809 | 4.3 | 3 |

| 138 | Amperometric Flow Injection Analysis of Glucose and Galactose Based on Engineered Pyranose 2-Oxidases and Osmium Polymers for Biosensor Applications. <i>Electroanalysis</i> , 2018 , 30, 1496-1504 | 3 | 12 |
|-----|---|------|-----|
| 137 | Nanoporous Gold-Based Biofuel Cells on Contact Lenses. <i>ACS Applied Materials & Discourse amp; Interfaces</i> , 2018 , 10, 7107-7116 | 9.5 | 79 |
| 136 | Highly sensitive, stable and selective hydrogen peroxide amperometric biosensors based on peroxidases from different sources wired by Os-polymer: A comparative study. <i>Solid State Ionics</i> , 2018 , 314, 178-186 | 3.3 | 17 |
| 135 | Design of Experiments Approach to Provide Enhanced Glucose-oxidising Enzyme Electrode for Membrane-less Enzymatic Fuel Cells Operating in Human Physiological Fluids. <i>Electroanalysis</i> , 2018 , 30, 1438-1445 | 3 | 5 |
| 134 | Sunlight photocurrent generation from thylakoid membranes on gold nanoparticle modified screen-printed electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2018 , 816, 259-264 | 4.1 | 19 |
| 133 | Extracellular Electron Transfer by the Gram-Positive Bacterium Enterococcus faecalis. <i>Biochemistry</i> , 2018 , 57, 4597-4603 | 3.2 | 62 |
| 132 | Cost-Effective Wireless Microcontroller for Internet Connectivity of Open-Source Chemical Devices. Journal of Chemical Education, 2018 , 95, 1221-1225 | 2.4 | 9 |
| 131 | COMPARISON OF PERFORMANCE OF AN EARTHEN PLATE AND NAFION AS MEMBRANE SEPARATORS IN DUAL CHAMBER MICROBIAL FUEL CELLS. <i>Environmental Engineering and Management Journal</i> , 2018 , 17, 451-458 | 0.6 | 2 |
| 130 | A BRIEF REVIEW ON RECENT ADVANCES IN AIR-CATHODE MICROBIAL FUEL CELLS. <i>Environmental Engineering and Management Journal</i> , 2018 , 17, 1531-1544 | 0.6 | 6 |
| 129 | Micropatterned Carbon-on-Quartz Electrode Chips for Photocurrent Generation from Thylakoid Membranes. <i>ACS Applied Energy Materials</i> , 2018 , 1, 3313-3322 | 6.1 | 10 |
| 128 | Evaluation of Photocurrent Generation from Different Photosynthetic Organisms. <i>ChemElectroChem</i> , 2017 , 4, 412-417 | 4.3 | 27 |
| 127 | Development of an Osmium Redox Polymer Mediated Bioanode and Examination of its Performance in Gluconobacter oxydans Based Microbial Fuel Cell. <i>Electroanalysis</i> , 2017 , 29, 1651-1657 | 3 | 17 |
| 126 | Supercapacitive Photo-Bioanodes and Biosolar Cells: A Novel Approach for Solar Energy Harnessing. <i>Advanced Energy Materials</i> , 2017 , 7, 1602285 | 21.8 | 37 |
| 125 | Bioelectrochemical Haber-Bosch Process: An Ammonia-Producing H /N Fuel Cell. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 2680-2683 | 16.4 | 155 |
| 124 | Bioelectrochemical Haber B osch Process: An Ammonia-Producing H2/N2 Fuel Cell. <i>Angewandte Chemie</i> , 2017 , 129, 2724-2727 | 3.6 | 22 |
| 123 | The ins and outs of microorganismBlectrode electron transfer reactions. <i>Nature Reviews Chemistry</i> , 2017 , 1, | 34.6 | 276 |
| 122 | Inexpensive Miniature Programmable Magnetic Stirrer from Reconfigured Computer Parts. <i>Journal of Chemical Education</i> , 2017 , 94, 816-818 | 2.4 | 11 |
| 121 | The In Vivo Potential-Regulated Protective Protein of Nitrogenase in Azotobacter vinelandii Supports Aerobic Bioelectrochemical Dinitrogen Reduction In Vitro. <i>Journal of the American Chemical Society</i> 2017 139, 9044-9052 | 16.4 | 28 |

| 120 | Analysis of Agaricus meleagris pyranose dehydrogenase N-glycosylation sites and performance of partially non-glycosylated enzymes. <i>Enzyme and Microbial Technology</i> , 2017 , 99, 57-66 | 3.8 | 5 |
|-----|---|------|-----|
| 119 | Electrochemical wiring of the Gram-positive bacterium Enterococcus faecalis with osmium redox polymer modified electrodes. <i>Electrochemistry Communications</i> , 2017 , 75, 56-59 | 5.1 | 25 |
| 118 | Redox-Polymers Enable Uninterrupted Day/Night Photo-Driven Electricity Generation in Biophotovoltaic Devices. <i>Journal of the Electrochemical Society</i> , 2017 , 164, H3037-H3040 | 3.9 | 11 |
| 117 | An oxygen-independent and membrane-less glucose biobattery/supercapacitor hybrid device. <i>Biosensors and Bioelectronics</i> , 2017 , 98, 421-427 | 11.8 | 29 |
| 116 | Photo-Biosupercapacitors: Supercapacitive Photo-Bioanodes and Biosolar Cells: A Novel Approach for Solar Energy Harnessing (Adv. Energy Mater. 12/2017). <i>Advanced Energy Materials</i> , 2017 , 7, | 21.8 | 1 |
| 115 | A symmetric supercapacitor/biofuel cell hybrid device based on enzyme-modified nanoporous gold: An autonomous pulse generator. <i>Biosensors and Bioelectronics</i> , 2017 , 90, 96-102 | 11.8 | 61 |
| 114 | Paper-based microfluidic biofuel cell operating under glucose concentrations within physiological range. <i>Biosensors and Bioelectronics</i> , 2017 , 90, 475-480 | 11.8 | 43 |
| 113 | Wiring of Photosystem I and Hydrogenase on an Electrode for Photoelectrochemical H2 Production by using Redox Polymers for Relatively Positive Onset Potential. <i>ChemElectroChem</i> , 2017 , 4, 90-95 | 4.3 | 44 |
| 112 | Development of a Bioanode for Microbial Fuel Cells Based on the Combination of a MWCNT-Au-Pt Hybrid Nanomaterial, an Osmium Redox Polymer and Gluconobacter oxydans DSM 2343 Cells. <i>ChemistrySelect</i> , 2017 , 2, 12034-12040 | 1.8 | 12 |
| 111 | Comparative proteomics implicates a role for multiple secretion systems in electrode-respiring Geobacter sulfurreducens biofilms. <i>Journal of Proteome Research</i> , 2016 , 15, 4135-4145 | 5.6 | 7 |
| 110 | Nitrogenase bioelectrocatalysis: heterogeneous ammonia and hydrogen production by MoFe protein. <i>Energy and Environmental Science</i> , 2016 , 9, 2550-2554 | 35.4 | 139 |
| 109 | Fully Enzymatic Membraneless Glucose Oxygen Fuel Cell That Provides 0.275 mA cm(-2) in 5 mM Glucose, Operates in Human Physiological Solutions, and Powers Transmission of Sensing Data. Analytical Chemistry, 2016, 88, 2156-63 | 7.8 | 50 |
| 108 | A glucose anode for enzymatic fuel cells optimized for current production under physiological conditions using a design of experiment approach. <i>Bioelectrochemistry</i> , 2015 , 106, 41-6 | 5.6 | 14 |
| 107 | Photocurrent generation from thylakoid membranes on osmium-redox-polymer-modified electrodes. <i>ChemSusChem</i> , 2015 , 8, 990-3 | 8.3 | 54 |
| 106 | Glucose oxidation by osmium redox polymer mediated enzyme electrodes operating at low potential and in oxygen, for application to enzymatic fuel cells. <i>Electrochimica Acta</i> , 2015 , 182, 320-326 | 6.7 | 19 |
| 105 | Photoelectrochemical Wiring of Paulschulzia pseudovolvox (Algae) to Osmium Polymer Modified Electrodes for Harnessing Solar Energy. <i>Advanced Energy Materials</i> , 2015 , 5, 1501100 | 21.8 | 51 |
| 104 | Electrochemical Communication Between Electrodes and Rhodobacter capsulatus Grown in Different Metabolic Modes. <i>Electroanalysis</i> , 2015 , 27, 118-127 | 3 | 37 |
| 103 | Engineering of pyranose dehydrogenase for application to enzymatic anodes in biofuel cells. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 9074-81 | 3.6 | 17 |

| 102 | Immobilisation of Alkylamine-Functionalised Osmium Redox Complex on Glassy Carbon using Electrochemical Oxidation. <i>Electrochimica Acta</i> , 2014 , 140, 209-216 | 6.7 | 8 |
|-----|--|---------------|----|
| 101 | Composite Material Based on Macroporous Polyaniline and Osmium Redox Complex for Biosensor Development. <i>Electroanalysis</i> , 2014 , 26, 1623-1630 | 3 | 8 |
| 100 | Charge transport in films of Geobacter sulfurreducens on graphite electrodes as a function of film thickness. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 9039-46 | 3.6 | 34 |
| 99 | Photo-electrochemical communication between cyanobacteria (Leptolyngbia sp.) and osmium redox polymer modified electrodes. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 24676-80 | 3.6 | 64 |
| 98 | Self-powered wireless carbohydrate/oxygen sensitive biodevice based on radio signal transmission. <i>PLoS ONE</i> , 2014 , 9, e109104 | 3.7 | 52 |
| 97 | Coupling of Amine-Containing Osmium Complexes and Glucose Oxidase with Carboxylic Acid Polymer and Carbon Nanotube Matrix to Provide Enzyme Electrodes for Glucose Oxidation. <i>Journal of the Electrochemical Society</i> , 2014 , 161, H3005-H3010 | 3.9 | 9 |
| 96 | Effect of Multi-Walled Carbon Nanotubes on Glucose Oxidation by Glucose Oxidase or a Flavin-Dependent Glucose Dehydrogenase in Redox-Polymer-Mediated Enzymatic Fuel Cell Anodes. <i>ChemElectroChem</i> , 2014 , 1, 1988-1993 | 4.3 | 24 |
| 95 | Effect of deglycosylation on the mediated electrocatalytic activity of recombinantly expressed Agaricus meleagris pyranose dehydrogenase wired by osmium redox polymer. <i>Electrochimica Acta</i> , 2014 , 126, 61-67 | 6.7 | 10 |
| 94 | Mediated glucose enzyme electrodes by cross-linking films of osmium redox complexes and glucose oxidase on electrodes. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3807-12 | 4.4 | 21 |
| 93 | Mediated electron transfer of cellobiose dehydrogenase and glucose oxidase at osmium polymer-modified nanoporous gold electrodes. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 3823- | 3 6 ·4 | 31 |
| 92 | Arylamine functionalization of carbon anodes for improved microbial electrocatalysis. <i>RSC Advances</i> , 2013 , 3, 18759 | 3.7 | 9 |
| 91 | Further insights into the catalytical properties of deglycosylated pyranose dehydrogenase from Agaricus meleagris recombinantly expressed in Pichia pastoris. <i>Analytical Chemistry</i> , 2013 , 85, 9852-8 | 7.8 | 14 |
| 90 | Tethering Osmium Complexes within Enzyme Films on Electrodes to Provide a Fully Enzymatic Membrane-Less Glucose/Oxygen Fuel Cell. <i>Journal of the Electrochemical Society</i> , 2013 , 160, G3165-G31 | 70 9 | 19 |
| 89 | Comparison of Glucose Oxidation by Crosslinked Redox Polymer Enzyme Electrodes Containing Carbon Nanotubes and a Range of Glucose Oxidising Enzymes. <i>Electroanalysis</i> , 2013 , 25, 94-100 | 3 | 19 |
| 88 | Catalytic response of microbial biofilms grown under fixed anode potentials depends on electrochemical cell configuration. <i>Chemical Engineering Journal</i> , 2013 , 230, 532-536 | 14.7 | 32 |
| 87 | Coupling osmium complexes to epoxy-functionalised polymers to provide mediated enzyme electrodes for glucose oxidation. <i>Biosensors and Bioelectronics</i> , 2013 , 43, 30-7 | 11.8 | 34 |
| 86 | Mediated electron transfer in glucose oxidising enzyme electrodes for application to biofuel cells: recent progress and perspectives. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 4859-69 | 3.6 | 99 |
| 85 | Optimization of a membraneless glucose/oxygen enzymatic fuel cell based on a bioanode with high coulombic efficiency and current density. <i>ChemPhysChem</i> , 2013 , 14, 2260-9 | 3.2 | 42 |

| 84 | Membraneless glucose/oxygen enzymatic fuel cells using redox hydrogel films containing carbon nanotubes. <i>ChemPhysChem</i> , 2013 , 14, 2302-7 | 3.2 | 27 |
|----|---|---------------|-----|
| 83 | Electrochemical communication between heterotrophically grown Rhodobacter capsulatus with electrodes mediated by an osmium redox polymer. <i>Bioelectrochemistry</i> , 2013 , 93, 30-6 | 5.6 | 41 |
| 82 | A mediated glucose/oxygen enzymatic fuel cell based on printed carbon inks containing aldose dehydrogenase and laccase as anode and cathode. <i>Enzyme and Microbial Technology</i> , 2012 , 50, 181-7 | 3.8 | 31 |
| 81 | Acetic anhydride mediated condensation of aromatic o-diacid dichlorides with benzimidazoles to provide electro-reducible p-dione adducts. <i>Tetrahedron Letters</i> , 2012 , 53, 3788-3791 | 2 | 3 |
| 80 | Characterization of different FAD-dependent glucose dehydrogenases for possible use in glucose-based biosensors and biofuel cells. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 2069-77 | 4.4 | 85 |
| 79 | Does bioelectrochemical cell configuration and anode potential affect biofilm response?. <i>Biochemical Society Transactions</i> , 2012 , 40, 1308-14 | 5.1 | 22 |
| 78 | Electrochemical communication between microbial cells and electrodes via osmium redox systems. <i>Biochemical Society Transactions</i> , 2012 , 40, 1330-5 | 5.1 | 37 |
| 77 | Enzymatic fuel cells: Recent progress. <i>Electrochimica Acta</i> , 2012 , 84, 223-234 | 6.7 | 361 |
| 76 | Improved microbial electrocatalysis with osmium polymer modified electrodes. <i>Chemical Communications</i> , 2012 , 48, 10183-5 | 5.8 | 41 |
| 75 | Electron-transfer studies with a new flavin adenine dinucleotide dependent glucose dehydrogenase and osmium polymers of different redox potentials. <i>Analytical Chemistry</i> , 2012 , 84, 334 | - 41 8 | 72 |
| 74 | Recombinant pyranose dehydrogenase versatile enzyme possessing both mediated and direct electron transfer. <i>Electrochemistry Communications</i> , 2012 , 24, 120-122 | 5.1 | 26 |
| 73 | A glucose/oxygen enzymatic fuel cell based on redox polymer and enzyme immobilisation at highly-ordered macroporous gold electrodes. <i>Analyst, The</i> , 2012 , 137, 113-7 | 5 | 30 |
| 72 | Characterization of nanoporous gold electrodes for bioelectrochemical applications. <i>Langmuir</i> , 2012 , 28, 2251-61 | 4 | 83 |
| 71 | A comparison of glucose oxidase and aldose dehydrogenase as mediated anodes in printed glucose/oxygen enzymatic fuel cells using ABTS/laccase cathodes. <i>Bioelectrochemistry</i> , 2012 , 87, 172-7 | 5.6 | 37 |
| 70 | Microbial analysis of anodic biofilm in a microbial fuel cell using slaughterhouse wastewater. <i>Bioelectrochemistry</i> , 2012 , 87, 164-71 | 5.6 | 78 |
| 69 | Crosslinked redox polymer enzyme electrodes containing carbon nanotubes for high and stable glucose oxidation current. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 14667-72 | 3.6 | 33 |
| 68 | Enzymatic Fuel Cells. Advances in Electrochemical Science and Engineering, 2012, 229-267 | | |
| 67 | Charge transport through Geobacter sulfurreducens biofilms grown on graphite rods. <i>Langmuir</i> , 2012 , 28, 7904-13 | 4 | 52 |

(2009-2011)

| 66 | Three-dimensional microchanelled electrodes in flow-through configuration for bioanode formation and current generation. <i>Energy and Environmental Science</i> , 2011 , 4, 4201 | 35.4 | 99 |
|----|--|------|-----|
| 65 | A membrane-less enzymatic fuel cell with layer-by-layer assembly of redox polymer and enzyme over graphite electrodes. <i>Chemical Communications</i> , 2011 , 47, 11861-3 | 5.8 | 27 |
| 64 | A comparison of redox polymer and enzyme co-immobilization on carbon electrodes to provide membrane-less glucose/O2 enzymatic fuel cells with improved power output and stability. <i>Biosensors and Bioelectronics</i> , 2011 , 30, 294-9 | 11.8 | 52 |
| 63 | Oxygen Electroreduction Catalyzed by Bilirubin Oxidase Does Not Release Hydrogen Peroxide. <i>Electrocatalysis</i> , 2011 , 2, 268-272 | 2.7 | 8 |
| 62 | Electron transfer from Proteus vulgaris to a covalently assembled, single walled carbon nanotube electrode functionalised with osmium bipyridine complex: application to a whole cell biosensor. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2383-9 | 11.8 | 35 |
| 61 | Diazonium salt derivatives of osmium bipyridine complexes: Electrochemical grafting and characterisation of modified surfaces. <i>Electrochimica Acta</i> , 2011 , 56, 2213-2220 | 6.7 | 19 |
| 60 | Electricity generation in single-chamber microbial fuel cells using a carbon source sampled from anaerobic reactors utilizing grass silage. <i>Bioresource Technology</i> , 2011 , 102, 404-10 | 11 | 27 |
| 59 | Generation of electricity in microbial fuel cells at sub-ambient temperatures. <i>Journal of Power Sources</i> , 2011 , 196, 2676-2681 | 8.9 | 29 |
| 58 | Thiol functionalisation of gold-coated magnetic nanoparticles: Enabling the controlled attachment of functional molecules 2010 , | | 1 |
| 57 | Geobacter sulfurreducens biofilms developed under different growth conditions on glassy carbon electrodes: insights using cyclic voltammetry. <i>Chemical Communications</i> , 2010 , 46, 4758-60 | 5.8 | 139 |
| 56 | Wiring of pyranose dehydrogenase with osmium polymers of different redox potentials. <i>Bioelectrochemistry</i> , 2010 , 80, 38-42 | 5.6 | 56 |
| 55 | Substantial Influence of Temperature on Anchoring of Gold-Nanoparticle Monolayer for Performance of DNA Biosensors. <i>Electroanalysis</i> , 2010 , 22, 2323-2329 | 3 | 4 |
| 54 | An enzyme-amplified amperometric DNA hybridisation assay using DNA immobilised in a carboxymethylated dextran film anchored to a graphite surface. <i>Biosensors and Bioelectronics</i> , 2010 , 25, 1037-42 | 11.8 | 20 |
| 53 | Preparation and reactivity of carboxylic acid-terminated boron-doped diamond electrodes. <i>Electrochimica Acta</i> , 2010 , 55, 959-964 | 6.7 | 5 |
| 52 | Enzyme-Amplified Amperometric Detection of DNA Using Redox Mediating Films on Gold Microelectrodes. <i>Electroanalysis</i> , 2009 , 21, 342-350 | 3 | 13 |
| 51 | Performance of a Glucose/O2 Enzymatic Biofuel Cell Containing a Mediated Melanocarpus albomyces Laccase Cathode in a Physiological Buffer. <i>Fuel Cells</i> , 2009 , 9, 79-84 | 2.9 | 56 |
| 50 | Evaluation of performance and stability of biocatalytic redox films constructed with different copper oxygenases and osmium-based redox polymers. <i>Bioelectrochemistry</i> , 2009 , 76, 162-8 | 5.6 | 42 |
| 49 | Biocatalytic fuel cells: A comparison of surface pre-treatments for anchoring biocatalytic redox films on electrode surfaces. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 626, 111-115 | 4.1 | 24 |

| 48 | Biocatalytic anode for glucose oxidation utilizing carbon nanotubes for direct electron transfer with glucose oxidase. <i>Electrochemistry Communications</i> , 2009 , 11, 2004-2007 | 5.1 | 41 |
|----|--|------|-----|
| 47 | A stability comparison of redox-active layers produced by chemical coupling of an osmium redox complex to pre-functionalized gold and carbon electrodes. <i>Electrochimica Acta</i> , 2009 , 54, 1986-1991 | 6.7 | 25 |
| 46 | Designing stable redox-active surfaces: chemical attachment of an osmium complex to glassy carbon electrodes prefunctionalized by electrochemical reduction of an in situ-generated aryldiazonium cation. <i>Langmuir</i> , 2008 , 24, 6351-8 | 4 | 72 |
| 45 | Mediated Enzyme Electrodes for Biological Fuel Cell and Biosensor Applications. <i>ECS Transactions</i> , 2008 , 13, 77-87 | 1 | 15 |
| 44 | Powering fuel cells through biocatalysis 2008 , 385-410 | | 1 |
| 43 | Electroreduction of O2 at a mediated Melanocarpus albomyces laccase cathode in a physiological buffer. <i>Electrochemistry Communications</i> , 2008 , 10, 970-972 | 5.1 | 40 |
| 42 | Improved stability of redox enzyme layers on glassy carbon electrodes via covalent grafting. <i>Electrochemistry Communications</i> , 2008 , 10, 835-838 | 5.1 | 57 |
| 41 | Synthesis by radical cyclization and cytotoxicity of highly potent bioreductive alicyclic ring fused [1,2-a]benzimidazolequinones. <i>Chemistry - A European Journal</i> , 2007 , 13, 3218-26 | 4.8 | 44 |
| 40 | Mobile Voltammetric Laboratory for Ship-Board and Shore-Based Analyses of Dissolved Copper. <i>Environmental Chemistry</i> , 2006 , 3, 450 | 3.2 | 1 |
| 39 | Redox polymer and probe DNA tethered to gold electrodes for enzyme-amplified amperometric detection of DNA hybridization. <i>Analytical Chemistry</i> , 2006 , 78, 2710-6 | 7.8 | 71 |
| 38 | A laccaseglucose oxidase biofuel cell prototype operating in a physiological buffer. <i>Electrochimica Acta</i> , 2006 , 51, 5187-5192 | 6.7 | 177 |
| 37 | Amperometric Detection of Catecholamine Neurotransmitters Using Electrocatalytic Substrate Recycling at a Laccase Electrode. <i>Electroanalysis</i> , 2005 , 17, 113-119 | 3 | 45 |
| 36 | Targetting redox polymers as mediators for laccase oxygen reduction in a membrane-less biofuel cell. <i>Electrochemistry Communications</i> , 2004 , 6, 237-241 | 5.1 | 141 |
| 35 | Improved synthesis of 4,4?-diamino-2,2?-bipyridine from 4,4?-dinitro-2,2?-bipyridine-N,N?-dioxide. <i>Tetrahedron Letters</i> , 2004 , 45, 121-123 | 2 | 29 |
| 34 | A Voltammetric Assay of Antioxidants and Inhibitors of Soybean Lipoxygenase. <i>Electroanalysis</i> , 2003 , 15, 573-578 | 3 | 2 |
| 33 | Application of Colloidal Gold in Protein Immobilization, Electron Transfer, and Biosensing. <i>Analytical Letters</i> , 2003 , 36, 1-19 | 2.2 | 160 |
| 32 | Characterisation of an antibody coated microcantilever as a potential immuno-based biosensor. <i>Biosensors and Bioelectronics</i> , 2002 , 17, 201-7 | 11.8 | 104 |
| 31 | Oxidation of lignin model compounds by organic and transition metal-based electron transfer mediators. <i>Chemical Communications</i> , 2002 , 1182-3 | 5.8 | 34 |

| 30 | Electrochemical determination of electroinactive guests of ?-cyclodextrin at a self-assembled monolayer interface. <i>Science in China Series B: Chemistry</i> , 2002 , 45, 46 | | 3 |
|----|--|------|-----|
| 29 | Electrochemical study of a metallothionein modified gold disk electrode and its action on Hg2+ cations. <i>Journal of Electroanalytical Chemistry</i> , 2000 , 484, 150-156 | 4.1 | 66 |
| 28 | Amperometric determination of epinephrine with an osmium complex and Nafion double-layer membrane modified electrode. <i>Analytica Chimica Acta</i> , 1999 , 378, 151-157 | 6.6 | 108 |
| 27 | Adsorption and Desorption of Electroactive Self-Assembled Thiolate Monolayers on Gold. <i>Langmuir</i> , 1999 , 15, 8170-8177 | 4 | 27 |
| 26 | Effect of electrolytes on the electrochemical behaviour of 11-(ferrocenylcarbonyloxy)undecanethiol SAMs on gold disk electrodes. <i>Physical Chemistry Chemical Physics</i> , 1999 , 1, 1549-1554 | 3.6 | 83 |
| 25 | Electrocatalytical Oxidation and Determination of Dopamine at Redox Polymer/Nafion Modified Electrodes. <i>Analytical Letters</i> , 1999 , 32, 2951-2964 | 2.2 | 22 |
| 24 | Electrochemical analysis of the interactions of laccase mediators with lignin model compounds. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1998 , 1379, 381-90 | 4 | 335 |
| 23 | Mediated reagentless enzyme inhibition electrodes. <i>Biosensors and Bioelectronics</i> , 1998 , 13, 417-425 | 11.8 | 31 |
| 22 | [Os(bpy)2(PVP)10Cl]Cl polymer and Nafion dual-film modified graphite electrode for the amperometric determination of trace amounts of norepinephrine. <i>Analyst, The</i> , 1998 , 123, 2895-8 | 5 | 15 |
| 21 | Optimisation of a reagentless laccase electrode for the detection of the inhibitor azide. <i>Analyst, The</i> , 1998 , 123, 1971-4 | 5 | 48 |
| 20 | Host L iuest Interaction at a Self-Assembled Monolayer/Solution Interface: An Electrochemical Analysis of the Inclusion of 11-(Ferrocenylcarbonyloxy)undecanethiol by Cyclodextrins. <i>Langmuir</i> , 1998 , 14, 300-306 | 4 | 47 |
| 19 | Electrochemistry of poly(vinylferrocene) formed by directelectrochemical reduction at a glassy carbonelectrode. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1997 , 93, 1371-1375 | | 22 |
| 18 | Reagentless Tyrosinase Enzyme Electrodes: Effects of Enzyme Loading, Electrolyte pH, Ionic Strength, and Temperature. <i>Analytical Chemistry</i> , 1997 , 69, 4108-4112 | 7.8 | 56 |
| 17 | Reagentless mediated laccase electrode for the detection of enzyme modulators. <i>Analytical Chemistry</i> , 1997 , 69, 882-6 | 7.8 | 75 |
| 16 | [Os(bpy)2(PVI)10Cl]Cl polymer-modified carbon fiber electrodes for the electrocatalytic oxidation of NADH. <i>Analytica Chimica Acta</i> , 1997 , 345, 51-58 | 6.6 | 22 |
| 15 | High-performance liquid chromatographic determination of phenols using a tyrosinase-based amperometric biosensor detection system. <i>Analyst, The</i> , 1996 , 121, 1885 | 5 | 37 |
| 14 | Oxidative detection of nitrite at an electrocatalytic [Ru(bipy)2poly-(4-vinylpyridine)10Cl]Cl electrochemical sensor applied for the flow injection determination of nitrate using a Cu/Cd reductor column. <i>Analytica Chimica Acta</i> , 1996 , 319, 111-120 | 6.6 | 47 |
| 13 | Analytical Applications of Polymer-Modified Electrodes 1996 , 269-296 | | 3 |

| 12 | Electrically WiredItyrosinase enzyme inhibition electrode for the detection of respiratory poisons. <i>Electroanalysis</i> , 1995 , 7, 952-957 | 3 | 22 |
|----|---|------|----|
| 11 | Affinity biosensors. <i>Chemical Society Reviews</i> , 1994 , 23, 205 | 58.5 | 57 |
| 10 | Biomagnetic neurosensors. <i>Analytical Chemistry</i> , 1993 , 65, 3262-6 | 7.8 | 3 |
| 9 | Neuronal-Based Assay and Detection of Local Anesthetics Using Electrically Stimulated Crayfish Walking Leg Nerves. <i>Analytical Letters</i> , 1993 , 26, 1259-1279 | 2.2 | 3 |
| 8 | Crayfish walking leg neuronal biosensor for the detection of pyrazinamide and selected local anesthetics. <i>Analytica Chimica Acta</i> , 1993 , 274, 25-35 | 6.6 | 11 |
| 7 | Neuronal biosensors: A progress report. <i>Electroanalysis</i> , 1993 , 5, 103-111 | 3 | 4 |
| 6 | Analysis of inorganic solids by laser ablation inductively coupled plasma spectrometry. <i>Analytical Proceedings</i> , 1992 , 29, 23 | | 2 |
| 5 | Determination of nitrite based on mediated oxidation at a carbon paste electrode modified with a ruthenium polymer. <i>Talanta</i> , 1992 , 39, 443-7 | 6.2 | 16 |
| 4 | One-step fabrication of glucose sensors based on entrapment of glucose oxidase within poly(ester-sulfonic acid) coatings. <i>Analytica Chimica Acta</i> , 1991 , 245, 139-143 | 6.6 | 31 |
| 3 | Electrocatalysis and flow detection of alcohols at ruthenium dioxide-modified electrodes. <i>Electroanalysis</i> , 1991 , 3, 37-42 | 3 | 24 |
| 2 | Effect of composition of polymer backbone on spectroscopic and electrochemical properties of ruthenium(II) bis(2,2?-bipyridyl)containing 4-vinylpyridine/styrene copolymers. <i>Journal of Materials Chemistry</i> , 1991 , 1, 629-635 | | 25 |
| 1 | Electrocatalytic detection of streptomycin and related antibiotics at ruthenium dioxide modified graphiteepoxy composite electrodes. <i>Analyst. The.</i> 1990 , 115, 1447-50 | 5 | 23 |