## Matthew J Mason

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1362719/matthew-j-mason-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

55	1,057	22	<b>3</b> O
papers	citations	h-index	g-index
57	1,259 ext. citations	5.5	4.93
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
55	The naked truth: a comprehensive clarification and classification of current TmythsTin naked mole-rat biology. <i>Biological Reviews</i> , 2021,	13.5	11
54	Structure and function of respiratory turbinates in phocid seals. <i>Polar Biology</i> , <b>2020</b> , 43, 157-173	2	0
53	Functional anatomy of the middle and inner ears of the red fox, in comparison to domestic dogs and cats. <i>Journal of Anatomy</i> , <b>2020</b> , 236, 980-995	2.9	4
52	The middle ear of the pink fairy armadillo Chlamyphorus truncatus (Xenarthra, Cingulata, Chlamyphoridae): comparison with armadillo relatives using computed tomography. <i>Journal of Anatomy</i> , <b>2020</b> , 236, 809-826	2.9	1
51	Intense bone fluorescence reveals hidden patterns in pumpkin toadlets. <i>Scientific Reports</i> , <b>2019</b> , 9, 538	84.9	10
50	Mechanisms of Vibration Detection in Mammals. Animal Signals and Communication, 2019, 177-208	1.4	0
49	A Putative Mechanism for Magnetoreception by Electromagnetic Induction in the Pigeon Inner Ear. <i>Current Biology</i> , <b>2019</b> , 29, 4052-4059.e4	6.3	36
48	The middle and inner ears of the Palaeogene golden mole Namachloris: A comparison with extant species. <i>Journal of Morphology</i> , <b>2018</b> , 279, 375-395	1.6	5
47	Ectopic otoconial formation in the lagena of the pigeon inner ear. <i>Biology Open</i> , <b>2018</b> , 7,	2.2	2
46	Evidence of auditory insensitivity to vocalization frequencies in two frogs. <i>Scientific Reports</i> , <b>2017</b> , 7, 12121	4.9	11
45	Undergraduate students as co-producers in the creation of first-year practical class resources. <i>Higher Education Pedagogies</i> , <b>2017</b> , 2, 58-78	1.2	7
44	Early development of the malleus and incus in humans. <i>Journal of Anatomy</i> , <b>2016</b> , 229, 857-870	2.9	19
43	Internally coupled ears in living mammals. <i>Biological Cybernetics</i> , <b>2016</b> , 110, 345-358	2.8	8
42	Structure and function of the mammalian middle ear. II: Inferring function from structure. <i>Journal of Anatomy</i> , <b>2016</b> , 228, 300-12	2.9	41
41	Structure and function of the mammalian middle ear. I: Large middle ears in small desert mammals. <i>Journal of Anatomy</i> , <b>2016</b> , 228, 284-99	2.9	38
40	Ear Structures of the Naked Mole-Rat, Heterocephalus glaber, and Its Relatives (Rodentia: Bathyergidae). <i>PLoS ONE</i> , <b>2016</b> , 11, e0167079	3.7	23
39	Introduction. Journal of Anatomy, <b>2016</b> , 228, 215-6	2.9	

## (2008-2015)

38	The frog inner ear: picture perfect?. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , <b>2015</b> , 16, 171-88	3.3	8
37	Vocal development during postnatal growth and ear morphology in a shrew that generates seismic vibrations, Diplomesodon pulchellum. <i>Behavioural Processes</i> , <b>2015</b> , 118, 130-41	1.6	11
36	Of mice, moles and guinea pigs: functional morphology of the middle ear in living mammals. <i>Hearing Research</i> , <b>2013</b> , 301, 4-18	3.9	61
35	Flexibility within the middle ears of vertebrates. <i>Journal of Laryngology and Otology</i> , <b>2013</b> , 127, 2-14	1.8	22
34	Characterization of the phosphatic mineral of the barnacle Ibla cumingi at atomic level by solid-state nuclear magnetic resonance: comparison with other phosphatic biominerals. <i>Journal of the Royal Society Interface</i> , <b>2012</b> , 9, 1510-6	4.1	15
33	Mechanics of the frog ear. <i>Hearing Research</i> , <b>2011</b> , 273, 46-58	3.9	29
32	Mass distribution and rotational inertia of "microtype" and "freely mobile" middle ear ossicles in rodents. <i>Hearing Research</i> , <b>2011</b> , 282, 97-107	3.9	24
31	Absolute power, not sex, promotes perspiration. <i>Experimental Physiology</i> , <b>2011</b> , 96, 556-8; author reply 559-60	2.4	16
30	Contrasts between organic participation in apatite biomineralization in brachiopod shell and vertebrate bone identified by nuclear magnetic resonance spectroscopy. <i>Journal of the Royal Society Interface</i> , <b>2011</b> , 8, 282-8	4.1	13
29	A bony connection signals laryngeal echolocation in bats. <i>Nature</i> , <b>2010</b> , 463, 939-42	50.4	86
28	Veselka et al. reply. <i>Nature</i> , <b>2010</b> , 466, E7-E7	50.4	1
27	Veselka et al. reply. <i>Nature</i> , <b>2010</b> , 466, E9-E9	50.4	3
26	Comments on "Tympanic-membrane and malleus-incus-complex co-adaptations for high-frequency hearing in mammals", by Sunil Puria & Charles Steele. <i>Hearing Research</i> , <b>2010</b> , 267, 1-3	3.9	3
25	Middle ear structure and bone conduction in Spalax, Eospalax, and Tachyoryctes mole-rats (Rodentia: Spalacidae). <i>Journal of Morphology</i> , <b>2010</b> , 271, 462-72	1.6	16
24	Middle ear instrument nomenclature: a taxonomic approach. <i>BMJ, The</i> , <b>2010</b> , 341, c5137	5.9	1
23	Middle ear morphology in dormice (Rodentia: Gliridae). <i>Mammalian Biology</i> , <b>2008</b> , 73, 330-334	1.6	6
22	Middle Ear Structures of Octodon degus (Rodentia: Octodontidae), in Comparison with Those of Subterranean Caviomorphs. <i>Journal of Mammalogy</i> , <b>2008</b> , 89, 1447-1455	1.8	27
21	The effect of auditory stimulation on the tensor tympani in patients following stapedectomy. <i>Acta Oto-Laryngologica</i> , <b>2008</b> , 128, 250-4	1.6	7

20	Pathways for Sound Transmission to the Inner Ear in Amphibians 2007, 147-183		9
19	Evolution of the middle ear apparatus in Talpid moles. <i>Journal of Morphology</i> , <b>2006</b> , 267, 678-95	1.6	31
18	Preliminary evidence for the use of microseismic cues for navigation by the Namib golden mole. <i>Journal of the Acoustical Society of America</i> , <b>2006</b> , 119, 1260-8	2.2	23
17	Middle ear structures in fossorial mammals: a comparison with non-fossorial species. <i>Journal of Zoology</i> , <b>2006</b> , 255, 467-486	2	69
16	Ossicular density in golden moles (Chrysochloridae). <i>Journal of Comparative Physiology A:</i> Neuroethology, Sensory, Neural, and Behavioral Physiology, <b>2006</b> , 192, 1349-57	2.3	6
15	Functional morphology of the middle ear in Chlorotalpa golden moles (Mammalia, Chrysochloridae): predictions from three models. <i>Journal of Morphology</i> , <b>2004</b> , 261, 162-74	1.6	17
14	THE MIDDLE EAR APPARATUS OF THE TUCO-TUCO CTENOMYS SOCIABILIS (RODENTIA, CTENOMYIDAE). <i>Journal of Mammalogy</i> , <b>2004</b> , 85, 797-805	1.8	27
13	Sex differences in the middle ear of the bullfrog (Rana catesbeiana). <i>Brain, Behavior and Evolution</i> , <b>2003</b> , 61, 91-101	1.5	19
12	Bone conduction and seismic sensitivity in golden moles (Chrysochloridae). <i>Journal of Zoology</i> , <b>2003</b> , 260, 405-413	2	33
11	Morphology of the middle ear of golden moles (Chrysochloridae). <i>Journal of Zoology</i> , <b>2003</b> , 260, 391-40	)32	38
11	Morphology of the middle ear of golden moles (Chrysochloridae). <i>Journal of Zoology</i> , <b>2003</b> , 260, 391-40.  Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear. <i>Journal of the Acoustical Society of America</i> , <b>2003</b> , 114, 2044-8	2.2	38
	Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear.		
	Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear.  Journal of the Acoustical Society of America, 2003, 114, 2044-8  Seismic sensitivity in the desert golden mole (Eremitalpa granti): a review. Journal of Comparative	2.2	22
10	Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear. Journal of the Acoustical Society of America, 2003, 114, 2044-8  Seismic sensitivity in the desert golden mole (Eremitalpa granti): a review. Journal of Comparative Psychology (Washington, D C: 1983), 2002, 116, 158-63  Distortion product otoacoustic emissions in frogs: correlation with middle and inner ear properties.	2.2	22
10 9 8	Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear. <i>Journal of the Acoustical Society of America</i> , <b>2003</b> , 114, 2044-8  Seismic sensitivity in the desert golden mole (Eremitalpa granti): a review. <i>Journal of Comparative Psychology (Washington, D C: 1983)</i> , <b>2002</b> , 116, 158-63  Distortion product otoacoustic emissions in frogs: correlation with middle and inner ear properties. <i>Hearing Research</i> , <b>2002</b> , 173, 100-8  Vibrometric studies of the middle ear of the bullfrogRana catesbeianall. The operculum. <i>Journal of</i>	2.2 2.1 3.9	22 26 25
10 9 8 7	Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear. <i>Journal of the Acoustical Society of America</i> , <b>2003</b> , 114, 2044-8  Seismic sensitivity in the desert golden mole (Eremitalpa granti): a review. <i>Journal of Comparative Psychology (Washington, D C: 1983)</i> , <b>2002</b> , 116, 158-63  Distortion product otoacoustic emissions in frogs: correlation with middle and inner ear properties. <i>Hearing Research</i> , <b>2002</b> , 173, 100-8  Vibrometric studies of the middle ear of the bullfrogRana catesbeianall. The operculum. <i>Journal of Experimental Biology</i> , <b>2002</b> , 205, 3167-3176  Vibrometric studies of the middle ear of the bullfrog Rana catesbeianal. The extrastapes. <i>Journal</i>	2.2 2.1 3.9	22 26 25 23
10 9 8 7 6	Physiological vulnerability of distortion product otoacoustic emissions from the amphibian ear. <i>Journal of the Acoustical Society of America</i> , 2003, 114, 2044-8  Seismic sensitivity in the desert golden mole (Eremitalpa granti): a review. <i>Journal of Comparative Psychology (Washington, D C: 1983)</i> , 2002, 116, 158-63  Distortion product otoacoustic emissions in frogs: correlation with middle and inner ear properties. <i>Hearing Research</i> , 2002, 173, 100-8  Vibrometric studies of the middle ear of the bullfrogRana catesbeianall. The operculum. <i>Journal of Experimental Biology</i> , 2002, 205, 3167-3176  Vibrometric studies of the middle ear of the bullfrog Rana catesbeiana I. The extrastapes. <i>Journal of Experimental Biology</i> , 2002, 205, 3153-3165	2.2 2.1 3.9 3	22 26 25 23 25

Seismic Signal Use by Fossorial Mammals1. *American Zoologist*, **2001**, 41, 1171-1184

37

Functional morphology of rodent middle ears373-404

9