Valerie Tikhonoff

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1363156/valerie-tikhonoff-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 166
 6,699
 37
 78

 papers
 citations
 h-index
 g-index

 184
 7,891
 4.4
 4.99

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 166 | Risk Stratification by Cross-Classification of Central and Brachial Systolic Blood Pressure Hypertension, 2022 , HYPERTENSIONAHA12118773 | 8.5 | 2 |
| 165 | Urinary peptidomic profiles to address age-related disabilities: a prospective population study. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e690-e703 | 9.5 | О |
| 164 | Serum uric acid, predicts heart failure in a large Italian cohort: search for a cut-off value the URic acid Right for heArt Health study. <i>Journal of Hypertension</i> , 2021 , 39, 62-69 | 1.9 | 17 |
| 163 | Relationships between diuretic-related hyperuricemia and cardiovascular events: data from the URic acid Right for heArt Health study. <i>Journal of Hypertension</i> , 2021 , 39, 333-340 | 1.9 | 17 |
| 162 | Relative and Absolute Risk to Guide the Management of Pulse Pressure, an Age-Related Cardiovascular Risk Factor. <i>American Journal of Hypertension</i> , 2021 , 34, 929-938 | 2.3 | 4 |
| 161 | Association of uric acid with kidney function and albuminuria: the Uric Acid Right for heArt Health (URRAH) Project. <i>Journal of Nephrology</i> , 2021 , 1 | 4.8 | 15 |
| 160 | Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure. <i>Hypertension</i> , 2021 , 77, 39-48 | 8.5 | 7 |
| 159 | Ill wisties I and Olympic Games: A Role for Hypnosis in Top-Level Athletes Who Have Lost the Sense of the Self in Aerial Space?. <i>Psychology</i> , 2021 , 12, 1379-1383 | 0.5 | О |
| 158 | High heart rate amplifies the risk of cardiovascular mortality associated with elevated uric acid. European Journal of Preventive Cardiology, 2021, | 3.9 | 2 |
| 157 | The importance of including uric acid in the definition of metabolic syndrome when assessing the mortality risk. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1073-1082 | 6.1 | 8 |
| 156 | The International Database of Central Arterial Properties for Risk Stratification: Research Objectives and Baseline Characteristics of Participants. <i>American Journal of Hypertension</i> , 2021 , | 2.3 | 3 |
| 155 | Identification of a plausible serum uric acid cut-off value as prognostic marker of stroke: the Uric Acid Right for Heart Health (URRAH) study. <i>Journal of Human Hypertension</i> , 2021 , | 2.6 | 3 |
| 154 | Serum Uric Acid and Kidney Disease Measures Independently Predict Cardiovascular and Total Mortality: The Uric Acid Right for Heart Health (URRAH) Project. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 713652 | 5.4 | 1 |
| 153 | Hyperuricemia and Risk of Cardiovascular Outcomes: The Experience of the URRAH (Uric Acid Right for Heart Health) Project. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2020 , 27, 121-128 | 2.9 | 42 |
| 152 | Cardiovascular End Points and Mortality Are Not Closer Associated With Central Than Peripheral Pulsatile Blood Pressure Components. <i>Hypertension</i> , 2020 , 76, 350-358 | 8.5 | 14 |
| 151 | MECHANISMS OF HYPNOTIC ANALGESIA EXPLAINED BY FUNCTIONAL MAGNETIC RESONANCE (FMRI). International Journal of Clinical and Experimental Hypnosis, 2020 , 68, 1-15 | 1.8 | 12 |
| 150 | Identification of the Uric Acid Thresholds Predicting an Increased Total and Cardiovascular Mortality Over 20 Years. <i>Hypertension</i> , 2020 , 75, 302-308 | 8.5 | 76 |

| 149 | Serum uric acid and fatal myocardial infarction: detection of prognostic cut-off values: The URRAH (Uric Acid Right for Heart Health) study. <i>Journal of Hypertension</i> , 2020 , 38, 412-419 | 1.9 | 34 |
|-----|--|--------------|-----|
| 148 | World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019 , 7, e1332-e1345 | 13.6 | 239 |
| 147 | The uncertain effect of menopause on blood pressure. Journal of Human Hypertension, 2019, 33, 421-42 | 28 .6 | 7 |
| 146 | Opposing Age-Related Trends in Absolute and Relative Risk of Adverse Health Outcomes Associated With Out-of-Office Blood Pressure. <i>Hypertension</i> , 2019 , 74, 1333-1342 | 8.5 | 13 |
| 145 | Granone Plastic Monoideism Demonstrated by Functional Magnetic Resonance Imaging (fMRI). <i>Psychology</i> , 2019 , 10, 434-448 | 0.5 | О |
| 144 | Effects of Basal Heart Rate on Memory with Interference among 832 Unselected Hypertensive Subjects from General Population. <i>Psychology</i> , 2019 , 10, 989-1002 | 0.5 | |
| 143 | IDENTIFICATION OF THE CARDIOVASCULAR THRESHOLD LIMIT FOR SERUM URIC ACID. ANALYSIS FROM A GENERAL ITALIAN POPULATION. <i>Journal of Hypertension</i> , 2019 , 37, e219-e220 | 1.9 | 2 |
| 142 | SERUM URIC ACID, INDEPENDENTLY OF ARTERIAL HYPERTENSION, PREDICTS NON-FATAL INCIDENT CEREBROVASCULAR EVENTS IN AN ITALIAN LARGE COHORT OF MEN AND WOMEN. SEARCH FOR A CUT-OFF VALUE. <i>Journal of Hypertension</i> , 2019 , 37, e221-e222 | 1.9 | 1 |
| 141 | SERUM URIC ACID, INDEPENDENTLY OF ARTERIAL HYPERTENSION, PREDICTS FATAL HEART FAILURE IN A LARGE COHORT OF MEN AND WOMEN. SEARCH FOR A CUT-OFF VALUE. <i>Journal of Hypertension</i> , 2019 , 37, e91 | 1.9 | |
| 140 | PROGNOSTIC CUT-OFF VALUES OF SERUM URIC ACID ASSOCIATED WITH FATAL AND NON FATAL INCIDENT MYOCARDIAL INFARCTION INDEPENDENTLY OF ARTERIAL HYPERTENSION IN A LARGE COHORT. <i>Journal of Hypertension</i> , 2019 , 37, e221 | 1.9 | |
| 139 | Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-63 | 19.5 | 52 |
| 138 | Ambulatory blood pressure and long-term risk for atrial fibrillation. <i>Heart</i> , 2018 , 104, 1263-1270 | 5.1 | 13 |
| 137 | Exploration into Uric and Cardiovascular Disease: Uric Acid Right for heArt Health (URRAH) Project, A Study Protocol for a Retrospective Observational Study. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2018 , 25, 197-202 | 2.9 | 21 |
| 136 | Caffeine intake reduces incident atrial fibrillation at a population level. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1055-1062 | 3.9 | 18 |
| 135 | Orthostatic hypotension, focus on cognitive pattern. <i>Journal of Hypertension</i> , 2018 , 36, 1038-1040 | 1.9 | 1 |
| 134 | Hemodynamic Evaluation of Nonselective -Blockers in Patients with Cirrhosis and Refractory Ascites. <i>Gastroenterology Research and Practice</i> , 2018 , 2018, 4098210 | 2 | 4 |
| 133 | Experimental Approach to the Transmission of Information in Hypnosis. <i>Psychology</i> , 2018 , 09, 1-13 | 0.5 | 6 |
| 132 | Functional Magnetic Resonance Imaging Demonstrates That Hypnosis Is Conscious and Voluntary. <i>Psychology</i> , 2018 , 09, 1571-1581 | 0.5 | 4 |

| 131 | The Mysterious Hypnotic Analgesia: Experimental Evidences. <i>Psychology</i> , 2018 , 09, 1935-1956 | 0.5 | 2 |
|-----|---|---------------|----|
| 130 | A18355 Age- sex- and ethnicity-specific prediction of cardiovascular outcomes by in-office and out-of-the-office blood pressure. <i>Journal of Hypertension</i> , 2018 , 36, e310-e311 | 1.9 | |
| 129 | [OP.1B.04] CAFFEINE INTAKE AND ABSTRACT REASONING AMONG 1,374 UNSELECTED MEN AND WOMEN FROM GENERAL POPULATION. ROLE OF THE \$\overline{1}\text{63C} > A POLYMORPHISM OF CYP1A2 GENE. Journal of Hypertension, 2017 , 35, e6 | 1.9 | |
| 128 | [OP.7B.05] CAFFEINE AND COFFEE, INDEPENDENT OF BLOOD PRESSURE, PREVENT INCIDENT HEART FAILURE IN GENERAL POPULATION. ROLE OF THE CYP1A2 [163C>A POLYMORPHISM. <i>Journal of Hypertension</i> , 2017 , 35, e68 | 1.9 | |
| 127 | Beneficial role of terlipressin in decompensated cirrhotics with spontaneous bacterial peritonitis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 366 | 2.2 | |
| 126 | Caffeine intake and abstract reasoning among 1374 unselected men and women from general population. Role of the -163C>A polymorphism of CYP1A2 gene. <i>Clinical Nutrition ESPEN</i> , 2017 , 20, 52-5 | 5 ∮ ·3 | 5 |
| 125 | Effects of Caffeine and Coffee on Incident Heart Failure in General Population. Role of the CYP1A2 -163C>A Polymorphism 2017 , 5, | | 3 |
| 124 | Hypnotic Focused Analgesia Obtained Through Body Dysmorphism Prevents Both Pain and Its Cardiovascular Effects 2017 , 89-95 | | 7 |
| 123 | Poor Reliability of Wrist Blood Pressure Self-Measurement at Home: A Population-Based Study. <i>Hypertension</i> , 2016 , 68, 896-903 | 8.5 | 32 |
| 122 | The Cardiovascular Risk of White-Coat Hypertension. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2033-2043 | 15.1 | 96 |
| 121 | Hypnotic General Anesthesia vs. Hypnotic Focused Analgesia in Preventing Pain and its Reflex Cardiovascular Effects. <i>Athens Journal of Health</i> , 2016 , 3, 145-158 | | 3 |
| 120 | The Unconscious Experimentally Demonstrated by Means of Hypnosis. <i>Psychology</i> , 2016 , 07, 469-479 | 0.5 | 3 |
| 119 | Doppler indexes of left ventricular systolic and diastolic function in relation to the arterial stiffness in a general population. <i>Journal of Hypertension</i> , 2016 , 34, 762-71 | 1.9 | 19 |
| 118 | Impact and pitfalls of scaling of left ventricular and atrial structure in population-based studies. <i>Journal of Hypertension</i> , 2016 , 34, 1186-94 | 1.9 | 47 |
| 117 | The relationship between affective symptoms and hypertension-role of the labelling effect: the 1946 British birth cohort. <i>Open Heart</i> , 2016 , 3, e000341 | 3 | 1 |
| 116 | THU0519 Xanthine Oxidase Gene Variants and Their Association with Blood Pressure and Incident Hypertension: A Population Study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 379.3-380 | 2.4 | 1 |
| 115 | Xanthine oxidase gene variants and their association with blood pressure and incident hypertension: a population study. <i>Journal of Hypertension</i> , 2016 , 34, 2147-54 | 1.9 | 21 |
| 114 | Old-style epidemiology and epigeneticdemiology. <i>Hypertension Research</i> , 2015 , 38, 380-1 | 4.7 | О |

| 113 | Body fat and the cognitive pattern: A population-based study. <i>Obesity</i> , 2015 , 23, 1502-10 | 8 | 18 |
|-----|--|--------------------|-----|
| 112 | Risk stratification by ambulatory blood pressure monitoring across JNC classes of conventional blood pressure. <i>American Journal of Hypertension</i> , 2014 , 27, 956-65 | 2.3 | 37 |
| 111 | Age-specific differences between conventional and ambulatory daytime blood pressure values. <i>Hypertension</i> , 2014 , 64, 1073-9 | 8.5 | 60 |
| 110 | Ambulatory hypertension subtypes and 24-hour systolic and diastolic blood pressure as distinct outcome predictors in 8341 untreated people recruited from 12 populations. <i>Circulation</i> , 2014 , 130, 46 | 6 -7 47 | 58 |
| 109 | How many measurements are needed to estimate blood pressure variability without loss of prognostic information?. <i>American Journal of Hypertension</i> , 2014 , 27, 46-55 | 2.3 | 30 |
| 108 | Ambulatory blood pressure monitoring for risk stratification in obese and non-obese subjects from 10 populations. <i>Journal of Human Hypertension</i> , 2014 , 28, 535-42 | 2.6 | 1 |
| 107 | Top-down regulation of left temporal cortex by hypnotic amusia for rhythm: a pilot study on mismatch negativity. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2014 , 62, 129-44 | 1.8 | 8 |
| 106 | Outcome-driven thresholds for ambulatory pulse pressure in 9938 participants recruited from 11 populations. <i>Hypertension</i> , 2014 , 63, 229-37 | 8.5 | 30 |
| 105 | Left ventricular diastolic function associated with common genetic variation in ATP12A in a general population. <i>BMC Medical Genetics</i> , 2014 , 15, 121 | 2.1 | 4 |
| 104 | Heritability and other determinants of left ventricular diastolic function in the family-based population study. <i>Journal of Hypertension</i> , 2014 , 32, 1854-61 | 1.9 | 3 |
| 103 | Symptoms of anxiety and depression across adulthood and blood pressure in late middle age: the 1946 British birth cohort. <i>Journal of Hypertension</i> , 2014 , 32, 1590-8; discussion 1599 | 1.9 | 21 |
| 102 | Orthostatic hypotension does not increase cardiovascular risk in the elderly at a population level. <i>American Journal of Hypertension</i> , 2014 , 27, 81-8 | 2.3 | 17 |
| 101 | Blood pressure load does not add to ambulatory blood pressure level for cardiovascular risk stratification. <i>Hypertension</i> , 2014 , 63, 925-33 | 8.5 | 30 |
| 100 | Body mass index and height from infancy to adulthood and carotid intima-media thickness at 60 to 64 years in the 1946 British Birth Cohort Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 654-60 | 9.4 | 20 |
| 99 | High dietary fiber intake prevents stroke at a population level. Clinical Nutrition, 2013, 32, 811-8 | 5.9 | 27 |
| 98 | Measuring regional arterial stiffness in patients with peripheral artery disease: innovative technology. <i>Hypertension Research</i> , 2013 , 36, 191-3 | 4.7 | 4 |
| 97 | Masked hypertension in diabetes mellitus: treatment implications for clinical practice. <i>Hypertension</i> , 2013 , 61, 964-71 | 8.5 | 114 |
| 96 | Target sequencing, cell experiments, and a population study establish endothelial nitric oxide synthase (eNOS) gene as hypertension susceptibility gene. <i>Hypertension</i> , 2013 , 62, 844-52 | 8.5 | 39 |

| 95 | Arterial stiffness and related variables across menopausal status: an epidemiologic study. <i>Journal of Womenm Health</i> , 2013 , 22, 75-84 | 3 | 10 |
|----|--|-----|-----|
| 94 | Letter by Tikhonoff et al regarding article, "dietary fiber intake and risk of first stroke: a systematic review and meta-analysis". <i>Stroke</i> , 2013 , 44, e109 | 6.7 | |
| 93 | Response to Masked hypertension in untreated and treated patients with diabetes mellitus: attractive but questionable interpretations and response to Is masked hypertension related to diabetes mellitus?. <i>Hypertension</i> , 2013 , 62, e23-5 | 8.5 | 7 |
| 92 | Cognitive Functions across the GNB3 C825T Polymorphism in an Elderly Italian Population. Neurology Research International, 2013, 2013, 597034 | 1.7 | 5 |
| 91 | Risk stratification by 24-hour ambulatory blood pressure and estimated glomerular filtration rate in 5322 subjects from 11 populations. <i>Hypertension</i> , 2013 , 61, 18-26 | 8.5 | 17 |
| 90 | Double product reflects the predictive power of systolic pressure in the general population: evidence from 9,937 participants. <i>American Journal of Hypertension</i> , 2013 , 26, 665-72 | 2.3 | 25 |
| 89 | Relaxation versus fractionation as hypnotic deepening: do they differ in physiological changes?. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2012 , 60, 338-55 | 1.8 | 9 |
| 88 | Measured outcomes with hypnosis as an experimental tool in a cardiovascular physiology laboratory. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2012 , 60, 241-61 | 1.8 | 16 |
| 87 | Prevalence of left ventricular diastolic dysfunction in European populations based on cross-validated diagnostic thresholds. <i>Cardiovascular Ultrasound</i> , 2012 , 10, 10 | 2.4 | 58 |
| 86 | A framework for quantifying net benefits of alternative prognostic models. <i>Statistics in Medicine</i> , 2012 , 31, 114-30 | 2.3 | 16 |
| 85 | The C825T GNB3 polymorphism, independent of blood pressure, predicts cerebrovascular risk at a population level. <i>American Journal of Hypertension</i> , 2012 , 25, 451-7 | 2.3 | 9 |
| 84 | Genomewide association study using a high-density single nucleotide polymorphism array and case-control design identifies a novel essential hypertension susceptibility locus in the promoter region of endothelial NO synthase. <i>Hypertension</i> , 2012 , 59, 248-55 | 8.5 | 124 |
| 83 | Age dependency of central and peripheral systolic blood pressures: cross-sectional and longitudinal observations in European populations. <i>Blood Pressure</i> , 2012 , 21, 58-68 | 1.7 | 19 |
| 82 | Significance of white-coat hypertension in older persons with isolated systolic hypertension: a meta-analysis using the International Database on Ambulatory Blood Pressure Monitoring in Relation to Cardiovascular Outcomes population. <i>Hypertension</i> , 2012 , 59, 564-71 | 8.5 | 146 |
| 81 | Cognitive functions and cognitive reserve in relation to blood pressure components in a population-based cohort aged 53 to 94 years. <i>International Journal of Hypertension</i> , 2012 , 2012, 274851 | 2.4 | 17 |
| 80 | Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 1419-33 | 7.8 | 178 |
| 79 | Are blood pressure and diabetes additive or synergistic risk factors? Outcome in 8494 subjects randomly recruited from 10 populations. <i>Hypertension Research</i> , 2011 , 34, 714-21 | 4.7 | 21 |
| 78 | Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. <i>Vascular Health and Risk Management</i> , 2011 , 7, 725-39 | 4.4 | 73 |

(2008-2011)

| 77 | The risk of subsequent cancer and arterial cardiovascular events in patients with superficial vein thrombosis in the legs. <i>Blood</i> , 2011 , 118, 4719-22 | 2.2 | 16 |
|----|--|------|------|
| 76 | Hypnosis meets neuropsychology: simulating visuospatial neglect in healthy participants. <i>Neuropsychologia</i> , 2011 , 49, 3346-50 | 3.2 | 28 |
| 75 | Effects of hypnotic focused analgesia on dental pain threshold. <i>International Journal of Clinical and Experimental Hypnosis</i> , 2011 , 59, 454-68 | 1.8 | 31 |
| 74 | Fatal and nonfatal outcomes, incidence of hypertension, and blood pressure changes in relation to urinary sodium excretion. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1777-85 | 27.4 | 394 |
| 73 | Dietary iron intake and cardiovascular outcome in Italian women: 10-year follow-up. <i>Journal of Womeni</i> Health, 2011 , 20, 1565-71 | 3 | 15 |
| 72 | Ambulatory blood pressure monitoring in 9357 subjects from 11 populations highlights missed opportunities for cardiovascular prevention in women. <i>Hypertension</i> , 2011 , 57, 397-405 | 8.5 | 80 |
| 71 | Prognostic value of reading-to-reading blood pressure variability over 24 hours in 8938 subjects from 11 populations. <i>Hypertension</i> , 2010 , 55, 1049-57 | 8.5 | 332 |
| 70 | Prognostic value of the morning blood pressure surge in 5645 subjects from 8 populations. <i>Hypertension</i> , 2010 , 55, 1040-8 | 8.5 | 205 |
| 69 | Neurophysiological correlates of post-hypnotic alexia: a controlled study with Stroop test. <i>American Journal of Clinical Hypnosis</i> , 2010 , 52, 219-33 | 0.6 | 33 |
| 68 | Glycaemic fall after a glucose load. A population-based study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 727-33 | 4.5 | 3 |
| 67 | C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. <i>Lancet, The</i> , 2010 , 375, 132-40 | 40 | 1584 |
| 66 | Treatment of hypertension in the elderly in 2010 - a brief review. <i>Expert Opinion on Pharmacotherapy</i> , 2010 , 11, 2609-17 | 4 | 3 |
| 65 | Prognostic value of isolated nocturnal hypertension on ambulatory measurement in 8711 individuals from 10 populations. <i>Journal of Hypertension</i> , 2010 , 28, 2036-45 | 1.9 | 263 |
| 64 | Left ventricular structure in relation to the human SAH gene in the European Project on Genes in Hypertension. <i>Hypertension Research</i> , 2009 , 32, 145-51 | 4.7 | 3 |
| 63 | Blood pressure as a prognostic factor after acute stroke. <i>Lancet Neurology, The</i> , 2009 , 8, 938-48 | 24.1 | 83 |
| 62 | Hypertension in the elderly and the very old. Expert Review of Cardiovascular Therapy, 2009, 7, 659-65 | 2.5 | 5 |
| 61 | About the Sullivan's iron hypothesis. <i>Journal of Hypertension</i> , 2009 , 27, 439-440 | 1.9 | 2 |
| 60 | Evolving concepts of left ventricular hypertrophy. <i>European Heart Journal</i> , 2008 , 29, 846-8 | 9.5 | 4 |

| 59 | Segmental renal sodium handling in relation to the human SAH gene. <i>Hypertension</i> , 2008 , 52, e12-3 | 8.5 | |
|----|---|-------------------|-----|
| 58 | Blood pressure and metabolic phenotypes in relation to the ADRB1 Arg389Gly and ADRA2B I/D polymorphisms in a White population. <i>Journal of Human Hypertension</i> , 2008 , 22, 864-7 | 2.6 | 10 |
| 57 | Effects of the C825T polymorphism of the GNB3 gene on body adiposity and blood pressure in fertile and menopausal women: a population-based study. <i>Journal of Hypertension</i> , 2008 , 26, 238-43 | 1.9 | 19 |
| 56 | Menopause does not affect blood pressure and risk profile, and menopausal women do not become similar to men. <i>Journal of Hypertension</i> , 2008 , 26, 1983-92 | 1.9 | 61 |
| 55 | SAH gene variants revisited in the European Project On Genes in Hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 244-50 | 1.9 | 10 |
| 54 | Electrocardiographic criteria of left ventricular hypertrophy in general population. <i>European Journal of Epidemiology</i> , 2008 , 23, 261-71 | 12.1 | 37 |
| 53 | Modulation of genetic cardiovascular risk by age and lifestyle. <i>Current Cardiovascular Risk Reports</i> , 2008 , 2, 398-404 | 0.9 | 2 |
| 52 | Serum uric acid shows a J-shaped trend with coronary mortality in non-insulin-dependent diabetic elderly people. The CArdiovascular STudy in the ELderly (CASTEL). <i>Acta Diabetologica</i> , 2007 , 44, 99-105 | 3.9 | 57 |
| 51 | Intra-erythrocyte cation concentrations in relation to the C1797T beta-adducin polymorphism in a general population. <i>Journal of Human Hypertension</i> , 2007 , 21, 387-92 | 2.6 | 1 |
| 50 | Pulse hypertension: a new component of the metabolic syndrome in elderly women?. <i>Journal of Human Hypertension</i> , 2007 , 21, 934-41 | 2.6 | 5 |
| 49 | Inflammatory and coagulative markers of atherosclerosis. European Heart Journal, 2007, 28, 271-3 | 9.5 | 9 |
| 48 | Body mass index and mortality in elderly men and women from general population. The experience of Cardiovascular Study in the Elderly (CASTEL). <i>Gerontology</i> , 2007 , 53, 36-45 | 5.5 | 34 |
| 47 | The International Database of Ambulatory Blood Pressure in relation to Cardiovascular Outcome (IDACO): protocol and research perspectives. <i>Blood Pressure Monitoring</i> , 2007 , 12, 255-62 | 1.3 | 111 |
| 46 | -391 C to G substitution in the regulator of G-protein signalling-2 promoter increases susceptibility to the metabolic syndrome in white European men: consistency between molecular and epidemiological studies. <i>Journal of Hypertension</i> , 2007 , 25, 117-25 | 1.9 | 21 |
| 45 | Skinfold thickness and blood pressure across C-344T polymorphism of CYP11B2 gene. <i>Journal of Hypertension</i> , 2007 , 25, 1828-33 | 1.9 | 13 |
| 44 | Sympathetic activity, assessed by power spectral analysis of heart rate variability, in white-coat, masked and sustained hypertension versus true normotension. <i>Journal of Hypertension</i> , 2007 , 25, 2280- | .5 ^{1.9} | 43 |
| 43 | Hypnosis prevents the cardiovascular response to cold pressor test. <i>American Journal of Clinical Hypnosis</i> , 2007 , 49, 255-66 | 0.6 | 29 |
| 42 | Reduction of cardiovascular risk and mortality: a population-based approach. <i>Advances in Therapy</i> , 2006 , 23, 905-20 | 4.1 | 6 |

(2004-2006)

| 41 | Context-Dependency of Relations Between Cardiovascular Phenotypes and Genes Involved in Sodium Homeostasis: Findings from the European Project on Genes in Hypertension. <i>Current Hypertension Reviews</i> , 2006 , 2, 275-281 | 2.3 | 2 |
|----|---|------|----|
| 40 | Local and systemic vasodilation following hypnotic suggestion of warm tub bathing. <i>International Journal of Psychophysiology</i> , 2006 , 62, 60-5 | 2.9 | 20 |
| 39 | Sodium excretion as a modulator of genetic associations with cardiovascular phenotypes in the European Project on Genes in Hypertension. <i>Journal of Hypertension</i> , 2006 , 24, 235-42 | 1.9 | 23 |
| 38 | Systolic and pulse hypertension. <i>Aging Health</i> , 2005 , 1, 85-94 | | 10 |
| 37 | C-344T polymorphism of the aldosterone synthase gene and blood pressure in the elderly: a population-based study. <i>Journal of Hypertension</i> , 2005 , 23, 1991-6 | 1.9 | 39 |
| 36 | Low-density lipoprotein cholesterol and mortality in older people. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 2159-64 | 5.6 | 54 |
| 35 | Triglycerides + high-density-lipoprotein-cholesterol dyslipidaemia, a coronary risk factor in elderly women: the CArdiovascular STudy in the ELderly. <i>Internal Medicine Journal</i> , 2005 , 35, 604-10 | 1.6 | 39 |
| 34 | Context-dependency of the relation between left ventricular mass and AGT gene variants. <i>Journal of Human Hypertension</i> , 2005 , 19, 155-63 | 2.6 | 14 |
| 33 | German origin clusters for high cardiovascular risk in an Italian enclave. <i>International Heart Journal</i> , 2005 , 46, 489-500 | 1.8 | 17 |
| 32 | Alcohol intake modulates the genetic association between HDL cholesterol and the PPARgamma2 Pro12Ala polymorphism. <i>Journal of Lipid Research</i> , 2005 , 46, 913-9 | 6.3 | 20 |
| 31 | Predictors of congestive heart failure mortality in elderly people from the general population. <i>International Heart Journal</i> , 2005 , 46, 419-31 | 1.8 | 23 |
| 30 | Serum creatinine and coronary mortality in the elderly with normal renal function: the CArdiovascular STudy in the ELderly (CASTEL). <i>Journal of Nephrology</i> , 2005 , 18, 606-12 | 4.8 | 5 |
| 29 | Left ventricular mass in relation to genetic variation in angiotensin II receptors, renin system genes, and sodium excretion. <i>Circulation</i> , 2004 , 110, 2644-50 | 16.7 | 59 |
| 28 | Should pulse pressure become part of the Framingham risk score?. <i>Journal of Human Hypertension</i> , 2004 , 18, 279-86 | 2.6 | 27 |
| 27 | Therapeutic profile of manidipine and lercanidipine in hypertensive patients. <i>Advances in Therapy</i> , 2004 , 21, 357-69 | 4.1 | 5 |
| 26 | Role of manidipine in the management of patients with hypertension. <i>Expert Review of Cardiovascular Therapy</i> , 2004 , 2, 815-27 | 2.5 | 2 |
| 25 | Genetic variation in CYP11B2 and AT1R influences heart rate variability conditional on sodium excretion. <i>Hypertension</i> , 2004 , 44, 156-62 | 8.5 | 40 |
| 24 | Relationship between left ventricular mass and the ACE D/I polymorphism varies according to sodium intake. <i>Journal of Hypertension</i> , 2004 , 22, 287-95 | 1.9 | 20 |

| 23 | Blood pressure phenotypes in relation to the beta-adducin C1797T polymorphism in the European Project on Genes in Hypertension (EPOGH). <i>Blood Pressure Monitoring</i> , 2003 , 8, 151-4 | 1.3 | 19 |
|----|--|------|----|
| 22 | Host and environmental determinants of heart rate and heart rate variability in four European populations. <i>Journal of Hypertension</i> , 2003 , 21, 525-35 | 1.9 | 57 |
| 21 | Total cholesterol and mortality in the elderly. <i>Journal of Internal Medicine</i> , 2003 , 254, 353-62 | 10.8 | 36 |
| 20 | beta-Adducin polymorphisms, blood pressure, and sodium excretion in three European populations. <i>American Journal of Hypertension</i> , 2003 , 16, 840-6 | 2.3 | 41 |
| 19 | Heritability of left atrial size in the Tecumseh population. <i>European Journal of Clinical Investigation</i> , 2002 , 32, 467-71 | 4.6 | 8 |
| 18 | Pulse pressure and coronary mortality in elderly men and women from general population. <i>Journal of Human Hypertension</i> , 2002 , 16, 611-20 | 2.6 | 35 |
| 17 | Hormonal regulation of human adipocytes at the cross-roads between obesity and hypertension. <i>Journal of Hypertension</i> , 2002 , 20, 839-41 | 1.9 | 1 |
| 16 | Weak effect of hypertension and other classic risk factors in the elderly who have already paid their toll. <i>Journal of Human Hypertension</i> , 2002 , 16, 21-31 | 2.6 | 38 |
| 15 | Population-based studies improve outcome in hypertensive patients. <i>American Journal of Hypertension</i> , 2002 , 15, 605-8 | 2.3 | 11 |
| 14 | Arterial hypertension and mortality in the elderly. American Journal of Hypertension, 2002, 15, 958-66 | 2.3 | 13 |
| 13 | Should high-normal blood pressure be treated?. Journal of Hypertension, 2002, 20, 1028-1030 | 1.9 | 1 |
| 12 | Is menopause an independent cardiovascular risk factor? Evidence from population-based studies. Journal of Hypertension Supplement: Official Journal of the International Society of Hypertension, 2002 , 20, S17-22 | | 4 |
| 11 | Predictors of stroke mortality in elderly people from the general population. The CArdiovascular STudy in the ELderly. <i>European Journal of Epidemiology</i> , 2001 , 17, 1097-104 | 12.1 | 75 |
| 10 | Pulse pressure: an independent predictor of coronary and stroke mortality in elderly females from the general population. <i>Blood Pressure</i> , 2001 , 10, 205-11 | 1.7 | 41 |
| 9 | Genetic contribution to the variance in left ventricular mass: the Tecumseh Offspring Study. <i>Journal of Hypertension</i> , 2001 , 19, 1217-22 | 1.9 | 16 |
| 8 | Blood pressure and metabolic profile after surgical menopause: comparison with fertile and naturally-menopausal women. <i>Journal of Human Hypertension</i> , 2000 , 14, 799-805 | 2.6 | 26 |
| 7 | Cardiovascular mortality in non-insulin-dependent diabetes mellitus. A controlled study among 683 diabetics and 683 age- and sex-matched normal subjects. <i>European Journal of Epidemiology</i> , 2000 , 16, 677-84 | 12.1 | 24 |
| 6 | The 24-hour rhythm of blood pressure differs from that of leg hemodynamics in orthotopic heart transplant recipients. <i>American Heart Journal</i> , 2000 , 140, 941-4 | 4.9 | 7 |

LIST OF PUBLICATIONS

| 5 | 24-hour leg and forearm haemodynamics in transected spinal cord subjects. <i>Cardiovascular Research</i> , 1999 , 41, 312-6 | 9.9 | 11 |
|---|---|------|----|
| 4 | Predictors of cancer mortality in elderly subjects. <i>European Journal of Epidemiology</i> , 1999 , 15, 421-7 | 12.1 | 14 |
| 3 | Effects of caffeine on glucose tolerance: a placebo-controlled study. <i>European Journal of Clinical Nutrition</i> , 1998 , 52, 846-9 | 5.2 | 55 |
| 2 | Should digoxin be proscribed in elderly subjects in sinus rhythm free from heart failure? A population-based study. <i>International Heart Journal</i> , 1998 , 39, 639-51 | | 7 |
| 1 | Weak effect of hypertension and other classic risk factors in the elderly who have already paid their to | oll | 1 |