

Christophe Dadure

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1363344/christophe-dadure-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59 papers	2,039 citations	24 h-index	44 g-index
71 ext. papers	2,553 ext. citations	3.6 avg, IF	4.14 L-index

#	Paper	IF	Citations
59	Incidence of severe critical events in paediatric anaesthesia (APRICOT): a prospective multicentre observational study in 261 hospitals in Europe. <i>Lancet Respiratory Medicine</i> , 2017 , 5, 412-425	35.1	261
58	Continuous psoas compartment block for postoperative analgesia after total hip arthroplasty: new landmarks, technical guidelines, and clinical evaluation. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1606-13, table of contents	3.9	194
57	Continuous Psoas Compartment Block for Postoperative Analgesia After Total Hip Arthroplasty: New Landmarks, Technical Guidelines, and Clinical Evaluation. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1606-1613	3.9	166
56	Effect of patient-controlled perineural analgesia on rehabilitation and pain after ambulatory orthopedic surgery: a multicenter randomized trial. <i>Anesthesiology</i> , 2006 , 105, 566-73	4.3	122
55	Continuous peripheral nerve blocks at home for treatment of recurrent complex regional pain syndrome I in children. <i>Anesthesiology</i> , 2005 , 102, 387-91	4.3	117
54	The perioperative validity of the visual analog anxiety scale in children: a discriminant and useful instrument in routine clinical practice to optimize postoperative pain management. <i>Anesthesia and Analgesia</i> , 2009 , 109, 737-44	3.9	98
53	Patient-controlled perineural analgesia after ambulatory orthopedic surgery: a comparison of electronic versus elastomeric pumps. <i>Anesthesia and Analgesia</i> , 2003 , 96, 414-7, table of contents	3.9	68
52	Clonidine prolongs spinal anesthesia in newborns: a prospective dose-ranging study. <i>Anesthesia and Analgesia</i> , 2004 , 98, 56-59	3.9	68
51	Continuous peripheral nerve blocks for postoperative analgesia in children: feasibility and side effects in a cohort study of 339 catheters. <i>Canadian Journal of Anaesthesia</i> , 2009 , 56, 843-50	3	62
50	Continuous epidural block versus continuous popliteal nerve block for postoperative pain relief after major podiatric surgery in children: a prospective, comparative randomized study. <i>Anesthesia and Analgesia</i> , 2006 , 102, 744-9	3.9	62
49	Patient-Controlled Perineural Analgesia After Ambulatory Orthopedic Surgery: A Comparison of Electronic Versus Elastomeric Pumps. <i>Anesthesia and Analgesia</i> , 2003 , 96, 414-417	3.9	52
48	Bilateral suprazygomatic maxillary nerve block for cleft palate repair in children: a prospective, randomized, double-blind study versus placebo. <i>Anesthesiology</i> , 2014 , 120, 1362-9	4.3	52
47	Perioperative continuous peripheral nerve blocks with disposable infusion pumps in children: a prospective descriptive study. <i>Anesthesia and Analgesia</i> , 2003 , 97, 687-690	3.9	51
46	Ultrasound guidance characteristics and efficiency of suprazygomatic maxillary nerve blocks in infants: a descriptive prospective study. <i>Paediatric Anaesthesia</i> , 2012 , 22, 841-6	1.8	48
45	A new approach for peri-operative analgesia of cleft palate repair in infants: the bilateral suprazygomatic maxillary nerve block. <i>Paediatric Anaesthesia</i> , 2010 , 20, 343-9	1.8	48
44	A review of pediatric regional anesthesia practice during a 17-year period in a single institution. <i>Paediatric Anaesthesia</i> , 2007 , 17, 874-80	1.8	39
43	Clonidine added to bupivacaine in neonatal spinal anesthesia: a prospective comparison in 124 preterm and term infants. <i>Paediatric Anaesthesia</i> , 2005 , 15, 1072-7	1.8	39

42	Age-dependent bupivacaine-induced muscle toxicity during continuous peripheral nerve block in rats. <i>Anesthesiology</i> , 2009 , 111, 1120-7	4.3	36
41	Continuous psoas compartment blocks after major orthopedic surgery in children: a prospective computed tomographic scan and clinical studies. <i>Anesthesia and Analgesia</i> , 2004 , 98, 623-8, table of contents	3.9	35
40	Effectiveness of Epidural Analgesia, Continuous Surgical Site Analgesia, and Patient-Controlled Analgesic Morphine for Postoperative Pain Management and Hyperalgesia, Rehabilitation, and Health-Related Quality of Life After Open Nephrectomy: A Prospective, Randomized, Controlled Study. <i>Anesthesia and Analgesia</i> , 2017 , 124, 336-345	3.9	34
39	Continuous infraclavicular brachial plexus block for acute pain management in children. <i>Anesthesia and Analgesia</i> , 2003 , 97, 691-693	3.9	29
38	A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations. <i>Pain</i> , 2009 , 145, 60-8	8	28
37	Ultrasound-guided deep or intermediate cervical plexus block: the target should be the posterior cervical space. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1563-4; author reply 1564-5	3.9	26
36	Childhood preoperative anxiolysis: Is sedation and distraction better than either alone? A prospective randomized study. <i>Paediatric Anaesthesia</i> , 2017 , 27, 827-834	1.8	25
35	Anatomic study using three-dimensional computed tomographic scan measurement for truncal maxillary nerve blocks via the suprazygomatic route in infants. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 224-8	1.2	24
34	Peripheral catheter techniques. <i>Paediatric Anaesthesia</i> , 2012 , 22, 93-101	1.8	23
33	Continuous infusion of ropivacaine: an optimal postoperative analgesia regimen for iliac crest bone graft in children. <i>Paediatric Anaesthesia</i> , 2009 , 19, 887-91	1.8	21
32	Perioperative pain management of a complex orthopedic surgical procedure with double continuous nerve blocks in a burned child. <i>Anesthesia and Analgesia</i> , 2004 , 98, 1653-1655	3.9	19
31	One year of anaesthesia in France: A comprehensive survey based on the national medical information (PMSI) database. Part 2: Out-hospital patients. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2015 , 34, 199-204	3	17
30	The effects of spread of block and adrenaline on cardiac output after epidural anesthesia in young children: a randomized, double-blind, prospective study. <i>Anesthesia and Analgesia</i> , 2004 , 98, 948-955	3.9	17
29	Liquid chromatography-electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 831, 91-8	3.2	15
28	One year of anaesthesia in France: A comprehensive survey based on the national medical information (PMSI) database. Part 1: In-hospital patients. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2015 , 34, 191-7	3	11
27	Ultrasound-guided transversus abdominis plane block for herniorrhaphy in children: what is the optimal dose of levobupivacaine?. <i>European Journal of Anaesthesiology</i> , 2014 , 31, 327-32	2.3	11
26	Children with challenging airways: What about GlideScope video-laryngoscopy?. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2017 , 36, 267-271	3	10
25	Management of the child's airway under anaesthesia: The French guidelines. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019 , 38, 681-693	3	10

24	Epidemiology of regional anesthesia in children: Lessons learned from the European Multi-Institutional Study APRICOT. <i>Paediatric Anaesthesia</i> , 2019 , 29, 1128-1135	1.8	10
23	Effects of pressure support ventilation mode on emergence time and intra-operative ventilatory function: a randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e115139	3.7	9
22	Changing trends in paediatric regional anaesthetic practice in recent years. <i>Current Opinion in Anaesthesiology</i> , 2009 , 22, 374-7	2.9	9
21	Transpulmonary thermodilution hemodynamic monitoring for pheochromocytoma surgery in a child with complex congenital heart disease. <i>Paediatric Anaesthesia</i> , 2006 , 16, 1277-80	1.8	9
20	Transversus Abdominal Plane Block in Children: Efficacy and Safety: A Randomized Clinical Study and Pharmacokinetic Profile. <i>Anesthesia and Analgesia</i> , 2019 , 128, 1234-1241	3.9	8
19	Description of practices and complications in the French centres that participated to APRICOT: A secondary analysis. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019 , 38, 637-645	3	5
18	Management of mediastinal syndromes in pediatrics: a new challenge of ultrasound guidance to avoid high-risk general anesthesia. <i>Paediatric Anaesthesia</i> , 2014 , 24, 534-7	1.8	5
17	Difficult tracheal intubation in neonates and infants. NEonate and Children audit of Anaesthesia pRactice IN Europe (NECTARINE): a prospective European multicentre observational study. <i>British Journal of Anaesthesia</i> , 2021 , 126, 1173-1181	5.4	4
16	Gestion des voies aeriennes de l'enfant. <i>Anesthésie & Réanimation</i> , 2019 , 5, 408-426	0.1	2
15	Use of term "patient-controlled" may be confusing in study of elastometric pump. <i>Anesthesia and Analgesia</i> , 2003 , 97, 917	3.9	2
14	Facial expressions of pain in daily clinical practice to assess postoperative pain in children: Reliability and validity of the facial action summary score. <i>European Journal of Pain</i> , 2021 , 25, 1081-1090	3.7	2
13	Bilateral mandibular block improves pain relief and morphine consumption in mandibular osteotomies: a prospective, randomized, double-blind, placebo-controlled clinical trial. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 322-327	3.4	1
12	Prise en charge anesthésique pour chirurgie de fentes labio-palatines chez l'enfant. <i>Praticien En Anesthésie Réanimation</i> , 2011 , 15, 206-210	0	0
11	Prise en charge de la chirurgie urologique chez l'enfant : de la circoncision à la greffe rénale. <i>Praticien En Anesthésie Réanimation</i> , 2017 , 21, 16-20	0	
10	Guide d'échographie pratique en anesthésie-réanimation: anesthésie locorégionale. <i>Canadian Journal of Anaesthesia</i> , 2015 , 62, 1136-1137	3	
9	Management of complications of regional anesthesia	20-29	
8	Ultrasound-guided infraclavicular brachial plexus block	74-78	
7	Ultrasound-guided facial blocks	147-151	

6	Chirurgie de fentes labio-palatines chez l'enfant : modalités de prise en charge anesthésique. <i>Anesthésie & Réanimation</i> , 2015 , 1, 528-532	0.1
5	Continuous Regional Anesthesia After Foot Surgery in Children. <i>Anesthesia and Analgesia</i> , 2007 , 104, 457	3.9
4	Hyperbaric oxygen therapy and pain management in a child with continuous infraclavicular brachial plexus block. <i>Anesthesia and Analgesia</i> , 2004 , 99, 1878	3.9
3	Supplementation of Intrathecal Bupivacaine with Clonidine in Ex-Premature Neonates. <i>Anesthesia and Analgesia</i> , 2005 , 1563	3.9
2	Rachianesthésie en pédiatrie : quoi de neuf ?. <i>Anesthésie & Réanimation</i> , 2016 , 2, 343-348	0.1
1	Reply to assessing usefulness of GlideScope video laryngoscope in children with difficult direct laryngoscopy. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018 , 37, 637	3