Christophe Dadure

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1363344/christophe-dadure-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59	2,039	24	44
papers	citations	h-index	g-index
71 ext. papers	2,553 ext. citations	3.6 avg, IF	4.14 L-index

#	Paper	IF	Citations
59	Difficult tracheal intubation in neonates and infants. NEonate and Children audiT of Anaesthesia pRactice IN Europe (NECTARINE): a prospective European multicentre observational study. <i>British Journal of Anaesthesia</i> , 2021 , 126, 1173-1181	5.4	4
58	Bilateral mandibular block improves pain relief and morphine consumption in mandibular osteotomies: a prospective, randomized, double-blind, placebo-controlled clinical trial. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 322-327	3.4	1
57	Facial expressions of pain in daily clinical practice to assess postoperative pain in children: Reliability and validity of the facial action summary score. <i>European Journal of Pain</i> , 2021 , 25, 1081-1090	₎ 3.7	2
56	Description of practices and complications in the French centres that participated to APRICOT: A secondary analysis. <i>Anaesthesia, Critical Care & Dark Medicine</i> , 2019 , 38, 637-645	3	5
55	Transversus Abdominal Plane Block in Children: Efficacy and Safety: A Randomized Clinical Study and Pharmacokinetic Profile. <i>Anesthesia and Analgesia</i> , 2019 , 128, 1234-1241	3.9	8
54	Management of the child's airway under anaesthesia: The French guidelines. <i>Anaesthesia, Critical Care & Ca</i>	3	10
53	Epidemiology of regional anesthesia in children: Lessons learned from the European Multi-Institutional Study APRICOT. <i>Paediatric Anaesthesia</i> , 2019 , 29, 1128-1135	1.8	10
52	Gestion des voies aeriennes de l\(\exists \text{nfant}.\) Anesth\(\exists ie & R\(\exists \text{nimation}, \text{ 2019}, 5, 408-426\)	0.1	2
51	Reply to assessing usefulness of GlideScope video laryngoscope in children with difficult direct laryngoscopy. <i>Anaesthesia, Critical Care & Amp; Pain Medicine,</i> 2018 , 37, 637	3	
50	Prise en charge de la chirurgie urologique chez lanfant : de la circoncision la greffe rhale. <i>Praticien En Anesthesie Reanimation</i> , 2017 , 21, 16-20	O	
49	Childhood preoperative anxiolysis: Is sedation and distraction better than either alone? A prospective randomized study. <i>Paediatric Anaesthesia</i> , 2017 , 27, 827-834	1.8	25
48	Incidence of severe critical events in paediatric anaesthesia (APRICOT): a prospective multicentre observational study in 261 hospitals in Europe. <i>Lancet Respiratory Medicine,the</i> , 2017 , 5, 412-425	35.1	261
47	Effectiveness of Epidural Analgesia, Continuous Surgical Site Analgesia, and Patient-Controlled Analgesic Morphine for Postoperative Pain Management and Hyperalgesia, Rehabilitation, and Health-Related Quality of Life After Open Nephrectomy: A Prospective, Randomized, Controlled	3.9	34
46	Children with challenging airways: What about GlideScope video-laryngoscopy?. <i>Anaesthesia, Critical Care & Company Pain Medicine</i> , 2017 , 36, 267-271	3	10
45	RachianesthBie en pBiatrie : quoi de neuf ?. <i>Anesth</i> Bie & Ranimation, 2016 , 2, 343-348	0.1	
44	One year of anaesthesia in France: A comprehensive survey based on the national medical information (PMSI) database. Part 2: Out-hospital patients. <i>Anaesthesia, Critical Care & amp; Pain Medicine</i> , 2015 , 34, 199-204	3	17
43	Guide dthographie pratique en anesthtie-ränimation: anesthtie locortionale. <i>Canadian Journal of Anaesthesia</i> , 2015 , 62, 1136-1137	3	

(2009-2015)

42	One year of anaesthesia in France: A comprehensive survey based on the national medical information (PMSI) database. Part 1: In-hospital patients. <i>Anaesthesia, Critical Care & amp; Pain Medicine</i> , 2015 , 34, 191-7	3	11
41	Chirurgie de fentes labio-palatines chez l@nfant´: modalit@de prise en charge anesth@ique. <i>Anesth</i> @ie & <i>R</i> @nimation, 2015 , 1, 528-532	0.1	
40	Management of mediastinal syndromes in pediatrics: a new challenge of ultrasound guidance to avoid high-risk general anesthesia. <i>Paediatric Anaesthesia</i> , 2014 , 24, 534-7	1.8	5
39	Effects of pressure support ventilation mode on emergence time and intra-operative ventilatory function: a randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e115139	3.7	9
38	Ultrasound-guided tranversus abdominis plane block for herniorrhaphy in children: what is the optimal dose of levobupivacaine?. <i>European Journal of Anaesthesiology</i> , 2014 , 31, 327-32	2.3	11
37	Bilateral suprazygomatic maxillary nerve block for cleft palate repair in children: a prospective, randomized, double-blind study versus placebo. <i>Anesthesiology</i> , 2014 , 120, 1362-9	4.3	52
36	Ultrasound guidance characteristics and efficiency of suprazygomatic maxillary nerve blocks in infants: a descriptive prospective study. <i>Paediatric Anaesthesia</i> , 2012 , 22, 841-6	1.8	48
35	Peripheral catheter techniques. <i>Paediatric Anaesthesia</i> , 2012 , 22, 93-101	1.8	23
34	Prise en charge anesthBique pour chirurgie de fentes labio-palatines chez l\(\mathbb{B}\)nfant. <i>Praticien En Anesthesie Reanimation</i> , 2011 , 15, 206-210	0	Ο
33	A new approach for peri-operative analgesia of cleft palate repair in infants: the bilateral suprazygomatic maxillary nerve block. <i>Paediatric Anaesthesia</i> , 2010 , 20, 343-9	1.8	48
32	Ultrasound-guided deep or intermediate cervical plexus block: the target should be the posterior cervical space. <i>Anesthesia and Analgesia</i> , 2010 , 111, 1563-4; author reply 1564-5	3.9	26
31	A prospective comparison of post-surgical behavioral pain scales in preschoolers highlighting the risk of false evaluations. <i>Pain</i> , 2009 , 145, 60-8	8	28
30	Continuous peripheral nerve blocks for postoperative analgesia in children: feasibility and side effects in a cohort study of 339 catheters. <i>Canadian Journal of Anaesthesia</i> , 2009 , 56, 843-50	3	62
29	Continuous infusion of ropivacalie: an optimal postoperative analgesia regimen for iliac crest bone graft in children. <i>Paediatric Anaesthesia</i> , 2009 , 19, 887-91	1.8	21
28	The perioperative validity of the visual analog anxiety scale in children: a discriminant and useful instrument in routine clinical practice to optimize postoperative pain management. <i>Anesthesia and Analgesia</i> , 2009 , 109, 737-44	3.9	98
27	Changing trends in paediatric regional anaesthetic practice in recent years. <i>Current Opinion in Anaesthesiology</i> , 2009 , 22, 374-7	2.9	9
26	Anatomic study using three-dimensional computed tomographic scan measurement for truncal maxillary nerve blocks via the suprazygomatic route in infants. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 224-8	1.2	24
25	Age-dependent bupivacaine-induced muscle toxicity during continuous peripheral nerve block in rats. <i>Anesthesiology</i> , 2009 , 111, 1120-7	4.3	36

24	A review of pediatric regional anesthesia practice during a 17-year period in a single institution. <i>Paediatric Anaesthesia</i> , 2007 , 17, 874-80	1.8	39
23	Continuous Regional Anesthesia After Foot Surgery in Children. <i>Anesthesia and Analgesia</i> , 2007 , 104, 457	3.9	
22	Continuous epidural block versus continuous popliteal nerve block for postoperative pain relief after major podiatric surgery in children: a prospective, comparative randomized study. <i>Anesthesia and Analgesia</i> , 2006 , 102, 744-9	3.9	62
21	Effect of patient-controlled perineural analgesia on rehabilitation and pain after ambulatory orthopedic surgery: a multicenter randomized trial. <i>Anesthesiology</i> , 2006 , 105, 566-73	4.3	122
20	Transpulmonary thermodilution hemodynamic monitoring for pheochromocytoma surgery in a child with complex congenital heart disease. <i>Paediatric Anaesthesia</i> , 2006 , 16, 1277-80	1.8	9
19	Liquid chromatography-electrospray mass spectrometry determination of free and total concentrations of ropivacaine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 831, 91-8	3.2	15
18	Continuous peripheral nerve blocks at home for treatment of recurrent complex regional pain syndrome I in children. <i>Anesthesiology</i> , 2005 , 102, 387-91	4.3	117
17	Supplementation of Intrathecal Bupivacaine with Clonidine in Ex-Premature Neonates. <i>Anesthesia and Analgesia</i> , 2005 , 1563	3.9	
16	Clonidine added to bupivacaine in neonatal spinal anesthesia: a prospective comparison in 124 preterm and term infants. <i>Paediatric Anaesthesia</i> , 2005 , 15, 1072-7	1.8	39
15	Hyperbaric oxygen therapy and pain management in a child with continuous infraclavicular brachial plexus block. <i>Anesthesia and Analgesia</i> , 2004 , 99, 1878	3.9	
14	Clonidine prolongs spinal anesthesia in newborns: a prospective dose-ranging study. <i>Anesthesia and Analgesia</i> , 2004 , 98, 56-59	3.9	68
13	The effects of spread of block and adrenaline on cardiac output after epidural anesthesia in young children: a randomized, double-blind, prospective study. <i>Anesthesia and Analgesia</i> , 2004 , 98, 948-955	3.9	17
12	Continuous psoas compartment blocks after major orthopedic surgery in children: a prospective computed tomographic scan and clinical studies. <i>Anesthesia and Analgesia</i> , 2004 , 98, 623-8, table of con	t è nts	35
11	Perioperative pain management of a complex orthopedic surgical procedure with double continuous nerve blocks in a burned child. <i>Anesthesia and Analgesia</i> , 2004 , 98, 1653-1655	3.9	19
10	Patient-Controlled Perineural Analgesia After Ambulatory Orthopedic Surgery: A Comparison of Electronic Versus Elastomeric Pumps. <i>Anesthesia and Analgesia</i> , 2003 , 96, 414-417	3.9	52
9	Patient-controlled perineural analgesia after ambulatory orthopedic surgery: a comparison of electronic versus elastomeric pumps. <i>Anesthesia and Analgesia</i> , 2003 , 96, 414-7, table of contents	3.9	68
8	Perioperative continuous peripheral nerve blocks with disposable infusion pumps in children: a prospective descriptive study. <i>Anesthesia and Analgesia</i> , 2003 , 97, 687-690	3.9	51
7	Use of term "patient-controlled" may be confusing in study of elastometric pump. <i>Anesthesia and Analgesia</i> , 2003 , 97, 917	3.9	2

LIST OF PUBLICATIONS

6	and Analgesia, 2003 , 97, 691-693	3.9	29
5	Continuous Psoas Compartment Block for Postoperative Analgesia After Total Hip Arthroplasty: New Landmarks, Technical Guidelines, and Clinical Evaluation. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1606	-1 ² 693	166
4	Continuous psoas compartment block for postoperative analgesia after total hip arthroplasty: new landmarks, technical guidelines, and clinical evaluation. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1606-13, table of contents	3.9	194
3	Management of complications of regional anesthesia20-29		

- 2 Ultrasound-guided infraclavicular brachial plexus block74-78
- 1 Ultrasound-guided facial blocks147-151