

Sung-Soo Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1363403/publications.pdf>

Version: 2024-02-01

53
papers

1,450
citations

393982

19
h-index

329751

37
g-index

53
all docs

53
docs citations

53
times ranked

1294
citing authors

#	ARTICLE	IF	CITATIONS
1	High-capacitive frequency selective surfaces of folded spiral conductor arrays. <i>Microwave and Optical Technology Letters</i> , 2020, 62, 301-307.	0.9	6
2	The effect of Zn and Ni substitution on magnetic and microwave absorbing properties of Co ₂ W hexagonal ferrites. <i>Ceramics International</i> , 2019, 45, 9406-9409.	2.3	31
3	Ultrawide Bandwidth Electromagnetic Wave Absorbers Using a High-capacitive Folded Spiral Frequency Selective Surface in a Multilayer Structure. <i>Scientific Reports</i> , 2019, 9, 16494.	1.6	19
4	Design and Fabrication of 77-GHz Radar Absorbing Materials Using Frequency-Selective Surfaces for Autonomous Vehicles Application. <i>IEEE Microwave and Wireless Components Letters</i> , 2019, 29, 779-782.	2.0	21
5	Microwave Absorbing Properties of Carbonyl Iron Particle Composites with Frequency Selective Surface. <i>Journal of Korean Institute of Metals and Materials</i> , 2019, 57, 741-746.	0.4	3
6	Magnetic Permeability Spectra of Metamaterials Composed of Split Cut Wires Retrieved from Circuit Theory. , 2018, , .		0
7	Ultrawide Bandwidth Electromagnetic Wave Absorbers Composed of Double-Layer Frequency Selective Surfaces with Different Patterns. <i>Scientific Reports</i> , 2018, 8, 13889.	1.6	21
8	Design of ultra wide-bandwidth double-layer electromagnetic wave absorbers with square-loop frequency selective surfaces. <i>Microwave and Optical Technology Letters</i> , 2018, 60, 2013-2018.	0.9	15
9	Multiple magnetic resonance and broadband microwave absorption of metamaterials composed of split cut wires. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	0
10	Multiple magnetic resonance and microwave absorption of metamaterial absorbers composed of double split ring resonators on grounded carbonyl iron composites. <i>AIP Advances</i> , 2017, 7, 125223.	0.6	7
11	Design of wide bandwidth pyramidal microwave absorbers using ferrite composites with broad magnetic loss spectra. <i>Electronic Materials Letters</i> , 2016, 12, 610-614.	1.0	6
12	Microwave absorbance of Ni-Fe thin films on hollow ceramic microspheres dispersed in a rubber matrix. <i>Journal of Alloys and Compounds</i> , 2016, 687, 22-27.	2.8	9
13	Design of wide-bandwidth electromagnetic wave absorbers using the inductance and capacitance of a square loop-frequency selective surface calculated from an equivalent circuit model. <i>Optics Communications</i> , 2016, 359, 372-377.	1.0	51
14	Dual-band microwave absorption properties of metamaterial absorber composed of split ring resonator on carbonyl iron powder composites. <i>Electronic Materials Letters</i> , 2015, 11, 447-451.	1.0	28
15	Influence of substrate on broadband microwave absorption of metamaterial absorbers composed of multi-scaled split cut wires. , 2015, , .		0
16	Preparation of Ag-coated hollow microspheres via electroless plating for application in lightweight microwave absorbers. <i>Applied Surface Science</i> , 2015, 329, 219-222.	3.1	19
17	Design of grid-type microwave absorbers with high-permittivity composites of Ag-coated Ni-Zn ferrite particles. <i>Journal of Applied Physics</i> , 2015, 117, .	1.1	13
18	Enhancement of conduction noise absorption by hybrid absorbers composed of indium-tin-oxide thin film and magnetic composite sheet on a microstrip line. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	2

#	ARTICLE	IF	CITATIONS
19	Numerical analysis of dominant loss parameters of ferrite thin films for conduction noise absorption in microstrip lines. <i>Journal of Applied Physics</i> , 2014, 115, 17A526.	1.1	0
20	Influence of magnetic and dielectric loss of polymer composites containing magnetic flake particles (Sendust, Permalloy) on noise absorption in microstrip lines. <i>Research on Chemical Intermediates</i> , 2014, 40, 2553-2558.	1.3	5
21	Numerical analysis of complex impedance and microwave absorption of metamaterials composed of split cut wires on grounded dielectric substrate. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 117, 1401-1407.	1.1	5
22	Microwave absorbing properties of hollow microspheres plated with magnetic metal films. <i>Journal of Applied Physics</i> , 2014, 115, 17A528.	1.1	10
23	Electroless Plating of Co Thin Film on Hollow Glass Microspheres and the Effect of Film Thickness on Microwave Absorbance. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 3494-3497.	1.2	10
24	Numerical Analysis on Power Absorption by Fe_3O_4 Thin Films for Conduction Noise in Microstrip Line. <i>IEEE Transactions on Magnetics</i> , 2012, 48, 3490-3493.	1.2	13
25	Microwave absorbing properties of Ag-coated Ni-Zn ferrite microspheres prepared by electroless plating. <i>Journal of Alloys and Compounds</i> , 2011, 509, 4399-4403.	2.8	27
26	Microwave Absorbing Properties of Magnetic Composite Sheets for Oblique Incidence Angles. <i>IEEE Transactions on Magnetics</i> , 2011, 47, 4314-4317.	1.2	23
27	Numerical analysis on thickness effect of magnetic thin films on conduction noise absorption in microstrip line. <i>Metals and Materials International</i> , 2011, 17, 805-810.	1.8	0
28	Analysis of conduction noise attenuation by magnetic composite sheets on a microstrip line by the finite element method. <i>Metals and Materials International</i> , 2010, 16, 115-119.	1.8	3
29	Effects of temperature and catalysts on the synthesis of carbon nanotubes by chemical vapor deposition. <i>Metals and Materials International</i> , 2010, 16, 663-667.	1.8	16
30	Magnetic and microwave absorbing properties of Ti and Co substituted M-hexaferrites in Ka-band frequencies (26.5-40GHz). <i>Journal of Electroceramics</i> , 2010, 24, 314-318.	0.8	28
31	Microwave absorbers of two-layer composites laminate for wide oblique incidence angles. <i>Materials & Design</i> , 2010, 31, 1547-1552.	5.1	31
32	Conduction noise absorption by ITO thin films attached to microstrip line utilizing Ohmic loss. <i>Journal of Applied Physics</i> , 2010, 108, .	1.1	10
33	Numerical analysis on power loss mechanism of Fe55Al18O27 thin films for conduction noise through microstrip line. <i>Journal of Applied Physics</i> , 2009, 105, 07A508.	1.1	8
34	The Influence of Magnetic and Dielectric Loss on the Noise Absorption of Iron Particles-Rubber Composites Attached to a Microstrip Line. <i>Metals and Materials International</i> , 2008, 14, 233-237.	1.8	10
35	Microwave absorption of $\lambda/4$ wave absorbers using high permeability magnetic composites in quasimicrowave frequency band. <i>Journal of Applied Physics</i> , 2008, 103, 07E504.	1.1	23
36	Double-layered microwave absorbers composed of ferrite and carbon fiber composite laminates. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2007, 4, 4602-4605.	0.8	11

#	ARTICLE	IF	CITATIONS
37	Microstructure of nanopores in AAO templates favoring the growth of nickel nanowires by electrodeposition. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2007, 4, 4429-4432.	0.8	9
38	High-frequency noise absorbing properties of nickel nanowire arrays prepared by DC electrodeposition. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2007, 204, 4025-4028.	0.8	4
39	Conduction noise attenuation by iron particles-rubber composites attached on microstrip line. <i>IEEE Transactions on Magnetics</i> , 2005, 41, 3562-3564.	1.2	23
40	Conduction noise attenuation by iron particles-rubber composites attached on microstrip line. , 2005, , .		0
41	Magnetic, dielectric, and microwave absorbing properties of iron particles dispersed in rubber matrix in gigahertz frequencies. <i>Journal of Applied Physics</i> , 2005, 97, 10F905.	1.1	234
42	Magnetic and microwave absorbing properties of Co-Fe thin films plated on hollow ceramic microspheres of low density. <i>Journal of Magnetism and Magnetic Materials</i> , 2004, 271, 39-45.	1.0	217
43	Title is missing!. , 2003, 10, 95-101.		35
44	Microwave absorbing properties of Co-substituted Ni ₂ W hexaferrites in Ka-band frequencies (26.5-40 GHz). <i>IEEE Transactions on Magnetics</i> , 2002, 38, 3108-3110.	1.2	61
45	Wide bandwidth pyramidal absorbers of granular ferrite and carbonyl iron powders. <i>IEEE Transactions on Magnetics</i> , 2000, 36, 3272-3274.	1.2	122
46	Abnormal grain growth and magnetic loss in Mn-Zn ferrites containing CaO and SiO ₂ . <i>IEEE Transactions on Magnetics</i> , 2000, 36, 3405-3407.	1.2	31
47	Control of complex permeability and permittivity by air cavity in ferrite rubber composite sheets and their wide-band absorbing characteristics. , 1999, , .		0
48	M-hexaferrites with planar magnetic anisotropy and their application to high-frequency microwave absorber. , 1999, , .		1
49	M-hexaferrites with planar magnetic anisotropy and their application to high-frequency microwave absorbers. <i>IEEE Transactions on Magnetics</i> , 1999, 35, 3151-3153.	1.2	209
50	Control of complex permeability and permittivity by air cavity in ferrite-rubber composite sheets and their wide-band absorbing characteristics. <i>IEEE Transactions on Magnetics</i> , 1999, 35, 3181-3183.	1.2	18
51	Grain Growth Behavior in Mn-Zn Ferrites Containing CaO and SiO ₂ . <i>Journal of the Magnetics Society of Japan</i> , 1998, 22, S1_74-76.	0.4	0
52	Microwave Reflective and Absorbent Properties of Spinel Ferrite Composites. <i>Journal of the Magnetics Society of Japan</i> , 1998, 22, S1_375-377.	0.4	2
53	Wide bandwidth pyramidal absorbers of granular ferrite and carbonyl iron powders. , 0, , .		0