

Susan Graham

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1364052/susan-graham-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142 papers	2,738 citations	28 h-index	45 g-index
157 ext. papers	3,317 ext. citations	3.7 avg, IF	4.75 L-index

#	Paper	IF	Citations
142	"Facilitating HIV status adjustment: Qualitative insights from the Tambua Mapema proof-of-concept study in Kenya".. <i>PLoS ONE</i> , 2022 , 17, e0261255	3.7	
141	Predictors of testing history and new HIV diagnosis among adult outpatients seeking care for symptoms of acute HIV infection in coastal Kenya: a cross-sectional analysis of intervention participants in a stepped-wedge HIV testing trial.. <i>BMC Public Health</i> , 2022 , 22, 280	4.1	0
140	Quantifying rates of HIV-1 flow between risk groups and geographic locations in Kenya: A country-wide phylogenetic study.. <i>Virus Evolution</i> , 2022 , 8, veac016	3.7	1
139	The systematic development of attributes and levels for a discrete choice experiment of HIV patient preferences for long-acting antiretroviral therapies in the United States.. <i>AIDS Research and Therapy</i> , 2022 , 19, 13	3	
138	Phylogeographic Assessment Reveals Geographic Sources of HIV-1 Dissemination Among Men Who Have Sex With Men in Kenya.. <i>Frontiers in Microbiology</i> , 2022 , 13, 843330	5.7	1
137	Validity and reliability of the Neilands sexual stigma scale among Kenyan gay, bisexual, and other men who have sex with men.. <i>BMC Public Health</i> , 2022 , 22, 754	4.1	
136	Elevated Plasma von Willebrand Factor Levels Are Associated With Subsequent Ischemic Stroke in Persons With Treated HIV Infection.. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab521	1	1
135	Peer Mobilization and Human Immunodeficiency Virus (HIV) Partner Notification Services Among Gay, Bisexual, and Other Men Who Have Sex With Men and Transgender Women in Coastal Kenya Identified a High Number of Undiagnosed HIV Infections. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab219	1	3
134	Behavior Change and Sexually Transmitted Incidence in Relation to PREP Use Among Men Who Have Sex with Men in Kenya. <i>AIDS and Behavior</i> , 2021 , 25, 2219-2229	4.3	0
133	"I wish to remain HIV negative": Pre-exposure prophylaxis adherence and persistence in transgender women and men who have sex with men in coastal Kenya. <i>PLoS ONE</i> , 2021 , 16, e0244226	3.7	2
132	"Lighten This Burden of Ours": Acceptability and Preferences Regarding Injectable Antiretroviral Treatment Among Adults and Youth Living With HIV in Coastal Kenya. <i>Journal of the International Association of Providers of AIDS Care</i> , 2021 , 20, 23259582211000517	1.7	1
131	High patient acceptability but low coverage of provider-initiated HIV testing among adult outpatients with symptoms of acute infectious illness in coastal Kenya. <i>PLoS ONE</i> , 2021 , 16, e0246444	3.7	5
130	God Didn't Make a Mistake in Creating Me! Intrapersonal Resilience Processes among Gay and Bisexual Male Youth in Kenya. <i>Adolescents</i> , 2021 , 1, 267-282		1
129	Effect of an opt-out point-of-care HIV-1 nucleic acid testing intervention to detect acute and prevalent HIV infection in symptomatic adult outpatients and reduce HIV transmission in Kenya: a randomized controlled trial. <i>HIV Medicine</i> , 2021 ,	2.7	1
128	Enrolment characteristics associated with retention among HIV negative Kenyan gay, bisexual and other men who have sex with men enrolled in the Anza Mapema cohort study. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 6, e25598	5.4	4
127	Risk factors for loss to follow-up among at-risk HIV negative men who have sex with men participating in a research cohort with access to pre-exposure prophylaxis in coastal Kenya. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 6, e25593	5.4	2
126	Older age at infection and nulliparity are associated with long-term non-progression in female sex workers infected with non-subtype B HIV-1. <i>International Journal of STD and AIDS</i> , 2020 , 31, 510-516	1.4	

125	A Randomized Controlled Trial of the Shikamana Intervention to Promote Antiretroviral Therapy Adherence Among Gay, Bisexual, and Other Men Who Have Sex with Men in Kenya: Feasibility, Acceptability, Safety and Initial Effect Size. <i>AIDS and Behavior</i> , 2020 , 24, 2206-2219	4.3	11
124	Endothelial Activation, Innate Immune Activation, and Inflammation Are Associated With Postbronchodilator Airflow Limitation and Obstruction Among Adolescents Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 267-277	3.1	5
123	What's PrEP?: peer navigator acceptability among minority MSM in Washington. <i>BMC Public Health</i> , 2020 , 20, 248	4.1	10
122	Incident gonorrhoea and chlamydia among a prospective cohort of men who have sex with men in Kisumu, Kenya. <i>Sexually Transmitted Infections</i> , 2020 , 96, 521-527	2.8	2
121	Dynamics of HIV DNA reservoir seeding in a cohort of superinfected Kenyan women. <i>PLoS Pathogens</i> , 2020 , 16, e1008286	7.6	18
120	A Novel HIV-1 RNA Testing Intervention to Detect Acute and Prevalent HIV Infection in Young Adults and Reduce HIV Transmission in Kenya: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16198	2	5
119	A Conjoint Analysis of the Acceptability of Targeted Long-Acting Injectable Antiretroviral Therapy Among Persons Living with HIV in the U.S. <i>AIDS and Behavior</i> , 2020 , 24, 1226-1236	4.3	10
118	PrEP uptake and adherence in relation to HIV-1 incidence among Kenyan men who have sex with men. <i>EClinicalMedicine</i> , 2020 , 26, 100541	11.3	10
117	A more responsive, multi-pronged strategy is needed to strengthen HIV healthcare for men who have sex with men in a decentralized health system: qualitative insights of a case study in the Kenyan coast. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 6, e25597	5.4	3
116	Tuberculosis-related stigma among adults presenting for HIV testing in KwaZulu-Natal, South Africa. <i>BMC Public Health</i> , 2020 , 20, 1338	4.1	0
115	Elevation of cervical C-X-C motif chemokine ligand 10 levels is associated with HIV-1 acquisition in pregnant and postpartum women. <i>Aids</i> , 2020 , 34, 1725-1733	3.5	1
114	Associations between vaginal bacteria implicated in HIV acquisition risk and proinflammatory cytokines and chemokines. <i>Sexually Transmitted Infections</i> , 2020 , 96, 3-9	2.8	10
113	HIV-1 Transmission Patterns Within and Between Risk Groups in Coastal Kenya. <i>Scientific Reports</i> , 2020 , 10, 6775	4.9	8
112	Back Pain in a 23-Year-Old Male With X-Linked Chronic Granulomatous Disease. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz449	1	2
111	Symptom-based Scoring for Acute Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2019 , 69, 736-737	11.6	1
110	PrEP interest and HIV-1 incidence among MSM and transgender women in coastal Kenya. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25323	5.4	31
109	Long-Acting Injectable Antiretroviral Treatment Acceptability and Preferences: A Qualitative Study Among US Providers, Adults Living with HIV, and Parents of Youth Living with HIV. <i>AIDS Patient Care and STDs</i> , 2019 , 33, 104-111	5.8	23
108	Systematic review of the performance and clinical utility of point of care HIV-1 RNA testing for diagnosis and care. <i>PLoS ONE</i> , 2019 , 14, e0218369	3.7	28

107	Trends and predictors of new HIV diagnosis and time since last test at testing encounters among adults in Kilifi, Kenya, 2006-2017. <i>Wellcome Open Research</i> , 2019 , 4, 127	4.8	2
106	Assessment of PrEP eligibility and uptake among at-risk MSM participating in a HIV-1 vaccine feasibility cohort in coastal Kenya. <i>Wellcome Open Research</i> , 2019 , 4, 138	4.8	5
105	Assessment of PrEP eligibility and uptake among at-risk MSM participating in a HIV-1 vaccine feasibility cohort in coastal Kenya. <i>Wellcome Open Research</i> , 2019 , 4, 138	4.8	4
104	Trends and predictors of new HIV diagnosis and time since last test at testing encounters among adults in Kilifi, Kenya, 2006-2017. <i>Wellcome Open Research</i> , 2019 , 4, 127	4.8	2
103	Von Willebrand Factor Adhesive Activity and ADAMTS13 Protease Activity in HIV-1-Infected Men. <i>International Journal of Medical Sciences</i> , 2019 , 16, 276-284	3.7	7
102	Point-of-care HIV RNA testing and immediate antiretroviral therapy initiation in young adults seeking out-patient care in Kenya. <i>Aids</i> , 2019 , 33, 923-926	3.5	5
101	Pilot testing of an online training module about screening for acute HIV infection in adult patients seeking urgent healthcare. <i>International Health</i> , 2019 , 11, 93-100	2.4	5
100	Prevalence and correlates of and a risk score to identify asymptomatic anorectal gonorrhoea and chlamydia infection among men who have sex with men in Kisumu, Kenya. <i>Sexually Transmitted Infections</i> , 2019 , 95, 201-211	2.8	3
99	Adjustment to acute or early HIV-1 infection diagnosis to prompt linkage to care and ART initiation: qualitative insights from coastal Kenya. <i>Psychology, Health and Medicine</i> , 2019 , 24, 631-641	2.1	3
98	Gender-Based Violence, Physiological Stress, and Inflammation: A Cross-Sectional Study. <i>Journal of Women's Health</i> , 2018 , 27, 1152-1161	3	3
97	Identification of Novel Neisseria gonorrhoeae Lineages Harboring Resistance Plasmids in Coastal Kenya. <i>Journal of Infectious Diseases</i> , 2018 , 218, 801-808	7	19
96	Patterns of Gender-Based Violence and Associations with Mental Health and HIV Risk Behavior Among Female Sex Workers in Mombasa, Kenya: A Latent Class Analysis. <i>AIDS and Behavior</i> , 2018 , 22, 3273-3286	4.3	25
95	Depressive Symptoms, Alcohol and Drug Use, and Physical and Sexual Abuse Among Men Who Have Sex with Men in Kisumu, Kenya: The Anza Mapema Study. <i>AIDS and Behavior</i> , 2018 , 22, 1517-1529	4.3	13
94	Depressive symptoms and problematic alcohol and other substance use in 1476 gay, bisexual, and other MSM at three research sites in Kenya. <i>Aids</i> , 2018 , 32, 1507-1515	3.5	19
93	An Empiric Risk Score to Guide PrEP Targeting Among MSM in Coastal Kenya. <i>AIDS and Behavior</i> , 2018 , 22, 35-44	4.3	21
92	Preference of specimen collection methods for human papillomavirus detection for cervical cancer screening: a cross-sectional study of high-risk women in Mombasa, Kenya. <i>Reproductive Health</i> , 2018 , 15, 206	3.5	2
91	Factors associated with viral suppression among HIV-positive Kenyan gay and bisexual men who have sex with men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, S76-S88	2.2	12
90	HIV care engagement and ART adherence among Kenyan gay, bisexual, and other men who have sex with men: a multi-level model informed by qualitative research. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, S97-S105	2.2	20

89	Hepatocellular carcinoma among US and non-US-born patients with chronic hepatitis B: Risk factors and age at diagnosis. <i>PLoS ONE</i> , 2018 , 13, e0204031	3.7	6
88	Getting to the Heart of the Matter: A 20-Year-Old Man With Fever, Rash, and Chest Pain. <i>Open Forum Infectious Diseases</i> , 2018 , 5, ofx272	1	1
87	Health Provider Views on Improving Antiretroviral Therapy Adherence Among Men Who Have Sex with Men in Coastal Kenya. <i>AIDS Patient Care and STDs</i> , 2017 , 31, 113-121	5.8	24
86	Improving HIV prevention and care for African GBMSM. <i>Lancet HIV</i> , 2017 , 4, e234-e236	7.8	7
85	Comprehensive Characterization of Humoral Correlates of Human Immunodeficiency Virus 1 Superinfection Acquisition in High-risk Kenyan Women. <i>EBioMedicine</i> , 2017 , 18, 216-224	8.8	14
84	Factors Associated With Prevalent HIV Infection Among Kenyan MSM: The Anza Mapema Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 76, 241-249	3.1	20
83	Semen Bacterial Concentrations and HIV-1 RNA Shedding Among HIV-1-Seropositive Kenyan Men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74, 250-257	3.1	7
82	Evaluation of the Isoniazid Preventive Therapy Care Cascade Among HIV-Positive Female Sex Workers in Mombasa, Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 76, 74-81	3.1	4
81	Hepatitis B Virus Incidence and Risk Factors Among Human Immunodeficiency Virus-1 Negative Men Who Have Sex With Men in Kenya. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofw253	1	15
80	Uptake and Acceptability of Oral HIV Self-Testing among Community Pharmacy Clients in Kenya: A Feasibility Study. <i>PLoS ONE</i> , 2017 , 12, e0170868	3.7	49
79	Public/community engagement in health research with men who have sex with men in sub-Saharan Africa: challenges and opportunities. <i>Health Research Policy and Systems</i> , 2016 , 14, 40	3.7	15
78	Endothelial activation, haemostasis and thrombosis biomarkers in Ugandan children with severe malaria participating in a clinical trial. <i>Malaria Journal</i> , 2016 , 15, 56	3.6	20
77	Genital Shedding of Resistant Human Immunodeficiency Virus-1 Among Women Diagnosed With Treatment Failure by Clinical and Immunologic Monitoring. <i>Open Forum Infectious Diseases</i> , 2016 , 3, ofw019	1	4
76	The plasma virome of febrile adult Kenyans shows frequent parvovirus B19 infections and a novel arbovirus (Kadipiro virus). <i>Journal of General Virology</i> , 2016 , 97, 3359-3367	4.9	27
75	Effect of Text Message, Phone Call, and In-Person Appointment Reminders on Uptake of Repeat HIV Testing among Outpatients Screened for Acute HIV Infection in Kenya: A Randomized Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0153612	3.7	32
74	Genital HSV Shedding among Kenyan Women Initiating Antiretroviral Therapy. <i>PLoS ONE</i> , 2016 , 11, e0163541	3.7	3
73	Dengue and Chikungunya Virus Infections among Young Febrile Adults Evaluated for Acute HIV-1 Infection in Coastal Kenya. <i>PLoS ONE</i> , 2016 , 11, e0167508	3.7	17
72	Left Ventricular Ejection Fraction and Risk of Stroke and Cardiac Events in Heart Failure: Data From the Warfarin Versus Aspirin in Reduced Ejection Fraction Trial. <i>Stroke</i> , 2016 , 47, 2031-7	6.7	37

71	Short Communication: Effect of Antiretroviral Therapy on Circulating Damage-Associated Molecular Pattern Molecules and CD4 Immune Reconstitution in HIV-Infected Individuals. <i>AIDS Research and Human Retroviruses</i> , 2016 , 32, 876-8	1.6	3
70	Platelets in sepsis: beyond hemostasis. <i>Blood</i> , 2016 , 127, 2947-9	2.2	7
69	Safety and clinical response of intraventricular caspofungin for <i>Scedosporium apiospermum</i> complex central nervous system infection. <i>Medical Mycology Case Reports</i> , 2016 , 13, 1-4	1.7	5
68	Engaging young adult clients of community pharmacies for HIV screening in Coastal Kenya: a cross-sectional study. <i>Sexually Transmitted Infections</i> , 2015 , 91, 257-9	2.8	10
67	Quality of anticoagulation control in preventing adverse events in patients with heart failure in sinus rhythm: Warfarin versus Aspirin in Reduced Cardiac Ejection Fraction trial substudy. <i>Circulation: Heart Failure</i> , 2015 , 8, 504-9	7.6	18
66	Cytochrome P450 2B6 genetic variants are associated with plasma nevirapine levels and clinical response in HIV-1 infected Kenyan women: a prospective cohort study. <i>AIDS Research and Therapy</i> , 2015 , 12, 10	3	13
65	Prevalence, Incidence, and Clearance of Anogenital Warts in Kenyan Men Reporting High-Risk Sexual Behavior, Including Men Who Have Sex With Men. <i>Open Forum Infectious Diseases</i> , 2015 , 2, ofv070 ¹		7
64	Targeted screening of at-risk adults for acute HIV-1 infection in sub-Saharan Africa. <i>Aids</i> , 2015 , 29 Suppl 3, S221-30	3.5	40
63	Changes in sexual risk behavior among MSM participating in a research cohort in coastal Kenya. <i>Aids</i> , 2015 , 29 Suppl 3, S211-S219	3.5	12
62	Changes in the contribution of genital tract infections to HIV acquisition among Kenyan high-risk women from 1993 to 2012. <i>Aids</i> , 2015 , 29, 1077-85	3.5	44
61	Heterosexual behaviours among men who sell sex to men in coastal Kenya. <i>Aids</i> , 2015 , 29 Suppl 3, S201-10	3.5	15
60	Women Who Have Sex with Women Living in Low- and Middle-Income Countries: A Systematic Review of Sexual Health and Risk Behaviors. <i>LGBT Health</i> , 2015 , 2, 91-104	4.9	17
59	Strengthening healthcare providers' skills to improve HIV services for MSM in Kenya. <i>Aids</i> , 2015 , 29 Suppl 3, S237-40	3.5	17
58	The green shoots of a novel training programme: progress and identified key actions to providing services to MSM at Kenyan health facilities. <i>Journal of the International AIDS Society</i> , 2015 , 18, 20226	5.4	20
57	Depression, substance abuse and stigma among men who have sex with men in coastal Kenya. <i>Aids</i> , 2015 , 29 Suppl 3, S251-9	3.5	47
56	Risk of sexual, physical and verbal assaults on men who have sex with men and female sex workers in coastal Kenya. <i>Aids</i> , 2015 , 29 Suppl 3, S231-6	3.5	19
55	Development and pilot testing of an intervention to promote care engagement and adherence among HIV-positive Kenyan MSM. <i>Aids</i> , 2015 , 29 Suppl 3, S241-9	3.5	22
54	Emerging themes for sensitivity training modules of African healthcare workers attending to men who have sex with men: a systematic review. <i>International Health</i> , 2015 , 7, 151-62	2.4	26

53	Diagnosing acute and prevalent HIV-1 infection in young African adults seeking care for fever: a systematic review and audit of current practice. <i>International Health</i> , 2014 , 6, 82-92	2.4	15
52	Elevation of soluble intercellular adhesion molecule-1 levels, but not angiopoietin 2, in the plasma of human immunodeficiency virus-infected African women with clinical Kaposi sarcoma. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014 , 91, 705-8	3.2	
51	Evaluation of WHO screening algorithm for the presumptive treatment of asymptomatic rectal gonorrhoea and chlamydia infections in at-risk MSM in Kenya. <i>Sexually Transmitted Infections</i> , 2014 , 90, 94-9	2.8	19
50	Bacing our Fears—Facilitated Film Viewings as a Community Engagement Tool in Research Involving MSM in Kenya. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A132-A133	1.6	4
49	HIV Type 1 transmission networks among men having sex with men and heterosexuals in Kenya. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, 118-26	1.6	31
48	Acute HIV-1 infection is as common as malaria in young febrile adults seeking care in coastal Kenya. <i>Aids</i> , 2014 , 28, 1357-63	3.5	31
47	A prospective cohort study of the effect of depot medroxyprogesterone acetate on detection of plasma and cervical HIV-1 in women initiating and continuing antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 66, 452-6	3.1	13
46	HIV-1 superinfection is associated with an accelerated viral load increase but has a limited impact on disease progression. <i>Aids</i> , 2014 , 28, 2281-6	3.5	16
45	Changes in sexual risk behavior in the Mombasa cohort: 1993-2007. <i>PLoS ONE</i> , 2014 , 9, e113543	3.7	5
44	A prospective study of endothelial activation biomarkers, including plasma angiopoietin-1 and angiopoietin-2, in Kenyan women initiating antiretroviral therapy. <i>BMC Infectious Diseases</i> , 2013 , 13, 263	4	29
43	Adherence to antiretroviral therapy and clinical outcomes among young adults reporting high-risk sexual behavior, including men who have sex with men, in coastal Kenya. <i>AIDS and Behavior</i> , 2013 , 17, 1255-65	4.3	46
42	Endothelial activation biomarkers increase after HIV-1 acquisition: plasma vascular cell adhesion molecule-1 predicts disease progression. <i>Aids</i> , 2013 , 27, 1803-13	3.5	48
41	Experiences of Kenyan healthcare workers providing services to men who have sex with men: qualitative findings from a sensitivity training programme. <i>Journal of the International AIDS Society</i> , 2013 , 16 Suppl 3, 18741	5.4	49
40	Men who have sex with men sensitivity training reduces homophobia and increases knowledge among Kenyan healthcare providers in coastal Kenya. <i>Journal of the International AIDS Society</i> , 2013 , 16 Suppl 3, 18748	5.4	71
39	Cross-sectional survey of treatment practices for urethritis at pharmacies, private clinics and government health facilities in coastal Kenya: many missed opportunities for HIV prevention. <i>Sexually Transmitted Infections</i> , 2013 , 89, 583-9	2.8	12
38	Clinical utility of biomarkers of endothelial activation and coagulation for prognosis in HIV infection: a systematic review. <i>Virulence</i> , 2013 , 4, 564-71	4.7	20
37	High HIV-1 incidence, correlates of HIV-1 acquisition, and high viral loads following seroconversion among MSM. <i>Aids</i> , 2013 , 27, 437-46	3.5	116
36	Evaluation of an empiric risk screening score to identify acute and early HIV-1 infection among MSM in Coastal Kenya. <i>Aids</i> , 2013 , 27, 2163-6	3.5	24

35	Prevalence, clinical and virologic outcomes of hepatitis B virus co-infection in HIV-1 positive Kenyan women on antiretroviral therapy. <i>PLoS ONE</i> , 2013 , 8, e59346	3.7	21
34	Loss to follow-up as a competing risk in an observational study of HIV-1 incidence. <i>PLoS ONE</i> , 2013 , 8, e59480	3.7	17
33	Challenges in providing counselling to MSM in highly stigmatized contexts: results of a qualitative study from Kenya. <i>PLoS ONE</i> , 2013 , 8, e64527	3.7	44
32	HIV-1 RNA may decline more slowly in semen than in blood following initiation of efavirenz-based antiretroviral therapy. <i>PLoS ONE</i> , 2012 , 7, e43086	3.7	10
31	Prevalence and correlates of genital warts in Kenyan female sex workers. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 902-5	2.4	3
30	Antiretroviral treatment interruptions predict female genital shedding of genotypically resistant HIV-1 RNA. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 60, 511-8	3.1	22
29	Association between participant self-report and biological outcomes used to measure sexual risk behavior in human immunodeficiency virus-1-seropositive female sex workers in Mombasa, Kenya. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 429-33	2.4	13
28	Most adults seek urgent healthcare when acquiring HIV-1 and are frequently treated for malaria in coastal Kenya. <i>Aids</i> , 2011 , 25, 1219-24	3.5	25
27	Factors associated with herpes simplex virus type 2 incidence in a cohort of human immunodeficiency virus type 1-seronegative Kenyan men and women reporting high-risk sexual behavior. <i>Sexually Transmitted Diseases</i> , 2011 , 38, 837-44	2.4	21
26	A prospective study of vaginal trichomoniasis and HIV-1 shedding in women on antiretroviral therapy. <i>BMC Infectious Diseases</i> , 2011 , 11, 307	4	13
25	Genital ulceration does not increase HIV-1 shedding in cervical or vaginal secretions of women taking antiretroviral therapy. <i>Sexually Transmitted Infections</i> , 2011 , 87, 114-7	2.8	6
24	Post-prostatic massage fluid/urine as an alternative to semen for studying male genitourinary HIV-1 shedding. <i>Sexually Transmitted Infections</i> , 2011 , 87, 232-7	2.8	3
23	High prevalence of quinolone resistance in <i>Neisseria gonorrhoeae</i> in coastal Kenya. <i>Sexually Transmitted Infections</i> , 2011 , 87, 231	2.8	15
22	Antiretroviral adherence and development of drug resistance are the strongest predictors of genital HIV-1 shedding among women initiating treatment. <i>Journal of Infectious Diseases</i> , 2010 , 202, 1538-42	7	42
21	High prevalence of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infections among HIV-1 negative men who have sex with men in coastal Kenya. <i>Sexually Transmitted Infections</i> , 2010 , 86, 440-1	2.8	32
20	Evaluation of HIV type 1 strains in men having sex with men and in female sex workers in Mombasa, Kenya. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 123-31	1.6	27
19	Effect of acquisition and treatment of cervical infections on HIV-1 shedding in women on antiretroviral therapy. <i>Aids</i> , 2010 , 24, 2733-7	3.5	22
18	Treatment with antiretroviral therapy is not associated with increased sexual risk behavior in Kenyan female sex workers. <i>Aids</i> , 2010 , 24, 891-7	3.5	42

17	A decrease in albumin in early SIV infection is related to viral pathogenicity. <i>AIDS Research and Human Retroviruses</i> , 2009 , 25, 433-40	1.6	2
16	Increased risk of genital ulcer disease in women during the first month after initiating antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52, 600-3	3.1	10
15	A systematic review of the quality of trials evaluating biomedical HIV prevention interventions shows that many lack power. <i>HIV Clinical Trials</i> , 2009 , 10, 413-31		9
14	A prospective study of risk factors for herpes simplex virus type 2 acquisition among high-risk HIV-1 seronegative women in Kenya. <i>Sexually Transmitted Infections</i> , 2009 , 85, 489-92	2.8	33
13	Prospective study of vaginal bacterial flora and other risk factors for vulvovaginal candidiasis. <i>Journal of Infectious Diseases</i> , 2009 , 199, 1883-90	7	62
12	Is audio computer-assisted self-interview (ACASI) useful in risk behaviour assessment of female and male sex workers, Mombasa, Kenya?. <i>PLoS ONE</i> , 2009 , 4, e5340	3.7	65
11	Screening for genital and anorectal sexually transmitted infections in HIV prevention trials in Africa. <i>Sexually Transmitted Infections</i> , 2008 , 84, 364-70	2.8	22
10	A prospective study of risk factors for bacterial vaginosis in HIV-1-seronegative African women. <i>Sexually Transmitted Diseases</i> , 2008 , 35, 617-23	2.4	46
9	Higher pre-infection vitamin E levels are associated with higher mortality in HIV-1-infected Kenyan women: a prospective study. <i>BMC Infectious Diseases</i> , 2007 , 7, 63	4	10
8	Initiation of antiretroviral therapy leads to a rapid decline in cervical and vaginal HIV-1 shedding. <i>Aids</i> , 2007 , 21, 501-7	3.5	104
7	A decrease in albumin in early HIV type 1 infection predicts subsequent disease progression. <i>AIDS Research and Human Retroviruses</i> , 2007 , 23, 1197-200	1.6	18
6	'Are you on the market?': a capture-recapture enumeration of men who sell sex to men in and around Mombasa, Kenya. <i>Aids</i> , 2007 , 21, 1349-54	3.5	53
5	HIV-1 infection in high risk men who have sex with men in Mombasa, Kenya. <i>Aids</i> , 2007 , 21, 2513-20	3.5	158
4	A microchip CD4 counting method for HIV monitoring in resource-poor settings. <i>PLoS Medicine</i> , 2005 , 2, e182	11.6	153
3	Two-question screen for bulimia. <i>Journal of General Internal Medicine</i> , 1993 , 8, 715-6	4	
2	Detection of bulimia in a primary care setting. <i>Journal of General Internal Medicine</i> , 1993 , 8, 236-42	4	36
1	Perceptions of Sexual Risk, PrEP Services, and Peer Navigation Support Among HIV-Negative Latinx and Black Men who have Sex with Men (MSM) Residing in Western Washington. <i>Sexuality Research and Social Policy</i> , 1	2.1	1