Ebrahim Farshidi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1364251/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	All optical 2-bit analog to digital converter using photonic crystal based cavities. Optical and Quantum Electronics, 2017, 49, 1.	3.3	127
2	Effects of processing parameters on crystalline structure and optoelectronic behavior of DC sputtered ITO thin film. Journal of Materials Science: Materials in Electronics, 2017, 28, 787-797.	2.2	29
3	A 1.2V current-mode true RMS–DC converter based on the floating gate MOS translinear principle. Microelectronics Journal, 2008, 39, 293-298.	2.0	25
4	Analysis, Design, and Implementation of a ZVT High Step-Up DC–DC Converter With Continuous Input Current. IEEE Transactions on Industrial Electronics, 2020, 67, 10455-10463.	7.9	23
5	A New Approach to Analysis and Design of Chaos-Based Random Number Generators Using Algorithmic Converter. Circuits, Systems, and Signal Processing, 2016, 35, 3830-3846.	2.0	19
6	A FG-MOS Based Fully Differential Current Controlled Conveyor and Its Applications. Circuits, Systems, and Signal Processing, 2013, 32, 993-1011.	2.0	18
7	Robust reservoir rock fracture recognition based on a new sparse feature learning and data training method. Multidimensional Systems and Signal Processing, 2019, 30, 2113-2146.	2.6	18
8	A new true RMS-to-DC converter using up-down translinear loop in CMOS technology. Analog Integrated Circuits and Signal Processing, 2012, 70, 385-390.	1.4	15
9	Analysis of chaotic behavior in pipelined analog to digital converters. AEU - International Journal of Electronics and Communications, 2016, 70, 301-310.	2.9	9
10	Novel design for a low-latency CORDIC algorithm for sine-cosine computation and its Implementation on FPGA. Microprocessors and Microsystems, 2020, 77, 103197.	2.8	8
11	Interleaved nonâ€isolated DC–DC converter for ultraâ€high stepâ€up applications. IET Power Electronics, 2020, 13, 4261-4269.	2.1	8
12	Detection of reservoir fractures in imaging logs using directional filtering. , 2017, , .		7
13	A New Low Voltage Analog Circuit Model for Hodgkin–Huxley Neuron Employing FGMOS Transistors. Journal of Circuits, Systems and Computers, 2018, 27, 1850141.	1.5	7
14	A low-power current-mode defuzzifier for fuzzy logic controllers. , 2008, , .		6
15	Two-Stage Estimator for Frequency Rate and Initial Frequency in LFM Signal Using Linear Prediction Approach. Circuits, Systems, and Signal Processing, 2019, 38, 105-117.	2.0	6
16	Simple realization of CMOS current-Mode Wheatstone bridge. , 2008, , .		5
17	A 5-bit time to digital converter using time to voltage conversion and integrating techniques for agricultural products analysis by Raman spectroscopy. Information Processing in Agriculture, 2014, 1, 124-130.	4.1	5
18	Stability enhancement of ITO-free non-inverted PTB7:PC71BM solar cell using two-step post-treated PTD01:PSS_lournal of Materials Science: Materials in Electronics_2018_29_12387-12398	2.2	5

Ebrahim Farshidi

#	Article	IF	CITATIONS
19	A Split-Based Digital Background Calibration of Pipelined Analog-to-Digital Converters by Cubic Spline Interpolation Filtering. Circuits, Systems, and Signal Processing, 2019, 38, 4799-4816.	2.0	5
20	An Analog Template-Based Classifier Using MOS Translinear Loops. Active and Passive Electronic Components, 2011, 2011, 1-9.	0.3	4
21	Design of a Novel Pipeline Time-to-Digital Converter Based on Dual-Slope Interpolation and Time Amplification. IETE Journal of Research, 2015, 61, 300-307.	2.6	4
22	A new digital background calibration for redundant radix-4 pipelined ADCs by modeling of adaptive filter for linear and nonlinear errors. Measurement: Journal of the International Measurement Confederation, 2016, 83, 123-134.	5.0	4
23	A high precision logarithmic-curvature compensated all CMOS voltage reference. Analog Integrated Circuits and Signal Processing, 2019, 99, 383-392.	1.4	4
24	An FPGA-Based 16-Bit Continuous-Time 1-1 MASH ΔΣ TDC Employing Multirating Technique. Electronics (Switzerland), 2019, 8, 1285.	3.1	4
25	A systematic design procedure for log-domain filters based on nonlinear transconductance. , 2008, , .		3
26	A current-mode true RMS-DC converter based on electronically simulated translinear principle. , 2008, , .		3
27	A micropower current-mode pattern-matching classifier circuit using FG-MOS transistors. , 2009, , .		3
28	New systematic twoâ€graphâ€based approach of active filters employing multiple output current controlled conveyors. IET Circuits, Devices and Systems, 2013, 7, 326-336.	1.4	3
29	Role of hydrogen treatment on microstructural and opto-electrical properties of amorphous ITO thin films deposited by reactive gas-timing DC magnetron sputtering. Journal of Materials Science: Materials in Electronics, 2017, 28, 10525-10534.	2.2	3
30	A low-voltage class-AB linear transconductance based on floating-gate MOS technology. , 2009, , .		2
31	A micropower current-mode sigma-delta modulator for biomedical applications. , 2009, , .		2
32	A New Triple-Slope Pipelined Time to Digital Converter by Stretching of Time. Journal of Circuits, Systems and Computers, 2015, 24, 1550135.	1.5	2
33	A fast locked and low phase noise all-digital phase locked loop based on model predictive control. Analog Integrated Circuits and Signal Processing, 2016, 88, 401-414.	1.4	2
34	A low power passive-active ΔΣ modulator with high-resolution employing an integrator with open-loop unity-gain buffer. The Integration VLSI Journal, 2019, 64, 137-142.	2.1	2
35	Digital Calibration of Memory Errors in Passive Sigma-Delta Modulator. IETE Journal of Research, 2020, 66, 14-21.	2.6	2
36	A systematic design procedure for floating-gate MOS based class-AB Log-domain filters. , 2009, , .		1

Ebrahim Farshidi

#	Article	IF	CITATIONS
37	A fast digital phase locked loop based on model predictive controller. , 2012, , .		1
38	Analysis and Modeling of Imperfections in Multi-Bit Per Stage Pipelined ADCs. Journal of Circuits, Systems and Computers, 2016, 25, 1650079.	1.5	1
39	A new approach to analysis of residue probability density function in pipelined ADCs. The Integration VLSI Journal, 2016, 52, 51-61.	2.1	1
40	Novel CPG algorithm for tracking fast sudden changes based on tangent rule. International Journal of Electronics, 2020, 107, 930-950.	1.4	1
41	Design and Analysis of a Multirate 5-bit High-Order 52 fsrms Δ â~ Time-to-Digital Converter Implemented on 40 nm Altera Stratix IV FPGA. IEEE Access, 2021, 9, 128117-128125.	4.2	1
42	An ultra-low power high-precision logarithmic-curvature compensated all-CMOS voltage reference in 65Ânm CMOS. Analog Integrated Circuits and Signal Processing, 2021, 107, 319-330.	1.4	1
43	Design and FPGA implementation of a multirate Δâ~ time-to-digital converter with third-order noise-shaping. Microelectronics Journal, 2021, 108, 104982.	2.0	1
44	Low energy and area efficient quaternary multiplier with carbon nanotube field effect transistors. ETRI Journal, 2021, 43, 717-727.	2.0	1
45	Low-power current-mode linguistic-hedge circuits for fuzzy logic controllers. , 2008, , .		Ο
46	A current-mode euclidean distance calculator based on electronically simulated translinear principle. , 2009, , .		0
47	A new fully differential second generation current controlled convey or using FG-MOS. , 2012, , .		Ο
48	Digital calibration of pipelined ADC using Newton–Raphson algorithm. Analog Integrated Circuits and Signal Processing, 2020, 104, 61-70.	1.4	0
49	A new approach for data augmentation in a deep neural network to implement a monitoring system for detecting prostate cancer in MRI images. Journal of Intelligent and Fuzzy Systems, 2022, , 1-16.	1.4	0
50	Low voltage second-order alpha function synapse. Analog Integrated Circuits and Signal Processing, 0, , .	1.4	0