

Ulla Pirvola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/136529/publications.pdf>

Version: 2024-02-01

35
papers

4,519
citations

236925

25
h-index

377865

34
g-index

35
all docs

35
docs citations

35
times ranked

3993
citing authors

#	ARTICLE	IF	CITATIONS
1	The K ⁺ /Cl ⁻ co-transporter KCC2 renders GABA hyperpolarizing during neuronal maturation. <i>Nature</i> , 1999, 397, 251-255.	27.8	1,892
2	Rescue of Hearing, Auditory Hair Cells, and Neurons by CEP-1347/KT7515, an Inhibitor of c-Jun N-Terminal Kinase Activation. <i>Journal of Neuroscience</i> , 2000, 20, 43-50.	3.6	304
3	FGFR1 Is Required for the Development of the Auditory Sensory Epithelium. <i>Neuron</i> , 2002, 35, 671-680.	8.1	266
4	Expression and function of FGF10 in mammalian inner ear development. <i>Developmental Dynamics</i> , 2003, 227, 203-215.	1.8	214
5	FGF/FGFR-2(IIIb) Signaling Is Essential for Inner Ear Morphogenesis. <i>Journal of Neuroscience</i> , 2000, 20, 6125-6134.	3.6	210
6	Coordinated expression and function of neurotrophins and their receptors in the rat inner ear during target innervation. <i>Hearing Research</i> , 1994, 75, 131-144.	2.0	201
7	Making and breaking the innervation of the ear: neurotrophic support during ear development and its clinical implications. <i>Cell and Tissue Research</i> , 1999, 295, 369-382.	2.9	165
8	The retinoblastoma gene pathway regulates the postmitotic state of hair cells of the mouse inner ear. <i>Development (Cambridge)</i> , 2005, 132, 2377-2388.	2.5	121
9	Brn3c null mutant mice show long-term, incomplete retention of some afferent inner ear innervation. <i>BMC Neuroscience</i> , 2003, 4, 2.	1.9	103
10	Blockade of c-Jun N-terminal kinase pathway attenuates gentamicin-induced cochlear and vestibular hair cell death. <i>Hearing Research</i> , 2002, 163, 71-81.	2.0	94
11	Cell cycle regulation in the inner ear sensory epithelia: Role of cyclin D1 and cyclin-dependent kinase inhibitors. <i>Developmental Biology</i> , 2010, 337, 134-146.	2.0	93
12	p19Ink4d and p21Cip1 Collaborate to Maintain the Postmitotic State of Auditory Hair Cells, Their Codeletion Leading to DNA Damage and p53-Mediated Apoptosis. <i>Journal of Neuroscience</i> , 2007, 27, 1434-1444.	3.6	92
13	Transcutaneous vagus nerve stimulation in tinnitus: a pilot study. <i>Acta Oto-Laryngologica</i> , 2013, 133, 378-382.	0.9	92
14	Fgf9 signaling regulates inner ear morphogenesis through epithelial-mesenchymal interactions. <i>Developmental Biology</i> , 2004, 273, 350-360.	2.0	78
15	Expression of neurotrophins and Trk receptors in the developing, adult, and regenerating avian cochlea. <i>Journal of Neurobiology</i> , 1997, 33, 1019-1033.	3.6	68
16	Prox1 interacts with Atoh1 and Gfi1, and regulates cellular differentiation in the inner ear sensory epithelia. <i>Developmental Biology</i> , 2008, 322, 33-45.	2.0	60
17	How to Bury the Dead: Elimination of Apoptotic Hair Cells from the Hearing Organ of the Mouse. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2014, 15, 975-992.	1.8	58
18	Non-invasive vagus nerve stimulation reduces sympathetic preponderance in patients with tinnitus. <i>Acta Oto-Laryngologica</i> , 2017, 137, 426-431.	0.9	49

#	ARTICLE	IF	CITATIONS
19	The Rho GTPase Cdc42 regulates hair cell planar polarity and cellular patterning in the developing cochlea. <i>Biology Open</i> , 2015, 4, 516-526.	1.2	46
20	Neurotrophic Factors in the Auditory Periphery. <i>Annals of the New York Academy of Sciences</i> , 1999, 884, 292-304.	3.8	41
21	Deficiency of the ER-stress-regulator MANF triggers progressive outer hair cell death and hearing loss. <i>Cell Death and Disease</i> , 2020, 11, 100.	6.3	37
22	Cdc42-dependent structural development of auditory supporting cells is required for wound healing at adulthood. <i>Scientific Reports</i> , 2012, 2, 978.	3.3	32
23	Restrictions in Cell Cycle Progression of Adult Vestibular Supporting Cells in Response to Ectopic Cyclin D1 Expression. <i>PLoS ONE</i> , 2011, 6, e27360.	2.5	31
24	Distribution of F-actin and fodrin in the hair cells of the guinea pig cochlea as revealed by confocal fluorescence microscopy. <i>Hearing Research</i> , 1992, 60, 80-88.	2.0	29
25	Neurotrophic Factors during Inner Ear Development. <i>Current Topics in Developmental Biology</i> , 2003, 57, 207-223.	2.2	27
26	Coupling the cell cycle to development and regeneration of the inner ear. <i>Seminars in Cell and Developmental Biology</i> , 2013, 24, 507-513.	5.0	22
27	The Stress Response in the Non-sensory Cells of the Cochlea Under Pathological Conditions – Possible Role in Mediating Noise Vulnerability. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2018, 19, 637-652.	1.8	18
28	Differential sensitivity of the inner ear sensory cell populations to forced cell cycle re-entry and p53 induction. <i>Journal of Neurochemistry</i> , 2010, 112, 1513-1526.	3.9	16
29	c-Jun N-Terminal Phosphorylation: Biomarker for Cellular Stress Rather than Cell Death in the Injured Cochlea. <i>ENeuro</i> , 2016, 3, ENEURO.0047-16.2016.	1.9	16
30	Stress and Tinnitus; Transcutaneous Auricular Vagal Nerve Stimulation Attenuates Tinnitus-Triggered Stress Reaction. <i>Frontiers in Psychology</i> , 2020, 11, 570196.	2.1	13
31	DNA damage signaling regulates age-dependent proliferative capacity of quiescent inner ear supporting cells. <i>Aging</i> , 2014, 6, 496-510.	3.1	10
32	Hearing disorder from music; a neglected dysfunction. <i>Acta Oto-Laryngologica</i> , 2018, 138, 21-24.	0.9	9
33	Cytoskeletal Stability in the Auditory Organ <i>In Vivo</i> : RhoA Is Dispensable for Wound Healing but Essential for Hair Cell Development. <i>ENeuro</i> , 2017, 4, ENEURO.0149-17.2017.	1.9	9
34	MANF supports the inner hair cell synapse and the outer hair cell stereocilia bundle in the cochlea. <i>Life Science Alliance</i> , 2022, 5, e202101068.	2.8	3
35	Rescue and restoration of inner ear function: are growth factors useful?. <i>Audiological Medicine</i> , 2004, 2, 193-198.	0.4	0