

Wendell P Cropper Jr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1365914/publications.pdf>

Version: 2024-02-01

106
papers

3,481
citations

159585

30
h-index

155660

55
g-index

107
all docs

107
docs citations

107
times ranked

3693
citing authors

#	ARTICLE	IF	CITATIONS
1	Habitat preferences, spatial distribution and current population status of endangered giant flower <i>Amorphophallus titanum</i> . <i>Biodiversity and Conservation</i> , 2022, 31, 831-854.	2.6	3
2	Holistic aboveground ecological productivity efficiency modeling using data envelopment analysis in the southeastern U.S. <i>Science of the Total Environment</i> , 2022, 824, 153802.	8.0	2
3	Assessing potential habitat suitability of parasitic plant: A case study of <i>Rafflesia arnoldii</i> and its host plants. <i>Global Ecology and Conservation</i> , 2022, 34, e02063.	2.1	8
4	Habitat Suitability, Population Structure and Conservation Status of <i>Pinanga arinasae</i> (Arecaceae), an Endemic Palm in Bali Island, Indonesia. <i>Diversity</i> , 2022, 14, 10.	1.7	0
5	A quantitative assessment of site-level factors in influencing <i>Chukar</i> (<i>Alectoris chukar</i>) introduction outcomes. <i>PeerJ</i> , 2021, 9, e11280.	2.0	1
6	Developmental History of Soil Concepts from a Scientific Perspective. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 4275.	2.5	6
7	Sensitivity assessment of metafrontier data envelopment analysis for soil carbon sequestration efficiency. <i>Ecological Indicators</i> , 2021, 125, 107602.	6.3	8
8	Problems of scale in assessing the role of propagule pressure in influencing introduction outcomes illustrated by Common Pheasant (<i>Phasianus colchicus</i>) introductions. <i>Biological Invasions</i> , 2020, 22, 1161-1168.	2.4	1
9	Stand-Level Components of a Growth and Yield Model for <i>Nothofagus</i> Mixed Forests from Southern Chile. <i>Forests</i> , 2020, 11, 810.	2.1	2
10	Swidden fallow management to increase landscape-level Brazil nut productivity. <i>Forest Ecology and Management</i> , 2020, 464, 118019.	3.2	2
11	Predicting phosphorus use efficiency and allocation in eucalypt plantations. <i>Forest Ecology and Management</i> , 2020, 460, 117859.	3.2	6
12	Propagule pressure does not consistently predict the outcomes of exotic bird introductions. <i>PeerJ</i> , 2019, 7, e7637.	2.0	6
13	Patterns of success in game bird introductions in the United States. <i>Biodiversity and Conservation</i> , 2018, 27, 967-979.	2.6	4
14	Are Brazil nut populations threatened by fruit harvest?. <i>Biotropica</i> , 2018, 50, 50-59.	1.6	13
15	Exploring stand and tree variability in mixed <i>Nothofagus</i> second-growth forests through multivariate analyses. <i>Bosque</i> , 2018, 39, 397-410.	0.3	3
16	Development of a GPS Forest Signal Absorption Coefficient Index. <i>Forests</i> , 2018, 9, 226.	2.1	10
17	Effects of silvicultural intensification on timber yields, carbon dynamics, and tree species composition in a dipterocarp forest in Kalimantan, Indonesia: An individual-tree-based model simulation. <i>Forest Ecology and Management</i> , 2017, 390, 104-118.	3.2	31
18	Estimating signal loss in pine forests using hemispherical sky oriented photos. <i>Ecological Informatics</i> , 2017, 38, 82-88.	5.2	6

#	ARTICLE	IF	CITATIONS
19	Tree diameter increments following silvicultural treatments in a dipterocarp forest in Kalimantan, Indonesia: A mixed-effects modelling approach. <i>Forest Ecology and Management</i> , 2017, 396, 195-206.	3.2	16
20	Estimating GPS Signal Loss in a Natural Deciduous Forest Using Sky Photography. <i>Papers in Applied Geography</i> , 2017, 3, 119-128.	1.4	5
21	Spatially-explicit modeling of multi-scale drivers of aboveground forest biomass and water yield in watersheds of the Southeastern United States. <i>Journal of Environmental Management</i> , 2017, 199, 158-171.	7.8	42
22	A critique of the historical "fire regime" concept in conservation. <i>Conservation Biology</i> , 2017, 31, 976-985.	4.7	23
23	Pedotransfer Functions to Estimate Parameters for Soil Phosphorus Models. <i>Soil Science Society of America Journal</i> , 2017, 81, 210-213.	2.2	6
24	Ecosystem carbon density and allocation across a chronosequence of longleaf pine forests. <i>Ecological Applications</i> , 2017, 27, 244-259.	3.8	40
25	Individual-Tree Diameter Growth Models for Mixed <i>Nothofagus</i> Second Growth Forests in Southern Chile. <i>Forests</i> , 2017, 8, 506.	2.1	13
26	Multi-Model Projections for Evaluating Sustainable Timber and Seed Harvest of <i>Carapa guianensis</i> . <i>Forest Science</i> , 2017, , .	1.0	1
27	Loblolly Pine Productivity and Water Relations in Response to Throughfall Reduction and Fertilizer Application on a Poorly Drained Site in Northern Florida. <i>Forests</i> , 2016, 7, 214.	2.1	13
28	Urbanization as a land use change driver of forest ecosystem services. <i>Land Use Policy</i> , 2016, 54, 188-199.	5.6	138
29	Modeling the Complex Impacts of Timber Harvests to Find Optimal Management Regimes for Amazon Tidal Floodplain Forests. <i>PLoS ONE</i> , 2015, 10, e0136740.	2.5	11
30	Respecification of structural equation models for the P cycle in tropical soils. <i>Nutrient Cycling in Agroecosystems</i> , 2015, 102, 347-358.	2.2	13
31	Understory plant biomass dynamics of prescribed burned <i>Pinus palustris</i> stands. <i>Forest Ecology and Management</i> , 2015, 344, 84-94.	3.2	13
32	Variation in biomass distribution and nutrient content in loblolly pine (<i>Pinus taeda</i> L.) clones having contrasting crown architecture and growth efficiency. <i>Forest Ecology and Management</i> , 2015, 342, 84-92.	3.2	14
33	A comment on the role of propagule pressure in the establishment success of introduced birds. <i>Oecologia</i> , 2015, 177, 317-319.	2.0	4
34	Modeling the effects of forest management on in situ and ex situ longleaf pine forest carbon stocks. <i>Forest Ecology and Management</i> , 2015, 355, 24-36.	3.2	26
35	Inconsistencies among secondary sources of Chukar Partridge (<i>Alectoris chukar</i>) introductions to the United States. <i>PeerJ</i> , 2015, 3, e1447.	2.0	6
36	Ecosystem carbon stocks in <i>Pinus palustris</i> forests. <i>Canadian Journal of Forest Research</i> , 2014, 44, 476-486.	1.7	52

#	ARTICLE	IF	CITATIONS
37	Homeostasis and nutrient limitation of benthic autotrophs in natural chemostats. <i>Limnology and Oceanography</i> , 2014, 59, 2101-2111.	3.1	14
38	An exploratory analysis of phosphorus transformations in tropical soils using structural equation modeling. <i>Biogeochemistry</i> , 2014, 118, 453-469.	3.5	76
39	Estimating <i>Pinus palustris</i> tree diameter and stem volume from tree height, crown area and stand-level parameters. <i>Journal of Forestry Research</i> , 2014, 25, 43-52.	3.6	48
40	Establishment success in introduced passeriforms of New Zealand: evidence for a Franklin Delano Roosevelt effect. <i>Biological Invasions</i> , 2014, 16, 233-237.	2.4	7
41	Parameterization of the 3-PG model for <i>Pinus elliottii</i> stands using alternative methods to estimate fertility rating, biomass partitioning and canopy closure. <i>Forest Ecology and Management</i> , 2014, 327, 55-75.	3.2	31
42	Individual Tree Diameter, Height, and Volume Functions for Longleaf Pine. <i>Forest Science</i> , 2014, 60, 43-56.	1.0	23
43	Converting Even-Aged Plantations to Uneven-Aged Stand Conditions: A Simulation Analysis of Silvicultural Regimes with Slash Pine (<i>Pinus elliottii</i> Engelm.). <i>Forest Science</i> , 2014, 60, 893-906.	1.0	15
44	A comparison of success rates of introduced passeriform birds in New Zealand, Australia and the United States. <i>PeerJ</i> , 2014, 2, e509.	2.0	7
45	Is propagule size the critical factor in predicting introduction outcomes in passeriform birds?. <i>Biological Invasions</i> , 2013, 15, 1449-1458.	2.4	13
46	A framework for identifying carbon hotspots and forest management drivers. <i>Journal of Environmental Management</i> , 2013, 114, 293-302.	7.8	37
47	Mapping potential carbon and timber losses from hurricanes using a decision tree and ecosystem services driver model. <i>Journal of Environmental Management</i> , 2013, 129, 599-607.	7.8	21
48	Predicting broad-scale carbon loss and recovery in managed tropical forests. <i>Carbon Management</i> , 2013, 4, 575-577.	2.4	1
49	Predicting Understory Species Richness from Stand and Management Characteristics Using Regression Trees. <i>Forests</i> , 2013, 4, 122-136.	2.1	8
50	Controls on carbon dynamics by ecosystem structure and climate for southeastern U.S. slash pine plantations. <i>Ecological Monographs</i> , 2012, 82, 101-128.	5.4	70
51	Linking complex forest fuel structure and fire behaviour at fine scales. <i>International Journal of Wildland Fire</i> , 2012, 21, 882.	2.4	75
52	Variability in the carbon isotopic composition of foliage carbon pools (soluble carbohydrates, waxes) and respiration fluxes in southeastern U.S. pine forests. <i>Journal of Geophysical Research</i> , 2012, 117, .	3.3	1
53	An inverse analysis of a matrix population model using a genetic algorithm. <i>Ecological Informatics</i> , 2012, 7, 41-45.	5.2	5
54	Viability of combined timber and non-timber harvests for one species: A <i>Carapa guianensis</i> case study. <i>Ecological Modelling</i> , 2012, 246, 147-156.	2.5	29

#	ARTICLE	IF	CITATIONS
55	Modeling Survival, Yield, Volume Partitioning and Their Response to Thinning for Longleaf Pine Plantations. <i>Forests</i> , 2012, 3, 1104-1132.	2.1	17
56	Historical records of passerine introductions to New Zealand fail to support the propagule pressure hypothesis. <i>Biodiversity and Conservation</i> , 2012, 21, 297-307.	2.6	22
57	A reassessment of historical records of avian introductions to Australia: no case for propagule pressure. <i>Biodiversity and Conservation</i> , 2012, 21, 155-174.	2.6	16
58	Whole-tree water relations of co-occurring mature <i>Pinus palustris</i> and <i>Pinus elliottii</i> var. <i>elliottii</i> . <i>Canadian Journal of Forest Research</i> , 2011, 41, 509-523.	1.7	27
59	Longleaf pine (<i>Pinus palustris</i>) and hardwood dynamics in a fire-maintained ecosystem: A simulation approach. <i>Ecological Modelling</i> , 2011, 222, 2733-2750.	2.5	38
60	A reassessment of the role of propagule pressure in influencing fates of passerine introductions to New Zealand. <i>Biodiversity and Conservation</i> , 2011, 20, 607-623.	2.6	23
61	Application of remote sensing, an artificial neural network leaf area model, and a process-based simulation model to estimate carbon storage in Florida slash pine plantations. <i>Journal of Forestry Research</i> , 2010, 21, 171-176.	3.6	5
62	The earliest House Sparrow introductions to North America. <i>Biological Invasions</i> , 2010, 12, 2955-2958.	2.4	30
63	Forest management effects on in situ and ex situ slash pine forest carbon balance. <i>Forest Ecology and Management</i> , 2010, 260, 795-805.	3.2	45
64	Modeling cotton production response to shading in a pecan alleycropping system using CROPGRO. <i>Agroforestry Systems</i> , 2009, 76, 423-435.	2.0	27
65	Ground-based LIDAR: a novel approach to quantify fine-scale fuelbed characteristics. <i>International Journal of Wildland Fire</i> , 2009, 18, 676.	2.4	102
66	The importance of multimodel projections to assess uncertainty in projections from simulation models. <i>Ecological Applications</i> , 2009, 19, 1680-1692.	3.8	30
67	Population Dynamics of the Dioecious Amazonian Palm <i>Mauritia flexuosa</i> : Simulation Analysis of Sustainable Harvesting. <i>Biotropica</i> , 2008, 40, 550-558.	1.6	100
68	Carbon exchange of a mature, naturally regenerated pine forest in north Florida. <i>Global Change Biology</i> , 2008, 14, 2523-2538.	9.5	87
69	Multiscale modeling of longleaf pine (<i>Pinus palustris</i>). <i>Canadian Journal of Forest Research</i> , 2007, 37, 2080-2089.	1.7	5
70	Chemical diversity – highlighting a species richness and ecosystem function disconnect. <i>Oikos</i> , 2007, 116, 1831-1840.	2.7	72
71	Chemical diversity – highlighting a species richness and ecosystem function disconnect. <i>Oikos</i> , 2007, 116, 1831-1840.	2.7	2
72	The interaction of seedling density dependence and fire in a matrix population model of longleaf pine (<i>Pinus palustris</i>). <i>Ecological Modelling</i> , 2006, 198, 487-494.	2.5	13

#	ARTICLE	IF	CITATIONS
73	Optimizing simulated fertilizer additions using a genetic algorithm with a nutrient uptake model. Ecological Modelling, 2005, 185, 271-281.	2.5	11
74	Modeling the dynamics of three functional groups of macroalgae in tropical seagrass habitats. Ecological Modelling, 2004, 175, 25-54.	2.5	38
75	Population dynamics of a tropical palm: use of a genetic algorithm for inverse parameter estimation. Ecological Modelling, 2004, 177, 119-127.	2.5	19
76	The influence of salinity on seagrass growth, survivorship, and distribution within Biscayne Bay, Florida: Field, experimental, and modeling studies. Estuaries and Coasts, 2003, 26, 131-141.	1.7	114
77	Addressing multi-use issues in sustainable forest management with signal-transfer modeling. Forest Ecology and Management, 2002, 165, 295-304.	3.2	8
78	Ecological conceptual models: a framework and case study on ecosystem management for South Florida sustainability. Science of the Total Environment, 2001, 274, 231-253.	8.0	87
79	Population Dynamics of a Commercial Sponge in Biscayne Bay, Florida. Estuarine, Coastal and Shelf Science, 2001, 53, 13-23.	2.1	9
80	Soil phosphorus availability and fine root proliferation in Amazonian agroforests 6 years following forest conversion. Agriculture, Ecosystems and Environment, 2001, 83, 271-284.	5.3	45
81	NITROGEN AND PHOSPHORUS CYCLING IN AN AMAZONIAN AGROFOREST EIGHT YEARS FOLLOWING FOREST CONVERSION. , 2000, 10, 1633-1647.		15
82	Simulated effects of logging on carbon storage in dipterocarp forest. Journal of Applied Ecology, 2000, 37, 267-283.	4.0	96
83	Title is missing!. Environmental Modeling and Assessment, 2000, 5, 125-137.	2.2	10
84	SPM2: A simulation model for slash pine (Pinus elliottii) forests. Forest Ecology and Management, 2000, 126, 201-212.	3.2	13
85	Simulation of a Biscayne Bay, Florida commercial sponge population: effects of harvesting after Hurricane Andrew. Ecological Modelling, 1999, 118, 1-15.	2.5	28
86	MAESTRO Simulations of the Response of Loblolly Pine to Elevated Temperatures and Carbon Dioxide. Ecological Studies, 1998, , 327-339.	1.2	3
87	Modeling the Potential Sensitivity of Slash Pine Stem Growth to Increasing Temperature and Carbon Dioxide. Ecological Studies, 1998, , 353-366.	1.2	1
88	Summary of Simulated Forest Responses to Climate Change in the Southeastern United States. Ecological Studies, 1998, , 479-500.	1.2	6
89	Ecosystem Responses to Elevated CO2. Ecology, 1996, 77, 1956-1956.	3.2	0
90	Woody tissue maintenance respiration of four conifers in contrasting climates. Oecologia, 1995, 101, 133-140.	2.0	228

#	ARTICLE	IF	CITATIONS
91	State analysis of ecological models: model reactions to parameter change. <i>Ecological Modelling</i> , 1995, 82, 99-104.	2.5	3
92	Simulation of the carbon dynamics of a Florida slash pine plantation. <i>Ecological Modelling</i> , 1993, 66, 231-249.	2.5	55
93	Constructing a seasonal carbon balance for a forest ecosystem. <i>Climate Research</i> , 1993, 3, 7-12.	1.1	8
94	In situ needle and fine root respiration in mature slash pine (<i>Pinuselliottii</i>) trees. <i>Canadian Journal of Forest Research</i> , 1991, 21, 1589-1595.	1.7	55
95	Dynamics of Canopy Structure and Light Interception in <i>Pinus Elliottii</i> Stands, North Florida. <i>Ecological Monographs</i> , 1991, 61, 33-51.	5.4	191
96	Carbohydrate dynamics in mature <i>Pinuselliottii</i> var. <i>elliottii</i> trees. <i>Canadian Journal of Forest Research</i> , 1991, 21, 1742-1747.	1.7	62
97	Scaling Global Climate Projections to Local Biological Assessments. <i>Environment</i> , 1988, 30, 31-34.	1.4	5
98	Soil CO ₂ evolution in Florida slash pine plantations. II. Importance of root respiration. <i>Canadian Journal of Forest Research</i> , 1987, 17, 330-333.	1.7	183
99	A regional carbon storage simulation for large-scale biomass plantations. <i>Ecological Modelling</i> , 1987, 36, 171-180.	2.5	21
100	Soil CO ₂ evolution in Florida slash pine plantations. I. Changes through time. <i>Canadian Journal of Forest Research</i> , 1987, 17, 325-329.	1.7	180
101	Organic matter dynamics of fine roots in plantations of slash pine (<i>Pinuselliottii</i>) in north Florida. <i>Canadian Journal of Forest Research</i> , 1986, 16, 529-538.	1.7	113
102	Carbon storage patterns in Douglas-fir ecosystems. <i>Canadian Journal of Forest Research</i> , 1984, 14, 855-859.	1.7	15
103	Computer simulation of long-term carbon storage patterns in Florida slash pine plantations. <i>Forest Ecology and Management</i> , 1983, 6, 101-114.	3.2	6
104	Analyses of transient characteristics of a nutrient cycling model. <i>Ecological Modelling</i> , 1981, 12, 105-131.	2.5	22
105	Ultrafiltration is theoretically equivalent to equilibrium dialysis but much simpler to carry out. <i>Archives of Biochemistry and Biophysics</i> , 1978, 187, 132-137.	3.0	111
106	Nutrient Recycling and Stability: A Reevaluation. <i>Ecology</i> , 1977, 58, 660-666.	3.2	30