## Gérald Chanques

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1365973/publications.pdf

Version: 2024-02-01

|          |                | 70961        | 58464          |
|----------|----------------|--------------|----------------|
| 87       | 9,429          | 41           | 82             |
| papers   | citations      | h-index      | g-index        |
|          |                |              |                |
|          |                |              |                |
| 95       | 95             | 95           | 6486           |
| all docs | docs citations | times ranked | citing authors |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Prevalence, Intensity, and Clinical Impact of Dyspnea in Critically Ill Patients Receiving Invasive Ventilation. American Journal of Respiratory and Critical Care Medicine, 2022, 205, 917-926.  | 2.5 | 24        |
| 2  | Practices in sedation, analgesia, mobilization, delirium, and sleep deprivation in adult intensive care units (SAMDS-ICU): an international survey before and during the COVID-19 pandemic. Annals of Intensive Care, 2022, 12, 9.        | 2.2 | 28        |
| 3  | Intraoperative protective mechanical ventilation in patients requiring emergency abdominal surgery: the multicentre prospective randomised IMPROVE-2 study protocol. BMJ Open, 2022, 12, e054823.   | 0.8 | O         |
| 4  | French translation of the Johns Hopkins Adapted Cognitive Examination. Anaesthesia, Critical Care & Examp; Pain Medicine, 2022, 41, 101075.   | 0.6 | O         |
| 5  | High-Flow Versus VenturiMask Oxygen Therapy to Prevent Reintubation in Hypoxemic Patients after Extubation: A Multicenter Randomized Clinical Trial. American Journal of Respiratory and Critical Care Medicine, 2022, 206, 1452-1462.    | 2.5 | 19        |
| 6  | Bilateral mandibular block improves pain relief and morphine consumption in mandibular osteotomies: a prospective, randomized, double-blind, placebo-controlled clinical trial. Regional Anesthesia and Pain Medicine, 2021, 46, 322-327. | 1.1 | 3         |
| 7  | Balanced Opioid-free Anesthesia with Dexmedetomidine <i>versus</i> Balanced Anesthesia with Remifentanil for Major or Intermediate Noncardiac Surgery. Anesthesiology, 2021, 134, 541-551.  | 1.3 | 132       |
| 8  | Long-term outcome in patients with aneurysmal subarachnoid hemorrhage requiring mechanical ventilation. PLoS ONE, 2021, 16, e0247942.   | 1.1 | 6         |
| 9  | Effect of the use of an endotracheal tube and stylet versus an endotracheal tube alone on first-attempt intubation success: a multicentre, randomised clinical trial in 999 patients. Intensive Care Medicine, 2021, 47, 653-664.         | 3.9 | 27        |
| 10 | Transcranial sonographic assessment of the third ventricle in neuro-ICU patients to detect hydrocephalus: a diagnostic reliability pilot study. Annals of Intensive Care, 2021, 11, 69.   | 2.2 | 7         |
| 11 | Delirium in critical illness: clinical manifestations, outcomes, and management. Intensive Care Medicine, 2021, 47, 1089-1103.  | 3.9 | 95        |
| 12 | The prognostic value of the neutrophil-to-lymphocyte ratio in critically ill cirrhotic patients. European Journal of Gastroenterology and Hepatology, 2021, Publish Ahead of Print, .   | 0.8 | 1         |
| 13 | A multivariate model for successful publication of intensive care medicine randomized controlled trials in the highest impact factor journals: the SCOTI score. Annals of Intensive Care, 2021, 11, 165.                                  | 2.2 | 3         |
| 14 | Management and prevention of anemia (acute bleeding excluded) in adult critical care patients. Annals of Intensive Care, 2020, 10, 97.  | 2.2 | 24        |
| 15 | Treating critically ill anaemic patients with erythropoietin: why not?. Intensive Care Medicine, 2020, 46, 1794-1795.   | 3.9 | 5         |
| 16 | Therapeutic options for agitation in the intensive care unit. Anaesthesia, Critical Care & Eamp; Pain Medicine, 2020, 39, 639-646.  | 0.6 | 18        |
| 17 | Management and prevention of anemia (acute bleeding excluded) in adult critical care patients. Anaesthesia, Critical Care & Damp; Pain Medicine, 2020, 39, 655-664.   | 0.6 | 11        |
| 18 | Analgesia and sedation in patients with ARDS. Intensive Care Medicine, 2020, 46, 2342-2356.   | 3.9 | 155       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Sedation for critically ill patients with COVID-19: Which specificities? One size does not fit all. Anaesthesia, Critical Care & Description (2020, 39, 341-343).   | 0.6  | 37        |
| 20 | Adjuvant Analgesic Use in the Critically Ill: A Systematic Review and Meta-Analysis., 2020, 2, e0157.   |      | 26        |
| 21 | Délirium en réanimationÂ: épidémiologie et prise en charge. Anesthésie & Réanimation, 2020, 6, 82   | -891 | 1         |
| 22 | Effect of endotracheal tube plus stylet versus endotracheal tube alone on successful first-attempt tracheal intubation among critically ill patients: the multicentre randomised STYLETO study protocol. BMJ Open, 2020, 10, e036718.   | 0.8  | 2         |
| 23 | Personalised mechanical ventilation tailored to lung morphology versus low positive end-expiratory pressure for patients with acute respiratory distress syndrome in France (the LIVE study): a multicentre, single-blind, randomised controlled trial. Lancet Respiratory Medicine, the, 2019, 7, 870-880. | 5.2  | 202       |
| 24 | Update in Neurocritical Care: a summary of the 2018 Paris international conference of the French Society of Intensive Care. Annals of Intensive Care, 2019, 9, 47.  | 2.2  | 16        |
| 25 | Effect of lung recruitment maneuver on oxygenation, physiological parameters and mortality in acute respiratory distress syndrome patients: a systematic review and meta-analysis. Intensive Care Medicine, 2019, 45, 1691-1702.  | 3.9  | 44        |
| 26 | What is the most appropriate spontaneous breathing trial before extubation in ICU ventilated patients?. Anaesthesia, Critical Care & Damp; Pain Medicine, 2019, 38, 429-430.  | 0.6  | 0         |
| 27 | Nasal high-flow preoxygenation for endotracheal intubation in the critically ill patient? Maybe. Intensive Care Medicine, 2019, 45, 532-534.  | 3.9  | 8         |
| 28 | Sodium bicarbonate for severe metabolic acidaemia – Authors' reply. Lancet, The, 2019, 393, 1415-1416.  | 6.3  | 0         |
| 29 | Respective contribution of intensive care unit-acquired limb muscle and severe diaphragm weakness on weaning outcome and mortality: a post hoc analysis of two cohorts. Critical Care, 2019, 23, 370.   | 2.5  | 43        |
| 30 | Assessing pain in critically ill brain-injured patients: a psychometric comparison of 3 pain scales and videopupillometry. Pain, 2019, 160, 2535-2543.  | 2.0  | 12        |
| 31 | A Psychometric Analysis Update of Behavioral Pain Assessment Tools for Noncommunicative,<br>Critically Ill Adults. AACN Advanced Critical Care, 2019, 30, 365-387.  | 0.6  | 42        |
| 32 | Patient/ventilator asynchrony: does it matter for the patient or the ventilator?. Minerva Anestesiologica, 2019, 85, 583-584.   | 0.6  | 2         |
| 33 | Is there a single non-painful procedure in the intensive care unit? It depends!. Intensive Care Medicine, 2018, 44, 528-530.  | 3.9  | 9         |
| 34 | Cardiac Arrest and Mortality Related to Intubation Procedure in Critically III Adult Patients: A Multicenter Cohort Study. Critical Care Medicine, 2018, 46, 532-539.   | 0.4  | 160       |
| 35 | The 2014 updated version of the Confusion Assessment Method for the Intensive Care Unit compared to the 5th version of the Diagnostic and Statistical Manual of Mental Disorders and other current methods used by intensivists. Annals of Intensive Care, 2018, 8, 33.                                     | 2.2  | 47        |
| 36 | Hospital-acquired pneumonia in ICU. Anaesthesia, Critical Care & Eamp; Pain Medicine, 2018, 37, 83-98.  | 0.6  | 135       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Risk factors and outcomes for airway failure versus non-airway failure in the intensive care unit: a multicenter observational study of 1514 extubation procedures. Critical Care, 2018, 22, 236.   | 2.5 | 101       |
| 38 | 2008–2018: Ten years of gradual changes in the sedation guidelines for critically ill patients. Anaesthesia, Critical Care & Description (2018, 37, 509-511).   | 0.6 | 11        |
| 39 | POFA trial study protocol: a multicentre, double-blind, randomised, controlled clinical trial comparing opioid-free versus opioid anaesthesia on postoperative opioid-related adverse events after major or intermediate non-cardiac surgery. BMJ Open, 2018, 8, e020873.                     | 0.8 | 25        |
| 40 | Effects of dexmedetomidine on delirium duration of non-intubated ICU patients (4D trial): study protocol for a randomized trial. Trials, 2018, 19, 307.   | 0.7 | 15        |
| 41 | Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. Critical Care Medicine, 2018, 46, 1464-1470.   | 0.4 | 46        |
| 42 | Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. Critical Care Medicine, 2018, 46, e825-e873.   | 0.4 | 2,074     |
| 43 | Pain distress: the negative emotion associated with procedures in ICU patients. Intensive Care<br>Medicine, 2018, 44, 1493-1501.  | 3.9 | 29        |
| 44 | Sodium bicarbonate therapy for patients with severe metabolic acidaemia in the intensive care unit (BICAR-ICU): a multicentre, open-label, randomised controlled, phase 3 trial. Lancet, The, 2018, 392, 31-40.   | 6.3 | 232       |
| 45 | Impact of the driving pressure on mortality in obese and non-obese ARDS patients: a retrospective study of 362 cases. Intensive Care Medicine, 2018, 44, 1106-1114.   | 3.9 | 76        |
| 46 | Next steps in ICU pain research. Intensive Care Medicine, 2017, 43, 1386-1388.  | 3.9 | 20        |
| 47 | The CAM-ICU has now a French "official―version. The translation process of the 2014 updated Complete Training Manual of the Confusion Assessment Method for the Intensive Care Unit in French (CAM-ICU.fr). Anaesthesia, Critical Care & Pain Medicine, 2017, 36, 297-300.                    | 0.6 | 27        |
| 48 | Immediate interruption of sedation compared with usual sedation care in critically ill postoperative patients (SOS-Ventilation): a randomised, parallel-group clinical trial. Lancet Respiratory Medicine,the, 2017, 5, 795-805.  | 5.2 | 59        |
| 49 | Vena cava encirclement predicts difficult native hepatectomy. Liver Transplantation, 2016, 22, 906-913.   | 1.3 | 7         |
| 50 | Apnoeic oxygenation via high-flow nasal cannula oxygen combined with non-invasive ventilation preoxygenation for intubation in hypoxaemic patients in the intensive care unit: the single-centre, blinded, randomised controlled OPTINIV trial. Intensive Care Medicine, 2016, 42, 1877-1887. | 3.9 | 193       |
| 51 | Patterns of diaphragm function in critically ill patients receiving prolonged mechanical ventilation: a prospective longitudinal study. Annals of Intensive Care, 2016, 6, 75.  | 2.2 | 83        |
| 52 | Efficacy and safety of sedation with dexmedetomidine in critical care patients: A meta-analysis of randomized controlled trials. Anaesthesia, Critical Care & Description (2016, 35, 7-15).   | 0.6 | 98        |
| 53 | Effect of Noninvasive Ventilation on Tracheal Reintubation Among Patients With Hypoxemic Respiratory Failure Following Abdominal Surgery. JAMA - Journal of the American Medical Association, 2016, 315, 1345.  | 3.8 | 184       |
| 54 | Effect of rapid response systems on hospital mortality: a systematic review and meta-analysis. Intensive Care Medicine, 2016, 42, 615-617.  | 3.9 | 61        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 55 | Rapid response team and hospital mortality in hospitalized patients. Intensive Care Medicine, 2016, 42, 494-504.  | 3.9 | 85        |
| 56 | Five patient symptoms that you should evaluate every day. Intensive Care Medicine, 2015, 41, 1347-1350.   | 3.9 | 49        |
| 57 | La contention physique est-elle prohibée en réanimation�. Praticien En Anesthesie Reanimation, 2015, 19, 41-44.   | 0.0 | 1         |
| 58 | Determinants of Procedural Pain Intensity in the Intensive Care Unit. The Europain® Study. American Journal of Respiratory and Critical Care Medicine, 2014, 189, 39-47.                  | 2.5 | 259       |
| 59 | Video laryngoscopy versus direct laryngoscopy for orotracheal intubation in the intensive care unit: a systematic review and meta-analysis. Intensive Care Medicine, 2014, 40, 629-39.    | 3.9 | 126       |
| 60 | In pursuit of pain: recent advances and future directions in pain assessment in the ICU. Intensive Care Medicine, 2014, 40, 1009-1014.  | 3.9 | 25        |
| 61 | Fatigue diaphragmatique et sevrage de la ventilation. Praticien En Anesthesie Reanimation, 2014, 18, 114-122.   | 0.0 | O         |
| 62 | Psychometric comparison of three behavioural scales for the assessment of pain in critically ill patients unable to self-report. Critical Care, 2014, 18, R160.                           | 2.5 | 88        |
| 63 | The pain, agitation, and delirium practice guidelines for adult critically ill patients: a post-publication perspective. Annals of Intensive Care, 2013, 3, 9.                            | 2.2 | 34        |
| 64 | Decreasing severe pain and serious adverse events while moving intensive care unit patients: a prospective interventional study (the NURSE-DO project). Critical Care, 2013, 17, R74.     | 2.5 | 80        |
| 65 | Physical restraint in mechanically ventilated ICU patients: a survey of French practice. Intensive Care Medicine, 2013, 39, 31-37.  | 3.9 | 88        |
| 66 | Impact of Ventilator Adjustment and Sedation–Analgesia Practices on Severe Asynchrony in Patients Ventilated in Assist-Control Mode*. Critical Care Medicine, 2013, 41, 2177-2187.        | 0.4 | 134       |
| 67 | Prospective Randomized Crossover Study of a New Closed-loop Control System <i>versus</i> Pressure Support during Weaning from Mechanical Ventilation. Anesthesiology, 2013, 119, 631-641. | 1.3 | 35        |
| 68 | A Simple Widespread Computer Help Improves Nutrition Support Orders and Decreases Infection Complications in Critically III Patients. PLoS ONE, 2013, 8, e63771.                          | 1.1 | 7         |
| 69 | Comparison of three high flow oxygen therapy delivery devices: a clinical physiological cross-over study. Minerva Anestesiologica, 2013, 79, 1344-55.                                     | 0.6 | 107       |
| 70 | Pain Assessment in the ICU Can Improve Outcome. Clinical Pulmonary Medicine, 2012, 19, 21-26.   | 0.3 | 11        |
| 71 | Role of organisational structure in implementation of sedation protocols: a comparison of Canadian and French ICUs. BMJ Quality and Safety, 2012, 21, 715-721.                            | 1.8 | 24        |
| 72 | Long-term sedation in intensive care unit: a randomized comparison between inhaled sevoflurane and intravenous propofol or midazolam. Intensive Care Medicine, 2011, 37, 933-941.         | 3.9 | 169       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Analgesic efficacy and haemodynamic effects of nefopam in critically ill patients. British Journal of Anaesthesia, 2011, 106, 336-343.   | 1.5 | 32        |
| 74 | Rapidly Progressive Diaphragmatic Weakness and Injury during Mechanical Ventilation in Humans. American Journal of Respiratory and Critical Care Medicine, 2011, 183, 364-371.                                 | 2.5 | 556       |
| 75 | Adaptive Support Ventilation Prevents Ventilator-induced Diaphragmatic Dysfunction in Piglet. Anesthesiology, 2010, 112, 1435-1443.  | 1.3 | 100       |
| 76 | The measurement of pain in intensive care unit: Comparison of 5 self-report intensity scales. Pain, 2010, 151, 711-721.  | 2.0 | 235       |
| 77 | Discomfort associated with underhumidified high-flow oxygen therapy in critically ill patients. Intensive Care Medicine, 2009, 35, 996-1003.   | 3.9 | 159       |
| 78 | Assessing pain in non-intubated critically ill patients unable to self report: an adaptation of the Behavioral Pain Scale. Intensive Care Medicine, 2009, 35, 2060-7.  | 3.9 | 148       |
| 79 | Pain Assessment Is Associated with Decreased Duration of Mechanical Ventilation in the Intensive Care Unit. Anesthesiology, 2009, 111, 1308-1316.  | 1.3 | 303       |
| 80 | Current Practices in Sedation and Analgesia for Mechanically Ventilated Critically Ill Patients. Anesthesiology, 2007, 106, 687-695.   | 1.3 | 479       |
| 81 | A Prospective Study of Pain at Rest: Incidence and Characteristics of an Unrecognized Symptom in Surgical and Trauma <i>versus</i> À Medical Intensive Care Unit Patients. Anesthesiology, 2007, 107, 858-860. | 1.3 | 206       |
| 82 | Sedation assessment tool, sedation-algorithm, choice of sedation drugs: intricate concepts of an emergent clinical practice. Intensive Care Medicine, 2007, 33, 554-555.                                       | 3.9 | 7         |
| 83 | Endotracheal tube cuff pressure in intensive care unit: the need for pressure monitoring. Intensive Care Medicine, 2007, 33, 917-918.  | 3.9 | 27        |
| 84 | Impact of systematic evaluation of pain and agitation in an intensive care unit*. Critical Care Medicine, 2006, 34, 1691-1699.   | 0.4 | 498       |
| 85 | Noninvasive Ventilation Improves Preoxygenation before Intubation of Hypoxic Patients. American Journal of Respiratory and Critical Care Medicine, 2006, 174, 171-177.   | 2.5 | 412       |
| 86 | A Prospective Study of Agitation in a Medical-Surgical ICU. Chest, 2005, 128, 2749-2757.   | 0.4 | 156       |
| 87 | Comparison of the effects of heat and moisture exchangers and heated humidifiers on ventilation and gas exchange during non-invasive ventilation. Intensive Care Medicine, 2002, 28, 1590-1594.                | 3.9 | 102       |