

Xiaoyu Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1367227/publications.pdf>

Version: 2024-02-01

413
papers

11,525
citations

41344

49
h-index

49909

87
g-index

438
all docs

438
docs citations

438
times ranked

13617
citing authors

#	ARTICLE	IF	CITATIONS
1	Symbiotic cardiac pacemaker. Nature Communications, 2019, 10, 1821.	12.8	429
2	A bionic stretchable nanogenerator for underwater sensing and energy harvesting. Nature Communications, 2019, 10, 2695.	12.8	413
3	Self-Powered Pulse Sensor for Antidiastole of Cardiovascular Disease. Advanced Materials, 2017, 29, 1703456.	21.0	360
4	Fully Bioabsorbable Natural Materials-Based Triboelectric Nanogenerators. Advanced Materials, 2018, 30, e1801895.	21.0	319
5	Wearable and Implantable Triboelectric Nanogenerators. Advanced Functional Materials, 2019, 29, 1808820.	14.9	296
6	Current investigations into magnetic nanoparticles for biomedical applications. Journal of Biomedical Materials Research - Part A, 2016, 104, 1285-1296.	4.0	248
7	Effect of microporosity on scaffolds for bone tissue engineering. International Journal of Energy Production and Management, 2018, 5, 115-124.	3.7	243
8	Emerging Implantable Energy Harvesters and Self-Powered Implantable Medical Electronics. ACS Nano, 2020, 14, 6436-6448.	14.6	223
9	Implantable Energy Harvesting Devices. Advanced Materials, 2018, 30, e1801511.	21.0	214
10	Bacteria-responsive intelligent wound dressing: Simultaneous In situ detection and inhibition of bacterial infection for accelerated wound healing. Biomaterials, 2018, 161, 11-23.	11.4	194
11	Cross-talk between LOX-1 and PCSK9 in vascular tissues. Cardiovascular Research, 2015, 107, 556-567.	3.8	192
12	Transcatheter Self-Powered Ultrasensitive Endocardial Pressure Sensor. Advanced Functional Materials, 2019, 29, 1807560.	14.9	181
13	Biomimetic delivery of signals for bone tissue engineering. Bone Research, 2018, 6, 25.	11.4	178
14	Body-Integrated Self-Powered System for Wearable and Implantable Applications. ACS Nano, 2019, 13, 6017-6024.	14.6	142
15	Graphene-Based Materials in Regenerative Medicine. Advanced Healthcare Materials, 2015, 4, 1451-1468.	7.6	136
16	Electrospinning of Nanofibers for Tissue Engineering Applications. Journal of Nanomaterials, 2013, 2013, 1-11.	2.7	114
17	LOX-1, mtDNA damage, and NLRP3 inflammasome activation in macrophages: implications in atherogenesis. Cardiovascular Research, 2014, 103, 619-628.	3.8	111
18	Triboelectric nanogenerator based on degradable materials. EcoMat, 2021, 3, e12072.	11.9	108

#	ARTICLE	IF	CITATIONS
19	Lung Injury Induced by TiO ₂ Nanoparticles Depends on Their Structural Features: Size, Shape, Crystal Phases, and Surface Coating. <i>International Journal of Molecular Sciences</i> , 2014, 15, 22258-22278.	4.1	105
20	Improving Chronic Diabetic Wound Healing through an Injectable and Self-Healing Hydrogel with Platelet-Rich Plasma Release. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 55659-55674.	8.0	99
21	PCSK9 expression in the ischaemic heart and its relationship to infarct size, cardiac function, and development of autophagy. <i>Cardiovascular Research</i> , 2018, 114, 1738-1751.	3.8	96
22	Refreshable Braille Display System Based on Triboelectric Nanogenerator and Dielectric Elastomer. <i>Advanced Functional Materials</i> , 2021, 31, 2006612.	14.9	96
23	Effects of physicochemical properties of nanomaterials on their toxicity. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 2499-2507.	4.0	91
24	Nanofiber-mediated microRNA-126 delivery to vascular endothelial cells for blood vessel regeneration. <i>Acta Biomaterialia</i> , 2016, 43, 303-313.	8.3	91
25	PCSK9 regulates expression of scavenger receptors and ox-LDL uptake in macrophages. <i>Cardiovascular Research</i> , 2018, 114, 1145-1153.	3.8	88
26	A Bioresorbable Dynamic Pressure Sensor for Cardiovascular Postoperative Care. <i>Advanced Materials</i> , 2021, 33, e2102302.	21.0	85
27	Self-Powered Gesture Recognition Wristband Enabled by Machine Learning for Full Keyboard and Multicommand Input. <i>Advanced Materials</i> , 2022, 34, e2200793.	21.0	81
28	Fiber-reinforced scaffolds in soft tissue engineering. <i>International Journal of Energy Production and Management</i> , 2017, 4, 257-268.	3.7	79
29	Surface modification of nanofibrous matrices via layer-by-layer functionalized silk assembly for mitigating the foreign body reaction. <i>Biomaterials</i> , 2018, 164, 22-37.	11.4	78
30	Deep learning in digital pathology image analysis: a survey. <i>Frontiers of Medicine</i> , 2020, 14, 470-487.	3.4	77
31	Human Motion Driven Self-Powered Photodynamic System for Long-Term Autonomous Cancer Therapy. <i>ACS Nano</i> , 2020, 14, 8074-8083.	14.6	77
32	Unsupervised Learning for Cell-Level Visual Representation in Histopathology Images With Generative Adversarial Networks. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2019, 23, 1316-1328.	6.3	75
33	Abnormal Changes of Multidimensional Surface Features Using Multivariate Pattern Classification in Amnesic Mild Cognitive Impairment Patients. <i>Journal of Neuroscience</i> , 2014, 34, 10541-10553.	3.6	72
34	A wearable noncontact free-rotating hybrid nanogenerator for self-powered electronics. <i>Information Materials</i> , 2020, 2, 1191-1200.	17.3	71
35	Polysaccharide-Peptide Cryogels for Multidrug-Resistant Bacteria Infected Wound Healing and Hemostasis. <i>Advanced Healthcare Materials</i> , 2020, 9, e1901041.	7.6	69
36	A Battery-Like Self-Charge Universal Module for Motional Energy Harvest. <i>Advanced Energy Materials</i> , 2019, 9, 1901875.	19.5	68

#	ARTICLE	IF	CITATIONS
37	Dynamic real-time imaging of living cell traction force by piezo-phototronic light nano-antenna array. Science Advances, 2021, 7, .	10.3	65
38	Small intestinal submucosa: superiority, limitations and solutions, and its potential to address bottlenecks in tissue repair. Journal of Materials Chemistry B, 2019, 7, 5038-5055.	5.8	64
39	A Mechanical Model of the Cornea Considering the Crimping Morphology of Collagen Fibrils. , 2014, 55, 2739.		63
40	Cross-Talk Between PCSK9 and Damaged mtDNA in Vascular Smooth Muscle Cells: Role in Apoptosis. Antioxidants and Redox Signaling, 2016, 25, 997-1008.	5.4	63
41	Reversible Conversion between Schottky and Ohmic Contacts for Highly Sensitive, Multifunctional Biosensors. Advanced Functional Materials, 2020, 30, 1907999.	14.9	61
42	Comparison of stress on knee cartilage during kneeling and standing using finite element models. Medical Engineering and Physics, 2014, 36, 439-447.	1.7	60
43	Effect of stress on corrosion of high-purity magnesium in vitro and in vivo. Acta Biomaterialia, 2019, 83, 477-486.	8.3	60
44	Biodegradable Magnesium-Incorporated Poly(l-lactic acid) Microspheres for Manipulation of Drug Release and Alleviation of Inflammatory Response. ACS Applied Materials & Interfaces, 2019, 11, 23546-23557.	8.0	59
45	A moisturizing chitosan-silk fibroin dressing with silver nanoparticles-adsorbed exosomes for repairing infected wounds. Journal of Materials Chemistry B, 2020, 8, 7197-7212.	5.8	58
46	In vitro and in vivo degradation behavior of Mg-2Sr-Ca and Mg-2Sr-Zn alloys. Bioactive Materials, 2020, 5, 275-285.	15.6	58
47	Sleep stage classification based on multi-level feature learning and recurrent neural networks via wearable device. Computers in Biology and Medicine, 2018, 103, 71-81.	7.0	57
48	The use of bioactive peptides to modify materials for bone tissue repair. International Journal of Energy Production and Management, 2017, 4, 191-206.	3.7	56
49	Cancer Cell Glycocalyx and Its Significance in Cancer Progression. International Journal of Molecular Sciences, 2018, 19, 2484.	4.1	56
50	Mechanism of traumatic retinal detachment in blunt impact: A finite element study. Journal of Biomechanics, 2013, 46, 1321-1327.	2.1	52
51	Physiological pulsatile flow culture conditions to generate functional endothelium on a sulfated silk fibroin nanofibrous scaffold. Biomaterials, 2014, 35, 4782-4791.	11.4	52
52	Effect of strain on degradation behaviors of WE43, Fe and Zn wires. Acta Biomaterialia, 2020, 113, 627-645.	8.3	52
53	NLRP3 inflammasome <i>via</i> IL-1 ² regulates PCSK9 secretion. Theranostics, 2020, 10, 7100-7110.	10.0	51
54	High glucose-induced endothelial progenitor cell dysfunction. Diabetes and Vascular Disease Research, 2017, 14, 381-394.	2.0	50

#	ARTICLE	IF	CITATIONS
55	Experimental investigations and finite element simulation of cutting heat in vibrational and conventional drilling of cortical bone. Medical Engineering and Physics, 2014, 36, 1408-1415.	1.7	49
56	Silk scaffolds for musculoskeletal tissue engineering. Experimental Biology and Medicine, 2016, 241, 238-245.	2.4	48
57	Interaction of tumor cells and astrocytes promotes breast cancer brain metastases through TGF- β 2/ANGPTL4 axes. Npj Precision Oncology, 2019, 3, 24.	5.4	47
58	Silk fibroin for vascular regeneration. Microscopy Research and Technique, 2017, 80, 280-290.	2.2	46
59	Electrospun membranes of PELCL/PCL-REDV loading with miRNA-126 for enhancement of vascular endothelial cell adhesion and proliferation. Materials Science and Engineering C, 2018, 85, 37-46.	7.3	45
60	Effects of physicochemical properties of nanomaterials on their toxicity. Journal of Biomedical Materials Research - Part A, 2014, 103, n/a-n/a.	4.0	44
61	Calcium concentration dependent collagen mineralization. Materials Science and Engineering C, 2017, 73, 137-143.	7.3	43
62	Hydrolytic conversion of amorphous calcium phosphate into apatite accompanied by sustained calcium and orthophosphate ions release. Materials Science and Engineering C, 2017, 70, 1120-1124.	7.3	42
63	Crosslinking induces high mineralization of apatite minerals on collagen fibers. International Journal of Biological Macromolecules, 2018, 113, 450-457.	7.5	42
64	Blood flow patterns regulate PCSK9 secretion via MyD88-mediated pro-inflammatory cytokines. Cardiovascular Research, 2020, 116, 1721-1732.	3.8	42
65	Enhancing neural differentiation of induced pluripotent stem cells by conductive graphene/silk fibroin films. Journal of Biomedical Materials Research - Part A, 2018, 106, 2973-2983.	4.0	41
66	A Hybrid Biofuel and Triboelectric Nanogenerator for Bioenergy Harvesting. Nano-Micro Letters, 2020, 12, 50.	27.0	41
67	Numerical simulation of pulsatile non-Newtonian flow in the carotid artery bifurcation. Acta Mechanica Sinica/Lixue Xuebao, 2009, 25, 249-255.	3.4	40
68	Calcium Hydroxide-Induced Proliferation, Migration, Osteogenic Differentiation, and Mineralization via the Mitogen-activated Protein Kinase Pathway in Human Dental Pulp Stem Cells. Journal of Endodontics, 2016, 42, 1355-1361.	3.1	40
69	Effects of several temporomandibular disorders on the stress distributions of temporomandibular joint: a finite element analysis. Computer Methods in Biomechanics and Biomedical Engineering, 2016, 19, 137-143.	1.6	40
70	Electrical Stimulation Promotes Stem Cell Neural Differentiation in Tissue Engineering. Stem Cells International, 2021, 2021, 1-14.	2.5	40
71	The applications of conductive nanomaterials in the biomedical field. Journal of Biomedical Materials Research - Part A, 2016, 104, 322-339.	4.0	39
72	The effect of mechanical loads on the degradation of aliphatic biodegradable polyesters. International Journal of Energy Production and Management, 2017, 4, 179-190.	3.7	39

#	ARTICLE	IF	CITATIONS
73	Preparation and characterization of electrospun graphene/silk fibroin conductive fibrous scaffolds. RSC Advances, 2017, 7, 7954-7963.	3.6	38
74	Highly aligned hierarchical intrafibrillar mineralization of collagen induced by periodic fluid shear stress. Journal of Materials Chemistry B, 2020, 8, 2562-2572.	5.8	38
75	The application of nanomaterials in controlled drug delivery for bone regeneration. Journal of Biomedical Materials Research - Part A, 2015, 103, 3978-3992.	4.0	37
76	Distinctive effects of CD34- and CD133-specific antibody-coated stents on re-endothelialization and in-stent restenosis at the early phase of vascular injury. International Journal of Energy Production and Management, 2015, 2, 87-96.	3.7	37
77	On-chip multiplexed single-cell patterning and controllable intracellular delivery. Microsystems and Nanoengineering, 2020, 6, 2.	7.0	37
78	Static magnetic field regulates proliferation, migration, differentiation and YAP/TAZ activation of human dental pulp stem cells. Journal of Tissue Engineering and Regenerative Medicine, 2018, 12, 2029-2040.	2.7	36
79	Tai Chi Chuan exercise related change in brain function as assessed by functional near-infrared spectroscopy. Scientific Reports, 2019, 9, 13198.	3.3	36
80	Incorporation of multi-walled carbon nanotubes to PMMA bone cement improves cytocompatibility and osseointegration. Materials Science and Engineering C, 2019, 103, 109823.	7.3	36
81	Surface Modification of Multiple Bioactive Peptides to Improve Endothelialization of Vascular Grafts. Macromolecular Bioscience, 2019, 19, e1800368.	4.1	36
82	Self-powered wearable electronics. Wearable Technologies, 2020, 1, .	3.1	36
83	Emerging technologies for the prevention and management of diabetic foot ulcers. Journal of Tissue Viability, 2020, 29, 61-68.	2.0	36
84	Shear-mediated crystallization from amorphous calcium phosphate to bone apatite. Journal of the Mechanical Behavior of Biomedical Materials, 2016, 54, 131-140.	3.1	35
85	Preparation of silk fibroin carriers for controlled release. Microscopy Research and Technique, 2017, 80, 312-320.	2.2	35
86	Self-Powered Force Sensors for Multidimensional Tactile Sensing. ACS Applied Materials & Interfaces, 2022, 14, 20122-20131.	8.0	35
87	Research on a novel poly (vinyl alcohol)/lysine/vanillin wound dressing: Biocompatibility, bioactivity and antimicrobial activity. Burns, 2014, 40, 1668-1678.	1.9	34
88	Hemodynamic insight into overlapping bare-metal stents strategy in the treatment of aortic aneurysm. Journal of Biomechanics, 2015, 48, 2041-2046.	2.1	34
89	Sustained delivery of calcium and orthophosphate ions from amorphous calcium phosphate and poly(L-lactic acid)-based electrospinning nanofibrous scaffold. Scientific Reports, 2017, 7, 45655.	3.3	34
90	The Effect of Arch Height and Material Hardness of Personalized Insole on Correction and Tissues of Flatfoot. Journal of Healthcare Engineering, 2017, 2017, 1-9.	1.9	34

#	ARTICLE	IF	CITATIONS
91	Simultaneous nano- and microscale structural control of injectable hydrogels via the assembly of nanofibrous protein microparticles for tissue regeneration. <i>Biomaterials</i> , 2019, 223, 119458.	11.4	34
92	Peptide-modified PELCL electrospun membranes for regulation of vascular endothelial cells. <i>Materials Science and Engineering C</i> , 2016, 68, 623-631.	7.3	33
93	Microspheres Assembled from Chitosan- <i>Graft</i> -Poly(lactic acid) Micelle-Like Core-Shell Nanospheres for Distinctly Controlled Release of Hydrophobic and Hydrophilic Biomolecules. <i>Macromolecular Bioscience</i> , 2016, 16, 1039-1047.	4.1	33
94	Biomechanical studies on biomaterial degradation and co-cultured cells: mechanisms, potential applications, challenges and prospects. <i>Journal of Materials Chemistry B</i> , 2019, 7, 7439-7459.	5.8	33
95	Endothelial Progenitor Cell-Derived Extracellular Vesicles: A Novel Candidate for Regenerative Medicine and Disease Treatment. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000255.	7.6	33
96	Matrix stiffness regulates SMC functions via TGF- β^2 signaling pathway. <i>Biomaterials</i> , 2019, 221, 119407.	11.4	32
97	Effect of Electrospun Silk Fibroin-Silk Sericin Films on Macrophage Polarization and Vascularization. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 3502-3512.	5.2	32
98	Adverse Biological Effect of TiO ₂ and Hydroxyapatite Nanoparticles Used in Bone Repair and Replacement. <i>International Journal of Molecular Sciences</i> , 2016, 17, 798.	4.1	31
99	Enhanced osteogenic differentiation of MC3T3-E1 cells on grid-topographic surface and evidence for involvement of YAP mediator. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 1143-1152.	4.0	31
100	Patient-Specific Organoid and Organ-on-a-Chip: 3D Cell Culture Meets 3D Printing and Numerical Simulation. <i>Advanced Biology</i> , 2021, 5, e2000024.	2.5	31
101	Biomechanical effects of corticotomy approaches on dentoalveolar structures during canine retraction: A 3-dimensional finite element analysis. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2015, 148, 457-465.	1.7	30
102	Sigmoid sinus cortical plate dehiscence induces pulsatile tinnitus through amplifying sigmoid sinus venous sound. <i>Journal of Biomechanics</i> , 2017, 52, 68-73.	2.1	30
103	Biomimetic SIS-based biocomposites with improved biodegradability, antibacterial activity and angiogenesis for abdominal wall repair. <i>Materials Science and Engineering C</i> , 2020, 109, 110538.	7.3	30
104	Synergistically Detachable Microneedle Dressing for Programmed Treatment of Chronic Wounds. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102180.	7.6	30
105	Conductive nanostructured Si biomaterials enhance osteogenesis through electrical stimulation. <i>Materials Science and Engineering C</i> , 2019, 103, 109748.	7.3	29
106	Topographical patterning: characteristics of current processing techniques, controllable effects on material properties and co-cultured cell fate, updated applications in tissue engineering, and improvement strategies. <i>Journal of Materials Chemistry B</i> , 2019, 7, 7090-7109.	5.8	29
107	An Artificial Intelligence-Enhanced Blood Pressure Monitor Wristband Based on Piezoelectric Nanogenerator. <i>Biosensors</i> , 2022, 12, 234.	4.7	29
108	Functionalized Macrophage Exosomes with Panobinostat and PPM1D-siRNA for Diffuse Intrinsic Pontine Gliomas Therapy. <i>Advanced Science</i> , 2022, 9, e2200353.	11.2	29

#	ARTICLE	IF	CITATIONS
109	Apatite minerals derived from collagen phosphorylation modification induce the hierarchical intrafibrillar mineralization of collagen fibers. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 2403-2413.	4.0	28
110	Resin Composites Reinforced by Nanoscaled Fibers or Tubes for Dental Regeneration. <i>BioMed Research International</i> , 2014, 2014, 1-13.	1.9	27
111	Hemodynamic shear stress modulates endothelial cell autophagy: Role of LOX-1. <i>International Journal of Cardiology</i> , 2015, 184, 86-95.	1.7	27
112	Prediction of globe rupture caused by primary blast: a finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1024-1029.	1.6	27
113	In vitro and in vivo studies on as-extruded Mg- 5.25wt.%Zn-0.6wt.%Ca alloy as biodegradable metal. <i>Science China Materials</i> , 2018, 61, 619-628.	6.3	27
114	Biomechanical effects of posterior pedicle fixation techniques on the adjacent segment for the treatment of thoracolumbar burst fractures: a biomechanical analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2019, 22, 1083-1092.	1.6	27
115	Surface modification of electrospun fibers with mechano-growth factor for mitigating the foreign-body reaction. <i>Bioactive Materials</i> , 2021, 6, 2983-2998.	15.6	27
116	The effects of fluid shear stress on proliferation and osteogenesis of human periodontal ligament cells. <i>Journal of Biomechanics</i> , 2016, 49, 572-579.	2.1	26
117	Numerical identification of the rupture locations in patient-specific abdominal aortic aneurysms using hemodynamic parameters. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2018, 21, 1-12.	1.6	26
118	Role of intraluminal thrombus in abdominal aortic aneurysm ruptures: A hemodynamic point of view. <i>Medical Physics</i> , 2019, 46, 4263-4275.	3.0	26
119	Magnetic nanoparticles applied in targeted therapy and magnetic resonance imaging: crucial preparation parameters, indispensable pre-treatments, updated research advancements and future perspectives. <i>Journal of Materials Chemistry B</i> , 2020, 8, 5973-5991.	5.8	26
120	Seven Day Insertion Rest in Whole Body Vibration Improves Multi-Level Bone Quality in Tail Suspension Rats. <i>PLoS ONE</i> , 2014, 9, e92312.	2.5	25
121	Abnormalities of structural covariance networks in drug-naïve boys with attention deficit hyperactivity disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 273-278.	1.8	24
122	Greater scaffold permeability promotes growth of osteoblastic cells in a perfused bioreactor. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015, 9, E210-E218.	2.7	24
123	The effect of fluid shear stress on the <i>in vitro</i> degradation of poly(lactide-co-glycolide) acid membranes. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 2315-2324.	4.0	24
124	Biomaterial Scaffolds for Reproductive Tissue Engineering. <i>Annals of Biomedical Engineering</i> , 2017, 45, 1592-1607.	2.5	24
125	Multifunctional Switchable Nanocoated Membranes for Efficient Integrated Purification of Oil/Water Emulsions. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 54315-54323.	8.0	24
126	A quantitative study on magnesium alloy stent biodegradation. <i>Journal of Biomechanics</i> , 2018, 74, 98-105.	2.1	23

#	ARTICLE	IF	CITATIONS
127	Alkali Metal Chlorides Based Hydrogel as Eco-Friendly Neutral Electrolyte for Bendable Solid-State Capacitor. <i>Advanced Materials Interfaces</i> , 2018, 5, 1701648.	3.7	23
128	Effect of Multiple Factors on Foam Stability in Foam Sclerotherapy. <i>Scientific Reports</i> , 2018, 8, 15683.	3.3	23
129	Effects of Plantar Vibration on Bone and Deep Fascia in a Rat Hindlimb Unloading Model of Disuse. <i>Frontiers in Physiology</i> , 2018, 9, 616.	2.8	23
130	Biomechanical and mechanical behavior of the plantar fascia in macro and micro structures. <i>Journal of Biomechanics</i> , 2018, 76, 160-166.	2.1	23
131	Wearable Devices for Single-Cell Sensing and Transfection. <i>Trends in Biotechnology</i> , 2019, 37, 1175-1188.	9.3	23
132	Research Methods and Progress of Patellofemoral Joint Kinematics: A Review. <i>Journal of Healthcare Engineering</i> , 2019, 2019, 1-13.	1.9	23
133	Peptide-modified bone repair materials: Factors influencing osteogenic activity. <i>Journal of Biomedical Materials Research - Part A</i> , 2019, 107, 1491-1512.	4.0	23
134	Biomechanical design and analysis of auxetic pedicle screw to resist loosening. <i>Computers in Biology and Medicine</i> , 2021, 133, 104386.	7.0	23
135	Electrospun PELCL membranes loaded with QK peptide for enhancement of vascular endothelial cell growth. <i>Journal of Materials Science: Materials in Medicine</i> , 2016, 27, 106.	3.6	22
136	Fabrication of water-stable silk fibroin scaffolds through self-assembly of proteins. <i>RSC Advances</i> , 2016, 6, 61402-61409.	3.6	22
137	Lower limb joint motion and muscle force in treadmill and over-ground exercise. <i>BioMedical Engineering OnLine</i> , 2019, 18, 89.	2.7	22
138	Applications of materials for dural reconstruction in pre-clinical and clinical studies: Advantages and drawbacks, efficacy, and selections. <i>Materials Science and Engineering C</i> , 2020, 117, 111326.	7.3	22
139	<i>In vitro</i> degradation, biocompatibility and antibacterial properties of pure zinc: assessing the potential of Zn as a guided bone regeneration membrane. <i>Journal of Materials Chemistry B</i> , 2021, 9, 5114-5127.	5.8	22
140	Vascular smooth muscle cell glycocalyx mediates shear stress-induced contractile responses via a Rho kinase (ROCK)-myosin light chain phosphatase (MLCP) pathway. <i>Scientific Reports</i> , 2017, 7, 42092.	3.3	21
141	Interrater agreement between American and Chinese sleep centers according to the 2014 AASM standard. <i>Sleep and Breathing</i> , 2019, 23, 719-728.	1.7	21
142	2020 update on human coronaviruses: One health, one world. <i>Medicine in Novel Technology and Devices</i> , 2020, 8, 100043.	1.6	21
143	A resazurin-based, nondestructive assay for monitoring cell proliferation during a scaffold-based 3D culture process. <i>International Journal of Energy Production and Management</i> , 2020, 7, 271-281.	3.7	21
144	A biomimetic hierarchical small intestinal submucosa-chitosan sponge/chitosan hydrogel scaffold with a micro/nano structure for dural repair. <i>Journal of Materials Chemistry B</i> , 2021, 9, 7821-7834.	5.8	21

#	ARTICLE	IF	CITATIONS
145	Review of in-vivo characterisation of corneal biomechanics. <i>Medicine in Novel Technology and Devices</i> , 2021, 11, 100073.	1.6	21
146	3D-SIFT-Flow for atlas-based CT liver image segmentation. <i>Medical Physics</i> , 2016, 43, 2229-2241.	3.0	20
147	Bioinspired helical graft with taper to enhance helical flow. <i>Journal of Biomechanics</i> , 2016, 49, 3643-3650.	2.1	20
148	Numerical simulation of haemodynamics and low-density lipoprotein transport in the rabbit aorta and their correlation with atherosclerotic plaque thickness. <i>Journal of the Royal Society Interface</i> , 2017, 14, 20170140.	3.4	20
149	Degradation and biocompatibility of a series of strontium substituted hydroxyapatite coatings on magnesium alloys. <i>RSC Advances</i> , 2019, 9, 15013-15021.	3.6	20
150	A Review: Optimization for Poly(glycerol sebacate) and Fabrication Techniques for Its Centered Scaffolds. <i>Macromolecular Bioscience</i> , 2021, 21, e2100022.	4.1	20
151	Hydrogel-based therapeutic angiogenesis: An alternative treatment strategy for critical limb ischemia. <i>Biomaterials</i> , 2021, 274, 120872.	11.4	20
152	Comparison of Postural Responses to Galvanic Vestibular Stimulation between Pilots and the General Populace. <i>BioMed Research International</i> , 2015, 2015, 1-6.	1.9	19
153	Cell-based strategies for vascular regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 1297-1314.	4.0	19
154	The effect of tensile and fluid shear stress on the in vitro degradation of magnesium alloy for stent applications. <i>Bioactive Materials</i> , 2018, 3, 448-454.	15.6	19
155	Design of Virtual Guiding Tasks With Haptic Feedback for Assessing the Wrist Motor Function of Patients With Upper Motor Neuron Lesions. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2019, 27, 984-994.	4.9	19
156	Three-dimensional silk fibroin scaffolds incorporated with graphene for bone regeneration. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 515-523.	4.0	19
157	Biomechanical study on implantable and interventional medical devices. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2021, 37, 875-894.	3.4	19
158	Hydroxyapatite-containing silk fibroin nanofibrous scaffolds for tissue-engineered periosteum. <i>RSC Advances</i> , 2016, 6, 19463-19474.	3.6	18
159	Finite time observer based incremental nonlinear fault-tolerant flight control. <i>Aerospace Science and Technology</i> , 2020, 104, 105986.	4.8	18
160	Hydrogel Loaded with VEGF/TFEB-Engineered Extracellular Vesicles for Rescuing Critical Limb Ischemia by a Dual-Pathway Activation Strategy. <i>Advanced Healthcare Materials</i> , 2022, 11, e2100334.	7.6	18
161	Label-free visible colorimetric biosensor for detection of multiple pathogenic bacteria based on engineered polydiacetylene liposomes. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 1684-1694.	9.4	18
162	Direct mapping from diffuse reflectance to chromophore concentrations in multi-fx spatial frequency domain imaging (SFDI) with a deep residual network (DRN). <i>Biomedical Optics Express</i> , 2021, 12, 433.	2.9	18

#	ARTICLE	IF	CITATIONS
163	MICRO-FINITE ELEMENT ANALYSIS OF TRABECULAR BONE YIELD BEHAVIOR “EFFECTS OF TISSUE NONLINEAR MATERIAL PROPERTIES. <i>Journal of Mechanics in Medicine and Biology</i> , 2011, 11, 563-580.	0.7	17
164	Hemodynamic Performance of a New Punched Stent Strut: A Numerical Study. <i>Artificial Organs</i> , 2016, 40, 669-677.	1.9	17
165	Long-term effects of placing one or two cages in instrumented posterior lumbar interbody fusion. <i>International Orthopaedics</i> , 2016, 40, 1239-1246.	1.9	17
166	Variation in longitudinal trajectories of cortical sulci in normal elderly. <i>NeuroImage</i> , 2018, 166, 1-9.	4.2	17
167	Facile incorporation of REDV into porous silk fibroin scaffolds for enhancing vascularization of thick tissues. <i>Materials Science and Engineering C</i> , 2018, 93, 96-105.	7.3	17
168	Plantar blood flow response to accumulated pressure stimulus in diabetic people with different peak plantar pressure: a non-randomized clinical trial. <i>Medical and Biological Engineering and Computing</i> , 2018, 56, 1127-1134.	2.8	17
169	Frequency-specific functional connectivity related to the rehabilitation task of stroke patients. <i>Medical Physics</i> , 2019, 46, 1545-1560.	3.0	17
170	Effect of prosthetic alignment on gait and biomechanical loading in individuals with transfemoral amputation: A preliminary study. <i>Gait and Posture</i> , 2019, 71, 219-226.	1.4	17
171	Cell membrane-biomimetic coating via click-mediated liposome fusion for mitigating the foreign-body reaction. <i>Biomaterials</i> , 2021, 271, 120768.	11.4	17
172	A surface-eroding poly(1,3-trimethylene carbonate) coating for magnesium based cardiovascular stents with stable drug release and improved corrosion resistance. <i>Bioactive Materials</i> , 2022, 7, 144-153.	15.6	17
173	Effect of combining traction and vibration on back muscles, heart rate and blood pressure. <i>Medical Engineering and Physics</i> , 2014, 36, 1443-1448.	1.7	16
174	Effect of nano-hydroxyapatite-coated magnetic nanoparticles on axonal guidance growth of rat dorsal root ganglion neurons. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 3066-3071.	4.0	16
175	Apparent- and Tissue-Level Yield Behaviors of L4 Vertebral Trabecular Bone and Their Associations with Microarchitectures. <i>Annals of Biomedical Engineering</i> , 2016, 44, 1204-1223.	2.5	16
176	Theranostic Infection-Responsive Coating to In Situ Detect and Prevent Urinary Catheter Blockage. <i>Advanced Materials Interfaces</i> , 2018, 5, 1801242.	3.7	16
177	A personalized 3D-printed plate for tibiototalcaneal arthrodesis: Design, fabrication, biomechanical evaluation and postoperative assessment. <i>Computers in Biology and Medicine</i> , 2021, 133, 104368.	7.0	16
178	Nitric Oxide Transport in Normal Human Thoracic Aorta: Effects of Hemodynamics and Nitric Oxide Scavengers. <i>PLoS ONE</i> , 2014, 9, e112395.	2.5	16
179	Microencapsulation of mechano growth factor E peptide for sustained delivery and bioactivity maintenance. <i>International Journal of Pharmaceutics</i> , 2014, 469, 214-221.	5.2	15
180	Preparation and characterization of silk fibroin/poly(l-lactide-co- μ -caprolactone) nanofibrous membranes for tissue engineering applications. <i>Journal of Bioactive and Compatible Polymers</i> , 2015, 30, 633-648.	2.1	15

#	ARTICLE	IF	CITATIONS
181	A comparison of different surfactants on foam stability in foam sclerotherapy in vitro. Journal of Vascular Surgery, 2019, 69, 581-591.e1.	1.1	15
182	Terminal Group Modification of Carbon Nanotubes Determines Covalently Bound Osteogenic Peptide Performance. ACS Biomaterials Science and Engineering, 2020, 6, 865-878.	5.2	15
183	Rapid Detection of mecA and femA Genes by Loop-Mediated Isothermal Amplification in a Microfluidic System for Discrimination of Different Staphylococcal Species and Prediction of Methicillin Resistance. Frontiers in Microbiology, 2020, 11, 1487.	3.5	15
184	Brainstem Encephalitis Caused by Listeria monocytogenes. Pathogens, 2020, 9, 715.	2.8	15
185	Quercetin loaded liposomes modified with galactosylated chitosan prevent LPS/D-GalN induced acute liver injury. Materials Science and Engineering C, 2021, 131, 112527.	7.3	15
186	Delivery of Nitric Oxide in the Cardiovascular System: Implications for Clinical Diagnosis and Therapy. International Journal of Molecular Sciences, 2021, 22, 12166.	4.1	15
187	High-Throughput DNA Tensioner Platform for Interrogating Mechanical Heterogeneity of Single Living Cells. Small, 2022, 18, e2106196.	10.0	15
188	Effect of fixation on neovascularization during bone healing. Medical Engineering and Physics, 2014, 36, 1436-1442.	1.7	14
189	Mechanism of lens capsular rupture following blunt trauma: a finite element study. Computer Methods in Biomechanics and Biomedical Engineering, 2015, 18, 914-921.	1.6	14
190	Electrospraying magnetic-fluorescent bifunctional Janus PLGA microspheres with dual rare earth ions fluorescent-labeling drugs. RSC Advances, 2016, 6, 99034-99043.	3.6	14
191	Biomechanical analysis of combining head-down tilt traction with vibration for different grades of degeneration of the lumbar spine. Medical Engineering and Physics, 2017, 39, 83-93.	1.7	14
192	Vascular Cell Glycocalyx-Mediated Vascular Remodeling Induced by Hemodynamic Environmental Alteration. Hypertension, 2018, 71, 1201-1209.	2.7	14
193	Studies on Foam Decay Trend and Influence of Temperature Jump on Foam Stability in Sclerotherapy. Vascular and Endovascular Surgery, 2018, 52, 98-106.	0.7	14
194	Mechanical Evaluation of Retinal Damage Associated With Blunt Craniomaxillofacial Trauma: A Simulation Analysis. Translational Vision Science and Technology, 2018, 7, 16.	2.2	14
195	The Clinical Significance of Soluble Programmed Cell Death-Ligand 1 (sPD-L1) in Patients With Gliomas. Frontiers in Oncology, 2020, 10, 9.	2.8	14
196	Aligned graphene/silk fibroin conductive fibrous scaffolds for guiding neurite outgrowth in rat spinal cord neurons. Journal of Biomedical Materials Research - Part A, 2021, 109, 488-499.	4.0	14
197	A biomimetic triple-layered biocomposite with effective multifunction for dura repair. Acta Biomaterialia, 2021, 130, 248-267.	8.3	14
198	Mapping the calcification of bovine pericardium in rat model by enhanced micro-computed tomography. Biomaterials, 2014, 35, 8305-8311.	11.4	13

#	ARTICLE	IF	CITATIONS
199	A computational simulation of the effect of hybrid treatment for thoracoabdominal aortic aneurysm on the hemodynamics of abdominal aorta. Scientific Reports, 2016, 6, 23801.	3.3	13
200	Biomechanical study on surgical fixation methods for minimally invasive treatment of hallux valgus. Medical Engineering and Physics, 2017, 46, 21-26.	1.7	13
201	Shear stress with appropriate time-step and amplification enhances endothelial cell retention on vascular grafts. Journal of Tissue Engineering and Regenerative Medicine, 2017, 11, 2965-2978.	2.7	13
202	Frequency-specific Effective Connectivity in Subjects with Cerebral Infarction as Revealed by NIRS Method. Neuroscience, 2018, 373, 169-181.	2.3	13
203	Low-Cost and Scalable Platform with Multiplexed Microwell Array Biochip for Rapid Diagnosis of COVID-19. Research, 2021, 2021, 2813643.	5.7	13
204	Biomaterials research of China from 2013 to 2017 based on bibliometrics and visualization analysis. PeerJ, 2019, 7, e6859.	2.0	13
205	Investigation of the influence of blade configuration on the hemodynamic performance and blood damage of the centrifugal blood pump. Artificial Organs, 2022, 46, 1817-1832.	1.9	13
206	Influence of Fe ₃ O ₄ Nanoparticles on the Preparation of Aligned PLGA Electrospun Fibers Induced by Magnetic Field. Journal of Nanomaterials, 2013, 2013, 1-9.	2.7	12
207	Study on the formation and properties of red blood cell-like Fe ₃ O ₄ /TbLa ₃ (Bim) ₁₂ /PLGA composite particles. RSC Advances, 2018, 8, 12503-12516.	3.6	12
208	Influence of Syringe Volume on Foam Stability in Sclerotherapy for Varicose Vein Treatment. Dermatologic Surgery, 2018, 44, 689-696.	0.8	12
209	Enhanced fluorescent intensity of magnetic-fluorescent bifunctional PLGA microspheres based on Janus electrospinning for bioapplication. Scientific Reports, 2018, 8, 17117.	3.3	12
210	Biomechanical evaluation of the first ray in pre-/post-operative hallux valgus: A comparative study. Clinical Biomechanics, 2018, 60, 1-8.	1.2	12
211	Elastic properties measurement of human enamel based on resonant ultrasound spectroscopy. Journal of the Mechanical Behavior of Biomedical Materials, 2019, 89, 48-53.	3.1	12
212	Dynamic walking stability of elderly people with various BMIs. Gait and Posture, 2019, 68, 168-173.	1.4	12
213	A critical role of the K _{Ca} 3.1 channel in mechanical stretch-induced proliferation of rat bone marrow-derived mesenchymal stem cells. Journal of Cellular and Molecular Medicine, 2020, 24, 3739-3744.	3.6	12
214	Macrophage Polarization in Response to Biomaterials for Vascularization. Annals of Biomedical Engineering, 2021, 49, 1992-2005.	2.5	12
215	The effects of titanium mesh cage size on the biomechanical responses of cervical spine after anterior cervical corpectomy and fusion: A finite element study. Clinical Biomechanics, 2022, 91, 105547.	1.2	12
216	Design of an Ultrasound Bladder Volume Measurement and Alarm System. , 2011, , .		11

#	ARTICLE	IF	CITATIONS
217	Emulsion Self-Assembly Synthesis of Chitosan/Poly(lactic acid)-glycolic acid) Stimuli-Responsive Amphiphiles. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 700-706.	2.2	11
218	Combination of flow and micropattern alignment affecting flow-resistant endothelial cell adhesion. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 74, 11-20.	3.1	11
219	Thermally-Driven Evaporation Self-Assembly and Dynamic Analysis of Homocentric Carbon Nanotube Rings. <i>Small</i> , 2017, 13, 1603642.	10.0	11
220	Influence of Micropatterning on Human Periodontal Ligament Cells' Behavior. <i>Biophysical Journal</i> , 2018, 114, 1988-2000.	0.5	11
221	Spike protein-based epitopes predicted against SARS-CoV-2 through literature mining. <i>Medicine in Novel Technology and Devices</i> , 2020, 8, 100048.	1.6	11
222	Double coating of graphene oxide-polypyrrole on silk fibroin scaffolds for neural tissue engineering. <i>Journal of Bioactive and Compatible Polymers</i> , 2020, 35, 216-227.	2.1	11
223	High-Performance Fluorescence Molecular Tomography through Shape-Based Reconstruction Using Spherical Harmonics Parameterization. <i>PLoS ONE</i> , 2014, 9, e94317.	2.5	11
224	Non-contact electrical stimulation as an effective means to promote wound healing. <i>Bioelectrochemistry</i> , 2022, 146, 108108.	4.6	11
225	In vivo measurements of patellar tracking and finite helical axis using a static magnetic resonance based methodology. <i>Medical Engineering and Physics</i> , 2014, 36, 1611-1617.	1.7	10
226	Influence of catheter insertion on the hemodynamic environment in coronary arteries. <i>Medical Engineering and Physics</i> , 2016, 38, 946-951.	1.7	10
227	The Effect of Fluid Shear Stress on the In Vitro Release Kinetics of Sirolimus from PLGA Films. <i>Polymers</i> , 2017, 9, 618.	4.5	10
228	BMP-2 inhibits lung metastasis of osteosarcoma: an early investigation using an orthotopic model. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 7543-7553.	2.0	10
229	Shear Stress Promotes Arterial Endothelium-Oriented Differentiation of Mouse-Induced Pluripotent Stem Cells. <i>Stem Cells International</i> , 2019, 2019, 1-13.	2.5	10
230	Cyclic Strain and Electrical Co-stimulation Improve Neural Differentiation of Marrow-Derived Mesenchymal Stem Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 624755.	3.7	10
231	Anatomical Entity Recognition with a Hierarchical Framework Augmented by External Resources. <i>PLoS ONE</i> , 2014, 9, e108396.	2.5	10
232	The Use of Injectable Chitosan/Nanohydroxyapatite/Collagen Composites with Bone Marrow Mesenchymal Stem Cells to Promote Ectopic Bone Formation In Vivo. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-8.	2.7	9
233	Tissue level microstructure and mechanical properties of the femoral head in the proximal femur of fracture patients. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2015, 31, 259-267.	3.4	9
234	Biomechanical behavior of valgus foot in children with cerebral palsy: A comparative study. <i>Journal of Biomechanics</i> , 2015, 48, 3170-3177.	2.1	9

#	ARTICLE	IF	CITATIONS
235	Numerical simulation on the effects of drug-eluting stents with different bending angles on hemodynamics and drug distribution. Medical and Biological Engineering and Computing, 2016, 54, 1859-1870.	2.8	9
236	A novel method to <i>in vitro</i> evaluate biocompatibility of nanoscaled scaffolds. Journal of Biomedical Materials Research - Part A, 2016, 104, 2117-2125.	4.0	9
237	Trilayered sulfated silk fibroin vascular grafts enhanced with braided silk tube. Journal of Bioactive and Compatible Polymers, 2016, 31, 613-623.	2.1	9
238	Comparison of chitosan microsphere versus O-carboxymethyl chitosan microsphere for drug delivery systems. Journal of Bioactive and Compatible Polymers, 2017, 32, 469-486.	2.1	9
239	Development of an integrated CAD-FEA system for patient-specific design of spinal cages. Computer Methods in Biomechanics and Biomedical Engineering, 2017, 20, 355-364.	1.6	9
240	Carboxylated graphene oxide promoted axonal guidance growth by activating Netrin-1/deleted in colorectal cancer signaling in rat primary cultured cortical neurons. Journal of Biomedical Materials Research - Part A, 2018, 106, 1500-1510.	4.0	9
241	A numerical method for guiding the design of surgical meshes with suitable mechanical properties for specific abdominal hernias. Computers in Biology and Medicine, 2020, 116, 103531.	7.0	9
242	Intraoperative localization of small pulmonary nodules to assist surgical resection: A novel approach using a surgical navigation puncture robot system. Thoracic Cancer, 2020, 11, 72-81.	1.9	9
243	A Review of Sclerosing Foam Stability in the Treatment of Varicose Veins. Dermatologic Surgery, 2020, 46, 249-257.	0.8	9
244	A micropore array-based solid lift-off method for highly efficient and controllable cell alignment and spreading. Microsystems and Nanoengineering, 2020, 6, 86.	7.0	9
245	Gastrointestinal Microenvironment and the Gut-Lung Axis in the Immune Responses of Severe COVID-19. Frontiers in Molecular Biosciences, 2021, 8, 647508.	3.5	9
246	Exploring the match between the degradation of the ECM-based composites and tissue remodeling in a full-thickness abdominal wall defect model. Biomaterials Science, 2021, 9, 7895-7910.	5.4	9
247	Halftone spatial frequency domain imaging enables kilohertz high-speed label-free non-contact quantitative mapping of optical properties for strongly turbid media. Light: Science and Applications, 2021, 10, 245.	16.6	9
248	Terrain Stiffness and Ankle Biomechanics During Simulated Half-Squat Parachute Landing. Aviation, Space, and Environmental Medicine, 2013, 84, 1262-1267.	0.5	8
249	Enhanced accumulation of LDLs within the venous graft wall induced by elevated filtration rate may account for its accelerated atherogenesis. Atherosclerosis, 2014, 236, 198-206.	0.8	8
250	Bilingual term alignment from comparable corpora in English discharge summary and Chinese discharge summary. BMC Bioinformatics, 2015, 16, 149.	2.6	8
251	Improvement of hemodynamic performance using novel helical flow vena cava filter design. Scientific Reports, 2017, 7, 40724.	3.3	8
252	An In Vitro Feasibility Study of the Influence of Configurations and Leaflet Thickness on the Hydrodynamics of Deformed Transcatheter Aortic Valve. Artificial Organs, 2017, 41, 735-743.	1.9	8

#	ARTICLE	IF	CITATIONS
253	Regulating Coupling Efficiency of REDV by Controlling Silk Fibroin Structure for Vascularization. ACS Biomaterials Science and Engineering, 2017, 3, 3515-3524.	5.2	8
254	Regulation of cell arrangement using a novel composite micropattern. Journal of Biomedical Materials Research - Part A, 2017, 105, 3093-3101.	4.0	8
255	Potential effect of mechano growth factor E-domain peptide on axonal guidance growth in primary cultured cortical neurons of rats. Journal of Tissue Engineering and Regenerative Medicine, 2018, 12, 70-79.	2.7	8
256	Association between acromegaly and a single nucleotide polymorphism (rs2854744) in the IGFBP3 gene. BMC Medical Genetics, 2018, 19, 182.	2.1	8
257	InÂVivo Disintegration and Bioresorption of a Nacre-Inspired Graphene-Silk Film Caused by the Foreign-Body Reaction. IScience, 2020, 23, 101155.	4.1	8
258	Effect of enzyme-induced collagen crosslinking on porcine sclera. Biochemical and Biophysical Research Communications, 2020, 528, 134-139.	2.1	8
259	Promotion of Neuronal Guidance Growth by Aminated Graphene Oxide via Netrin-1/Deleted in Colorectal Cancer Signaling. ACS Chemical Neuroscience, 2020, 11, 604-614.	3.5	8
260	Subjective assessment on visual fatigue versus stereoscopic disparities. Journal of the Society for Information Display, 2021, 29, 497-504.	2.1	8
261	Stereotactic technology for 3D bioprinting: from the perspective of robot mechanism. Biofabrication, 2021, 13, 043001.	7.1	8
262	Phenytoin Regulates Migration and Osteogenic Differentiation by MAPK Pathway in Human Periodontal Ligament Cells. Cellular and Molecular Bioengineering, 2022, 15, 151-160.	2.1	8
263	Casein micelles embedded composite organohydrogel as potential wound dressing. International Journal of Biological Macromolecules, 2022, 211, 678-688.	7.5	8
264	LOX-1 dependent mitochondrial DNA damage and NLRP3 activation during systemic inflammation in mice. Biochemical and Biophysical Research Communications, 2014, 451, 637-643.	2.1	7
265	Quantitative Studies of Endothelial Cell Fibronectin and Filamentous Actin (F-Actin) Coalignment in Response to Shear Stress. Microscopy and Microanalysis, 2017, 23, 1013-1023.	0.4	7
266	Monodispersed silk fibroin microdroplets for protein stabilization. Applied Physics Letters, 2018, 112, .	3.3	7
267	Protective Effect of Moderate Exogenous Electric Field Stimulation on Activating Netrin-1/DCC Expression Against Mechanical Stretch-Induced Injury in Spinal Cord Neurons. Neurotoxicity Research, 2018, 34, 285-294.	2.7	7
268	Morphological, biochemical and mechanical properties of articular cartilage and subchondral bone in rat tibial plateau are age related. Journal of Anatomy, 2018, 232, 457-471.	1.5	7
269	Flexible Microâ€“Supercapacitors Based on Naturally Derived Juglone. ChemPlusChem, 2018, 83, 423-430.	2.8	7
270	A Novel Method to Quantify Longitudinal Orthodontic Bone Changes with In Vivo Micro-CT Data. Journal of Healthcare Engineering, 2018, 2018, 1-8.	1.9	7

#	ARTICLE	IF	CITATIONS
271	A mathematical model of human heart including the effects of heart contractility varying with heart rate changes. <i>Journal of Biomechanics</i> , 2018, 75, 129-137.	2.1	7
272	Spatiotemporal transfer of nitric oxide in patient-specific atherosclerotic carotid artery bifurcations with MRI and computational fluid dynamics modeling. <i>Computers in Biology and Medicine</i> , 2020, 125, 104015.	7.0	7
273	Biomechanical influence of anchorages on orthodontic space closing mechanics by sliding method. <i>Medical and Biological Engineering and Computing</i> , 2020, 58, 1091-1097.	2.8	7
274	Nanopharmaceutical-based regenerative medicine: a promising therapeutic strategy for spinal cord injury. <i>Journal of Materials Chemistry B</i> , 2021, 9, 2367-2383.	5.8	7
275	Influence of Distal Re-entry Tears on False Lumen Thrombosis After Thoracic Endovascular Aortic Repair in Type B Aortic Dissection Patients: A Computational Fluid Dynamics Simulation. <i>Cardiovascular Engineering and Technology</i> , 2021, 12, 426-437.	1.6	7
276	Biochemical and Morphological Abnormalities of Subchondral Bone and Their Association with Cartilage Degeneration in Spontaneous Osteoarthritis. <i>Calcified Tissue International</i> , 2021, 109, 179-189.	3.1	7
277	Preparation of Magnetic-Luminescent Bifunctional Rapeseed Pod-Like Drug Delivery System for Sequential Release of Dual Drugs. <i>Pharmaceutics</i> , 2021, 13, 1116.	4.5	7
278	Efficacy of various multi-layers of orthodontic clear aligners: a simulated study. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2022, 25, 1710-1721.	1.6	7
279	A Self-Powered Optogenetic System for Implantable Blood Glucose Control. <i>Research</i> , 2022, 2022, .	5.7	7
280	Degradation of electrospun poly(L-lactide) membranes under cyclic loading. <i>Journal of Applied Polymer Science</i> , 2012, 124, E258.	2.6	6
281	Research on the Structure of Fish Collagen Nanofibers Influenced Cell Growth. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-6.	2.7	6
282	Regional specific modulation of the glycocalyx and smooth muscle cell contractile apparatus in conduit arteries of tail-suspended rats. <i>Journal of Applied Physiology</i> , 2016, 120, 537-545.	2.5	6
283	Analysis of dentoalveolar structures with novel corticotomy-facilitated mandibular expansion: A 3-dimensional finite element study. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2017, 151, 767-778.	1.7	6
284	Micro-mechanical properties of different sites on woodpecker's skull. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017, 20, 1483-1493.	1.6	6
285	Fabrication of Concentric Carbon Nanotube Rings and Their Application on Regulating Cell Growth. <i>ACS Omega</i> , 2019, 4, 16209-16216.	3.5	6
286	Platelet-Derived Growth Factor Receptor- α and β are Involved in Fluid Shear Stress Regulated Cell Migration in Human Periodontal Ligament Cells. <i>Cellular and Molecular Bioengineering</i> , 2019, 12, 85-97.	2.1	6
287	Flying qualities evaluation based nonlinear flight control law design method for aircraft. <i>Aerospace Science and Technology</i> , 2020, 106, 106126.	4.8	6
288	Functional MRI Reveals Locomotion-Control Neural Circuits in Human Brainstem. <i>Brain Sciences</i> , 2020, 10, 757.	2.3	6

#	ARTICLE	IF	CITATIONS
289	Biomechanical effects of over lordotic curvature after spinal fusion on adjacent intervertebral discs under continuous compressive load. <i>Clinical Biomechanics</i> , 2020, 73, 149-156.	1.2	6
290	The cushioning function of woodpecker's jaw apparatus during the pecking process. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021, 24, 527-537.	1.6	6
291	Flow-mediated dilation analysis coupled with nitric oxide transport to enhance the assessment of endothelial function. <i>Journal of Applied Physiology</i> , 2021, 131, 1-14.	2.5	6
292	Vascular transplantation with dual-biofunctional ePTFE vascular grafts in a porcine model. <i>Journal of Materials Chemistry B</i> , 2021, 9, 7409-7422.	5.8	6
293	Engineer a pre-metastatic niched microenvironment to attract breast cancer cells by utilizing a 3D printed polycaprolactone/nano-hydroxyapatite osteogenic scaffold "An in vitro model system for proof of concept. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, 110, 1604-1614.	3.4	6
294	Cytosolic peptides encoding CaV1 C-termini downregulate the calcium channel activity-neuritogenesis coupling. <i>Communications Biology</i> , 2022, 5, 484.	4.4	6
295	The role of low-frequency oscillations in three-dimensional perception with depth cues in virtual reality. <i>NeuroImage</i> , 2022, 257, 119328.	4.2	6
296	The influence of mechanical loading on osseointegration: an animal study. <i>Science in China Series C: Life Sciences</i> , 2009, 52, 579-586.	1.3	5
297	A new method for computing the uniaxial modulus of articular cartilages using modified inhomogeneous triphasic model. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2010, 26, 121-126.	3.4	5
298	Controlled release of dexamethasone from porous PLGA scaffolds under cyclic loading. <i>Science China Chemistry</i> , 2010, 53, 594-598.	8.2	5
299	Stress analysis of first permanent mandibular molar with class 1 restorations of different cement bases by occlusive load: A finite element analysis. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2010, 26, 1371-1379.	2.1	5
300	EMPIRICAL FORMULA AND EXPERIMENT BASED FORCE MODELING FOR HAPTIC SPINE SURGERY SIMULATION. <i>International Journal of Modeling, Simulation, and Scientific Computing</i> , 2011, 02, 29-44.	1.4	5
301	The effect of anatomic variations of circle of Willis on cerebral blood distribution during posture change from supination to standing: A model study. <i>Bio-Medical Materials and Engineering</i> , 2014, 24, 2371-2380.	0.6	5
302	A comparative study on dynamic stiffness in typical finite element model and multi-body model of C6-C7 cervical spine segment. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2016, 32, e02750.	2.1	5
303	Insoluble Microenvironment Facilitating the Generation and Maintenance of Pluripotency. <i>Tissue Engineering - Part B: Reviews</i> , 2018, 24, 267-278.	4.8	5
304	Endocardial Pressure Sensors: Transcatheter Self-Powered Ultrasensitive Endocardial Pressure Sensor (<i>Adv. Funct. Mater.</i> 3/2019). <i>Advanced Functional Materials</i> , 2019, 29, 1970017.	14.9	5
305	Gender differences of morphological and hemodynamic characteristics of abdominal aortic aneurysm. <i>Biology of Sex Differences</i> , 2020, 11, 41.	4.1	5
306	Biological analysis of woodpecker's brain after impact experiments. <i>Science China Technological Sciences</i> , 2021, 64, 1101-1106.	4.0	5

#	ARTICLE	IF	CITATIONS
307	Experimental evaluation of the viscoelasticity of porcine vitreous. Journal of the Royal Society Interface, 2021, 18, 20200849.	3.4	5
308	Effect of different thermal stimuli on improving microcirculation in the contralateral foot. BioMedical Engineering OnLine, 2021, 20, 14.	2.7	5
309	Stimulation of vascular smooth muscle cell proliferation by stiff matrix via the IK _{Ca} channel-dependent Ca ²⁺ signaling. Journal of Cellular Physiology, 2021, 236, 6897-6906.	4.1	5
310	Tracking-based deep learning method for temporomandibular joint segmentation. Annals of Translational Medicine, 2021, 9, 467-467.	1.7	5
311	Effect of intermittent pneumatic compression with different inflation pressures on the distal microvascular responses of the foot in people with type 2 diabetes mellitus. International Wound Journal, 2022, 19, 968-977.	2.9	5
312	Effect of longitudinal anatomical mismatch of stenting on the mechanical environment in human carotid artery with atherosclerotic plaques. Medical Engineering and Physics, 2017, 48, 114-119.	1.7	5
313	A rapid procedure for bacterial identification and antimicrobial susceptibility testing directly from positive blood cultures. Analyst, The, 2021, 147, 147-154.	3.5	5
314	Effect of Exercise Volume on Plantar Microcirculation and Tissue Hardness in People With Type 2 Diabetes. Frontiers in Bioengineering and Biotechnology, 2021, 9, 732628.	4.1	5
315	GNIFdb: a neoantigen intrinsic feature database for glioma. Database: the Journal of Biological Databases and Curation, 2022, 2022, .	3.0	5
316	Traditional Chinese Medicine is effective for COVID-19: A systematic review and meta-analysis. Medicine in Novel Technology and Devices, 2022, 16, 100139.	1.6	5
317	Porous interbody fusion cage design via topology optimization and biomechanical performance analysis. Computer Methods in Biomechanics and Biomedical Engineering, 2023, 26, 650-659.	1.6	5
318	NUMERICAL SIMULATION ON THE EFFECTS OF DRUG-ELUTING STENTS WITH DIFFERENT LINKS ON HEMODYNAMICS AND DRUG CONCENTRATION DISTRIBUTION. Journal of Mechanics in Medicine and Biology, 2013, 13, 1350070.	0.7	4
319	A Footwear-“Foot”-Knee Computational Platform for Exploring Footwear Effects on Knee Joint Biomechanics. Journal of Medical and Biological Engineering, 2016, 36, 245-256.	1.8	4
320	Digital light procession three-dimensional printing acrylate/collagen composite airway stent for tracheomalacia. Journal of Bioactive and Compatible Polymers, 2017, 32, 429-442.	2.1	4
321	The current situation and development of medical device testing institutes in China. Expert Review of Medical Devices, 2017, 14, 263-269.	2.8	4
322	Influence of Micropatterned Silk Fibroin Films on Human Umbilical Endothelial Cell Behaviors. Journal of Medical and Biological Engineering, 2017, 37, 750-759.	1.8	4
323	How Deep Might Myoblasts Sense: The Effect of Substrate Stiffness and Thickness on the Behavior of Myoblasts. Journal of Medical and Biological Engineering, 2018, 38, 596-606.	1.8	4
324	Patella tracking calculation from patellofemoral positions at finite angles of knee flexion. Medical Engineering and Physics, 2018, 62, 1-6.	1.7	4

#	ARTICLE	IF	CITATIONS
325	Drug Delivery System with Multiple Rare Earth Ions Fluorescent-Labeling Drugs and Magnetic Nanoparticles. Journal of Nanoscience and Nanotechnology, 2019, 19, 3288-3292.	0.9	4
326	Fabrication and Properties of Electrospun Magnetoelectric Graphene/Fe ₃ O ₄ /Poly(lactic-co-glycolic acid) Short Nanofibers. Journal of Nanoscience and Nanotechnology, 2019, 19, 170-175.	0.9	4
327	Bone marrow derived endothelial progenitor cells retain their phenotype and functions after a limited number of culture passages and cryopreservation. Cytotechnology, 2019, 71, 1-14.	1.6	4
328	The effect of prosthetic alignment on hip and knee joint kinetics in individuals with transfemoral amputation. Gait and Posture, 2020, 76, 85-91.	1.4	4
329	Root surface microcracks induced by orthodontic force as a potential primary indicator of root resorption. Journal of Biomechanics, 2020, 110, 109938.	2.1	4
330	Changes in the Kinematic and Kinetic Characteristics of Lunge Footwork during the Fatiguing Process. Applied Sciences (Switzerland), 2020, 10, 8703.	2.5	4
331	Biomechanism of resistance to retinal injury in woodpecker's eyes. Science China Life Sciences, 2020, 63, 592-598.	4.9	4
332	Bilayer nicorandil-loaded small-diameter vascular grafts improve endothelial cell function via PI3K/AKT/eNOS pathway. Bio-Design and Manufacturing, 2021, 4, 72-86.	7.7	4
333	Idealized conductance: A new method to evaluate stiffness of trabecular bone. International Journal for Numerical Methods in Biomedical Engineering, 2021, 37, e3425.	2.1	4
334	Influence of renal artery stenosis morphology on hemodynamics. Computer Methods in Biomechanics and Biomedical Engineering, 2021, 24, 1294-1301.	1.6	4
335	Design of Robot-Assisted Task Involving Visuomotor Conflict for Identification of Proprioceptive Acuity. IEEE Transactions on Instrumentation and Measurement, 2021, 70, 1-10.	4.7	4
336	Virtual ultrasonic waveform acquisition and analysis system based on LabVIEW and PCI-12400 A/D card. , 2009, , .		3
337	Numerical simulation of canine bodily movement. International Journal for Numerical Methods in Biomedical Engineering, 2010, 26, 157-163.	2.1	3
338	Hemodynamics study of a multilayer stent for the treatment of aneurysms. BioMedical Engineering OnLine, 2016, 15, 134.	2.7	3
339	User-Centric Feedback for the Development and Review of a Unique Robotic Glove Prototype to Be Used in Therapy. Journal of Healthcare Engineering, 2017, 2017, 1-8.	1.9	3
340	Influence of the quality of intraoperative fluoroscopic images on the spatial positioning accuracy of a CAOS system. International Journal of Medical Robotics and Computer Assisted Surgery, 2018, 14, e1898.	2.3	3
341	Fabrication and performance test of biodegradable supercapacitor. MRS Advances, 2019, 4, 2063-2070.	0.9	3
342	Influence of multi-angle input of intraoperative fluoroscopic images on the spatial positioning accuracy of the C-arm calibration-based algorithm of a CAOS system. Medical and Biological Engineering and Computing, 2020, 58, 559-572.	2.8	3

#	ARTICLE	IF	CITATIONS
343	Biomechanical effects of corticotomy facilitated orthodontic anterior retraction: a 3-dimensional finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2020, 23, 295-302.	1.6	3
344	Microcracks on the Rat Root Surface Induced by Orthodontic Force, Crack Extension Simulation, and Proteomics Study. <i>Annals of Biomedical Engineering</i> , 2021, 49, 2228-2242.	2.5	3
345	neoDL: a novel neoantigen intrinsic feature-based deep learning model identifies IDH wild-type glioblastomas with the longest survival. <i>BMC Bioinformatics</i> , 2021, 22, 382.	2.6	3
346	Biomechanics of adjacent segment after three-level lumbar fusion, hybrid single-level semi-rigid fixation with two-level lumbar fusion. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2022, 25, 455-463.	1.6	3
347	Effect of limb rotation on radiographic alignment measurement in mal-aligned knees. <i>BioMedical Engineering OnLine</i> , 2021, 20, 119.	2.7	3
348	Self-Organization of Tissue Growth by Interfacial Mechanical Interactions in Multilayered Systems. <i>Advanced Science</i> , 2022, 9, e2104301.	11.2	3
349	Study on the Influence of Shear Stress and Pulse Electrical Stimulation to the Growth of Cardiomyocytes. <i>Journal of Biomedical Nanotechnology</i> , 2022, 18, 132-143.	1.1	3
350	NUMERICAL SIMULATION ON THE EFFECTS OF DRUG RELEASE POSITIONS IN HEPATIC PORTAL VEIN FOR TARGETING THERAPY. <i>Journal of Mechanics in Medicine and Biology</i> , 2015, 15, 1550038.	0.7	2
351	A Multidisciplined Teaching Reform of Biomaterials Course for Undergraduate Students. <i>Journal of Science Education and Technology</i> , 2015, 24, 735-746.	3.9	2
352	Influence of endoleak positions on the pressure shielding ability of stent-graft after endovascular aneurysm repair (EVAR) of abdominal aortic aneurysm (AAA). <i>BioMedical Engineering OnLine</i> , 2016, 15, 135.	2.7	2
353	A double-lyophilization method for the preparation of CS/GO-COOH scaffold and its application in blood detoxification. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2016, 27, 1788-1807.	3.5	2
354	The development and error analysis of a kinematic parameters based spatial positioning method for an orthopedic navigation robot system. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2017, 13, e1782.	2.3	2
355	Modeling and simulation of cormorant's webbed-feet assisted take-off from water surface. , 2017, , .		2
356	Analysis of Bone Mineral Density/Content of Paratroopers and Hoopsters. <i>Journal of Healthcare Engineering</i> , 2018, 2018, 1-8.	1.9	2
357	Bioabsorbable Capacitors: Fully Bioabsorbable Capacitor as an Energy Storage Unit for Implantable Medical Electronics (<i>Adv. Sci.</i> 6/2019). <i>Advanced Science</i> , 2019, 6, 1970035.	11.2	2
358	Effect of the medial collateral ligament and the lateral ulnar collateral ligament injury on elbow stability: a finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021, 24, 1517-1529.	1.6	2
359	Two-dimensional dynamic walking stability of elderly females with a history of falls. <i>Medical and Biological Engineering and Computing</i> , 2021, 59, 1575-1583.	2.8	2
360	Simulation of stent retriever thrombectomy in acute ischemic stroke by finite element analysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2022, 25, 740-749.	1.6	2

#	ARTICLE	IF	CITATIONS
361	Incremental Dual Heuristic Dynamic Programming Based Hybrid Approach for Multi-Channel Control of Unstable Tailless Aircraft. IEEE Access, 2022, 10, 31677-31691.	4.2	2
362	Prediction of Femoral Strength Based on Bone Density and Biochemical Markers in Elderly Men With Type 2 Diabetes Mellitus. Frontiers in Bioengineering and Biotechnology, 2022, 10, 855364.	4.1	2
363	Applying exercise-mimetic engineered skeletal muscle model to interrogate the adaptive response of irisin to mechanical force. IScience, 2022, 25, 104135.	4.1	2
364	Static magnetic field regulates proliferation, migration, and differentiation of human dental pulp stem cells by MAPK pathway. Cytotechnology, 2022, 74, 395-405.	1.6	2
365	Ultracompact Deep Neural Network for Ultrafast Optical Property Extraction in Spatial Frequency Domain Imaging (SFDI). Photonics, 2022, 9, 327.	2.0	2
366	Hemodynamic Performance of a Sutureless Anastomosis Device (the Graft Connector): A Numerical Study. International Journal of Artificial Organs, 2010, 33, 392-398.	1.4	1
367	Frequency spectral characteristics of standing balance with partial foot support. , 2010, , .		1
368	A virtual sEMG prosthetic hand development system based on LabVIEW and PCI-1710HG A/D card. , 2010, , .		1
369	The Acoustic Nonlinearity of a Single Ultrasound Contrast Agent Microbubble. , 2011, , .		1
370	Notice of Retraction: The Relationship between COP and COM during Upright Stance with Ankle Fixation. , 2011, , .		1
371	Preliminary animal studies on observation of injured spinal cord with intraoperative ultrasound backscatter microscopy. Science Bulletin, 2012, 57, 2280-2284.	1.7	1
372	Simulation of Contrast Agent Transport in Arteries with Multilayer Arterial Wall: Impact of Arterial Transmural Transport on the Bolus Delay and Dispersion. Scientific World Journal, The, 2014, 2014, 1-13.	2.1	1
373	Biomechanical evaluation of different hydroxyapatite coatings on titanium for keratoprosthesis. Frontiers of Materials Science, 2015, 9, 303-310.	2.2	1
374	Increased Blood Flow by Unilateral Intermittent Compression on Hindlimbs May Prevent Bone Loss. Microgravity Science and Technology, 2018, 30, 987-993.	1.4	1
375	Influence of the IGFBP3-202A/C Gene Polymorphism on Clinical Features and Surgery Outcome in Acromegalic Patients. Frontiers in Endocrinology, 2018, 9, 751.	3.5	1
376	A methodology for detecting the wound state sensing in terms of its colonization of pathogenic bacteria. MethodsX, 2018, 5, 1521-1527.	1.6	1
377	Development of Magnetic-Fluorescent Bifunctional Drug Delivery System with Dual Drug Content and Enhanced Fluorescence. Journal of Nanoscience and Nanotechnology, 2018, 18, 8094-8098.	0.9	1
378	Relationship between Subtalar Joint Stiffness and Relaxed Calcaneal Stance Position in Cerebral Palsy Children with Valgus Deformities. BioMed Research International, 2018, 2018, 1-10.	1.9	1

#	ARTICLE	IF	CITATIONS
379	Effects of reverse deployment of cone-shaped vena cava filter on improvements in hemodynamic performance in vena cava. <i>BioMedical Engineering OnLine</i> , 2021, 20, 19.	2.7	1
380	Finite element analysis of lumbar spine with different backpack positions in parachuting landing. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021, 24, 1-8.	1.6	1
381	Microfluidic Model to Mimic Initial Event of Neovascularization. <i>Journal of Visualized Experiments</i> , 2021, , .	0.3	1
382	Microstructural and mechanical evaluations of region segmentation methods in classifications of osteonecrosis. <i>Journal of Biomechanics</i> , 2021, 119, 110208.	2.1	1
383	Full-field strain mapping for characterization of structure-related variation in corneal biomechanical properties using digital image correlation (DIC) technology. <i>Medicine in Novel Technology and Devices</i> , 2021, 11, 100086.	1.6	1
384	Soft substrate and decreased cytoskeleton contractility promote coupling and morphology maintenance of pluripotent stem cells. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2021, 37, 1520-1529.	3.4	1
385	The differences between surface degradation and bulk degradation of FEM on the prediction of the degradation time for poly (lactic-co-glycolic acid) stent. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2021, , 1-8.	1.6	1
386	Human locomotion-control brain networks detected with independent component analysis. <i>Journal of Integrative Neuroscience</i> , 2021, 20, 695.	1.7	1
387	A simple indentation technique for identifying localized liquefaction of the vitreous body. <i>Journal of Biomechanics</i> , 2021, 129, 110795.	2.1	1
388	Preparation of Magnetic-Fluorescent Bifunctional Microrods as a Drug Delivery System via One-Step Electrospraying. <i>Proceedings (mdpi)</i> , 2021, 78, 44.	0.2	1
389	Variations of human cerebral and ocular blood flow during exposure to multi-axial accelerations. <i>Medical and Biological Engineering and Computing</i> , 2022, 60, 471-486.	2.8	1
390	Differential Regulation by Mechanical Stretch of the Expressions of Large-Conductance Ca ²⁺ -Activated K ⁺ Channel and L-Type Voltage-Dependent Ca ²⁺ Channel in Rat Uterine Smooth Muscle Cells. <i>Journal of Membrane Biology</i> , 2022, 255, 357-361.	2.1	1
391	Spatiotemporal changes of local hemodynamics and plaque components during atherosclerotic progression in rabbit. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 220, 106814.	4.7	1
392	The Study of Nonlinear Change of Bladder During Urinary Store Based on MRI. , 2009, , .		0
393	A Preliminary Observation of Intra-Operative Ultrasound Backscatter Microscopy of Spinal Cord Injury. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering</i> , 2010, , .	0.0	0
394	New developments of biomaterials course for biomedical engineering education. , 2011, , .		0
395	Requirement-based teaching in interdisciplinary graduate courses: Student perceptions and achievement. , 2011, , .		0
396	Development of a Device for Negative Pressure Wound Therapy Based on ARM9 Embedded System. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
397	Sulcal morphology differences between mild cognitive impairment patients and normal elderly subjects. , 2011, , .		0
398	Performance of fluorescence molecular tomography with hybrid diffuse optical tomography guidance and normalized born method. , 2011, , .		0
399	Experimental Study on the Steady Flow in the Carotid Siphon: The Geometric Effect on the Hemodynamics. , 2012, , .		0
400	The observation of hip joint cartilage of elderly people based on EPIC Micro-CT. , 2013, , .		0
401	Editorial. Medical Engineering and Physics, 2014, 36, 1381.	1.7	0
402	Influence of Configuration on Stress Distribution of Pulmonary Monocusp Leaflet. Cardiovascular Engineering and Technology, 2020, 11, 134-140.	1.6	0
403	An Optical Method for Immediate Evaluation of Microfoam Stability in Foam Sclerotherapy. Skin Pharmacology and Physiology, 2021, 34, 128-134.	2.5	0
404	Switched Adaptive Sliding Mode Disturbance Observer for Nonlinear Fault-Tolerant Flight Control. IEEE Access, 2021, 9, 92614-92628.	4.2	0
405	Investigation of failure modes of explanted porcine valves in the mitral position. Journal of Thoracic Disease, 2021, 13, 2858-2866.	1.4	0
406	The characteristics of distal tears affect false lumen thrombosis rate after thoracic endovascular aortic repair for acute type B dissection. Interactive Cardiovascular and Thoracic Surgery, 2021, 33, 755-762.	1.1	0
407	Multimomics Analysis Reveals the Prognostic Non-tumor Cell Landscape in Glioblastoma Niches. Frontiers in Genetics, 2021, 12, 741325.	2.3	0
408	Detections of Steady-State Visual Evoked Potential and Simultaneous Jaw Clench Action from Identical Occipital Electrodes: A Hybrid Brain-Computer Interface Study. Journal of Medical and Biological Engineering, 2021, 41, 914-923.	1.8	0
409	Screening Method Based on Walking Plantar Impulse for Detecting Musculoskeletal Senescence and Injury. PLoS ONE, 2013, 8, e83839.	2.5	0
410	Brainstem fMRI. Encyclopedia, 2021, 1, 4-11.	4.5	0
411	Effect of Inter-Fragmentary Gap Size on Neovascularization During Bone Healing: A Micro-CT Imaging Study. Frontiers in Bioengineering and Biotechnology, 2022, 10, 808182.	4.1	0
412	Finite element analysis of shank and ankle with different boot collar heights in parachuting landing on inversion ground surface. Computer Methods in Biomechanics and Biomedical Engineering, 2022, 25, 953-960.	1.6	0
413	Biomechanical effect of posterior ligament repair in lamina repair surgery. Computer Methods in Biomechanics and Biomedical Engineering, 0, , 1-8.	1.6	0