

Toshio Kitamura

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1367573/toshio-kitamura-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

6,824
citations

40
h-index

81
g-index

156
ext. papers

7,750
ext. citations

6.6
avg, IF

5.28
L-index

#	Paper	IF	Citations
142	Eliminating chronic myeloid leukemia stem cells by IRAK1/4 inhibitors.. <i>Nature Communications</i> , 2022 , 13, 271	17.4	1
141	CHIP-associated mutant ASXL1 in blood cells promotes solid tumor progression.. <i>Cancer Science</i> , 2022 ,	6.9	2
140	UBC9 inhibits myeloid differentiation in collaboration with AML1-MTG8.. <i>International Journal of Hematology</i> , 2022 , 1	2.3	
139	Profiles of anemia in adolescent students with sports club membership in an outpatient clinic setting: a retrospective study.. <i>PeerJ</i> , 2022 , 10, e13004	3.1	1
138	MDS cells impair osteolineage differentiation of MSCs via extracellular vesicles to suppress normal hematopoiesis.. <i>Cell Reports</i> , 2022 , 39, 110805	10.6	0
137	Exit from germinal center to become quiescent memory B cells depends on metabolic reprogramming and provision of a survival signal. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	20
136	Mutant ASXL1 induces age-related expansion of phenotypic hematopoietic stem cells through activation of Akt/mTOR pathway. <i>Nature Communications</i> , 2021 , 12, 1826	17.4	13
135	Imaging dynamic mTORC1 pathway activity in vivo reveals marked shifts that support time-specific inhibitor therapy in AML. <i>Nature Communications</i> , 2021 , 12, 245	17.4	5
134	Comprehensive expression pattern of kin of irregular chiasm-like 3 in the adult mouse brain. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 563, 66-72	3.4	
133	A histone modifier, ASXL1, interacts with NONO and is involved in paraspeckle formation in hematopoietic cells. <i>Cell Reports</i> , 2021 , 36, 109576	10.6	7
132	Clonal hematopoiesis and associated diseases: A review of recent findings. <i>Cancer Science</i> , 2021 , 112, 3962-3971	6.9	7
131	CRISPR/Cas9-mediated base-editing enables a chain reaction through sequential repair of sgRNA scaffold mutations.. <i>Scientific Reports</i> , 2021 , 11, 23889	4.9	
130	HHEX promotes myeloid transformation in cooperation with mutant ASXL1. <i>Blood</i> , 2020 , 136, 1670-1684	4.2	6
129	PD-L1/L2 protein levels rapidly increase on monocytes via trogocytosis from tumor cells in classical Hodgkin lymphoma. <i>Leukemia</i> , 2020 , 34, 2405-2417	10.7	16
128	ASXL1 mutation in clonal hematopoiesis. <i>Experimental Hematology</i> , 2020 , 83, 74-84	3.1	11
127	Impaired Osteoblastic Differentiation of MSCs Suppresses Normal Hematopoiesis in MDS. <i>Blood</i> , 2020 , 136, 17-18	2.2	
126	Activation of CpG-Rich Promoters Mediated by MLL Drives MOZ-Rearranged Leukemia. <i>Cell Reports</i> , 2020 , 32, 108200	10.6	4

125	Efficacy of tyrosine kinase inhibitors on a mouse chronic myeloid leukemia model and chronic myeloid leukemia stem cells. <i>Experimental Hematology</i> , 2020 , 90, 46-51.e2	3.1	1
124	Opposing effects of acute versus chronic inhibition of p53 on decitabine's efficacy in myeloid neoplasms. <i>Scientific Reports</i> , 2019 , 9, 8171	4.9	3
123	The role of ASXL1 in hematopoiesis and myeloid malignancies. <i>Cellular and Molecular Life Sciences</i> , 2019 , 76, 2511-2523	10.3	40
122	NUP98-HBO1-fusion generates phenotypically and genetically relevant chronic myelomonocytic leukemia pathogenesis. <i>Blood Advances</i> , 2019 , 3, 1047-1060	7.8	4
121	A new bioavailable fenretinide formulation with antiproliferative, antimetabolic, and cytotoxic effects on solid tumors. <i>Cell Death and Disease</i> , 2019 , 10, 529	9.8	23
120	Antitumor immunity augments the therapeutic effects of p53 activation on acute myeloid leukemia. <i>Nature Communications</i> , 2019 , 10, 4869	17.4	15
119	The Ubiquitin Ligase DTX2 Promotes Nuclear Export of RUNX1 and Inhibits RUNX1-Dependent Leukemogenesis. <i>Blood</i> , 2019 , 134, 1252-1252	2.2	1
118	Leukemogenic Functions of Mutant ASXL1 Are Regulated By CDK-Mediated Phosphorylation. <i>Blood</i> , 2019 , 134, 731-731	2.2	
117	Mutant ASXL1 Disrupts Paraspeckle Formation through Aberrant Interaction with Nono in Hematopoietic Cells. <i>Blood</i> , 2019 , 134, 2514-2514	2.2	
116	Discrimination of Dormant and Active Hematopoietic Stem Cells by G Marker Reveals Dormancy Regulation by Cytoplasmic Calcium. <i>Cell Reports</i> , 2019 , 29, 4144-4158.e7	10.6	11
115	The phytosphingosine-CD300b interaction promotes zymosan-induced, nitric oxide-dependent neutrophil recruitment. <i>Science Signaling</i> , 2019 , 12,	8.8	8
114	Aberrant histone modifications induced by mutant ASXL1 in myeloid neoplasms. <i>International Journal of Hematology</i> , 2019 , 110, 179-186	2.3	8
113	A novel ASXL1-OGT axis plays roles in H3K4 methylation and tumor suppression in myeloid malignancies. <i>Leukemia</i> , 2018 , 32, 1327-1337	10.7	33
112	Role of exosomes as a proinflammatory mediator in the development of EBV-associated lymphoma. <i>Blood</i> , 2018 , 131, 2552-2567	2.2	53
111	Expression of mutant Asxl1 perturbs hematopoiesis and promotes susceptibility to leukemic transformation. <i>Journal of Experimental Medicine</i> , 2018 , 215, 1729-1747	16.6	73
110	Abnormal behaviours relevant to neurodevelopmental disorders in Kirrel3-knockout mice. <i>Scientific Reports</i> , 2018 , 8, 1408	4.9	19
109	mutations gain a function. <i>Blood</i> , 2018 , 131, 274-275	2.2	12
108	The CD300e molecule in mice is an immune-activating receptor. <i>Journal of Biological Chemistry</i> , 2018 , 293, 3793-3805	5.4	7

107	Overexpression of Lhx2 suppresses proliferation of human T cell acute lymphoblastic leukemia-derived cells, partly by reducing LMO2 protein levels. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 2310-2316	3.4	4
106	Role of the Ceramide-CD300f Interaction in Gram-Negative Bacterial Skin Infections. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1221-1224	4.3	3
105	Mutant ASXL1 cooperates with BAP1 to promote myeloid leukaemogenesis. <i>Nature Communications</i> , 2018 , 9, 2733	17.4	54
104	Recurrent Translocations in Acute Promyelocytic Leukemia Lacking Translocation. <i>Cancer Research</i> , 2018 , 78, 4452-4458	10.1	25
103	Enforced expression of MIR142, a target of chromosome translocation in human B-cell tumors, results in B-cell depletion. <i>International Journal of Hematology</i> , 2018 , 107, 345-354	2.3	2
102	Mouse LIMR3/CD300f is a negative regulator of the antimicrobial activity of neutrophils. <i>Scientific Reports</i> , 2018 , 8, 17406	4.9	5
101	The ubiquitin ligase RNF38 promotes RUNX1 ubiquitination and enhances RUNX1-mediated suppression of erythroid transcription program. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 505, 905-909	3.4	3
100	ASXL1 and SETBP1 mutations promote leukaemogenesis by repressing TGF β pathway genes through histone deacetylation. <i>Scientific Reports</i> , 2018 , 8, 15873	4.9	18
99	Arginine methylation controls the strength of β -family cytokine signaling in T cell maintenance. <i>Nature Immunology</i> , 2018 , 19, 1265-1276	19.1	36
98	Leukocyte mono-immunoglobulin-like receptor 8 (LMIR8)/CLM-6 is an FcR γ -coupled receptor selectively expressed in mouse tissue plasmacytoid dendritic cells. <i>Scientific Reports</i> , 2018 , 8, 8259	4.9	5
97	Ceramide-CD300f Binding Inhibits Lipopolysaccharide-induced Skin Inflammation. <i>Journal of Biological Chemistry</i> , 2017 , 292, 2924-2932	5.4	18
96	Epigenetics in normal and malignant hematopoiesis: An overview and update 2017. <i>Cancer Science</i> , 2017 , 108, 553-562	6.9	35
95	The ubiquitin ligase STUB1 regulates stability and activity of RUNX1 and RUNX1-RUNX1T1. <i>Journal of Biological Chemistry</i> , 2017 , 292, 12528-12541	5.4	11
94	Genetic regulation of the RUNX transcription factor family has antitumor effects. <i>Journal of Clinical Investigation</i> , 2017 , 127, 2815-2828	15.9	70
93	FANTOM5 CAGE profiles of human and mouse samples. <i>Scientific Data</i> , 2017 , 4, 170112	8.2	88
92	Disrupting ceramide-CD300f interaction prevents septic peritonitis by stimulating neutrophil recruitment. <i>Scientific Reports</i> , 2017 , 7, 4298	4.9	14
91	Overexpression of short isoform has an important role in the development of myelodysplastic/myeloproliferative neoplasms. <i>Blood Advances</i> , 2017 , 1, 1382-1386	7.8	8
90	A p53-MDM2 Interaction Inhibitor, DS-5272, Inhibits the Development of MLL-Fusion Leukemia with the Assistance of Tumor Immunity. <i>Blood</i> , 2017 , 130, 796-796	2.2	

89	Ceramide-CD300f binding suppresses experimental colitis by inhibiting ATP-mediated mast cell activation. <i>Gut</i> , 2016 , 65, 777-87	19.2	37
88	Truncation mutants of ASXL1 observed in myeloid malignancies are expressed at detectable protein levels. <i>Experimental Hematology</i> , 2016 , 44, 172-6.e1	3.1	38
87	Novel working hypothesis for pathogenesis of hematological malignancies: combination of mutations-induced cellular phenotypes determines the disease (cMIP-DD). <i>Journal of Biochemistry</i> , 2016 , 159, 17-25	3.1	4
86	Protease-Activated Receptor 1 (PAR-1) Inhibits Proliferation but Enhances Leukemia Stem Cell Activity in Acute Myeloid Leukemia. <i>Blood</i> , 2016 , 128, 2730-2730	2.2	2
85	Inhibition of Impdh As an Effective Treatment for MLL-Fusion Leukemia. <i>Blood</i> , 2016 , 128, 750-750	2.2	1
84	Biological implications of somatic DDX41 p.R525H mutation in acute myeloid leukemia. <i>Experimental Hematology</i> , 2016 , 44, 745-754.e4	3.1	21
83	A C-terminal mutant of CCAAT-enhancer-binding protein β (C/EBP β) downregulates Csf1r, a potent accelerator in the progression of acute myeloid leukemia with C/EBP β . <i>Experimental Hematology</i> , 2015 , 43, 300-8.e1	3.1	9
82	Cell-surface MHC density profiling reveals instability of autoimmunity-associated HLA. <i>Journal of Clinical Investigation</i> , 2015 , 125, 275-91	15.9	51
81	A Patient-Derived EZH2 Mutant Induces MDS-like Diseases with Derepressed ABCG2 Expression in Mice. <i>Blood</i> , 2015 , 126, 4116-4116	2.2	
80	Ezh2 loss promotes development of myelodysplastic syndrome but attenuates its predisposition to leukaemic transformation. <i>Nature Communications</i> , 2014 , 5, 4177	17.4	115
79	The molecular basis of myeloid malignancies. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2014 , 90, 389-404	4	13
78	A novel cell-cycle-indicator, mVenus-p27K-, identifies quiescent cells and visualizes G0-G1 transition. <i>Scientific Reports</i> , 2014 , 4, 4012	4.9	88
77	Hes1 promotes blast crisis in chronic myelogenous leukemia through MMP-9 upregulation in leukemic cells. <i>Blood</i> , 2014 , 123, 3932-42	2.2	12
76	Hes1 upregulation contributes to the development of FIP1L1-PDGRA-positive leukemia in blast crisis. <i>Experimental Hematology</i> , 2014 , 42, 369-379.e3	3.1	5
75	Sphingomyelin and ceramide are physiological ligands for human LMIR3/CD300f, inhibiting Fc β I-mediated mast cell activation. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 270-3.e1-7	11.5	34
74	SETBP1 Mutations Drive Leukemic Transformation in ASXL1-Mutated MDS. <i>Blood</i> , 2014 , 124, 525-525	2.2	
73	Human CD300C delivers an Fc receptor-dependent activating signal in mast cells and monocytes and differs from CD300A in ligand recognition. <i>Journal of Biological Chemistry</i> , 2013 , 288, 7662-7675	5.4	29
72	Induction of human cardiomyocyte-like cells from fibroblasts by defined factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 12667-72	11.5	233

71	The shortest isoform of C/EBP β liver inhibitory protein (LIP), collaborates with Evi1 to induce AML in a mouse BMT model. <i>Blood</i> , 2013 , 121, 4142-55	2.2	17
70	RUNX1/AML1 mutant collaborates with BMI1 overexpression in the development of human and murine myelodysplastic syndromes. <i>Blood</i> , 2013 , 121, 3434-46	2.2	25
69	APC(CDH1) targets MgcRacGAP for destruction in the late M phase. <i>PLoS ONE</i> , 2013 , 8, e63001	3.7	13
68	Myelodysplastic syndromes are induced by histone methylation-filtering ASXL1 mutations. <i>Journal of Clinical Investigation</i> , 2013 , 123, 4627-40	15.9	111
67	Fyn is not essential for Bcr-Abl-induced leukemogenesis in mouse bone marrow transplantation models. <i>International Journal of Hematology</i> , 2012 , 95, 167-75	2.3	4
66	Upregulation of CD200R1 in lineage-negative leukemic cells is characteristic of AML1-ETO-positive leukemia in mice. <i>International Journal of Hematology</i> , 2012 , 96, 638-48	2.3	6
65	HDACi-induced thrombocytopenia is caused by its unexpected target. <i>Experimental Hematology</i> , 2012 , 40, 695-7	3.1	3
64	The receptor LMIR3 negatively regulates mast cell activation and allergic responses by binding to extracellular ceramide. <i>Immunity</i> , 2012 , 37, 827-39	32.3	67
63	MicroRNA-125b-1 accelerates a C-terminal mutant of C/EBP β (C/EBP β (m))-induced myeloid leukemia. <i>International Journal of Hematology</i> , 2012 , 96, 334-41	2.3	7
62	Spine formation pattern of adult-born neurons is differentially modulated by the induction timing and location of hippocampal plasticity. <i>PLoS ONE</i> , 2012 , 7, e45270	3.7	17
61	Transforming growth factor- β -stimulated clone-22 is a negative-feedback regulator of Ras / Raf signaling: Implications for tumorigenesis. <i>Cancer Science</i> , 2012 , 103, 26-33	6.9	22
60	Identification of RHOXF2 (PEPP2) as a cancer-promoting gene by expression cloning. <i>International Journal of Oncology</i> , 2012 , 40, 93-8	4.4	8
59	A soluble form of LMIR5/CD300b amplifies lipopolysaccharide-induced lethal inflammation in sepsis. <i>Journal of Immunology</i> , 2012 , 189, 1773-9	5.3	22
58	Rab13 small G protein and junctional Rab13-binding protein (JRAB) orchestrate actin cytoskeletal organization during epithelial junctional development. <i>Journal of Biological Chemistry</i> , 2012 , 287, 42455-68	5.4	33
57	RUNX1/AML1 Mutants Collaborate with BMI1 in the Development of Myelodysplastic Syndromes (MDS) / Acute Myeloid Leukemia (AML) in a Mouse BMT Model. <i>Blood</i> , 2012 , 120, 2820-2820	2.2	
56	Two types of C/EBP β mutations play distinct but collaborative roles in leukemogenesis: lessons from clinical data and BMT models. <i>Blood</i> , 2011 , 117, 221-33	2.2	49
55	Nov/CCN3 Enhances Long-Term Repopulating Activity of Mouse Hematopoietic Stem Cells Via Intergin β Signaling Collaborating with Thrombopoietin. <i>Blood</i> , 2011 , 118, 862-862	2.2	
54	Characterization of leukocyte mono-immunoglobulin-like receptor 7 (LMIR7)/CLM-3 as an activating receptor: its similarities to and differences from LMIR4/CLM-5. <i>Journal of Biological Chemistry</i> , 2010 , 285, 35274-83	5.4	18

53	TIM1 is an endogenous ligand for LMIR5/CD300b: LMIR5 deficiency ameliorates mouse kidney ischemia/reperfusion injury. <i>Journal of Experimental Medicine</i> , 2010 , 207, 1501-11	16.6	71
52	Hes1 immortalizes committed progenitors and plays a role in blast crisis transition in chronic myelogenous leukemia. <i>Blood</i> , 2010 , 115, 2872-81	2.2	58
51	A Rac GTPase-activating protein, MgcRacGAP, is a nuclear localizing signal-containing nuclear chaperone in the activation of STAT transcription factors. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1796-813	4.8	69
50	An activating and inhibitory signal from an inhibitory receptor LMIR3/CLM-1: LMIR3 augments lipopolysaccharide response through association with FcRgamma in mast cells. <i>Journal of Immunology</i> , 2009 , 183, 925-36	5.3	50
49	Expression levels of histone deacetylases determine the cell fate of hematopoietic progenitors. <i>Journal of Biological Chemistry</i> , 2009 , 284, 30673-83	5.4	58
48	Evidence that integrin alpha IIb beta 3-dependent interaction of mast cells with fibrinogen exacerbates chronic inflammation. <i>Journal of Biological Chemistry</i> , 2009 , 284, 31463-72	5.4	11
47	Molecular bases of myelodysplastic syndromes: lessons from animal models. <i>Journal of Cellular Physiology</i> , 2009 , 219, 529-34	7	11
46	Possible involvement of RasGRP4 in leukemogenesis. <i>International Journal of Hematology</i> , 2009 , 89, 470-481	4.8	17
45	Constitutive phosphorylation of a Rac GAP MgcRacGAP is implicated in v-Src-induced transformation of NIH3T3 cells. <i>Cancer Science</i> , 2009 , 100, 1675-9	6.9	6
44	Roundabout 4 is expressed on hematopoietic stem cells and potentially involved in the niche-mediated regulation of the side population phenotype. <i>Stem Cells</i> , 2009 , 27, 183-90	5.8	35
43	Identity of the elusive IgM Fc receptor (FcmuR) in humans. <i>Journal of Experimental Medicine</i> , 2009 , 206, 2779-93	16.6	163
42	AML1 mutations induced MDS and MDS/AML in a mouse BMT model. <i>Blood</i> , 2008 , 111, 4297-308	2.2	127
41	Analysis of mouse LMIR5/CLM-7 as an activating receptor: differential regulation of LMIR5/CLM-7 in mouse versus human cells. <i>Blood</i> , 2008 , 111, 688-98	2.2	39
40	Efficient retroviral transduction of human B-lymphoid and myeloid progenitors: marked inhibition of their growth by the Pax5 transgene. <i>International Journal of Hematology</i> , 2008 , 87, 351-362	2.3	12
39	Identification of Tim4 as a phosphatidylserine receptor. <i>Nature</i> , 2007 , 450, 435-9	50.4	834
38	Functional analysis of activating receptor LMIR4 as a counterpart of inhibitory receptor LMIR3. <i>Journal of Biological Chemistry</i> , 2007 , 282, 17997-18008	5.4	49
37	Junctional Adhesion Molecule-A (JAM-A/JAM-1/F11R) Marks Long-Term Repopulating Hematopoietic Stem Cells.. <i>Blood</i> , 2007 , 110, 1270-1270	2.2	
36	In vitro validation of bioluminescent monitoring of disease progression and therapeutic response in leukaemia model animals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006 , 33, 557-65	8.8	19

35	Integrin alphaIIb beta3 induces the adhesion and activation of mast cells through interaction with fibrinogen. <i>Journal of Immunology</i> , 2006 , 176, 52-60	5.3	41
34	Rac1 and a GTPase-activating protein, MgcRacGAP, are required for nuclear translocation of STAT transcription factors. <i>Journal of Cell Biology</i> , 2006 , 175, 937-46	7.3	81
33	TROY, a Novel Member of the Tumor Necrosis Factor Receptor Superfamily in the Central Nervous System. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1088, A1-A10	6.5	1
32	Tyk2 is dispensable for induction of myeloproliferative disease by mutant FLT3. <i>International Journal of Hematology</i> , 2006 , 84, 54-9	2.3	5
31	Robo4/Magic Roundabout Is a Novel Surface Marker for Murine and Human Hematopoietic Stem Cells.. <i>Blood</i> , 2006 , 108, 682-682	2.2	
30	Disruption of Sept6, a fusion partner gene of MLL, does not affect ontogeny, leukemogenesis induced by MLL-SEPT6, or phenotype induced by the loss of Sept4. <i>Molecular and Cellular Biology</i> , 2005 , 25, 10965-78	4.8	47
29	Dimerization of MLL fusion proteins and FLT3 activation synergize to induce multiple-lineage leukemogenesis. <i>Journal of Clinical Investigation</i> , 2005 , 115, 919-929	15.9	97
28	Dimerization of MLL fusion proteins and FLT3 activation synergize to induce multiple-lineage leukemogenesis. <i>Journal of Clinical Investigation</i> , 2005 , 115, 919-29	15.9	46
27	A method for gene transfer, single isolation and in vitro assay for neural stem cells. <i>Ensho Saisei</i> , 2005 , 25, 50-54		
26	Constitutive Expression of Pax5 in Cord Blood Progenitor Cells Rather Inhibits B Lymphopoiesis as Well as Myelopoiesis through the Exon 9-Dependent and Independent Mechanism.. <i>Blood</i> , 2005 , 106, 2718-2718	2.2	
25	NFAM1, an immunoreceptor tyrosine-based activation motif-bearing molecule that regulates B cell development and signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 8126-31	11.5	85
24	A GTPase-activating protein binds STAT3 and is required for IL-6-induced STAT3 activation and for differentiation of a leukemic cell line. <i>Blood</i> , 2004 , 104, 3550-7	2.2	37
23	Immune Suppressor Factor Confers Enhanced Supporting Activity for Hematopoietic Stem Cells in Bone Marrow Stroma.. <i>Blood</i> , 2004 , 104, 509-509	2.2	
22	The Hsp90 Inhibitor 17-AAG and FLT3 Kinase Inhibitor GTP14564 Synergistically Inhibit MLL Fusion Gene Leukemias with FLT3 Mutations.. <i>Blood</i> , 2004 , 104, 1167-1167	2.2	
21	Identification and characterization of a new pair of immunoglobulin-like receptors LMIR1 and 2 derived from murine bone marrow-derived mast cells. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 307, 719-29	3.4	54
20	Phosphorylation by aurora B converts MgcRacGAP to a RhoGAP during cytokinesis. <i>Developmental Cell</i> , 2003 , 4, 549-60	10.2	253
19	Selective cytotoxic mechanism of GTP-14564, a novel tyrosine kinase inhibitor in leukemia cells expressing a constitutively active Fms-like tyrosine kinase 3 (FLT3). <i>Journal of Biological Chemistry</i> , 2003 , 278, 32892-8	5.4	51
18	Retrovirus-mediated gene transfer and expression cloning: powerful tools in functional genomics. <i>Experimental Hematology</i> , 2003 , 31, 1007-14	3.1	315

17	STAT5 induces macrophage differentiation of M1 leukemia cells through activation of IL-6 production mediated by NF-kappaB p65. <i>Journal of Immunology</i> , 2001 , 167, 3652-60	5.3	41
16	MgcRacGAP is involved in cytokinesis through associating with mitotic spindle and midbody. <i>Journal of Biological Chemistry</i> , 2001 , 276, 5821-8	5.4	141
15	Role of MgcRacGAP/Cyk4 as a regulator of the small GTPase Rho family in cytokinesis and cell differentiation. <i>Cell Structure and Function</i> , 2001 , 26, 645-51	2.2	21
14	Tandem-duplicated Flt3 constitutively activates STAT5 and MAP kinase and introduces autonomous cell growth in IL-3-dependent cell lines. <i>Oncogene</i> , 2000 , 19, 624-31	9.2	451
13	v-Src suppresses SHPS-1 expression via the Ras-MAP kinase pathway to promote the oncogenic growth of cells. <i>Oncogene</i> , 2000 , 19, 1710-8	9.2	21
12	MgcRacGAP is involved in the control of growth and differentiation of hematopoietic cells. <i>Blood</i> , 2000 , 96, 2116-2124	2.2	45
11	A novel low-density lipoprotein receptor-related protein mediating cellular uptake of apolipoprotein E-enriched beta-VLDL in vitro. <i>Biochemistry</i> , 2000 , 39, 15817-25	3.2	41
10	Molecular cloning of a novel type 1 cytokine receptor similar to the common gamma chain. <i>Blood</i> , 2000 , 95, 2204-2210	2.2	40
9	Receptors for polytropic and xenotropic mouse leukaemia viruses encoded by a single gene at Rmc1. <i>Nature Genetics</i> , 1999 , 21, 216-9	36.3	115
8	A signal sequence trap based on a constitutively active cytokine receptor. <i>Nature Biotechnology</i> , 1999 , 17, 487-90	44.5	84
7	Cytokine receptors: structures and signal transduction. <i>International Reviews of Immunology</i> , 1998 , 16, 617-34	4.6	18
6	Identification and characterization of a constitutively active STAT5 mutant that promotes cell proliferation. <i>Molecular and Cellular Biology</i> , 1998 , 18, 3871-9	4.8	369
5	Induction of Synaptosomal-Associated Protein-23 kD (SNAP-23) by Various Cytokines. <i>Blood</i> , 1998 , 92, 129-135	2.2	10
4	Development of a Novel Selective Amplifier Gene for Controllable Expansion of Transduced Hematopoietic Cells. <i>Blood</i> , 1997 , 90, 3884-3892	2.2	33
3	Structural and functional analyses of glycosylation on the distinct molecules of human GM-CSF receptors. <i>FEBS Journal</i> , 1991 , 198, 659-66		14
2	Establishment and characterization of a unique human cell line that proliferates dependently on GM-CSF, IL-3, or erythropoietin. <i>Journal of Cellular Physiology</i> , 1989 , 140, 323-34	7	690
1	Internalization of radioiodinated erythropoietin and the ligand-induced modulation of its receptor in murine erythroleukemia cells. <i>International Journal of Cell Cloning</i> , 1987 , 5, 209-19		22