

# Colin Dalton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1367630/publications.pdf>

Version: 2024-02-01

40  
papers

1,041  
citations

516561

16  
h-index

526166

27  
g-index

42  
all docs

42  
docs citations

42  
times ranked

1146  
citing authors

#	ARTICLE	IF	CITATIONS
1	High throughput fabrication of robust solid microneedles. , 2022, , .		2
2	Three dimensional microelectrodes enable high signal and spatial resolution for neural seizure recordings in brain slices and freely behaving animals. Scientific Reports, 2021, 11, 21952.	1.6	4
3	Editorial on the Special Issue on Microelectrode Arrays and Application to Medical Devices. Micromachines, 2020, 11, 776.	1.4	0
4	Fabrication of a 3D Multi-Depth Reservoir Micromodel in Borosilicate Glass Using Femtosecond Laser Material Processing. Micromachines, 2020, 11, 1082.	1.4	8
5	Numerical simulation of a tuneable reversible flow design for practical ACET devices. SN Applied Sciences, 2020, 2, 1.	1.5	3
6	Impact of open surface area of multi-well microelectrode array on mammalian brain cells recording efficiency. , 2020, , .		0
7	Simultaneous Pumping and Mixing of Biological Fluids in a Double-Array Electrothermal Microfluidic Device. Micromachines, 2019, 10, 92.	1.4	14
8	AC Electrothermal Effect in Microfluidics: A Review. Micromachines, 2019, 10, 762.	1.4	41
9	AC electrothermal technique in microchannels. , 2017, , .		1
10	Optimized AC electrothermal micromixing design for biofluid systems. , 2017, , .		0
11	A novel bio-mimicking, planar nano-edge microelectrode enables enhanced long-term neural recording. Scientific Reports, 2016, 6, 34553.	1.6	15
12	A novel alternating current multiple array electrothermal micropump for lab-on-a-chip applications. Biomicrofluidics, 2015, 9, 014113.	1.2	58
13	Fluid flow study of an AC electrothermal micropump consisting of multiple arrays of microelectrodes for biofluidic applications. , 2015, , .		0
14	Effect of planar microelectrode geometry on neuron stimulation: Finite element modeling and experimental validation of the efficient electrode shape. Journal of Neuroscience Methods, 2015, 248, 51-58.	1.3	14
15	High efficient biofluid micromixing using ultra-fast AC electrothermal flow. Proceedings of SPIE, 2015, , .	0.8	0
16	Vibration effect on cross-flow and co-flow focusing mechanism for droplet generation. , 2015, , .		1
17	Peripheral neuron plasticity is enhanced by brief electrical stimulation and overrides attenuated regrowth in experimental diabetes. Neurobiology of Disease, 2015, 83, 134-151.	2.1	24
18	A novel AC electrothermal micropump for biofluid transport using circular interdigitated microelectrode array. Proceedings of SPIE, 2015, , .	0.8	0

#	ARTICLE	IF	CITATIONS
19	AC electrothermal micropump for biofluidic applications using numerous microelectrode pairs. , 2014, , ,		5
20	Study on an alternating current electrothermal micropump for microneedle-based fluid delivery systems. Journal of Applied Physics, 2013, 114, 024701.	1.1	19
21	Accelerated axon outgrowth, guidance, and target reinnervation across nerve transection gaps following a brief electrical stimulation paradigm. Journal of Neurosurgery, 2012, 116, 498-512.	0.9	93
22	Two-phase AC electrothermal fluidic pumping in a coplanar asymmetric electrode array. Microfluidics and Nanofluidics, 2011, 10, 521-529.	1.0	53
23	Modeling of drug delivery into tissues with a microneedle array using mixture theory. Biomechanics and Modeling in Mechanobiology, 2010, 9, 77-86.	1.4	17
24	Direct patterning of microelectrode arrays using femtosecond laser micromachining. Applied Surface Science, 2010, 256, 3761-3766.	3.1	26
25	Design and fabrication of MEMS-based microneedle arrays for medical applications. Microsystem Technologies, 2009, 15, 1073-1082.	1.2	49
26	Continuous dielectrophoretic cell separation microfluidic device. Lab on A Chip, 2007, 7, 239-248.	3.1	139
27	A cost effective, re-configurable electrokinetic microfluidic chip platform. Sensors and Actuators B: Chemical, 2007, 123, 628-635.	4.0	26
28	Fertilization state of <i>Ascaris suum</i> determined by electrorotation. Journal of Helminthology, 2006, 80, 25-31.	0.4	4
29	An Integrated PDMS Microfluidic Device for Dielectrophoretic Separation of Malignant Cells. , 2005, , 411.		1
30	An Integrated Microfluidic Dielectrophoretic (DEP) Cell Fractionation System. , 2005, , 403.		2
31	An alternative method of fabricating sub-micron resolution masks using excimer laser ablation. Journal of Micromechanics and Microengineering, 2004, 14, 826-831.	1.5	3
32	Analysis of parasites by electrorotation. Journal of Applied Microbiology, 2004, 96, 24-32.	1.4	48
33	An AC electroosmotic micropump for circular chromatographic applications. Lab on A Chip, 2004, 4, 396.	3.1	76
34	A combined dielectrophoresis, traveling wave dielectrophoresis and electrorotation microchip for the manipulation and characterization of human malignant cells. Journal of Microbiological Methods, 2004, 58, 387-401.	0.7	110
35	A circular ac magnetohydrodynamic micropump for chromatographic applications. Sensors and Actuators B: Chemical, 2003, 92, 215-221.	4.0	91
36	Parasite viability by electrorotation. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2001, 195, 263-268.	2.3	28

#	ARTICLE	IF	CITATIONS
37	Viability of Giardia intestinalis Cysts and Viability and Sporulation State of Cyclospora cayetanensis Oocysts Determined by Electrorotation. Applied and Environmental Microbiology, 2001, 67, 586-590.	1.4	46
38	Development of a Micro System for Circular Chromatography Using Wavelet Transform Detection. , 2001, , 541-542.		3
39	Investigations into a low band gap, semiconducting polymer. Synthetic Metals, 1999, 102, 1000-1001.	2.1	15
40	Investigation of human malignant cells by electrorotation. , 0, , .		1