

Kenneth D M Harris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1367927/publications.pdf>

Version: 2024-02-01

273
papers

10,996
citations

38742

50
h-index

42399

92
g-index

282
all docs

282
docs citations

282
times ranked

9171
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanochemistry: opportunities for new and cleaner synthesis. <i>Chemical Society Reviews</i> , 2012, 41, 413-447.	38.1	2,281
2	Contemporary Advances in the Use of Powder X-Ray Diffraction for Structure Determination. <i>Angewandte Chemie - International Edition</i> , 2001, 40, 1626-1651.	13.8	328
3	Crystal Structure Determination from Powder Diffraction Data by Monte Carlo Methods. <i>Journal of the American Chemical Society</i> , 1994, 116, 3543-3547.	13.7	311
4	Triptycene-Based Polymers of Intrinsic Microporosity: Organic Materials That Can Be Tailored for Gas Adsorption. <i>Macromolecules</i> , 2010, 43, 5287-5294.	4.8	275
5	Crystal Structure Determination from Powder Diffraction Data. <i>Chemistry of Materials</i> , 1996, 8, 2554-2570.	6.7	217
6	Structural aspects of urea inclusion compounds and their investigation by X-ray diffraction: a general discussion. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1990, 86, 2985.	1.7	182
7	How to determine structures when single crystals cannot be grown: opportunities for structure determination of molecular materials using powder diffraction data. <i>Chemical Society Reviews</i> , 2004, 33, 526.	38.1	178
8	Meldola Lecture: understanding the properties of urea and thiourea inclusion compounds. <i>Chemical Society Reviews</i> , 1997, 26, 279.	38.1	141
9	Direct Structure Determination of a Multicomponent Molecular Crystal Prepared by a Solid-State Grinding Procedure. <i>Journal of the American Chemical Society</i> , 2003, 125, 14658-14659.	13.7	134
10	Nitrogen and Hydrogen Adsorption by an Organic Microporous Crystal. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 3273-3277.	13.8	132
11	Mechanistic Insights into the Conversion of Cyclohexene to Adipic Acid by H ₂ O ₂ in the Presence of a TAPO-5 Catalyst. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 1520-1523.	13.8	113
12	Direct structure elucidation by powder X-ray diffraction of a metal-organic framework material prepared by solvent-free grinding. <i>Chemical Communications</i> , 2010, 46, 7572.	4.1	107
13	Structure Determination of a Complex Organic Solid from X-Ray Powder Diffraction Data by a Generalized Monte Carlo Method: The Crystal Structure of Red Fluorescein. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 770-772.	4.4	99
14	Fundamental and Applied Aspects of Urea and Thiourea Inclusion Compounds. <i>Supramolecular Chemistry</i> , 2007, 19, 47-53.	1.2	94
15	Powder Diffraction Crystallography of Molecular Solids. <i>Topics in Current Chemistry</i> , 2011, 315, 133-177.	4.0	86
16	Exploiting the Synergy of Powder X-ray Diffraction and Solid-State NMR Spectroscopy in Structure Determination of Organic Molecular Solids. <i>Journal of Physical Chemistry C</i> , 2013, 117, 12258-12265.	3.1	81
17	New families of catalysts for the selective oxidation of methane. <i>Faraday Discussions of the Chemical Society</i> , 1989, 87, 33.	2.2	79
18	A Triphenylphosphine Oxide-Water Aggregate Facilitates an Exceptionally Short C-H...O Hydrogen Bond. <i>Journal of the American Chemical Society</i> , 1997, 119, 12679-12680.	13.7	79

#	ARTICLE	IF	CITATIONS
19	Clustering of Glycine Molecules in Aqueous Solution Studied by Molecular Dynamics Simulation. Journal of Physical Chemistry B, 2008, 112, 7280-7288.	2.6	79
20	Abundant Polymorphism in a System with Multiple Hydrogen-Bonding Opportunities:Â Oxalyl Dihydrazide. Journal of the American Chemical Society, 2006, 128, 8441-8452.	13.7	76
21	Structural properties of Î±,Î²-dibromoalkane/urea inclusion compounds: a new type of interchannel guest molecule ordering. Journal of the Chemical Society, Faraday Transactions, 1991, 87, 3423-3429.	1.7	74
22	Weak interactions in crystal engineeringâ€”understanding the recognition properties of the nitro group. New Journal of Chemistry, 2000, 24, 799-806.	2.8	74
23	An Adaptable and Dynamically Porous Organic Salt Traps Unique Tetrahalide Dianions. Angewandte Chemie - International Edition, 2013, 52, 13444-13448.	13.8	73
24	Challenges in Direct-Space Structure Determination from Powder Diffraction Data: A Molecular Material with Four Independent Molecules in the Asymmetric Unit. ChemPhysChem, 2004, 5, 414-418.	2.1	70
25	Direct Structural Understanding of a Topochemical Solid State Photopolymerization Reaction. Journal of Physical Chemistry C, 2008, 112, 19793-19796.	3.1	70
26	The crystal structure of l-arginine. Chemical Communications, 2012, 48, 2761.	4.1	70
27	An NMR crystallography DFT-D approach to analyse the role of intermolecular hydrogen bonding and Î€â€”Î€ interactions in driving cocrystallisation of indomethacin and nicotinamide. CrystEngComm, 2013, 15, 8797.	2.6	70
28	Some of tomorrow's catalysts for processing renewable and non-renewable feedstocks, diminishing anthropogenic carbon dioxide and increasing the production of energy. Energy and Environmental Science, 2016, 9, 687-708.	30.8	69
29	Developments in genetic algorithm techniques for structure solution from powder diffraction data. Zeitschrift Fur Kristallographie - Crystalline Materials, 2004, 219, 838-846.	0.8	68
30	Discovery of a New System Exhibiting Abundant Polymorphism: <i>m</i>-Aminobenzoic Acid. Crystal Growth and Design, 2012, 12, 3104-3113.	3.0	68
31	Crystal Structure Solution from Powder X-ray Diffraction Data:Â The Development of Monte Carlo Methods To Solve the Crystal Structure of the Î³-Phase of 3-Chloro-trans-cinnamic AcidÂ€. Chemistry of Materials, 1996, 8, 565-569.	6.7	66
32	Structural Understanding of a Molecular Material that Is Accessed Only by a Solid-State Desolvation Process:Â The Scope of Modern Powder X-ray Diffraction Techniques. Journal of the American Chemical Society, 2005, 127, 7314-7315.	13.7	66
33	Manometric real-time studies of the mechanochemical synthesis of zeolitic imidazolate frameworks. Chemical Science, 2020, 11, 2141-2147.	7.4	64
34	Evolving Opportunities in Structure Solution from Powder Diffraction Dataâ€”Crystal Structure Determination of a Molecular System with Twelve Variable Torsion Angles. Angewandte Chemie - International Edition, 1999, 38, 831-835.	13.8	62
35	New Opportunities for Structure Determination of Molecular Materials Directly from Powder Diffraction Data. Crystal Growth and Design, 2003, 3, 887-895.	3.0	62
36	Solid-State Supramolecular Organization, Established Directly from Powder Diffraction Data, and Photoluminescence Efficiency of Rigid-Core Oligothiophene-S,S-dioxides. Journal of the American Chemical Society, 2003, 125, 12277-12283.	13.7	62

#	ARTICLE	IF	CITATIONS
37	Determination of a complex crystal structure in the absence of single crystals: analysis of powder X-ray diffraction data, guided by solid-state NMR and periodic DFT calculations, reveals a new 2'-deoxyguanosine structural motif. Chemical Science, 2017, 8, 3971-3979.	7.4	62
38	Structure Determination of an Oligopeptide Directly from Powder Diffraction Data. Angewandte Chemie - International Edition, 2000, 39, 4488-4491.	13.8	61
39	Development of a multipopulation parallel genetic algorithm for structure solution from powder diffraction data. Journal of Computational Chemistry, 2003, 24, 1766-1774.	3.3	60
40	Conformational properties of monosubstituted cyclohexanes in their thiourea inclusion compounds and in solution: variable-temperature one-dimensional and two-dimensional carbon-13 NMR investigations. Journal of the American Chemical Society, 1993, 115, 6369-6377.	13.7	59
41	Structure determination of a steroid directly from powder diffraction data. Chemical Communications, 1999, , 1677-1678.	4.1	59
42	Intermolecular organisation of triphenylene-based discotic mesogens by interdigitation of alkyl chains. Journal of Materials Chemistry, 2001, 11, 302-311.	6.7	59
43	A multi-technique approach for probing the evolution of structural properties during crystallization of organic materials from solution. Faraday Discussions, 2007, 136, 71.	3.2	58
44	CLASSIC NMR: An In Situ NMR Strategy for Mapping the Time Evolution of Crystallization Processes by Combined Liquid State and Solid State Measurements. Angewandte Chemie - International Edition, 2014, 53, 8939-8943.	13.8	57
45	C ¹³ O Hydrogen Bond Mediated Chain Reversal in a Peptide Containing a ¹³ -Amino Acid Residue, Determined Directly from Powder X-ray Diffraction Data. Angewandte Chemie - International Edition, 2002, 41, 494-496.	13.8	55
46	Lysine: Exploiting Powder X-ray Diffraction to Complete the Set of Crystal Structures of the 20 Directly Encoded Proteinogenic Amino Acids. Angewandte Chemie - International Edition, 2015, 54, 3973-3977.	13.8	55
47	Combining the Advantages of Powder X-ray Diffraction and NMR Crystallography in Structure Determination of the Pharmaceutical Material Cimetidine Hydrochloride. Crystal Growth and Design, 2016, 16, 1798-1804.	3.0	55
48	Understanding the Structural Properties of a Homologous Series of Bis-diphenylphosphine Oxides. Chemistry - A European Journal, 2000, 6, 2338-2349.	3.3	53
49	A Technique for In Situ Monitoring of Crystallization from Solution by Solid-State ¹³ C CP/MAS NMR Spectroscopy. Journal of Physical Chemistry A, 2008, 112, 6808-6810.	2.5	52
50	Dynamic Properties of the Tetrahydrofuran Clathrate Hydrate, Investigated by Solid State ² H NMR Spectroscopy. Journal of Physical Chemistry B, 2001, 105, 2699-2706.	2.6	51
51	Efficient, Scalable, and Solvent-free Mechanochemical Synthesis of the OLED Material Alq ₃ (q = 8-Hydroxyquinolate). Crystal Growth and Design, 2012, 12, 5869-5872.	3.0	51
52	Predictable Disorder versus Polymorphism in the Rationalization of Structural Diversity: A Multidisciplinary Study of Eniluracil. Crystal Growth and Design, 2008, 8, 3474-3481.	3.0	49
53	Direct observation of a transient polymorph during crystallization. Chemical Communications, 2010, 46, 4982.	4.1	49
54	Structural aspects of the chlorocyclohexane/thiourea inclusion system. Journal of the Chemical Society, Faraday Transactions, 1990, 86, 1095.	1.7	48

#	ARTICLE	IF	CITATIONS
55	Simple technique for temperature calibration of a MAS probe for solid-state NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 1994, 32, 366-369.	1.9	48
56	Observation of the Sliding Mode in Incommensurate Intergrowth Compounds: Brillouin Scattering from the Inclusion Compound of Urea and Heptadecane. <i>Physical Review Letters</i> , 1995, 74, 734-737.	7.8	48
57	Zigzag Channels in the Structure of Sebaconitrile/Urea. <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 649-652.	4.4	46
58	Synthesis of layered nickel phosphonate materials based on a topotactic approach. <i>Journal of Materials Chemistry</i> , 1998, 8, 579-584.	6.7	45
59	Direct Time-Resolved and Spatially Resolved Monitoring of Molecular Transport in a Crystalline Nanochannel System. <i>Journal of the American Chemical Society</i> , 2004, 126, 11124-11125.	13.7	44
60	A carbon-13 CP/MAS NMR study of a double tert-butyl group rotation in the solid state using T1.rho. and line shape measurements. <i>Journal of the American Chemical Society</i> , 1993, 115, 1881-1885.	13.7	43
61	Spring-Loading at the Molecular Level: Relaxation of Guest-Induced Strain in Channel Inclusion Compounds. <i>Journal of the American Chemical Society</i> , 1999, 121, 9732-9733.	13.7	43
62	Determination of a molecular crystal structure by X-ray powder diffraction on a conventional laboratory instrument. <i>Journal of the Chemical Society Chemical Communications</i> , 1992, , 1012.	2.0	42
63	New Light on an Old Story: The Solid-State Transformation of Ammonium Cyanate into Urea. <i>Journal of the American Chemical Society</i> , 1998, 120, 13274-13275.	13.7	42
64	Physicochemical Understanding of Polymorphism and Solid-State Dehydration/Rehydration Processes for the Pharmaceutical Material Acrinol, by Ab Initio Powder X-ray Diffraction Analysis and Other Techniques. <i>Journal of Physical Chemistry C</i> , 2010, 114, 580-586.	3.1	42
65	Exploiting powder X-ray diffraction for direct structure determination in structural biology: The P2X4 receptor trafficking motif YEQGL. <i>Journal of Structural Biology</i> , 2011, 174, 461-467.	2.8	41
66	How grinding evolves. <i>Nature Chemistry</i> , 2013, 5, 12-14.	13.6	41
67	Conformational and vibrational properties of \pm -dihalogenoalkane/urea inclusion compounds: a Raman scattering investigation. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1994, 90, 1313-1322.	1.7	39
68	Topochemical Rationalization of the Solid-State Polymerization Reaction of Sodium Chloroacetate: Structure Determination from Powder Diffraction Data by the Monte Carlo Method. <i>Journal of Physical Chemistry B</i> , 1997, 101, 8827-8831.	2.6	39
69	Comparison of the Thermal Stabilities of Diazonium Salts and Their Corresponding Triazenes. <i>Organic Process Research and Development</i> , 2020, 24, 2336-2341.	2.7	39
70	A new approach for indexing powder diffraction data based on whole-profile fitting and global optimization using a genetic algorithm. <i>Journal of Synchrotron Radiation</i> , 1999, 6, 87-92.	2.4	38
71	Vapour Induced Crystalline Transformation Investigated by ab initio Powder X-ray Diffraction Analysis. <i>Crystal Growth and Design</i> , 2009, 9, 1201-1207.	3.0	37
72	Expanding the Solid-State Landscape of α -Phenylalanine: Discovery of Polymorphism and New Hydrate Phases, with Rationalization of Hydration/Dehydration Processes. <i>Journal of Physical Chemistry C</i> , 2013, 117, 12136-12145.	3.1	37

#	ARTICLE	IF	CITATIONS
73	Contrasting Solid-State Structures of Trithiocyanuric Acid and Cyanuric Acid. <i>Crystal Growth and Design</i> , 2006, 6, 846-848.	3.0	36
74	Alteration of Polymorphic Selectivity through Different Crystallization Mechanisms Occurring in the Same Crystallization Solution. <i>Journal of Physical Chemistry B</i> , 2007, 111, 8705-8707.	2.6	36
75	Optical phonons in millerite (NiS) from single-crystal polarized Raman spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2008, 39, 1419-1422.	2.5	36
76	Powder X-ray diffraction studies of a low-temperature phase transition in the n-hexadecane/urea inclusion compound. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1990, 86, 3135.	1.7	35
77	A quantitative analysis of guest periodicity in one-dimensional inclusion compounds. <i>Journal of Chemical Physics</i> , 1992, 96, 7117-7124.	3.0	34
78	Theoretical prediction of the guest periodicity of alkane/urea inclusion compounds. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993, 89, 2023.	1.7	34
79	Structural Rationalisation of Co-crystals Formed between Trithiocyanuric Acid and Molecules Containing Hydrogen Bonding Functionality. <i>Chemistry - A European Journal</i> , 2005, 11, 2433-2439.	3.3	34
80	The effect of deuteration on polymorphic outcome in the crystallization of glycine from aqueous solution. <i>New Journal of Chemistry</i> , 2009, 33, 713.	2.8	34
81	Discovery of New Metastable Polymorphs in a Family of Urea Co-Crystals by Solid-State Mechanochemistry. <i>Crystal Growth and Design</i> , 2015, 15, 2901-2907.	3.0	34
82	Dynamic properties of dioctanoyl peroxide guest molecules constrained within the urea tunnel structure: A combined incoherent quasielastic neutron scattering and solid state ^2H nuclear magnetic resonance investigation. <i>Journal of Chemical Physics</i> , 1998, 109, 4078-4089.	3.0	33
83	Amorphous Nickel Sulfide Is Hydrated Nanocrystalline NiS with a Core-Shell Structure. <i>Inorganic Chemistry</i> , 2009, 48, 11486-11488.	4.0	32
84	High-Resolution Solid-State ^2H NMR Spectroscopy of Polymorphs of Glycine. <i>Journal of Physical Chemistry A</i> , 2011, 115, 12201-12211.	2.5	32
85	Altering the Polymorphic Product Distribution in a Solid-State Dehydration Process by Rapid Sample Rotation in a Solid-State NMR Probe. <i>Journal of the American Chemical Society</i> , 2005, 127, 10832-10833.	13.7	31
86	Understanding the Structural Properties of a Dendrimeric Material Directly from Powder X-ray Diffraction Data. <i>Journal of Physical Chemistry B</i> , 2006, 110, 11620-11623.	2.6	31
87	Mapping the Evolution of Adsorption of Water in Nanoporous Silica by in situ Solid-State ^1H NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2008, 130, 5880-5882.	13.7	31
88	Highly Efficient Chiral Resolution of L-Arginine by Cocrystal Formation Followed by Recrystallization under Preferential Enrichment Conditions. <i>Chemistry - A European Journal</i> , 2014, 20, 10343-10350.	3.3	31
89	Mathematical analysis of intra-stack dimerizations in reactive crystalline solids. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1991, 87, 325.	1.7	30
90	Recognition-Mediated Facilitation of a Disfavored Diels-Alder Reaction. <i>Organic Letters</i> , 1999, 1, 1087-1090.	4.6	30

#	ARTICLE	IF	CITATIONS
91	Computational investigation of surface structural relaxation in crystalline urea. Journal of Materials Chemistry, 1995, 5, 133.	6.7	29
92	Structural and dynamic properties of the 1,10-dibromodecane/urea inclusion compound, investigated by variable-temperature powder X-ray diffraction, solid-state ^2H NMR lineshape analysis and solid-state ^2H NMR spin-lattice relaxation time measurements. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 2179-2185.	1.7	29
93	Design of a Solid Inclusion Compound with Optimal Properties as a Linear Dichroic Filter for X-ray Polarization Analysis. Angewandte Chemie - International Edition, 2003, 42, 2982-2985.	13.8	29
94	Polymorphism in a <i>trans</i> -Cinnamic Acid Derivative Exhibiting Two Distinct β^2 -type Phases: Structural Properties, [2 + 2] Photodimerization Reactions, and Polymorphic Phase Transition Behavior. Crystal Growth and Design, 2013, 13, 4110-4117.	3.0	29
95	New in situ solid-state NMR techniques for probing the evolution of crystallization processes: pre-nucleation, nucleation and growth. Faraday Discussions, 2015, 179, 115-140.	3.2	29
96	Exploiting In Situ Solid-State NMR for the Discovery of New Polymorphs during Crystallization Processes. Journal of Physical Chemistry Letters, 2012, 3, 3176-3181.	4.6	28
97	Solution of an organic crystal structure from X-ray powder diffraction data by a generalized rigid-body Monte Carlo method: crystal structure determination of 1-methylfluorene. Journal of Materials Chemistry, 1996, 6, 1601.	6.7	26
98	Biogenic Guanine Crystals Are Solid Solutions of Guanine and Other Purine Metabolites. Journal of the American Chemical Society, 2022, 144, 5180-5189.	13.7	26
99	Crystal engineering of hydrogen-bonded co-crystals between cyanuric acid and α -diamide TM molecules. Investigations on the formation and structure of co-crystals containing cyanuric acid and oxalyldihydrazide. Journal of Materials Chemistry, 1993, 3, 947-952.	6.7	25
100	Dynamics of the Hydrogen-Bonding Arrangement in Solid Triphenylmethanol: An Investigation by Solid-State ^2H NMR Spectroscopy. Journal of Physical Chemistry B, 1998, 102, 2165-2175.	2.6	25
101	X-ray birefringence imaging. Science, 2014, 344, 1013-1016.	12.6	25
102	Exploiting in-situ solid-state NMR spectroscopy to probe the early stages of hydration of calcium aluminate cement. Solid State Nuclear Magnetic Resonance, 2019, 99, 1-6.	2.3	25
103	$^{37}\text{Cl}/^{35}\text{Cl}$ isotope effects in ^{13}C NMR spectroscopy of chlorohydrocarbons. Magnetic Resonance in Chemistry, 1993, 31, 54-57.	1.9	24
104	^2H NMR lineshape analysis using automated fitting procedures based on local and quasi-global optimization techniques. Magnetic Resonance in Chemistry, 1998, 36, 855-868.	1.9	24
105	Structural understanding of a polymorphic system by structure solution and refinement from powder X-ray diffraction data: the β^1 and β^2 phases of the latent pigment DPP-Boc. Perkin Transactions II RSC, 2000, , 1513-1519.	1.1	24
106	Fine-Tuning the Crystal Morphology of Tunnel Inclusion Compounds: A General Strategy. Journal of the American Chemical Society, 2001, 123, 12682-12683.	13.7	24
107	Structure Solution from Powder X-Ray Diffraction Data by Genetic Algorithm Techniques, Applied to Organic Materials Generated as Polycrystalline Products from Solid State Processes. Materials and Manufacturing Processes, 2009, 24, 293-302.	4.7	24
108	Structural diversity, but no polymorphism, in a homologous family of co-crystals of urea and β^1 , β^2 -dihydroxyalkanes. New Journal of Chemistry, 2011, 35, 1515.	2.8	24

#	ARTICLE	IF	CITATIONS
109	Bidirectional Transport of Guest Molecules through the Nanoporous Tunnel Structure of a Solid Inclusion Compound. <i>Journal of Physical Chemistry C</i> , 2009, 113, 736-743.	3.1	23
110	Ab initio random structure searching of organic molecular solids: assessment and validation against experimental data. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 25949-25960.	2.8	23
111	Direct Space Structure Determination of Covalent Organic Frameworks from 3D Electron Diffraction Data. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 22638-22644.	13.8	23
112	Losing symmetry by design. <i>Nature</i> , 1989, 341, 19-19.	27.8	22
113	High-resolution solid-state ¹³ C and ²⁹ Si NMR investigations of the dynamic properties of tetrakis(trimethylsilyl)silane. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 251.	2.0	22
114	Ab initio structure determination of a peptide β -turn from powder X-ray diffraction data. <i>Chemical Communications</i> , 2001, , 1460-1461.	4.1	22
115	Effects of Polymorphism on Functional Group Dynamics: Solid State ² H NMR Studies of the Dynamic Properties of the β and β' Phases of L-Glutamic Acid. <i>Journal of Physical Chemistry A</i> , 2002, 106, 7228-7234.	2.5	22
116	Ammonium Cyanate Shows N-H...N Hydrogen Bonding, Not N-H...O. <i>Journal of the American Chemical Society</i> , 2003, 125, 14449-14451.	13.7	22
117	Structural and Dynamic Aspects of Hydrogen-Bonded Complexes and Inclusion Compounds Containing β -Dicyanoalkanes and Urea, Investigated by Solid-State ¹³ C and ² H NMR Techniques. <i>Journal of Physical Chemistry B</i> , 2005, 109, 23342-23350.	2.6	22
118	Structural Chemistry of a New Chiral Anhydrous Phase of Ru(bipy) ₃ (ClO ₄) ₂ Established from Powder X-ray Diffraction Analysis. <i>Crystal Growth and Design</i> , 2011, 11, 3313-3317.	3.0	22
119	The effect of intermolecular hydrogen bonding on the planarity of amides. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 11944.	2.8	22
120	Structural Properties of the Low-Temperature Phase of the Hexadecane/Urea Inclusion Compound, Investigated by Synchrotron X-ray Powder Diffraction. <i>Journal of Physical Chemistry B</i> , 1997, 101, 9926-9931.	2.6	21
121	Substituent effects on aromatic interactions in the solid state. <i>Chemical Communications</i> , 2001, , 1500-1501.	4.1	21
122	Kinetics of Molecular Transport in a Nanoporous Crystal Studied by Confocal Raman Microspectrometry: Single-File Diffusion in a Densely Filled Tunnel. <i>Journal of Physical Chemistry B</i> , 2007, 111, 12339-12344.	2.6	21
123	Probing the Evolution of Adsorption on Nanoporous Solids by In Situ Solid-State NMR Spectroscopy. <i>ChemPhysChem</i> , 2007, 8, 1311-1313.	2.1	21
124	In situ solid-state ¹ H NMR studies of hydration of the solid acid catalyst ZSM-5 in its ammonium form. <i>Solid State Nuclear Magnetic Resonance</i> , 2009, 35, 93-99.	2.3	21
125	Assessing the Detection Limit of a Minority Solid-State Form of a Pharmaceutical by ¹ H Double-Quantum Magic-Angle Spinning Nuclear Magnetic Resonance Spectroscopy. <i>Journal of Pharmaceutical Sciences</i> , 2017, 106, 3372-3377.	3.3	21
126	Insights into the Crystallization and Structural Evolution of Glycine Dihydrate by In Situ Solid-State NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6619-6623.	13.8	21

#	ARTICLE	IF	CITATIONS
127	Polymorphism of L-Tryptophan. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18788-18792.	13.8	21
128	A Strategy for Probing the Evolution of Crystallization Processes by Low-Temperature Solid-State NMR and Dynamic Nuclear Polarization. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1505-1510.	4.6	21
129	Monitoring Crystallization Processes in Confined Porous Materials by Dynamic Nuclear Polarization Solid-State Nuclear Magnetic Resonance. <i>Journal of the American Chemical Society</i> , 2021, 143, 6095-6103.	13.7	21
130	Materials chemistry communications. Application of the combined maximum entropy and likelihood method to the ab initio determination of an organic crystal structure from X-ray powder diffraction data. <i>Journal of Materials Chemistry</i> , 1992, 2, 1301.	6.7	20
131	Dynamic Properties of Cyclohexane Guest Molecules Constrained within the Zeolite H-ZSM-5 Host Structure: A Wide-Line Solid State ^2H NMR Investigation. <i>Journal of Physical Chemistry A</i> , 1997, 101, 4541-4547.	2.5	20
132	Unravelling the Disordered Hydrogen Bonding Arrangement in Solid Triphenylmethanol. <i>Journal of Physical Chemistry B</i> , 1999, 103, 6215-6223.	2.6	20
133	A borazaaromatic analogue of isophthalic acid. <i>Perkin Transactions II RSC</i> , 2001, , 2166-2173.	1.1	20
134	Triple-Quantum ^{23}Na MAS NMR Spectroscopy as a Technique for Probing Polymorphism in Sodium Salts. <i>Crystal Growth and Design</i> , 2008, 8, 6-10.	3.0	20
135	Aluminium-catalysed isocyanate trimerization, enhanced by exploiting a dynamic coordination sphere. <i>Chemical Communications</i> , 2019, 55, 7679-7682.	4.1	20
136	Boron-Nitrogen-Doped Nanographenes: A Synthetic Tale from Borazine Precursors. <i>Chemistry - A European Journal</i> , 2020, 26, 6608-6621.	3.3	20
137	Solid-state and solution phase reactivity of 10-hydroxy-10,9-boroxophenanthrene: a model building block for self-assembly processes. <i>New Journal of Chemistry</i> , 2002, 26, 701-710.	2.8	19
138	The Interplay of Aryl-Perfluoroaryl Stacking Interactions and Interstack Hydrogen Bonding in Controlling the Structure of a Molecular Cocrystal. <i>ChemPhysChem</i> , 2003, 4, 766-769.	2.1	19
139	A Case Study in Direct-Space Structure Determination from Powder X-ray Diffraction Data: Finding the Hydrate Structure of an Organic Molecule with Significant Conformational Flexibility. <i>Crystal Growth and Design</i> , 2005, 5, 2084-2090.	3.0	19
140	Monitoring the evolution of crystallization processes by in-situ solid-state NMR spectroscopy. <i>Solid State Nuclear Magnetic Resonance</i> , 2015, 65, 107-113.	2.3	19
141	Understanding the Solid-State Hydration Behavior of a Common Amino Acid: Identification, Structural Characterization, and Hydration/Dehydration Processes of New Hydrate Phases of L-Lysine. <i>Journal of Physical Chemistry C</i> , 2016, 120, 9385-9392.	3.1	19
142	Structure-Reactivity Correlations for Solid-State Enantioselective Photochemical Reactions Established Directly from Powder X-ray Diffraction. <i>Journal of the American Chemical Society</i> , 2006, 128, 15554-15555.	13.7	18
143	Significant Conformational Changes Associated with Molecular Transport in a Crystalline Solid. <i>Journal of Physical Chemistry B</i> , 2006, 110, 10708-10713.	2.6	18
144	Structural properties of urea inclusion compounds containing carboxylic acid anhydride guest molecules: anomalous modes of guest-molecule ordering. <i>Journal of Materials Chemistry</i> , 1993, 3, 1085.	6.7	17

#	ARTICLE	IF	CITATIONS
145	Elastic constants of the dioctanoyl peroxide/urea inclusion compound determined by Brillouin scattering. <i>Physical Review B</i> , 1994, 49, 11572-11579.	3.2	17
146	Dynamic properties of the urea molecules in 1,2-dibromoalkane/urea inclusion compounds investigated by ² H NMR spectroscopy. <i>Journal of Materials Chemistry</i> , 1994, 4, 35-39.	6.7	17
147	Electronic and Local Structural Properties of the Bi ₂ Sr ₂ (Ca _{1-x} Y _x)Cu ₂ O ₈ + δ Family of Materials, Studied by X-ray Absorption Spectroscopy. <i>Chemistry of Materials</i> , 2000, 12, 1115-1121.	6.7	17
148	Polymorphs of a 1:1 Cocrystal with Tunnel and Layer Structures: p,p'-Biphenol/Dimethyl Sulfoxide. <i>Crystal Growth and Design</i> , 2001, 1, 107-111.	3.0	17
149	Powder Diffraction Indexing as a Pattern Recognition Problem: A New Approach for Unit Cell Determination Based on an Artificial Neural Network. <i>Journal of Physical Chemistry A</i> , 2004, 108, 711-716.	2.5	17
150	Applications of Evolutionary Computation in Structure Determination from Diffraction Data. <i>Structure and Bonding</i> , 0, , 55-94.	1.0	17
151	Design of a Molecular Quasicrystal. <i>ChemPhysChem</i> , 2006, 7, 1649-1653.	2.1	17
152	A Solid-State Dehydration Process Associated with a Significant Change in the Topology of Dihydrogen Phosphate Chains, Established from Powder X-ray Diffraction. <i>Crystal Growth and Design</i> , 2008, 8, 3641-3645.	3.0	17
153	Cooperativity in Solid-State Squaramides. <i>Crystal Growth and Design</i> , 2011, 11, 3725-3730.	3.0	17
154	Exploiting <i>in situ</i> NMR to monitor the formation of a metal-organic framework. <i>Chemical Science</i> , 2021, 12, 1486-1494.	7.4	17
155	Ring inversion of fluorocyclohexane in its solid thiourea inclusion compound. <i>Magnetic Resonance in Chemistry</i> , 1999, 37, 15-24.	1.9	16
156	Using Polarization Effects to Alter Chemical Reactivity: A Simple Host Which Enhances Amine Nucleophilicity. <i>Organic Letters</i> , 2000, 2, 1365-1368.	4.6	16
157	Significantly Contrasting Solid State Dynamics of the Racemic and Enantiomerically Pure Crystalline Forms of an Amino Acid. <i>Journal of Physical Chemistry B</i> , 2005, 109, 22808-22813.	2.6	16
158	Structure Determination from Powder X-ray Diffraction Data of a New Polymorph of a High-Density Organic Hydrate Material, with an Assessment of Hydrogen-Bond Disorder by Rietveld Refinement. <i>Crystal Growth and Design</i> , 2011, 11, 5192-5199.	3.0	16
159	Structural Properties of Carboxylic Acid Dimers Confined within the Urea Tunnel Structure: An MD Simulation Study. <i>Journal of Physical Chemistry B</i> , 2011, 115, 2791-2800.	2.6	16
160	Structural Rationalization of the Phase Transition Behavior in a Solid Organic Inclusion Compound: Bromocyclohexane/Thiourea. <i>Crystal Growth and Design</i> , 2012, 12, 577-582.	3.0	16
161	Structural Diversity of Solid Solutions Formed between 3-Chloro- <i>trans</i> -cinnamic acid and 3-Bromo- <i>trans</i> -cinnamic Acid. <i>Crystal Growth and Design</i> , 2017, 17, 1276-1284.	3.0	16
162	'NMR Crystallization': <i>in-situ</i> NMR techniques for time-resolved monitoring of crystallization processes. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2017, 73, 137-148.	0.5	16

#	ARTICLE	IF	CITATIONS
163	Properties of the guest molecules in the 1,10-dibromodecane/urea inclusion compound a molecular dynamics simulation study. Journal of Materials Chemistry, 1994, 4, 1731.	6.7	15
164	Dynamics of benzene and pyridine guest molecules in their tri-ortho-thymotide inclusion compounds. Solid-state 2H NMR Studies. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 2017.	1.7	15
165	Probing the conformational properties of guest molecules in solid inclusion compounds via EXAFS spectroscopy: bromine K-edge EXAFS studies of the bromocyclohexane/thiourea and trans-1-bromo-2-chlorocyclohexane/thiourea inclusion compounds. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 1497.	1.7	15
166	Temperature-dependent structural properties of the chlorocyclohexane/thiourea inclusion compound investigated by synchrotron X-ray powder diffraction. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 273.	1.7	15
167	Computational investigation of host-guest chiral recognition in incommensurate 2-bromoalkane/urea inclusion compounds. Journal of the Chemical Society, Faraday Transactions, 1998, 94, 1633-1639.	1.7	15
168	Acid-Catalyzed Trimerization of Acetaldehyde: A Highly Selective and Reversible Transformation at Ambient Temperature in a Zeolitic Solid. Journal of Physical Chemistry B, 2002, 106, 1322-1326.	2.6	15
169	A Solid-State Dehydration Process in an Organic Material Associated with Substantial Hydrogen-Bond Reorganization, Investigated by Powder X-ray Diffraction. Crystal Growth and Design, 2010, 10, 3176-3181.	3.0	15
170	X-ray Birefringence from a Model Anisotropic Crystal. Journal of Physical Chemistry Letters, 2011, 2, 2346-2351.	4.6	15
171	New Insights into the Preparation of the Low-Melting Polymorph of Racemic Ibuprofen. Crystal Growth and Design, 2012, 12, 5839-5845.	3.0	15
172	Exploiting Powder X-ray Diffraction to Establish the Solvent-Assisted Solid-State Supramolecular Assembly of Pillar[5]quinone. Crystal Growth and Design, 2015, 15, 1583-1587.	3.0	15
173	A structure determination protocol based on combined analysis of 3D-ED data, powder XRD data, solid-state NMR data and DFT-D calculations reveals the structure of a new polymorph of L-tyrosine. Chemical Science, 2022, 13, 5277-5288.	7.4	15
174	Cs ₂ Bi ₁₀ Ca ₆ Cl ₁₂ O ₁₆ : A New Type of Catalyst for Selective Oxidation Derived from Bismuth Oxychloride. Angewandte Chemie International Edition in English, 1988, 27, 1364-1365.	4.4	14
175	Faraday communications. Carbon-13 halogen second-order quadrupolar and indirect spin-spin coupling effects in high-resolution solid-state ¹³ C NMR spectra of halobenzenes. Journal of the Chemical Society, Faraday Transactions, 1994, 90, 3729-3730.	1.7	14
176	New Approaches for Solving Crystal Structures from Powder Diffraction Data. Journal of the Chinese Chemical Society, 1999, 46, 23-34.	1.4	14
177	Co-crystalline hydrogen bonded solids based on the alcohol-carboxylic acid-alcohol supramolecular motif. CrystEngComm, 2004, 6, 5-10.	2.6	14
178	Hydrogen-bonded chains of 1,10-diaminoalkane and 1,10-dihydroxyalkane guest molecules lead to disrupted tunnel structures in urea inclusion compounds. New Journal of Chemistry, 2005, 29, 1266.	2.8	14
179	Advantages of a Redefinition of Variable-Space in Direct-Space Structure Solution from Powder X-Ray Diffraction Data. ChemPhysChem, 2007, 8, 650-653.	2.1	14
180	Rationalization of the X-ray photoelectron spectroscopy of aluminium phosphates synthesized from different precursors. RSC Advances, 2020, 10, 8444-8452.	3.6	14

#	ARTICLE	IF	CITATIONS
181	EXAFS spectroscopic studies of the bromine environment in the crystalline inclusion compounds formed between urea and 1,3-dibromoalkanes. Journal of the Chemical Society, Faraday Transactions, 1993, 89, 3099-3104.	1.7	13
182	Second-order quadrupolar effects for directly bonded and remote ^{13}C - $^{79}/^{81}\text{Br}$ spin pairs in high-resolution ^{13}C NMR spectra of solids. Journal of the Chemical Society, Faraday Transactions, 1995, 91, 3167-3176.	1.7	13
183	A theoretical framework for the experimental determination of host-guest interaction energies in solid inclusion compounds. Journal of Chemical Physics, 1999, 111, 9784-9790.	3.0	13
184	Towards a Fundamental Understanding of Urea and Thiourea inclusion Compounds. Journal of the Chinese Chemical Society, 1999, 46, 5-22.	1.4	13
185	A Straightforward and Effective Procedure to Test for Preferred Orientation in Polycrystalline Samples Prior to Structure Determination from Powder Diffraction Data. Crystal Growth and Design, 2003, 3, 705-710.	3.0	13
186	Rationalizing the Structural Properties of Bupivacaine Base-A Local Anesthetic-Directly from Powder X-Ray Diffraction Data. Journal of Pharmaceutical Sciences, 2004, 93, 667-674.	3.3	13
187	Counteracting stagnation in genetic algorithm calculations by implementation of a micro genetic algorithm strategy. Physical Chemistry Chemical Physics, 2008, 10, 7262.	2.8	13
188	Lessons on the Discovery and Assignment of Polymorphs, Highlighted by the Case of the Latent Pigment DPP-Boc. Crystal Growth and Design, 2009, 9, 853-857.	3.0	13
189	Natural-Abundance Solid-State ^2H NMR Spectroscopy at High Magnetic Field. Journal of Physical Chemistry A, 2011, 115, 5568-5578.	2.5	13
190	A Rare Case of Polymorphism in a Three-Component Co-Crystal System, with Each Polymorph Having Ten Independent Molecules in the Asymmetric Unit. Crystal Growth and Design, 2013, 13, 27-30.	3.0	13
191	Dynamic properties of p-diiodobenzene investigated by solid-state ^2H and ^{13}C nuclear magnetic resonance spectroscopy. Journal of the Chemical Society, Faraday Transactions, 1993, 89, 3797-3800.	1.7	12
192	Recent advances in opportunities for solving molecular crystal structures directly from powder diffraction data: new insights in crystal engineering contexts. CrystEngComm, 2002, 4, 356-367.	2.6	12
193	Prospects for Exploiting 4D Ultrafast Electron Microscopy in Solid-State Organic and Biological Chemistry. Crystal Growth and Design, 2005, 5, 2124-2130.	3.0	12
194	Structural Properties of Low-Temperature Phase Transitions in the Prototypical Thiourea Inclusion Compound: Cyclohexane/Thiourea. Journal of Physical Chemistry C, 2008, 112, 839-847.	3.1	12
195	X-ray Birefringence: A New Strategy for Determining Molecular Orientation in Materials. Journal of Physical Chemistry Letters, 2012, 3, 3216-3222.	4.6	12
196	Controlling Spatial Distributions of Molecules in Multicomponent Organic Crystals, with Quantitative Mapping by Confocal Raman Microspectrometry. Journal of the American Chemical Society, 2013, 135, 14512-14515.	13.7	12
197	Structure and Morphology of Light-Reflecting Synthetic and Biogenic Polymorphs of Isoxanthopterin: A Comparison. Chemistry of Materials, 2019, 31, 4479-4489.	6.7	12
198	In Situ Monitoring of Solid-State Polymerization Reactions in Sodium Chloroacetate and Sodium Bromoacetate by ^{23}Na and ^{13}C Solid-State NMR Spectroscopy. Chemistry - A European Journal, 2000, 6, 1120-1126.	3.3	12

#	ARTICLE	IF	CITATIONS
199	Probing chemical transformations in organic solids via NMR techniques: The solid-state photodimerization reaction of 7-methoxy-4-methylcoumarin. <i>Structural Chemistry</i> , 1994, 5, 327-333.	2.0	11
200	Characterization of gauche end-groups in 1,5-dibromoalkanes: vibrational properties of the 1,6-dibromohexane/urea inclusion compound. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1996, 92, 267-272.	1.7	11
201	A New Type of Layered Structure for Urea Inclusion Compounds Containing Local Segments of Tunnels. <i>Journal of the American Chemical Society</i> , 2001, 123, 12684-12685.	13.7	11
202	Elucidating the Crystal Structure of dl-Arginine by Combined Powder X-ray Diffraction Data Analysis and Periodic DFT-D Calculations. <i>Crystal Growth and Design</i> , 2018, 18, 42-46.	3.0	11
203	Establishing the Transitory Existence of Amorphous Phases in Crystallization Pathways by the CLASSIC NMR Technique. <i>ChemPhysChem</i> , 2018, 19, 3341-3345.	2.1	11
204	Andersson's Magn@li Phases $Ti_{n+1}O_{2n+1}$: Recent Progress Inspired by Swedish Scientists. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2021, 647, 126-133.	1.2	11
205	Conformational properties of monosubstituted cyclohexane guest molecules constrained within zeolitic host materials. A solid-state NMR investigation. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1994, 90, 1323.	1.7	10
206	A Strategy for Retrospectively Mapping the Growth History of a Crystal. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 5096-5100.	13.8	10
207	Characterization of Intermolecular Interactions in a Disordered Solid via a One-Dimensional Patterson Synthesis. <i>Journal of Physical Chemistry B</i> , 2002, 106, 4032-4035.	2.6	9
208	Structural Rationalization of a Highly Selective Ammonium Ionophore. <i>Crystal Growth and Design</i> , 2002, 2, 309-311.	3.0	9
209	Structural Characterization of Industrially Relevant Polymorphic Materials from Powder Diffraction Data. <i>Organic Process Research and Development</i> , 2003, 7, 970-976.	2.7	9
210	Alternative hydrogen bonding modes employed by a helical tubuland diol host molecule. <i>CrystEngComm</i> , 2006, 8, 250.	2.6	9
211	Polymorphism in a Multicomponent Crystal System of Trimesic Acid and <i>i</i> -Butylamine. <i>Crystal Growth and Design</i> , 2020, 20, 5736-5744.	3.0	9
212	Experimental Determination of Interaction Energies in a Porous Molecular Solid. <i>Journal of the American Chemical Society</i> , 2001, 123, 12913-12914.	13.7	8
213	Porous poly(D,L-lactide) and poly(D,L-lactide-co-glycolide) produced by thermal salt elimination from halogenocarboxylates Electronic supplementary information (ESI) available: detailed results of the combustion calorimetric experiments. See http://www.rsc.org/suppdata/dt/b1/b104979h/ . <i>Dalton Transactions RSC</i> , 2001, , 3140-3148.	2.3	8
214	Structural Aspects of a Dendrimer Precursor Determined Directly from Powder X-ray Diffraction Data. <i>Crystal Growth and Design</i> , 2004, 4, 451-455.	3.0	8
215	In-situ Monitoring of Alkane-Alkane Guest Exchange in Urea Inclusion Compounds using Confocal Raman Microspectrometry. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 456, 139-147.	0.9	8
216	Enhanced Efficiency of Direct-Space Structure Solution from Powder X-ray Diffraction Data in the Case of Conformationally Flexible Molecules. <i>Journal of Physical Chemistry B</i> , 2007, 111, 6349-6356.	2.6	8

#	ARTICLE	IF	CITATIONS
217	Structure Determination of Multicomponent Crystalline Phases of (S)-Ibuprofen and L-Proline from Powder X-ray Diffraction Data, Augmented by Complementary Experimental and Computational Techniques. <i>Crystal Growth and Design</i> , 2021, 21, 2498-2507.	3.0	8
218	Solid-State Structural Properties of Alloxazine Determined from Powder XRD Data in Conjunction with DFT-D Calculations and Solid-State NMR Spectroscopy: Unraveling the Tautomeric Identity and Pathways for Tautomeric Interconversion. <i>Crystal Growth and Design</i> , 2022, 22, 524-534.	3.0	8
219	Conformational Properties of Guest Molecules in Constrained Solid-State Environments: α -Bromine K-Edge X-ray Absorption Spectroscopy of 2-Bromoalkane/Urea Inclusion Compounds. <i>Chemistry of Materials</i> , 1998, 10, 1220-1226.	6.7	7
220	Dynamic Properties of the Guest Molecules in the Pyrazine/ β -Zirconium Phosphate Intercalation Compound: A Multinuclear Solid-State NMR Study. <i>Chemistry of Materials</i> , 2002, 14, 2656-2663.	6.7	7
221	Residue-Based Charge Flipping: A New Variant of an Emerging Algorithm for Structure Solution from X-ray Diffraction Data. <i>Journal of Physical Chemistry A</i> , 2008, 112, 4863-4868.	2.5	7
222	Dynamic Properties of Solid Ammonium Cyanate. <i>Journal of Physical Chemistry C</i> , 2008, 112, 15870-15879.	3.1	7
223	Arrays of P=O Dipoles As a Recurrent Structural Motif in Bis-Diphenylphosphine Oxides, Established from Powder X-ray Diffraction. <i>Crystal Growth and Design</i> , 2010, 10, 3814-3818.	3.0	7
224	An ENDOR and DFT analysis of hindered methyl group rotations in frozen solutions of bis(acetylacetonato)-copper(II). <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 15214.	2.8	7
225	Structural and dynamic properties of the C60/n-pentane inclusion compound: solid-state ^{13}C nuclear magnetic resonance investigations. <i>Journal of Materials Chemistry</i> , 1993, 3, 1091.	6.7	6
226	Comment on α -deuteron NMR study of the tetrahydrofuran clathrate hydrate. Part II: Coupling of rotational and translational dynamics of water by T. M. Kirschgen, M. D. Zeidler, B. Geil and F. Fujara, <i>Phys. Chem. Chem. Phys.</i> , 2003, 5, 5247. <i>Physical Chemistry Chemical Physics</i> , 2004, 6, 871-872.	2.8	6
227	Mechanistic Aspects of the Solid-State Transformation of Ammonium Cyanate to Urea at High Pressure. <i>Journal of Physical Chemistry B</i> , 2007, 111, 3960-3968.	2.6	6
228	Optimizing the Number of Components in a Molecular Quasicrystal: A Three-Component Material Based on the Penrose Tiling. <i>Journal of Physical Chemistry C</i> , 2008, 112, 16186-16188.	3.1	6
229	X-ray Birefringence Imaging of Materials with Anisotropic Molecular Dynamics. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 561-567.	4.6	6
230	The true structural periodicities and superspace group descriptions of the prototypical incommensurate composite materials: Alkane/urea inclusion compounds. <i>Europhysics Letters</i> , 2016, 116, 56001.	2.0	6
231	A phenomenological model for structural phase transitions in incommensurate alkane/urea inclusion compounds. <i>Royal Society Open Science</i> , 2018, 5, 180058.	2.4	6
232	Raman Spectroscopic Studies of Urea Inclusion Compounds Containing α -Dibromoalkane Guests. <i>Molecular Crystals and Liquid Crystals</i> , 1992, 211, 157-166.	0.3	5
233	(^{13}C , 2H) residual dipolar and indirect spin-spin coupling effects in high-resolution ^{13}C nuclear magnetic resonance spectra of solids. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993, 89, 3791-3796.	1.7	5
234	Non-ideality and Ion Association in Aqueous Electrolyte Solutions: Overview and a Simple Experimental Approach. <i>Journal of Chemical Education</i> , 1998, 75, 352.	2.3	5

#	ARTICLE	IF	CITATIONS
235	Recent Advances in the Opportunities for Solving Molecular Crystal Structures Directly from Powder Diffraction Data. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 389, 123-129.	0.9	5
236	Hydrogen Bond Dynamics in Solid Triphenylsilanol. <i>Journal of Physical Chemistry B</i> , 2002, 106, 9013-9018.	2.6	5
237	Polymorphism of a Novel Sodium Ion Channel Blocker. <i>Journal of Pharmaceutical Sciences</i> , 2003, 92, 2017-2026.	3.3	5
238	Ammonium cyanate: a DFT study of crystal structure, rotational barriers and vibrational spectrum. <i>Molecular Physics</i> , 2004, 102, 869-876.	1.7	5
239	Characterization of a Polymorphic System Exhibiting Substantial Variation of Solubility in a Fluorinated Solvent. <i>Journal of Physical Chemistry C</i> , 2008, 112, 14570-14578.	3.1	5
240	Preferential Clustering of Water Molecules During Hydration of the Ammonium Form of the Solid Acid Catalyst ZSM-5. <i>Catalysis Letters</i> , 2009, 131, 16-20.	2.6	5
241	Pathways for hydrogen bond switching in a tetrameric methanol cluster. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 11340.	2.8	5
242	New in situ solid-state NMR strategies for exploring materials formation and adsorption processes: prospects in heterogenous catalysis. <i>Applied Petrochemical Research</i> , 2016, 6, 295-306.	1.3	5
243	Calculation of solid-state NMR lineshapes using contour analysis. <i>Solid State Nuclear Magnetic Resonance</i> , 2016, 80, 7-13.	2.3	5
244	Insights into the Crystallization and Structural Evolution of Glycine Dihydrate by In Situ Solid-State NMR Spectroscopy. <i>Angewandte Chemie</i> , 2018, 130, 6729-6733.	2.0	5
245	Polymorphism of L-Tryptophan. <i>Angewandte Chemie</i> , 2019, 131, 18964-18968.	2.0	5
246	Structural Rationalization Directly from Powder Diffraction Data: Intermolecular Aggregation in 2-(Methylsulfonyl)ethyl Succinimidyl Carbonate. <i>Crystal Growth and Design</i> , 2001, 1, 425-428.	3.0	4
247	Crystallization and preliminary X-ray diffraction data of <i>Mycobacterium tuberculosis</i> FbpC1 (Rv3803c). <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003, 59, 2303-2305.	2.5	4
248	Structure Determination of an Oligopeptide Directly from Powder Diffraction Data This work was supported by the EPSRC, the University of Birmingham, Wyeth-Ayerst plc, and Ciba Specialty Chemicals. We are grateful to Professor P. Balaram (Indian Institute of Science, Bangalore) for valuable discussions.. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 4488-4491.	13.8	4
249	Application of EXAFS spectroscopy to probe structural properties of solid inclusion compounds containing halogenoalkane guest molecules within the catena-[(1,2-diaminopropane)cadmium(II) tetra-μ-cyanonickelate(II)] host structure. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1996, 92, 1043-1050.	1.7	3
250	Structural properties of methoxy derivatives of benzyl bromide, determined from powder X-ray diffraction data. <i>Powder Diffraction</i> , 2005, 20, 345-352.	0.2	3
251	A drifting Markov process on the circle, with physical applications. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2013, 469, 20130092.	2.1	3
252	Theoretical analysis of the background intensity distribution in X-ray Birefringence Imaging using synchrotron bending-magnet radiation. <i>Journal of Applied Physics</i> , 2015, 117, 164902.	2.5	3

#	ARTICLE	IF	CITATIONS
253	Determining Molecular Orientations in Disordered Materials from X-ray Linear Dichroism at the Iodine L ₁ -Edge. <i>Journal of the American Chemical Society</i> , 2016, 138, 16188-16191.	13.7	3
254	Complexes of Thiourea with Alkali Metal Bromides and Iodides: Structural Properties, Mixed-Halide and Mixed-Metal Materials, and Halide Exchange Processes. <i>Crystal Growth and Design</i> , 2017, 17, 786-793.	3.0	3
255	Polymorphic phase transformations of 3-chloro- <i>trans</i> -cinnamic acid and its solid solution with 3-bromo- <i>trans</i> -cinnamic acid. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2018, 74, 923-928.	0.5	3
256	Probing the Properties of Urea Inclusion Compounds. <i>Molecular Crystals and Liquid Crystals Incorporating Nonlinear Optics</i> , 1990, 186, 177-184.	0.3	2
257	Predicting X-ray diffraction intensity distributions for one-dimensional inclusion compounds via local density functional calculations. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993, 89, 2017.	1.7	2
258	Explorations in the Dynamics of Crystalline Solids and the Evolution of Crystal Formation Processes. <i>Israel Journal of Chemistry</i> , 2017, 57, 154-170.	2.3	2
259	Reply to comment on Couzi et al. (2018): a phenomenological model for structural phase transitions in incommensurate alkane/urea inclusion compounds. <i>Royal Society Open Science</i> , 2019, 6, 190518.	2.4	2
260	Spatially resolved mapping of phase transitions in liquid-crystalline materials by X-ray birefringence imaging. <i>Chemical Science</i> , 2019, 10, 3005-3011.	7.4	2
261	Temperature-Dependent Structural Properties, Phase Transition Behavior, and Dynamic Properties of a Benzene Derivative in the Solid State. <i>Crystal Growth and Design</i> , 2019, 19, 2155-2162.	3.0	2
262	Direct <i>in situ</i> Space Structure Determination of Covalent Organic Frameworks from 3D Electron Diffraction Data. <i>Angewandte Chemie</i> , 2020, 132, 22827-22833.	2.0	2
263	Orbital Mapping of Semiconducting Perylenes on Cu(111). <i>Journal of Physical Chemistry C</i> , 2021, 125, 24477-24486.	3.1	2
264	A Computational Investigation of the Dynamics of Urea Molecules in Solids. <i>Molecular Simulation</i> , 1996, 18, 303-323.	2.0	1
265	Probing Host-Guest Interaction Energies in Solid Inclusion Compounds from Experimental Studies of Competitive Inclusion. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 356, 517-525.	0.3	1
266	Solving Crystal Structures from Powder Diffraction Data using Genetic Algorithms. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 356, 469-481.	0.3	1
267	Neue Möglichkeiten der Strukturermittlung aus Pulverbeugungsdaten – Bestimmung der Kristallstruktur eines molekularen Systems mit zwölf variablen Torsionswinkeln. <i>Angewandte Chemie</i> , 1999, 111, 860-864.	2.0	1
268	Circumventing a challenging aspect of crystal structure determination from powder diffraction data. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , 2022, 78, 96-99.	1.1	1
269	Surface Structural Properties of Crystalline <i>s</i> -Triazine: A Computational Investigation. <i>Molecular Simulation</i> , 1995, 15, 65-78.	2.0	0
270	Structure Determination of Molecular Crystals Directly from Powder Diffraction Data. <i>Nihon Kessho Gakkaishi</i> , 2000, 42, 29-29.	0.0	0

#	ARTICLE	IF	CITATIONS
271	Novel technique for spatially resolved imaging of molecular bond orientations using x-ray birefringence. AIP Conference Proceedings, 2016, , .	0.4	0
272	Design of a bilayer structure in an organic inclusion compound. Angewandte Chemie - International Edition, 2002, 41, 2181-4.	13.8	0
273	Polymorphism in p-Hydroxybenzoic Acid: The Effect of Intermolecular Hydrogen Bonding in Controlling Proton Order versus Disorder in the Carboxylic Acid Dimer Motif. Angewandte Chemie - International Edition, 2000, 39, 4485-4488.	13.8	0