

Zbigniew Puch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/136816/publications.pdf>

Version: 2024-02-01

10
papers

344
citations

1163117

8
h-index

1281871

11
g-index

11
all docs

11
docs citations

11
times ranked

558
citing authors

#	ARTICLE	IF	CITATIONS
1	Postoperative Radioiodine Treatment within 9 Months from Diagnosis Significantly Reduces the Risk of Relapse in Low-Risk Differentiated Thyroid Carcinoma. <i>Nuclear Medicine and Molecular Imaging</i> , 2019, 53, 320-327.	1.0	10
2	Rekomendacje Polskich Towarzystw Naukowych –Diagnostyka i leczenie raka tarczycy– Aktualizacja na rok 2018. <i>Endokrynologia Polska</i> , 2018, 69, 34-74.	1.0	32
3	Wiek zachorowania i płeć jako czynniki modyfikujące...ce związanie polimorfizmów zlokalizowanych na chromosomie 9q22 i 14q13 z rakiem brodawkowym tarczycy. <i>Endokrynologia Polska</i> , 2017, 68, 283-289.	1.0	6
4	The role of FDG-PET in localization of recurrent lesions of differentiated thyroid cancer (DTC) in patients with asymptomatic hyperthyroglobulinemia in a real clinical practice. <i>European Journal of Endocrinology</i> , 2016, 175, 379-385.	3.7	10
5	Ciąża, a stratyfikacja ryzyka w zróżnicowanym raku tarczycy (DTC) – stymulowane stężenie tyreoglobuliny (Tg) w surowicy, przed leczeniem uzupełnionym radiojodem (RAI), najważniejszym czynnikiem ryzyka nawrotu raka u pacjentów w MO. <i>Endokrynologia Polska</i> , 2016, 67, 2-11.	1.0	20
6	Recombinant human thyrotropin preparation for adjuvant radioiodine treatment in children and adolescents with differentiated thyroid cancer. <i>European Journal of Endocrinology</i> , 2015, 173, 873-881.	3.7	13
7	<i>SRGAP1</i> Is a Candidate Gene for Papillary Thyroid Carcinoma Susceptibility. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E973-E980.	3.6	74
8	Radioiodine thyroid remnant ablation in patients with differentiated thyroid carcinoma (DTC): prospective comparison of long-term outcomes of treatment with 30, 60 and 100 mCi. <i>Thyroid Research</i> , 2010, 3, 9.	1.5	53
9	13-cis-retinoic acid re-differentiation therapy and recombinant human thyrotropin-aided radioiodine treatment of non-Functional metastatic thyroid cancer: a single-center, 53-patient phase 2 study. <i>Thyroid Research</i> , 2009, 2, 8.	1.5	51
10	Recombinant human TSH-aided radioiodine treatment of advanced differentiated thyroid carcinoma: a single-centre study of 54 patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1077-1086.	6.4	71