## Robert A Schabetsberger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1369784/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Contrasting Common Era climate and hydrology sensitivities from paired lake sediment dinosterol hydrogen isotope records in the South Pacific Convergence Zone. Quaternary Science Reviews, 2022, 281, 107421.	3.0	4
2	Distribution and abundance of leptocephali in the western South Pacific region during two large-scale sampling surveys. Progress in Oceanography, 2022, 206, 102853.	3.2	3
3	Limnological Characterization of Three Tropical Crater Lakes in the Archipelago of Samoa (Lanotoâ€`o,) Tj ETQq1	1 0.78431 0.6	.4 <sub>1</sub> rgBT /Ow
4	Important questions to progress science and sustainable management of anguillid eels. Fish and Fisheries, 2021, 22, 762-788.	5.3	49
5	Spawning migration and larval dispersal of tropical Pacific eels (Anguilla spp.) in the centre of their distribution ranges. Marine Ecology - Progress Series, 2021, 670, 167-184.	1.9	7
6	Gonococcus infection probably acquired from bathing in a natural thermal pool: a case report. Journal of Medical Case Reports, 2021, 15, 458.	0.8	2
7	Distribution of anguillid leptocephali and possible spawning areas in the South Pacific Ocean. Progress in Oceanography, 2020, 180, 102234.	3.2	23
8	Stable species boundaries despite ten million years of hybridization in tropical eels. Nature Communications, 2020, 11, 1433.	12.8	53
9	Tracking the marine migration routes of South Pacific silver eels. Marine Ecology - Progress Series, 2020, 646, 1-12.	1.9	12
10	High genetic diversity and lack of pronounced population structure in five species of sympatric Pacific eels. Fisheries Management and Ecology, 2019, 26, 31-41.	2.0	10
11	Oceanic migration behaviour of Pacific eels from Samoa. Fisheries Management and Ecology, 2019, 26, 53-56.	2.0	13
12	First Limnological Characterization of Crater Lake Billy Mitchell (Bougainville Island, Papua New) Tj ETQq0 0 0 rgB	T  Overloc	k 10 Tf 50 3
13	The development of stocked eels ( <i><scp>A</scp>nguilla anguilla</i> ) in previously eelâ€free <scp>A</scp> ustrian <scp>A</scp> lpine lakes. Ecology of Freshwater Fish, 2016, 25, 17-26.	1.4	3
14	Hydrographic features of anguillid spawning areas: potential signposts for migrating eels. Marine Ecology - Progress Series, 2016, 554, 141-155.	1.9	39
15	How to contain a tapeworm epidemic-testing the efficiency of different catch methods to reduce the translocated final hostEsox luciusin an alpine lake. International Review of Hydrobiology, 2015, 100, 169-176.	0.9	2

16 Limnological Characterization of the Largest Freshwater Lake in Remote Oceania (Lake Letas, Gaua) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

17	Genetic and migratory evidence for sympatric spawning of tropical Pacific eels from Vanuatu. Marine Ecology - Progress Series, 2015, 521, 171-187.	1.9	33	
----	---	-----	----	--

Limnological Characterization of Volcanic Crater Lakes on Uvea Island (Wallis and Futuna, South) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50

#	Article	IF	CITATIONS
19	TranslocatedEsox luciusL. (PISCES) trigger aTriaenophorus crassusForel (CESTODA) epidemic in a population ofSalvelinus umbla(L.) (PISCES). International Review of Hydrobiology, 2014, 99, 199-211.	0.9	3
20	Cradle or plague pit? Illuminated cages increase the transmission risk of parasites from copepods to coregonids. Aquaculture, 2013, 392-395, 8-15.	3.5	3
21	Oceanic migration behaviour of tropical Pacific eels from Vanuatu. Marine Ecology - Progress Series, 2013, 475, 177-190.	1.9	55
22	On the brink – investigating biodiversity in endangered crater lakes of the Amber Mountains National Park (Madagascar). Aquatic Conservation: Marine and Freshwater Ecosystems, 2013, 23, 316-331.	2.0	8
23	The Presence of Common Frogs (Rana temporaria) Increases the Body Condition of Syntopic Alpine Newts (Ichthyosaura alpestris) in Oligotrophic High-Altitude Ponds: Benefits of High-Energy Prey in a Low-Productivity Habitat. Annales Zoologici Fennici, 2013, 50, 209-215.	0.6	11
24	A new freshwater eutardigrade from Fiji and Vanuatu (Oceania), with remarks on the genusDactylobiotus. New Zealand Journal of Zoology, 2012, 39, 311-318.	1.1	14
25	Ectogenic Meromixis of Lake HallstÃ <del>u</del> tersee, Austria Induced by Waste Water Intrusions from Salt Mining. Water, Air, and Soil Pollution, 2011, 218, 109-120.	2.4	6
26	Differential diagnosis of Triaenophorus crassus and T. nodulosus experimental infection in Cyclops abyssorum praealpinus (Copepoda) from the Alpine Lake Grundlsee (Austria) using PCR–RFLP. Parasitology Research, 2011, 109, 745-750.	1.6	5
27	Are sex ratios of larval alpine newts (Mesotriton alpestris) biased in high-altitude spawning sites with different temperature regimes?. Amphibia - Reptilia, 2009, 30, 389-399.	0.5	3
28	Only the small survive: monitoring long-term changes in the zooplankton community of an Alpine lake after fish introduction. Biological Invasions, 2009, 11, 1335-1345.	2.4	37
29	â€~Global worming': first record of an epidemic of <i>Triaenophorus crassus</i> in a population of Arctic charr <i>Salvelinus umbla</i> . Journal of Fish Biology, 2009, 74, 961-966.	1.6	6
30	Losing the Bounty? Investigating Species Richness in Isolated Freshwater Ecosystems of Oceania. Pacific Science, 2009, 63, 153-179.	0.6	38
31	Ultrastructure of a Hyalodiscus species (Bacillariophyceae; Subclass: Coscinodiscophycidae, Fam.) Tj ETQq1 1 0.7	84314 rgE 0.9	3T <sub>3</sub> /Overlock
32	Interannual and interdecadal variability in juvenile coho salmon ( <i>Oncorhynchus kisutch</i> ) diets in relation to environmental changes in the northern California Current. Fisheries Oceanography, 2007, 16, 395-408.	1.7	33
33	Hang on or run? Copepod mating versus predation risk in contrasting environments. Oecologia, 2007, 153, 761-773.	2.0	24
34	Zooplankton Successions in Neighboring Lakes with Contrasting Impacts of Amphibian and Fish Predators. International Review of Hydrobiology, 2006, 91, 197-221.	0.9	13
35	Into thin air: vertical migration, body condition, and quality of terrestrial habitats of alpine common toads, <i>Bufo bufo</i> . Canadian Journal of Zoology, 2005, 83, 788-796.	1.0	56
36	Columbia River plume fronts. II. Distribution, abundance, and feeding ecology of juvenile salmon. Marine Ecology - Progress Series, 2005, 299, 33-44.	1.9	47

#	Article	IF	CITATIONS
37	Shallow males, deep females: sex-biased differences in habitat distribution of the freshwater calanoid copepodArctodiaptomus alpinus. Ecography, 2004, 27, 506-520.	4.5	14
38	Limnological Aspects of Two Tropical Crater Lakes (Lago Biao and Lago Loreto) on the Island of Bioko (Equatorial Guinea). Hydrobiologia, 2004, 524, 79-90.	2.0	18
39	Trophic specialisations in alternative heterochronic morphs. Die Naturwissenschaften, 2004, 91, 81-84.	1.6	29
40	Delineation of terrestrial reserves for amphibians: post-breeding migrations of Italian crested newts (Triturus c. carnifex) at high altitude. Biological Conservation, 2004, 117, 95-104.	4.1	71
41	Size-dependent, Spatial, and Temporal Variability of Juvenile Walleye Pollock (Theragra chalcogramma) Feeding at a Structural Front in the Southeast Bering Sea. Marine Ecology, 2003, 24, 141-164.	1.1	19
42	Prey selectivity and diel feeding chronology of juvenile chinook (Oncorhynchus tshawytscha ) and coho (O. kisutch ) salmon in the Columbia River plume. Fisheries Oceanography, 2003, 12, 523-540.	1.7	82
43	Resource partitioning in two heterochronic populations of Greek Alpine newts, Triturus alpestris veluchiensis. Acta Oecologica, 2003, 24, 55-64.	1.1	26
44	Short- and long-term advantages of an alternative ontogenetic pathway. Biological Journal of the Linnean Society, 2002, 77, 105-112.	1.6	49
45	Distribution and ecology of copepods in mountainous regions of the Eastern Alps. Hydrobiologia, 2001, 453/454, 309-324.	2.0	40
46	Diel vertical migration and interaction of zooplankton and juvenile walleye pollock (Theragra) Tj ETQq0 0 0 rgBT Science, 2000, 57, 1283-1295.	/Overlock 2.5	10 Tf 50 387 74
47	Variation in groundfish predation on juvenile walleye pollock relative to hydrographic structure near the Pribilof Islands, Alaska. ICES Journal of Marine Science, 2000, 57, 265-271.	2.5	37
48	Life cycles, size and reproduction of the two coexisting calanoid copepods Arctodiaptomus alpinus (IMHOF, 1885) and Mixodiaptomus laciniatus (LILLJEBORG, 1889) in a small high-altitude lake. Fundamental and Applied Limnology, 2000, 148, 161-185.	0.7	10
49	Sex-biased egg cannibalism in spawning walleye pollock: the role of reproductive behavior. Environmental Biology of Fishes, 1999, 54, 175-190.	1.0	6
50	Naupliar development of Acanthodiaptomus denticornis (wierzejski, 1887) and Arctodiaptomus alpinus (Imhof, 1885) (Copepoda: Calanoida) and a comparison with other Diaptomidae. Journal of Plankton Research, 1996, 18, 2027-2061.	1.8	5
51	Alpine newts (Triturus alpestris) as top predators in a high-altitude karst lake: daily food consumption and impact on the copepod Arctodiaptomus alpinus. Freshwater Biology, 1995, 33, 47-61.	2.4	23
52	Resting egg production and oviducal cycling in two sympatric species of alpine diaptomids (Copepoda:) Tj ETQq 2049-2078.	0 0 0 rgBT 1.8	/Overlock 10 22
53	Gastric evacuation rates of adult and larval alpine newts (Triturus alpestris) under laboratory and field conditions. Freshwater Biology, 1994, 31, 143-151.	2.4	16
54	First Limnological Characterization of the Tropical Crater Lake Amparihibe in the Makira Protected Area, Madagascar. Eco Mont, 0, 1, 35-43.	0.1	3