

Stefania Vichi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1369810/stefania-vichi-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

2,428

citations

27

h-index

48

g-index

72

ext. papers

2,798

ext. citations

5.5

avg, IF

4.79

L-index

#	Paper	IF	Citations
69	Yeast-yeast interactions revealed by aromatic profile analysis of Sauvignon Blanc wine fermented by single or co-culture of non-Saccharomyces and Saccharomyces yeasts. <i>Food Microbiology</i> , 2012 , 32, 243-53	6	250
68	Analysis of virgin olive oil volatile compounds by headspace solid-phase microextraction coupled to gas chromatography with mass spectrometric and flame ionization detection. <i>Journal of Chromatography A</i> , 2003 , 983, 19-33	4.5	193
67	Antioxidant activity of sage (<i>Salvia officinalis</i> and <i>S. fruticosa</i>) and oregano (<i>Origanum onites</i> and <i>O. onites</i>) extracts related to their phenolic compound content. <i>Journal of the Science of Food and Agriculture</i> , 2002 , 82, 1645-1651	4.3	165
66	Solid-phase microextraction in the analysis of virgin olive oil volatile fraction: modifications induced by oxidation and suitable markers of oxidative status. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6564-71	5.7	138
65	Solid-phase microextraction in the analysis of virgin olive oil volatile fraction: characterization of virgin olive oils from two distinct geographical areas of northern Italy. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 6572-7	5.7	119
64	Rapid direct analysis to discriminate geographic origin of extra virgin olive oils by flash gas chromatography electronic nose and chemometrics. <i>Food Chemistry</i> , 2016 , 204, 263-273	8.5	91
63	Simultaneous determination of volatile and semi-volatile aromatic hydrocarbons in virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2005 , 1090, 146-54	4.5	77
62	Different commercial yeast strains affecting the volatile and sensory profile of cava base wine. <i>International Journal of Food Microbiology</i> , 2008 , 124, 48-57	5.8	75
61	Comparative study of different extraction techniques for the analysis of virgin olive oil aroma. <i>Food Chemistry</i> , 2007 , 105, 1171-1178	8.5	69
60	Assessment of volatile and sensory profiles between base and sparkling wines. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 2455-61	5.7	68
59	Non- Yeasts Nitrogen Source Preferences: Impact on Sequential Fermentation and Wine Volatile Compounds Profile. <i>Frontiers in Microbiology</i> , 2017 , 8, 2175	5.7	57
58	Membrane separation technology for the reduction of alcoholic degree of a white model wine. <i>LWT - Food Science and Technology</i> , 2009 , 42, 1390-1395	5.4	54
57	Volatile and semi-volatile components of oak wood chips analysed by Accelerated Solvent Extraction (ASE) coupled to gas chromatography/mass spectrometry (GC/MS). <i>Food Chemistry</i> , 2007 , 102, 1260-1269	8.5	54
56	Determination of volatile phenols in virgin olive oils and their sensory significance. <i>Journal of Chromatography A</i> , 2008 , 1211, 1-7	4.5	51
55	Characterization of volatiles in different dry gins. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 10154-60	5.7	46
54	Volatile thiols in coffee: A review on their formation, degradation, assessment and influence on coffee sensory quality. <i>Food Research International</i> , 2016 , 89, 982-988	7	42
53	Monoterpene and sesquiterpene hydrocarbons of virgin olive oil by headspace solid-phase microextraction coupled to gas chromatography/mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1125, 117-23	4.5	42

52	HS-SPME coupled to GC/MS for quality control of <i>Juniperus communis</i> L. berries used for gin aromatization. <i>Food Chemistry</i> , 2007 , 105, 1748-1754	8.5	41
51	Determination of lipophilic marine toxins in mussels. Quantification and confirmation criteria using high resolution mass spectrometry. <i>Journal of Chromatography A</i> , 2014 , 1328, 16-25	4.5	40
50	Detection of Hazelnut Oil in Virgin Olive Oil by Assessment of Free Sterols and Triacylglycerols. <i>Journal of AOAC INTERNATIONAL</i> , 2001 , 84, 1534-1542	1.7	37
49	Ripening and storage conditions of ChÈoui and Arbequina olives: Part I. Effect on olive oils volatiles profile. <i>Food Chemistry</i> , 2016 , 203, 548-558	8.5	36
48	Characterisation of volatile composition of white salsify (<i>Tragopogon porrifolius</i> L.) by headspace solid-phase microextraction (HS-SPME) and simultaneous distillation-extraction (SDE) coupled to GC-MS. <i>Food Chemistry</i> , 2011 , 129, 557-564	8.5	36
47	Changes in the sorption of diverse volatiles by <i>Saccharomyces cerevisiae</i> lees during sparkling wine aging. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 12426-30	5.7	32
46	Stereospecific distribution of fatty acids in triacylglycerols of olive oils. <i>European Journal of Lipid Science and Technology</i> , 2007 , 109, 72-78	3	32
45	Antioxidant activity of lees cell surface during sparkling wine sur lie aging. <i>International Journal of Food Microbiology</i> , 2010 , 143, 48-53	5.8	29
44	A four year study to determine the optimal harvesting period for Tunisian Chemlali olives. <i>European Journal of Lipid Science and Technology</i> , 2011 , 113, 796-807	3	28
43	Influence of cell-cell contact between <i>L. thermotolerans</i> and <i>S. cerevisiae</i> on yeast interactions and the exo-metabolome. <i>Food Microbiology</i> , 2019 , 83, 122-133	6	27
42	Insight into virgin olive oil secoiridoids characterization by high-resolution mass spectrometry and accurate mass measurements. <i>Journal of Chromatography A</i> , 2013 , 1301, 48-59	4.5	25
41	Volatile phenols in virgin olive oils: Influence of olive variety on their formation during fruits storage. <i>Food Chemistry</i> , 2009 , 116, 651-656	8.5	25
40	Virgin olive oil volatile fingerprint and chemometrics: Towards an instrumental screening tool to grade the sensory quality. <i>LWT - Food Science and Technology</i> , 2020 , 121, 108936	5.4	25
39	Determination of volatile thiols in lipid matrix by simultaneous derivatization/extraction and liquid chromatography-high resolution mass spectrometric analysis. Application to virgin olive oil. <i>Journal of Chromatography A</i> , 2013 , 1318, 180-8	4.5	24
38	The occurrence of volatile and semi-volatile aromatic hydrocarbons in virgin olive oils from north-eastern Italy. <i>Food Control</i> , 2007 , 18, 1204-1210	6.2	24
37	The activity of healthy olive microbiota during virgin olive oil extraction influences oil chemical composition. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4705-14	5.7	23
36	Influence of olives storage conditions on the formation of volatile phenols and their role in off-odor formation in the oil. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 1449-55	5.7	23
35	Analysis of volatile thiols in alcoholic beverages by simultaneous derivatization/extraction and liquid chromatography-high resolution mass spectrometry. <i>Food Chemistry</i> , 2015 , 175, 401-8	8.5	22

34	Analysis of sparkling wine lees surface volatiles by optimized headspace solid-phase microextraction. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 3279-85	5.7	22
33	Profiling versus fingerprinting analysis of sesquiterpene hydrocarbons for the geographical authentication of extra virgin olive oils. <i>Food Chemistry</i> , 2020 , 307, 125556	8.5	22
32	Ripening and storage conditions of ChÈboui and Arbequina olives: Part II. Effect on olive endogenous enzymes and virgin olive oil secoiridoid profile determined by high resolution mass spectrometry. <i>Food Chemistry</i> , 2016 , 210, 631-9	8.5	21
31	Assessment of some diterpenoids in commercial distilled gin. <i>Analytica Chimica Acta</i> , 2008 , 628, 222-9	6.6	20
30	Ultrahigh resolution mass spectrometry and accurate mass measurements for high-throughput food lipids profiling. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 1177-90	2.2	18
29	Evolution of sesquiterpene hydrocarbons in virgin olive oil during fruit ripening. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 6972-6	5.7	17
28	Surface properties of <i>Saccharomyces cerevisiae</i> lees during sparkling wine ageing and their effect on flocculation. <i>International Journal of Food Microbiology</i> , 2010 , 140, 125-30	5.8	16
27	Supporting the Sensory Panel to Grade Virgin Olive Oils: An In-House-Validated Screening Tool by Volatile Fingerprinting and Chemometrics. <i>Foods</i> , 2020 , 9,	4.9	14
26	Determination of volatile thiols in roasted coffee by derivatization and liquid chromatography-high resolution mass spectrometric analysis. <i>Food Research International</i> , 2014 , 64, 610-617	7	14
25	Epicuticular Wax in Developing Olives (<i>Olea europaea</i>) Is Highly Dependent upon Cultivar and Fruit Ripeness. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 5985-94	5.7	13
24	Toward a Harmonized and Standardized Protocol for the Determination of Total Hydroxytyrosol and Tyrosol Content in Virgin Olive Oil (VOO). The Pros of a Fit for the Purpose Ultra High Performance Liquid Chromatography (UHPLC) Procedure. <i>Molecules</i> , 2019 , 24,	4.8	12
23	Bio-Protection as an Alternative to Sulphites: Impact on Chemical and Microbial Characteristics of Red Wines. <i>Frontiers in Microbiology</i> , 2020 , 11, 1308	5.7	10
22	Modifications in virgin olive oil glycerolipid fingerprint during olive ripening by MALDI-TOF MS analysis. <i>LWT - Food Science and Technology</i> , 2012 , 48, 24-29	5.4	10
21	Thiols in brewed coffee: Assessment by fast derivatization and liquid chromatography-high resolution mass spectrometry. <i>LWT - Food Science and Technology</i> , 2015 , 64, 1085-1090	5.4	9
20	Composition and Nutritional Value of Acid Oils and Fatty Acid Distillates Used in Animal Feeding. <i>Animals</i> , 2021 , 11,	3.1	9
19	Direct chemical profiling of olive (<i>Olea europaea</i>) fruit epicuticular waxes by direct electrospray-ultrahigh resolution mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 558-66	2.2	8
18	Quality losses in virgin olive oil due to washing and short-term storage before olive milling. <i>European Journal of Lipid Science and Technology</i> , 2015 , 117, 2015-2022	3	7
17	Determination and Comparison of the Lipid Profile and Sodium Content of Gluten-Free and Gluten-Containing Breads from the Spanish Market. <i>Plant Foods for Human Nutrition</i> , 2020 , 75, 344-354	3.9	7

16	Catalan Virgin Olive Oil Protected Designations of Origin: Physicochemical and Major Sensory Attributes. <i>European Journal of Lipid Science and Technology</i> , 2019 , 121, 1800130	3	6
15	Toward a Harmonized and Standardized Protocol for the Determination of Total Hydroxytyrosol and Tyrosol Content in Virgin Olive Oil (VOO). Extraction Solvent. <i>European Journal of Lipid Science and Technology</i> , 2018 , 120, 1800099	3	6
14	Determination of volatile thiols in virgin olive oil by derivatisation and LC-HRMS, and relation with sensory attributes. <i>Food Chemistry</i> , 2014 , 149, 313-8	8.5	6
13	Methods to determine the quality of acid oils and fatty acid distillates used in animal feeding. <i>MethodsX</i> , 2021 , 8, 101334	1.9	5
12	Varietal authentication of virgin olive oil: Proving the efficiency of sesquiterpene fingerprinting for Mediterranean Arbequina oils. <i>Food Control</i> , 2021 , 128, 108200	6.2	5
11	Evolution of endogenous enzyme activities and virgin olive oil characteristics during ChÈoui and Chemlali olive ripening. <i>European Journal of Lipid Science and Technology</i> , 2017 , 119, 1600150	3	4
10	Extraction Techniques for the Analysis of Virgin Olive Oil Aroma 2010 , 615-623		4
9	Large-scale evaluation of shotgun triacylglycerol profiling for the fast detection of olive oil adulteration. <i>Food Control</i> , 2021 , 123, 107851	6.2	4
8	Peer inter-laboratory validation study of a harmonized SPME-GC-FID method for the analysis of selected volatile compounds in virgin olive oils. <i>Food Control</i> , 2021 , 123, 107823	6.2	4
7	Chemical Markers to Distinguish the Homo- and Heterozygous Bitter Genotype in Sweet Almond Kernels. <i>Foods</i> , 2020 , 9,	4.9	3
6	Geographical authentication of virgin olive oil by GC-MS sesquiterpene hydrocarbon fingerprint: Verifying EU and single country label-declaration.. <i>Food Chemistry</i> , 2022 , 378, 132104	8.5	3
5	Different Wines from Different Yeasts? " Intraspecies Differentiation by Metabolomic Signature and Sensory Patterns in Wine". <i>Microorganisms</i> , 2021 , 9,	4.9	2
4	From untargeted chemical profiling to peak tables [A fully automated AI driven approach to untargeted GC-MS. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 145, 116451	14.6	2
3	Stepwise strategy based on H-NMR fingerprinting in combination with chemometrics to determine the content of vegetable oils in olive oil mixtures. <i>Food Chemistry</i> , 2022 , 366, 130588	8.5	1
2	Geographical authentication of virgin olive oil by GC-MS sesquiterpene hydrocarbon fingerprint: Scaling down to the verification of PDO compliance. <i>Food Control</i> , 2022 , 139, 109055	6.2	1
1	Collaborative peer validation of a harmonized SPME-GC-MS method for analysis of selected volatile compounds in virgin olive oils. <i>Food Control</i> , 2022 , 135, 108756	6.2	0