

Zhiqiang Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1374233/publications.pdf>

Version: 2024-02-01

10
papers

712
citations

1307594

7
h-index

1372567

10
g-index

10
all docs

10
docs citations

10
times ranked

1264
citing authors

#	ARTICLE	IF	CITATIONS
1	Loss of SIRT1 inhibits hematopoietic stem cell aging and age-dependent mixed phenotype acute leukemia. <i>Communications Biology</i> , 2022, 5, 396.	4.4	7
2	An aging mouse model of human chronic myeloid leukemia. <i>Oncogene</i> , 2021, 40, 3152-3163.	5.9	2
3	A Convenient Cell Culture Model for CML Acquired Resistance Through BCR-ABL Mutations. <i>Methods in Molecular Biology</i> , 2016, 1465, 149-157.	0.9	1
4	SIRT1 and LSD1 competitively regulate KU70 functions in DNA repair and mutation acquisition in cancer cells. <i>Oncotarget</i> , 2016, 7, 50195-50214.	1.8	26
5	CD150 ^{hi} Side Population Defines Leukemia Stem Cells in a BALB/c Mouse Model of CML and Is Depleted by Genetic Loss of SIRT1. <i>Stem Cells</i> , 2015, 33, 3437-3451.	3.2	10
6	ATRA-Induced Cellular Differentiation and CD38 Expression Inhibits Acquisition of BCR-ABL Mutations for CML Acquired Resistance. <i>PLoS Genetics</i> , 2014, 10, e1004414.	3.5	31
7	Emerging Roles of SIRT1 in Cancer Drug Resistance. <i>Genes and Cancer</i> , 2013, 4, 82-90.	1.9	69
8	Sirtuins in Hematological Aging and Malignancy. <i>Critical Reviews in Oncogenesis</i> , 2013, 18, 531-547.	0.4	28
9	Activation of stress response gene SIRT1 by BCR-ABL promotes leukemogenesis. <i>Blood</i> , 2012, 119, 1904-1914.	1.4	164
10	Activation of p53 by SIRT1 Inhibition Enhances Elimination of CML Leukemia Stem Cells in Combination with Imatinib. <i>Cancer Cell</i> , 2012, 21, 266-281.	16.8	374