
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1376430/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Epidemiologic Evidence on the Health Effects of Perfluorooctanoic Acid (PFOA). Environmental Health Perspectives, 2010, 118, 1100-1108.	6.0	509
2	Perfluorooctanoic Acid (PFOA) Exposures and Incident Cancers among Adults Living Near a Chemical Plant. Environmental Health Perspectives, 2013, 121, 1313-1318.	6.0	444
3	Rate of Decline in Serum PFOA Concentrations after Granular Activated Carbon Filtration at Two Public Water Systems in Ohio and West Virginia. Environmental Health Perspectives, 2010, 118, 222-228.	6.0	327
4	An Overview of Methods for Calculating the Burden of Disease Due to Specific Risk Factors. Epidemiology, 2006, 17, 512-519.	2.7	297
5	Association of Perfluorooctanoic Acid and Perfluorooctane Sulfonate With Serum Lipids Among Adults Living Near a Chemical Plant. American Journal of Epidemiology, 2009, 170, 1268-1278.	3.4	293
6	The C8 Health Project: Design, Methods, and Participants. Environmental Health Perspectives, 2009, 117, 1873-1882.	6.0	262
7	Perfluorooctanoic Acid, Perfluorooctanesulfonate, and Serum Lipids in Children and Adolescents. JAMA Pediatrics, 2010, 164, 860-9.	3.0	230
8	Indirect methods of assessing the effects of tobacco use in occupational studies. American Journal of Industrial Medicine, 1988, 13, 105-118.	2.1	221
9	Dioxin Revisited: Developments Since the 1997 IARC Classification of Dioxin as a Human Carcinogen. Environmental Health Perspectives, 2004, 112, 1265-1268.	6.0	218
10	Pooled exposure-response analyses and risk assessment for lung cancer in 10 cohorts of silica-exposed workers: an IARC multicentre study. Cancer Causes and Control, 2001, 12, 773-784.	1.8	206
11	Serum Perfluorooctanoic Acid and Perfluorooctane Sulfonate Concentrations in Relation to Birth Outcomes in the Mid-Ohio Valley, 2005–2010. Environmental Health Perspectives, 2013, 121, 1207-1213.	6.0	176
12	Monte Carlo Sensitivity Analysis and Bayesian Analysis of Smoking as an Unmeasured Confounder in a Study of Silica and Lung Cancer. American Journal of Epidemiology, 2004, 160, 384-392.	3.4	171
13	Association of Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) with Uric Acid among Adults with Elevated Community Exposure to PFOA. Environmental Health Perspectives, 2010, 118, 229-233.	6.0	170
14	Silica: A lung carcinogen. Ca-A Cancer Journal for Clinicians, 2014, 64, 63-69.	329.8	166
15	A Meta-Analysis of Alzheimer's Disease Incidence and Prevalence Comparing African-Americans and Caucasians. Journal of Alzheimer's Disease, 2016, 50, 71-76.	2.6	165
16	Environmental Fate and Transport Modeling for Perfluorooctanoic Acid Emitted from the Washington Works Facility in West Virginia. Environmental Science & Technology, 2011, 45, 1435-1442.	10.0	154
17	Ulcerative Colitis and Perfluorooctanoic Acid (PFOA) in a Highly Exposed Population of Community Residents and Workers in the Mid-Ohio Valley. Environmental Health Perspectives, 2013, 121, 900-905.	6.0	151
18	PFAS and cancer, a scoping review of the epidemiologic evidence. Environmental Research, 2021, 194, 110690.	7.5	151

#	Article	IF	CITATIONS
19	Late-Life Depression as a Risk Factor for Mild Cognitive Impairment or Alzheimer's Disease in 30 US Alzheimer's Disease Centers. Journal of Alzheimer's Disease, 2012, 31, 265-275.	2.6	147
20	A Practical Guide to Dose-Response Analyses and Risk Assessment in Occupational Epidemiology. Epidemiology, 2004, 15, 63-70.	2.7	130
21	Individual- and Area-Level Socioeconomic Status Variables as Predictors of Mortality in a Cohort of 179,383 Persons. American Journal of Epidemiology, 2004, 159, 1047-1056.	3.4	125
22	Polychlorinated Biphenyls and Neurodegenerative Disease Mortality in an Occupational Cohort. Epidemiology, 2006, 17, 8-13.	2.7	123
23	Modeled PFOA Exposure and Coronary Artery Disease, Hypertension, and High Cholesterol in Community and Worker Cohorts. Environmental Health Perspectives, 2014, 122, 1299-1305.	6.0	119
24	Cohort Mortality Study of Workers Exposed to Perfluorooctanoic Acid. American Journal of Epidemiology, 2012, 176, 909-917.	3.4	116
25	Predictors of PFOA Levels in a Community Surrounding a Chemical Plant. Environmental Health Perspectives, 2009, 117, 1083-1088.	6.0	115
26	All-Cause and Cause-Specific Mortality by Socioeconomic Status Among Employed Persons in 27 US States, 1984–1997. American Journal of Public Health, 2004, 94, 1037-1042.	2.7	112
27	One agent, many diseases: Exposure-response data and comparative risks of different outcomes following silica exposure. American Journal of Industrial Medicine, 2005, 48, 16-23.	2.1	106
28	Retrospective Exposure Estimation and Predicted versus Observed Serum Perfluorooctanoic Acid Concentrations for Participants in the C8 Health Project. Environmental Health Perspectives, 2011, 119, 1760-1765.	6.0	94
29	Proton Pump Inhibitors and Risk of Mild Cognitive Impairment and Dementia. Journal of the American Geriatrics Society, 2017, 65, 1969-1974.	2.6	93
30	A national cohort study (2000–2018) of long-term air pollution exposure and incident dementia in older adults in the United States. Nature Communications, 2021, 12, 6754.	12.8	92
31	Exposure-Response Analysis and Risk Assessment for Lung Cancer in Relationship to Silica Exposure: A 44-Year Cohort Study of 34,018 Workers. American Journal of Epidemiology, 2013, 178, 1424-1433.	3.4	91
32	Modeled Perfluorooctanoic Acid (PFOA) Exposure and Liver Function in a Mid-Ohio Valley Community. Environmental Health Perspectives, 2016, 124, 1227-1233.	6.0	89
33	Reductions in Serum Lipids with a 4-year Decline in Serum Perfluorooctanoic Acid and Perfluorooctanesulfonic Acid. Epidemiology, 2013, 24, 569-576.	2.7	88
34	Perfluorooctanoic Acid Exposure and Thyroid Disease in Community and Worker Cohorts. Epidemiology, 2014, 25, 255-264.	2.7	83
35	Kidney Disease and Arthritis in a Cohort Study of Workers Exposed to Silica. Epidemiology, 2001, 12, 405-412.	2.7	79
36	Serum Perfluorooctanoic Acid and Birthweight. Epidemiology, 2018, 29, 765-776.	2.7	77

#	Article	IF	CITATIONS
37	Research Recommendations for Selected IARC-Classified Agents. Environmental Health Perspectives, 2010, 118, 1355-1362.	6.0	75
38	The association between late-life depression, mild cognitive impairment and dementia: is inflammation the missing link?. Expert Review of Neurotherapeutics, 2012, 12, 1339-1350.	2.8	74
39	A cohort incidence study of workers exposed to perfluorooctanoic acid (PFOA). Occupational and Environmental Medicine, 2015, 72, 373-380.	2.8	73
40	Review: Evolution of evidence on PFOA and health following the assessments of the C8 Science Panel. Environment International, 2020, 145, 106125.	10.0	72
41	Design and Rationale of the HAPIN Study: A Multicountry Randomized Controlled Trial to Assess the Effect of Liquefied Petroleum Gas Stove and Continuous Fuel Distribution. Environmental Health Perspectives, 2020, 128, 47008.	6.0	72
42	A Study of Reverse Causation: Examining the Associations of Perfluorooctanoic Acid Serum Levels with Two Outcomes. Environmental Health Perspectives, 2017, 125, 416-421.	6.0	69
43	Modulation of Reninâ€Angiotensin System May Slow Conversion from Mild Cognitive Impairment to Alzheimer's Disease. Journal of the American Geriatrics Society, 2015, 63, 1749-1756.	2.6	68
44	Update of the NIOSH life table analysis system: A person-years analysis program for the windows computing environment. American Journal of Industrial Medicine, 2011, 54, 915-924.	2.1	67
45	Long-term exposure to nitrogen dioxide and mortality: A systematic review and meta-analysis. Science of the Total Environment, 2021, 776, 145968.	8.0	67
46	Incidence of type II diabetes in a cohort with substantial exposure to perfluorooctanoic acid. Environmental Research, 2014, 128, 78-83.	7.5	62
47	Early life perfluorooctanoic acid (PFOA) exposure and overweight and obesity risk in adulthood in a community with elevated exposure. Environmental Research, 2014, 132, 62-69.	7.5	58
48	Prostate cancer incidence and survival in relation to education (United States). Cancer Causes and Control, 2004, 15, 939-945.	1.8	51
49	Recent Trends in Alzheimer Disease Mortality in the United States, 1999 to 2004. Alzheimer Disease and Associated Disorders, 2009, 23, 165-170.	1.3	47
50	Design, Methods, and Population for a Study of PFOA Health Effects among Highly Exposed Mid-Ohio Valley Community Residents and Workers. Environmental Health Perspectives, 2013, 121, 893-899.	6.0	47
51	Modeling the potential health benefits of lower household air pollution after a hypothetical liquified petroleum gas (LPG) cookstove intervention. Environment International, 2018, 111, 71-79.	10.0	44
52	Challenges in the diagnosis of paediatric pneumonia in intervention field trials: recommendations from a pneumonia field trial working group. Lancet Respiratory Medicine,the, 2019, 7, 1068-1083.	10.7	44
53	PFOA and ulcerative colitis. Environmental Research, 2018, 165, 317-321.	7.5	42
54	Factors Affecting Survival of Patients with Neurodegenerative Disease. Neuroepidemiology, 2010, 35, 28-35.	2.3	41

#	Article	IF	CITATIONS
55	Retrospective Exposure Assessment of Perfluorooctanoic Acid Serum Concentrations at a Fluoropolymer Manufacturing Plant. Annals of Occupational Hygiene, 2012, 56, 1025-1037.	1.9	41
56	Statins and Cognitive Decline in Older Adults with Normal Cognition or Mild Cognitive Impairment. Journal of the American Geriatrics Society, 2013, 61, 1449-1455.	2.6	41
57	Risk of Bias Assessments and Evidence Syntheses for Observational Epidemiologic Studies of Environmental and Occupational Exposures: Strengths and Limitations. Environmental Health Perspectives, 2020, 128, 95002.	6.0	40
58	A cohort mortality study of lead-exposed workers in the USA, Finland and the UK. Occupational and Environmental Medicine, 2017, 74, 785-791.	2.8	36
59	Developing an Advanced PM2.5 Exposure Model in Lima, Peru. Remote Sensing, 2019, 11, 641.	4.0	36
60	Air Pollutant Exposure and Stove Use Assessment Methods for the Household Air Pollution Intervention Network (HAPIN) Trial. Environmental Health Perspectives, 2020, 128, 47009.	6.0	36
61	PFOA and PFOS Serum Levels and Miscarriage Risk. Epidemiology, 2014, 25, 505-512.	2.7	34
62	Biomarkers for Predicting Cognitive Decline in those with Normal Cognition. Journal of Alzheimer's Disease, 2014, 40, 587-594.	2.6	32
63	Effects of a liquefied petroleum gas stove intervention on pollutant exposure and adult cardiopulmonary outcomes (CHAP): study protocol for a randomized controlled trial. Trials, 2017, 18, 518.	1.6	31
64	Low-Concentration Air Pollution and Mortality in American Older Adults: A National Cohort Analysis (2001–2017). Environmental Science & Technology, 2022, 56, 7194-7202.	10.0	29
65	The Effect of Race and Rural Residence on Prostate Cancer Treatment Choice Among Men in Georgia. Urology, 2011, 77, 581-587.	1.0	28
66	Mortality among participants in a lead surveillance program. Environmental Research, 2014, 132, 100-104.	7.5	28
67	Inflammation and cognitive functioning in African Americans and Caucasians. International Journal of Geriatric Psychiatry, 2015, 30, 934-941.	2.7	28
68	Association of PM2.5 concentration with health center outpatient visits for respiratory diseases of children under 5 years old in Lima, Peru. Environmental Health, 2020, 19, 7.	4.0	28
69	Analyses of Diagnostic Patterns at 30 Alzheimer's Disease Centers in the US. Neuroepidemiology, 2010, 35, 19-27.	2.3	27
70	Total and Cause-Specific Mortality Risk Associated With Low-Level Exposure to Crystalline Silica: A 44-Year Cohort Study From China. American Journal of Epidemiology, 2017, 186, 481-490.	3.4	23
71	Cancer incidence among workers with blood lead measurements in two countries. Occupational and Environmental Medicine, 2019, 76, 603-610.	2.8	23
72	An educational intervention on the risk perception of pesticides exposure and organophosphate metabolites urinary concentrations in rural school children in Maule Region, Chile. Environmental Research, 2019, 176, 108554.	7.5	23

#	Article	IF	CITATIONS
73	Incident ESRD Among Participants in a Lead Surveillance Program. American Journal of Kidney Diseases, 2014, 64, 25-31.	1.9	22
74	Lead exposure and mortality among U.S. workers in a surveillance program: Results from 10 additional years of follow-up. Environmental Research, 2019, 177, 108625.	7.5	22
75	Design and Rationale of the Biomarker Center of the Household Air Pollution Intervention Network (HAPIN) Trial. Environmental Health Perspectives, 2020, 128, 47010.	6.0	22
76	Bone lead associations with blood lead, kidney function and blood pressure among US, lead-exposed workers in a surveillance programme. Occupational and Environmental Medicine, 2019, 76, 349-354.	2.8	21
77	Household air pollution exposure and associations with household characteristics among biomass cookstove users in Puno, Peru. Environmental Research, 2020, 191, 110028.	7.5	21
78	Nitrogen dioxide exposures from LPG stoves in a cleaner-cooking intervention trial. Environment International, 2021, 146, 106196.	10.0	21
79	Relation between perfluorooctanoic acid exposure and strokes in a large cohort living near a chemical plant. Environmental Research, 2013, 127, 22-28.	7.5	19
80	Short-term exposure to nitrogen dioxide and mortality: A systematic review and meta-analysis. Environmental Research, 2021, 202, 111766.	7.5	19
81	Perfluorooctanoic acid and chronic kidney disease: Longitudinal analysis of a Mid-Ohio Valley community. Environmental Research, 2016, 145, 85-92.	7.5	18
82	LPG stove and fuel intervention among pregnant women reduce fine particle air pollution exposures in three countries: Pilot results from the HAPIN trial. Environmental Pollution, 2021, 291, 118198.	7.5	18
83	Health Effects of PCBs in Residences and Schools (HESPERUS): PCB – health Cohort Profile. Scientific Reports, 2016, 6, 24571.	3.3	17
84	Estimating the Impact of Changes to Occupational Standards for Silica Exposure on Lung Cancer Mortality. Epidemiology, 2018, 29, 658-665.	2.7	17
85	Nitrogen dioxide exposures from biomass cookstoves in the Peruvian Andes. Indoor Air, 2020, 30, 735-744.	4.3	17
86	Risk Estimation with Epidemiologic Data When Response Attenuates at High-Exposure Levels. Environmental Health Perspectives, 2011, 119, 831-837.	6.0	16
87	The use of bluetooth low energy Beacon systems to estimate indirect personal exposure to household air pollution. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 990-1000.	3.9	16
88	Neurofibrillary Tangles and Conversion to Mild Cognitive Impairment with Certain Antihypertensives. Journal of Alzheimer's Disease, 2019, 70, 153-161.	2.6	15
89	Exposure contrasts associated with a liquefied petroleum gas (LPG) intervention at potential field sites for the multi-country household air pollution intervention network (HAPIN) trial in India: results from pilot phase activities in rural Tamil Nadu. BMC Public Health, 2020, 20, 1799.	2.9	14
90	Cancer Outcomes Research in a Rural Area: A Multi-Institution Partnership Model. Journal of Community Health, 2009, 34, 23-32.	3.8	13

#	Article	IF	CITATIONS
91	Attenuation of Exposure-response Rate Ratios at Higher Exposures. Epidemiology, 2015, 26, 395-401.	2.7	13
92	Perfluorooctanoic acid exposure and natural menopause: A longitudinal study in a community cohort. Environmental Research, 2016, 146, 323-330.	7.5	13
93	Long-term effects of PM2.5 components on incident dementia in the northeastern United States. Innovation(China), 2022, 3, 100208.	9.1	13
94	Biomarker-Based Calibration of Retrospective Exposure Predictions of Perfluorooctanoic Acid. Environmental Science & Technology, 2014, 48, 5636-5642.	10.0	12
95	A â€~Framingham-like' Algorithm for Predicting 4-Year Risk of Progression to Amnestic Mild Cognitive Impairment or Alzheimer's Disease Using Multidomain Information. Journal of Alzheimer's Disease, 2018, 63, 1383-1393.	2.6	12
96	Cooling intervention studies among outdoor occupational groups: A review of the literature. American Journal of Industrial Medicine, 2020, 63, 988-1007.	2.1	11
97	Household air pollution and blood markers of inflammation: A crossâ€sectional analysis. Indoor Air, 2021, 31, 1509-1521.	4.3	11
98	Mortality Patterns following Downsizing at Pan American World Airways. American Journal of Epidemiology, 2007, 167, 1-6.	3.4	10
99	PM2.5 exposure on daily cardio-respiratory mortality in Lima, Peru, from 2010 to 2016. Environmental Health, 2020, 19, 63.	4.0	10
100	Meteorological factors and childhood diarrhea in Peru, 2005–2015: a time series analysis of historic associations, with implications for climate change. Environmental Health, 2021, 20, 22.	4.0	10
101	Occupational secondhand smoke is the main determinant of hair nicotine concentrations in bar and restaurant workers. Environmental Research, 2014, 132, 206-211.	7.5	9
102	Chronic renal disease among lead-exposed workers. Occupational and Environmental Medicine, 2020, 77, 415-417.	2.8	9
103	Arsenic Concentrations in Household Drinking Water: AÂCross-Sectional Survey of Pregnant Women in Tacna, Peru, 2019. Exposure and Health, 2020, 12, 555-560.	4.9	8
104	Commentary. Epidemiology, 2014, 25, 167-169.	2.7	7
105	The association between asthma emergency department visits and satellite-derived PM2.5 in Lima, Peru. Environmental Research, 2021, 199, 111226.	7.5	7
106	Child Survival and Early Lifetime Exposures to Ambient Fine Particulate Matter in India: A Retrospective Cohort Study. Environmental Health Perspectives, 2022, 130, 17009.	6.0	7
107	Association between personal exposure to household air pollution and gestational blood pressure among women using solid cooking fuels in rural Tamil Nadu, India. Environmental Research, 2022, 208, 112756.	7.5	7
108	Effects of a Liquefied Petroleum Gas Stove Intervention on Gestational Blood Pressure: Intention-to-Treat and Exposure-Response Findings From the HAPIN Trial. Hypertension, 2022, 79, 1887-1898.	2.7	7

#	Article	IF	CITATIONS
109	Impact of Rotavirus Vaccination Varies by Level of Access to Piped Water and Sewerage: An Analysis of Childhood Clinic Visits for Diarrhea in Peru, 2005–2015. Pediatric Infectious Disease Journal, 2020, 39, 756-762.	2.0	6
110	Effect modification by maximum temperature of the association between PM2.5 and short-term cardiorespiratory mortality and emergency room visits in Lima, Peru, 2010–2016. Journal of Exposure Science and Environmental Epidemiology, 2022, 32, 590-595.	3.9	6
111	Environmental health in Peru: outdoor and indoor air contamination. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2014, 36, 141.	1.1	6
112	Socioeconomic Status and Non-Fatal Adult Injuries in Selected Atlanta (Georgia USA) Hospitals. Prehospital and Disaster Medicine, 2017, 32, 403-413.	1.3	5
113	Household Air Pollution Concentrations after Liquefied Petroleum Gas Interventions in Rural Peru: Findings from a One-Year Randomized Controlled Trial Followed by a One-Year Pragmatic Crossover Trial. Environmental Health Perspectives, 2022, 130, 57007.	6.0	4
114	Survival Patterns of Lead-Exposed Workers With End-Stage Renal Disease From Adult Blood Lead Epidemiology and Surveillance Program. American Journal of the Medical Sciences, 2015, 349, 222-227.	1.1	3
115	Marginal structural models to control for time-varying confounding in occupational and environmental epidemiology. Occupational and Environmental Medicine, 2013, 70, 601-602.	2.8	2
116	Disease fatality and bias in survival cohorts. Environmental Research, 2015, 140, 275-281.	7.5	2
117	Association between maximum temperature and PM2.5 with pregnancy outcomes in Lima, Peru. Environmental Epidemiology, 2021, 5, e179.	3.0	2
118	Cooling Interventions Among Agricultural Workers: Qualitative Field-Based Study. Hispanic Health Care International, 2021, 19, 174-181.	0.9	1
119	Association between iron supplementation and the presence of diarrhoea in Peruvian children aged 6–59 months: analysis of the database of the Demographic and Family Health Survey in Peru (DHS,) Tj ETQq1 I	1 02728431	.4 ngBT /Ove
120	Response to Buslovich and Colleagues. Journal of the American Geriatrics Society, 2014, 62, 790-791.	2.6	0
121	0427â€A cohort study of workers exposed to PFOA. Occupational and Environmental Medicine, 2014, 71, A55.1-A55.	2.8	0
122	A Letter in Response to Olsen et al. Journal of Occupational and Environmental Medicine, 2015, 57, e60-e61.	1.7	0
123	O1C.4â€Cancer incidence among lead-exposed workers in two countries. Occupational and Environmental Medicine, 2019, 76, A7.3-A8.	2.8	0
124	Cooling Interventions Among Agricultural Workers: A Pilot Study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
125	Low-concentration air pollution and mortality in American older adults: A national cohort analysis (2001-2017). ISEE Conference Abstracts, 2021, 2021, .	0.0	0
126	Effects of an LPG stove intervention on gestational blood pressure: findings from Household Air Pollution Intervention Network randomized controlled trial. ISEE Conference Abstracts, 2021, 2021, .	0.0	0

#	Article	IF	CITATIONS
127	Long-term air pollution exposure and incident dementia in American elderly population: a national cohort study. ISEE Conference Abstracts, 2021, 2021, .	0.0	0

128 Epidemiological Evidence on the Health Effects of Perfluorooctanoic Acid., 0, , 229-253.

0