

Ireneia Melo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1377660/publications.pdf>

Version: 2024-02-01

20
papers

257
citations

1163117

8
h-index

940533

16
g-index

20
all docs

20
docs citations

20
times ranked

578
citing authors

#	ARTICLE	IF	CITATIONS
1	Amanita poisonings resulting in acute, reversible renal failure: new cases, new toxic Amanita mushrooms. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 1380-1386.	0.7	45
2	Considerations and consequences of allowing DNA sequence data as types of fungal taxa. <i>IMA Fungus</i> , 2018, 9, 167-175.	3.8	45
3	New national and regional bryophyte records, 44. <i>Journal of Bryology</i> , 2015, 37, 228-241.	1.2	32
4	A re-evaluation of <i>Hypochnicium</i> (Polyporales) based on morphological and molecular characters. <i>Mycologia</i> , 2010, 102, 1426-1436.	1.9	24
5	Molecular analyses confirm <i>Brevicellicium</i> in Trechisporales. <i>IMA Fungus</i> , 2013, 4, 21-28.	3.8	23
6	Morphological and molecular studies of <i>Hyphodermella</i> in the Western Mediterranean area. <i>Mycological Progress</i> , 2010, 9, 585-596.	1.4	18
7	Regional annotated mycobiotas new to the Mycotaxon website. <i>Mycotaxon</i> , 2013, 123, 491-492.	0.3	13
8	<i>Lagarobasidium calongei</i> (Aphyllphorales, Basidiomycota), a new species of corticioid fungi from Azores Islands. <i>Anales Del Jardin Botanico De Madrid</i> , 2009, 66, 41-46.	0.4	10
9	<i>Gloeodontia xerophila</i> (Aphyllphorales, Basidiomycota), a new species with corticioid basidioma from the Canary Islands. <i>Mycologia</i> , 2008, 100, 673-676.	1.9	8
10	<i>Sistotremastrum guttuliferum</i> : a new species from the Macaronesian islands. <i>Mycological Progress</i> , 2013, 12, 687-692.	1.4	8
11	Diversity and richness of corticioid fungi (Basidiomycota) on Azores Islands: a preliminary survey. <i>Nova Hedwigia</i> , 2009, 88, 285-308.	0.4	7
12	Spelling out <i>Jaapia</i> species. <i>Mycological Progress</i> , 2015, 14, 1.	1.4	6
13	A new species of <i>Hyphodermella</i> (Basidiomycetes, Aphyllphorales) from Portugal. <i>Nova Hedwigia</i> , 2003, 77, 351-355.	0.4	4
14	<i>Gloeocystidiellum kenyense</i> in Azores and Madeira. <i>Mycotaxon</i> , 2012, 119, 337-343.	0.3	4
15	<i>Peniophora aluticolor</i> (Fungi, Basidiomycota), an orphaned species restudied. <i>Nova Hedwigia</i> , 2012, 94, 437-440.	0.4	4
16	<i>Australohydnum dregeanum</i> (Basidiomycetes, Stereaceae) in Europe. <i>Nova Hedwigia</i> , 2002, 74, 527-532.	0.4	3
17	The aphyllphorales (<I>Basidiomycota</I>) of a Mediterranean biodiversity "hotspot" "Cazorla, Segura & Las Villas" Natural Park (Spain). <i>Mycotaxon</i> , 2009, 109, 465-468.	0.3	1
18	Corticioid fungi (Basidiomycota) from the Biosphere Reserve of Arganeraie, Morocco: a preliminary survey. <i>Nova Hedwigia</i> , 2016, 103, 193-210.	0.4	1

#	ARTICLE	IF	CITATIONS
19	New record of Hyphoderma etruria (Basidiomycota) in Portugal and its combination in Lawrynomycetes . Phytotaxa, 2020, 472, 193-200.	0.3	1
20	<i>Steccherinum straminellum</i> , a new record for Italy. Mycotaxon, 2013, 121, 281-284.	0.3	0