

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1378231/mauro-gacci-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

193 papers	6,412 citations	41 h-index	75 g-index
210 ext. papers	7,380 ext. citations	3.6 avg, IF	5.2 L-index

#	Paper	IF	Citations
193	Isolation and characterization of multipotent progenitor cells from the Bowman's capsule of adult human kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2443-56	12.7	556
192	Regeneration of glomerular podocytes by human renal progenitors. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 322-32	12.7	407
191	Characterization of renal progenitors committed toward tubular lineage and their regenerative potential in renal tubular injury. <i>Stem Cells</i> , 2012 , 30, 1714-25	5.8	233
190	Essential but differential role for CXCR4 and CXCR7 in the therapeutic homing of human renal progenitor cells. <i>Journal of Experimental Medicine</i> , 2008 , 205, 479-90	16.6	230
189	A systematic review and meta-analysis on the use of phosphodiesterase 5 inhibitors alone or in combination with α -blockers for lower urinary tract symptoms due to benign prostatic hyperplasia. <i>European Urology</i> , 2012 , 61, 994-1003	10.2	212
188	Characterization and functional role of androgen-dependent PDE5 activity in the bladder. <i>Endocrinology</i> , 2007 , 148, 1019-29	4.8	192
187	Critical analysis of the relationship between sexual dysfunctions and lower urinary tract symptoms due to benign prostatic hyperplasia. <i>European Urology</i> , 2011 , 60, 809-25	10.2	185
186	Testosterone protects from metabolic syndrome-associated prostate inflammation: an experimental study in rabbit. <i>Journal of Endocrinology</i> , 2012 , 212, 71-84	4.7	146
185	Metabolic syndrome and benign prostatic enlargement: a systematic review and meta-analysis. <i>BJU International</i> , 2015 , 115, 24-31	5.6	141
184	Notch activation differentially regulates renal progenitors proliferation and differentiation toward the podocyte lineage in glomerular disorders. <i>Stem Cells</i> , 2010 , 28, 1674-85	5.8	128
183	Human benign prostatic hyperplasia stromal cells as inducers and targets of chronic immuno-mediated inflammation. <i>Journal of Immunology</i> , 2009 , 182, 4056-64	5.3	121
182	Phosphodiesterase type 5 expression in human and rat lower urinary tract tissues and the effect of tadalafil on prostate gland oxygenation in spontaneously hypertensive rats. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2746-60	1.1	109
181	Characterization of phosphodiesterase type 5 expression and functional activity in the human male lower urinary tract. <i>Journal of Sexual Medicine</i> , 2010 , 7, 59-69	1.1	109
180	Metabolic syndrome and lower urinary tract symptoms: the role of inflammation. <i>Prostate Cancer and Prostatic Diseases</i> , 2013 , 16, 101-6	6.2	108
179	Antiinflammatory effect of androgen receptor activation in human benign prostatic hyperplasia cells. <i>Journal of Endocrinology</i> , 2012 , 214, 31-43	4.7	105
178	Fat boosts, while androgen receptor activation counteracts, BPH-associated prostate inflammation. <i>Prostate</i> , 2013 , 73, 789-800	4.2	90
177	PDE5 inhibitors blunt inflammation in human BPH: a potential mechanism of action for PDE5 inhibitors in LUTS. <i>Prostate</i> , 2013 , 73, 1391-402	4.2	87

176	Latest Evidence on the Use of Phosphodiesterase Type 5 Inhibitors for the Treatment of Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia. <i>European Urology</i> , 2016 , 70, 124-133 ^{10.2}	85
175	Urinary symptoms, quality of life and sexual function in patients with benign prostatic hypertrophy before and after prostatectomy: a prospective study. <i>BJU International</i> , 2003 , 91, 196-200	5.6 84
174	Intravesical gemcitabine therapy for superficial transitional cell carcinoma: results of a Phase II prospective multicenter study. <i>Urology</i> , 2005 , 66, 726-31	1.6 82
173	Frequency of regulatory T cells in peripheral blood and in tumour-infiltrating lymphocytes correlates with poor prognosis in renal cell carcinoma. <i>BJU International</i> , 2011 , 107, 1500-6	5.6 81
172	Vardenafil improves urodynamic parameters in men with spinal cord injury: results from a single dose, pilot study. <i>Journal of Urology</i> , 2007 , 178, 2040-3; discussion 2044	2.5 77
171	High CXCL10 expression in rejected kidneys and predictive role of pretransplant serum CXCL10 for acute rejection and chronic allograft nephropathy. <i>Transplantation</i> , 2005 , 79, 1215-20	1.8 77
170	The vitamin D receptor agonist elocalcitol inhibits IL-8-dependent benign prostatic hyperplasia stromal cell proliferation and inflammatory response by targeting the RhoA/Rho kinase and NF-kappaB pathways. <i>Prostate</i> , 2009 , 69, 480-93	4.2 76
169	Lower urinary tract symptoms, benign prostatic hyperplasia and metabolic syndrome. <i>Nature Reviews Urology</i> , 2016 , 13, 108-19	5.5 73
168	Impact of medical treatments for male lower urinary tract symptoms due to benign prostatic hyperplasia on ejaculatory function: a systematic review and meta-analysis. <i>Journal of Sexual Medicine</i> , 2014 , 11, 1554-66	1.1 73
167	Vardenafil modulates bladder contractility through cGMP-mediated inhibition of RhoA/Rho kinase signaling pathway in spontaneously hypertensive rats. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1594-1608	1.1 70
166	The association between varicocele, premature ejaculation and prostatitis symptoms: possible mechanisms. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2878-87	1.1 63
165	Mechanism of action of phosphodiesterase type 5 inhibition in metabolic syndrome-associated prostate alterations: an experimental study in the rabbit. <i>Prostate</i> , 2013 , 73, 428-41	4.2 61
164	Testosterone and farnesoid X receptor agonist INT-747 counteract high fat diet-induced bladder alterations in a rabbit model of metabolic syndrome. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2012 , 132, 80-92	5.1 59
163	Acute vardenafil administration improves bladder oxygenation in spontaneously hypertensive rats. <i>Journal of Sexual Medicine</i> , 2010 , 7, 107-20	1.1 59
162	Open versus robotic-assisted partial nephrectomy: a multicenter comparison study of perioperative results and complications. <i>World Journal of Urology</i> , 2014 , 32, 287-93	4 54
161	A randomized, placebo-controlled study to assess safety and efficacy of vardenafil 10 mg and tamsulosin 0.4 mg vs. tamsulosin 0.4 mg alone in the treatment of lower urinary tract symptoms secondary to benign prostatic hyperplasia. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1624-33	1.1 53
160	Quality of life in women undergoing urinary diversion for bladder cancer: results of a multicenter study among long-term disease-free survivors. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 43	3 52
159	Male Lower Urinary Tract Symptoms and Cardiovascular Events: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2016 , 70, 788-796	10.2 52

158	Metabolic syndrome and prostate abnormalities in male subjects of infertile couples. <i>Asian Journal of Andrology</i> , 2014 , 16, 295-304	2.8	48
157	Urinary and sexual outcomes in long-term (5+ years) prostate cancer disease free survivors after radical prostatectomy. <i>Health and Quality of Life Outcomes</i> , 2009 , 7, 94	3	47
156	Sex steroid receptors in male human bladder: expression and biological function. <i>Journal of Sexual Medicine</i> , 2010 , 7, 2698-713	1.1	47
155	Can testis-sparing surgery for small testicular masses be considered a valid alternative to radical orchiectomy? A prospective single-center study. <i>Clinical Genitourinary Cancer</i> , 2013 , 11, 522-6	3.3	45
154	Systematic Review of the Performance of Noninvasive Tests in Diagnosing Bladder Outlet Obstruction in Men with Lower Urinary Tract Symptoms. <i>European Urology</i> , 2017 , 71, 391-402	10.2	43
153	Medical Treatment of Nocturia in Men with Lower Urinary Tract Symptoms: Systematic Review by the European Association of Urology Guidelines Panel for Male Lower Urinary Tract Symptoms. <i>European Urology</i> , 2017 , 72, 757-769	10.2	42
152	Metabolic syndrome and lower urinary tract symptoms in patients with benign prostatic enlargement: a possible link to storage symptoms. <i>Urology</i> , 2014 , 84, 1181-7	1.6	40
151	Systematic review and meta-analysis on the efficacy and tolerability of mirabegron for the treatment of storage lower urinary tract symptoms/overactive bladder: Comparison with placebo and tolterodine. <i>International Journal of Urology</i> , 2018 , 25, 196-205	2.3	38
150	The relationship of testosterone to prostate-specific antigen in men with sexual dysfunction. <i>Journal of Sexual Medicine</i> , 2010 , 7, 284-92	1.1	36
149	Vardenafil can improve continence recovery after bilateral nerve sparing prostatectomy: results of a randomized, double blind, placebo-controlled pilot study. <i>Journal of Sexual Medicine</i> , 2010 , 7, 234-43	1.1	35
148	Reappraising the microscopic anatomy of human testis: identification of telocyte networks in the peritubular and intertubular stromal space. <i>Scientific Reports</i> , 2018 , 8, 14780	4.9	34
147	Factors predicting continence recovery 1 month after radical prostatectomy: results of a multicenter survey. <i>International Journal of Urology</i> , 2011 , 18, 700-8	2.3	33
146	Prognostic role of histological necrosis for nonmetastatic clear cell renal cell carcinoma: correlation with pathological features and molecular markers. <i>Journal of Urology</i> , 2008 , 180, 1284-9	2.5	32
145	Endoscopic robot-assisted simple enucleation (ERASE) for clinical T1 renal masses: description of the technique and early postoperative results. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 1241-9	5.2	31
144	Tadalafil once daily in men with erectile dysfunction: an integrated analysis of data obtained from 1913 patients from six randomized, double-blind, placebo-controlled, clinical studies. <i>European Urology</i> , 2014 , 65, 455-64	10.2	29
143	The vitamin D receptor agonist elocalcitol upregulates L-type calcium channel activity in human and rat bladder. <i>American Journal of Physiology - Cell Physiology</i> , 2008 , 294, C1206-14	5.4	29
142	Physical activity as a risk factor for prostate cancer diagnosis: a prospective biopsy cohort analysis. <i>BJU International</i> , 2016 , 117, E29-35	5.6	29
141	Central obesity is predictive of persistent storage lower urinary tract symptoms (LUTS) after surgery for benign prostatic enlargement: results of a multicentre prospective study. <i>BJU International</i> , 2015 , 116, 271-7	5.6	28

140	Concordance and clinical significance of uncommon variants of bladder urothelial carcinoma in transurethral resection and radical cystectomy specimens. <i>Urology</i> , 2014 , 84, 1141-6	1.6	27
139	Androgen deprivation therapy in prostate cancer: focusing on sexual side effects. <i>Journal of Sexual Medicine</i> , 2012 , 9, 887-902	1.1	27
138	Predictive factors of [18F]-Choline PET/CT in 170 patients with increasing PSA after primary radical treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 521-8	4.9	27
137	External validation of the updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection. <i>Urologia Internationalis</i> , 2013 , 90, 277-82	1.9	27
136	Estrogens regulate humans and rabbit epididymal contractility through the RhoA/Rho-kinase pathway. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2173-86	1.1	27
135	Management of Urinary Retention in Patients with Benign Prostatic Obstruction: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2019 , 75, 788-798	10.2	26
134	Predictors of treatment success after collagenase Clostridium histolyticum injection for Peyronie's disease: development of a nomogram from a multicentre single-arm, non-placebo controlled clinical study. <i>BJU International</i> , 2018 , 122, 680-687	5.6	26
133	Development of a robot-assisted kidney transplantation programme from deceased donors in a referral academic centre: technical nuances and preliminary results. <i>BJU International</i> , 2019 , 123, 474-484 ^{5,6}	5.6	25
132	Antimicrobial prophylaxis for transrectal ultrasound-guided prostate biopsy: fosfomycin trometamol, an attractive alternative. <i>World Journal of Urology</i> , 2017 , 35, 221-228	4	24
131	Influence of serum testosterone on urinary continence and sexual activity in patients undergoing radical prostatectomy for clinically localized prostate cancer. <i>Prostate Cancer and Prostatic Diseases</i> , 2010 , 13, 168-72	6.2	24
130	Benign Prostatic Hyperplasia, Metabolic Syndrome and Non-Alcoholic Fatty Liver Disease: Is Metaflammation the Link?. <i>Prostate</i> , 2016 , 76, 1528-1535	4.2	24
129	Perceived ejaculate volume reduction in patients with erectile dysfunction: psychobiologic correlates. <i>Journal of Andrology</i> , 2011 , 32, 333-9		23
128	Quality of life after radical treatment of prostate cancer: validation of the Italian version of the University of California-Los Angeles Prostate Cancer Index. <i>Urology</i> , 2005 , 66, 338-43	1.6	23
127	Bilateral nerve sparing robotic-assisted radical prostatectomy is associated with faster continence recovery but not with erectile function recovery compared with retropubic open prostatectomy: the need for accurate selection of patients. <i>Oncology Reports</i> , 2013 , 29, 2445-50	3.5	22
126	Current Status of the Relationship Between Metabolic Syndrome and Lower Urinary Tract Symptoms. <i>European Urology Focus</i> , 2018 , 4, 25-27	5.1	21
125	Analysis of surgical complications of renal tumor enucleation with standardized instruments and external validation of PADUA classification. <i>Annals of Surgical Oncology</i> , 2013 , 20, 1729-36	3.1	21
124	Intravesical gemcitabine in BCG-refractory T1G3 transitional cell carcinoma of the bladder: a pilot study. <i>Urologia Internationalis</i> , 2006 , 76, 106-11	1.9	21
123	Prognosis of men with penile metastasis and malignant priapism: a systematic review. <i>Oncotarget</i> , 2018 , 9, 2923-2930	3.3	21

122	Pros-IT CNR: an Italian prostate cancer monitoring project. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 165-172	4.8	20
121	Benign prostatic enlargement can be influenced by metabolic profile: results of a multicenter prospective study. <i>BMC Urology</i> , 2017 , 17, 22	2.2	19
120	Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	19
119	Tadalafil effect on metabolic syndrome-associated bladder alterations: an experimental study in a rabbit model. <i>Journal of Sexual Medicine</i> , 2014 , 11, 1159-72	1.1	19
118	Testosterone/estradiol ratio regulates NO-induced bladder relaxation and responsiveness to PDE5 inhibitors. <i>Journal of Sexual Medicine</i> , 2012 , 9, 3028-40	1.1	19
117	CXCR3-B expression correlates with tumor necrosis extension in renal cell carcinoma. <i>Journal of Urology</i> , 2009 , 181, 843-8	2.5	19
116	Best practice in the management of storage symptoms in male lower urinary tract symptoms: a review of the evidence base. <i>Therapeutic Advances in Urology</i> , 2018 , 10, 79-92	3.2	18
115	Bladder Instillation Therapy With Hyaluronic Acid and Chondroitin Sulfate Improves Symptoms of Postradiation Cystitis: Prospective Pilot Study. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, 444-449	3.3	18
114	Could hyaluronic acid (HA) reduce Bacillus Calmette-Guérin (BCG) local side effects? Results of a pilot study. <i>BMC Urology</i> , 2014 , 14, 64	2.2	18
113	Contemporary monopolar and bipolar transurethral resection of the prostate: prospective assessment of complications using the Clavien system. <i>International Urology and Nephrology</i> , 2013 , 45, 951-9	2.3	18
112	Management of Stage II testicular seminoma over a period of 40 years. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2009 , 27, 534-8	2.8	18
111	Management of urethral stent failure for recurrent anterior urethral strictures. <i>European Urology</i> , 2010 , 57, 615-21	10.2	18
110	Sodium hyaluronate and chondroitin sulfate replenishment therapy can improve nocturia in men with post-radiation cystitis: results of a prospective pilot study. <i>BMC Urology</i> , 2015 , 15, 65	2.2	16
109	Inflammation is a target of medical treatment for lower urinary tract symptoms associated with benign prostatic hyperplasia. <i>World Journal of Urology</i> , 2020 , 38, 2771-2779	4	16
108	Predictive Factors of Patients and Their Partners' Sexual Function Improvement After Collagenase Clostridium Histolyticum Injection for Peyronie's Disease: Results From a Multi-Center Single-Arm Study. <i>Journal of Sexual Medicine</i> , 2018 , 15, 716-721	1.1	16
107	Is Preoperative Assessment and Treatment of Asymptomatic Bacteriuria Necessary for Reducing the Risk of Postoperative Symptomatic Urinary Tract Infections After Urologic Surgical Procedures?. <i>Urology</i> , 2017 , 99, 100-105	1.6	16
106	Impact of Surgical Approach on Patient-Reported Outcomes after Radical Prostatectomy: A Propensity Score-Weighted Analysis from a Multicenter, Prospective, Observational Study (The Pros-IT CNR Study). <i>Urologia Internationalis</i> , 2019 , 103, 8-18	1.9	15
105	Patients With Prostatic Inflammation Undergoing Transurethral Prostatic Resection Have a Larger Early Improvement of Storage Symptoms. <i>Urology</i> , 2015 , 86, 359-65	1.6	15

104	Effectiveness and Safety of Oro-Dispersible Sildenafil in a New Film Formulation for the Treatment of Erectile Dysfunction: Comparison Between Sildenafil 100-mg Film-Coated Tablet and 75-mg Oro-Dispersible Film. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1606-1611	1.1	15
103	The use of a single daily dose of tadalafil to treat signs and symptoms of benign prostatic hyperplasia and erectile dysfunction. <i>Research and Reports in Urology</i> , 2013 , 5, 99-111	1.3	15
102	Predictors of quality of life after radical treatment for prostate cancer. <i>Urologia Internationalis</i> , 2008 , 80, 231-6	1.9	15
101	Extracorporeal Shock Wave Therapy in Peyronie's Disease: Clinical Efficacy and Safety from a Single-Arm Observational Study. <i>World Journal of Men's Health</i> , 2019 , 37, 339-346	6.8	15
100	Surgical Management and Outcomes of Renal Tumors Arising from Horseshoe Kidneys: Results from an International Multicenter Collaboration. <i>European Urology</i> , 2021 , 79, 133-140	10.2	15
99	Health-related Quality of Life After Radical Cystectomy: A Cross-sectional Study With Matched-pair Analysis on Ileal Conduit vs Ileal Orthotopic Neobladder Diversion. <i>Urology</i> , 2017 , 108, 82-89	1.6	14
98	Intraoperative assessment of ureteral and graft reperfusion during robotic kidney transplantation with indocyanine green fluorescence videography. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 79-84	4.4	14
97	Heme oxygenase levels and metaflammation in benign prostatic hyperplasia patients. <i>World Journal of Urology</i> , 2016 , 34, 1183-92	4	13
96	What Is the Required Certainty of Evidence for the Implementation of Novel Techniques for the Treatment of Benign Prostatic Obstruction?. <i>European Urology Focus</i> , 2019 , 5, 351-356	5.1	13
95	Tolterodine extended release in the treatment of male OAB/storage LUTS: a systematic review. <i>BMC Urology</i> , 2014 , 14, 84	2.2	13
94	Role of abdominal obesity for functional outcomes and complications in men treated with radical prostatectomy for prostate cancer: results of the Multicenter Italian Report on Radical Prostatectomy (MIRROR) study. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 138-45	1.6	13
93	Visual assessment of uroflowmetry curves: description and interpretation by urodynamists. <i>World Journal of Urology</i> , 2007 , 25, 333-7	4	13
92	The Impact of Central Obesity on Storage Luts and Urinary Incontinence After Prostatic Surgery. <i>Current Urology Reports</i> , 2016 , 17, 61	2.9	13
91	Health-Related Quality of Life after Radical Cystectomy for Bladder Cancer in Elderly Patients with Ileal Orthotopic Neobladder or Ileal Conduit: Results from a Multicentre Cross-Sectional Study Using Validated Questionnaires. <i>Urologia Internationalis</i> , 2018 , 100, 346-352	1.9	12
90	PDE5-Is for the Treatment of Concomitant ED and LUTS/BPH. <i>Current Bladder Dysfunction Reports</i> , 2013 , 8, 150-159	0.4	12
89	A Systematic Review of Patients' Values, Preferences, and Expectations for the Diagnosis and Treatment of Male Lower Urinary Tract Symptoms. <i>European Urology</i> , 2021 , 79, 796-809	10.2	12
88	Effectiveness of highly purified urofollitropin treatment in patients with idiopathic azoospermia before testicular sperm extraction. <i>Urologia</i> , 2018 , 85, 19-21	1.2	11
87	Association between metabolic syndrome and intravesical prostatic protrusion in patients with benign prostatic enlargement and lower urinary tract symptoms (MIPS Study). <i>BJU International</i> , 2018 , 121, 799-804	5.6	11

86	Robotic vs open simple enucleation for the treatment of T1a-T1b renal cell carcinoma: a single center matched-pair comparison. <i>Urology</i> , 2014 , 83, 331-7	1.6	11
85	Autophagy deactivation is associated with severe prostatic inflammation in patients with lower urinary tract symptoms and benign prostatic hyperplasia. <i>Oncotarget</i> , 2017 , 8, 50904-50910	3.3	11
84	Tadalafil Alone or in Combination with Tamsulosin for the Management for LUTS/BPH and ED. <i>Current Urology Reports</i> , 2020 , 21, 56	2.9	11
83	Management of benign prostatic hyperplasia: role of phosphodiesterase-5 inhibitors. <i>Drugs and Aging</i> , 2014 , 31, 425-39	4.7	10
82	The Role of Inflammation in the Progression of Benign Prostatic Hyperplasia. <i>Current Bladder Dysfunction Reports</i> , 2013 , 8, 142-149	0.4	10
81	Quality of Life After Prostate Cancer Diagnosis: Data from the Pros-IT CNR. <i>European Urology Focus</i> , 2017 , 3, 321-324	5.1	10
80	The influence of the medical treatment of LUTS on benign prostatic hyperplasia surgery: do we operate too late?. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 242-252	2.3	10
79	Quality of Life and Sexual Health in the Aging of PCa Survivors. <i>International Journal of Endocrinology</i> , 2014 , 2014, 470592	2.7	10
78	Fosfomycin Trometamol versus Comparator Antibiotics for the Treatment of Acute Uncomplicated Urinary Tract Infections in Women: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020 , 203, 570-578	2.5	10
77	The University of Florence Technique for Robot-Assisted Kidney Transplantation: 3-Year Experience. <i>Frontiers in Surgery</i> , 2020 , 7, 583798	2.3	10
76	Quality of life following urinary diversion: Orthotopic ileal neobladder versus ileal conduit. A multicentre study among long-term, female bladder cancer survivors. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 477-481	3.6	10
75	Standardized Duplex Ultrasound-Based Protocol for Early Diagnosis of Transplant Renal Artery Stenosis: Results of a Single-Institution Retrospective Cohort Study. <i>BioMed Research International</i> , 2018 , 2018, 2580181	3	9
74	Current indications and results of orthotopic ileal neobladder for bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2014 , 14, 419-30	3.5	9
73	Changes in sex hormone levels after radical prostatectomy: Results of a longitudinal cohort study. <i>Oncology Letters</i> , 2013 , 6, 529-533	2.6	9
72	Adherence to Guidelines among Italian Urologists on Imaging Preoperative Staging of Low-Risk Prostate Cancer: Results from the MIRROR (Multicenter Italian Report on Radical Prostatectomy Outcomes and Research) Study. <i>Advances in Urology</i> , 2012 , 2012, 651061	1.6	9
71	Renal cell carcinoma metastatic to the breast and breast cancer metastatic to the kidney: two rare solitary metastases. <i>Breast Journal</i> , 2005 , 11, 351-2	1.2	9
70	Clinical Efficacy of Serenoa repens Versus Placebo Versus Alpha-blockers for the Treatment of Lower Urinary Tract Symptoms/Benign Prostatic Enlargement: A Systematic Review and Network Meta-analysis of Randomized Placebo-controlled Clinical Trials. <i>European Urology Focus</i> , 2021 , 7, 420-431	5.1	9
69	Quality of Life in Patients with Bladder Cancer Undergoing Ileal Conduit: A Comparison of Women Men. <i>In Vivo</i> , 2018 , 32, 139-143	2.3	9

68	Patients' desire to preserve sexual activity and final decision for a nerve-sparing approach: results from the MIRROR (Multicenter Italian Report on Radical Prostatectomy Outcomes and Research) Study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1495-502	1.1	8
67	Clinical correlates of enlarged prostate size in subjects with sexual dysfunction. <i>Asian Journal of Andrology</i> , 2014 , 16, 767-73	2.8	8
66	Predicting survival in node-positive prostate cancer after open, laparoscopic or robotic radical prostatectomy: A competing risk analysis of a multi-institutional database. <i>International Journal of Urology</i> , 2016 , 23, 1000-1008	2.3	7
65	Tadalafil 5 mg Alone or in Combination with Tamsulosin 0.4 mg for the Management of Men with Lower Urinary Tract Symptoms and Erectile Dysfunction: Results of a Prospective Observational Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	7
64	Urethral carcinoma recurrence in ileal orthotopic neobladder: urethrectomy and conversion in a continent pouch with abdominal stoma. <i>Urologia Internationalis</i> , 1999 , 62, 213-6	1.9	7
63	Robotic Kidney Transplantation from a Brain-Dead Deceased Donor in a Patient with Autosomal Dominant Polycystic Kidney Disease: First Case Report. <i>Journal of Endourology Case Reports</i> , 2018 , 4, 124-128	0.3	6
62	External validation of nomogram predicting the probability of specimen-confined disease (pT2-3a, RONO) in patients undergoing radical prostatectomy and pelvic lymph node dissection. <i>Urologia Internationalis</i> , 2014 , 93, 262-8	1.9	6
61	Overview of potential determinants of radical prostatectomy versus radiation therapy in management of clinically localized prostate cancer: results from an Italian, prospective, observational study (the Pros-IT CNR study). <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 585-604	4.4	6
60	The use of a novel smartphone app for monitoring male luts treatment during the COVID-19 outbreak. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 724-726	6.2	6
59	Metabolic Syndrome Does Not Increase the Risk of Ejaculatory Dysfunction in Patients With Lower Urinary Tract Symptoms and Benign Prostatic Enlargement: An Italian Single-center Cohort Study. <i>Urology</i> , 2017 , 105, 85-90	1.6	5
58	Label-free grading and staging of urothelial carcinoma through multimodal fibre-probe spectroscopy. <i>Journal of Biophotonics</i> , 2019 , 12, e201900087	3.1	5
57	Treatment paths for localised prostate cancer in Italy: The results of a multidisciplinary, observational, prospective study (Pros-IT CNR). <i>PLoS ONE</i> , 2019 , 14, e0224151	3.7	5
56	Prostate-specific antigen kinetics parameters are predictive of positron emission tomography features worsening in patients with biochemical relapse after prostate cancer treatment with radical intent: Results from a longitudinal cohort study. <i>Scandinavian Journal of Urology</i> , 2014 , 48, 259-67	1.6	5
55	Testosterone protects the lower urinary tract from metabolic syndrome-induced alterations. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2012 , 11, 329-37	1.3	5
54	Physical Activity as a Protective Factor for Lower Urinary Tract Symptoms in Male Patients: A Prospective Cohort Analysis. <i>Urology</i> , 2019 , 125, 163-168	1.6	5
53	Serum levels of sex hormone binding globulin (SHBG) are not predictive of prostate cancer diagnosis and aggressiveness: results from an Italian biopsy cohort. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013 , 39, 793-9	2	4
52	PSA recurrence after brachytherapy for seed misplacement: a double-blind radiologic and pathologic work-up after salvage prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2008 , 11, 99-101	6.2	4
51	Segmental resection of distal ureter with termino-terminal ureteric anastomosis vs bladder cuff removal and ureteric re-implantation for upper tract urothelial carcinoma: results of a multicentre study. <i>BJU International</i> , 2019 , 124, 116-123	5.6	3

50	Tolterodine in the Treatment of Male LUTS. <i>Current Urology Reports</i> , 2015 , 16, 60	2.9	3
49	Topical alprostadil (Vitaros) in the treatment of erectile dysfunction after non-nerve-sparing robot-assisted radical prostatectomy. <i>Urologia</i> , 2018 , 85, 55-59	1.2	3
48	Apple consumption is related to better sexual quality of life in young women. <i>Archives of Gynecology and Obstetrics</i> , 2014 , 290, 93-8	2.5	3
47	The impact of prior TURP on radical prostatectomy surgical margins: a multicenter analysis. <i>Urologia Internationalis</i> , 2013 , 91, 62-8	1.9	3
46	Management of stage I testicular seminoma over a period of 49 years. <i>Onkologie</i> , 2011 , 34, 510-4		3
45	Giant stone in enterocystoplasty. <i>Urologia Internationalis</i> , 2005 , 75, 181-3	1.9	3
44	Systematic review of studies reporting perioperative and functional outcomes following male-to-female gender assignment surgery (MtoF GAS): a call for standardization in data reporting. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 479-486	4.4	3
43	Moderate-to-high cardiovascular risk is associated with increased lower urinary tract storage symptoms in patients with benign prostatic enlargement. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 340-346	2.3	3
42	Robot-Assisted Laparoscopic Living Donor Nephrectomy: The University of Florence Technique. <i>Frontiers in Surgery</i> , 2020 , 7, 588215	2.3	3
41	Dutasteride add-on therapy reduces detrusor mass in patients with benign prostatic enlargement not satisfied with alpha-adrenergic antagonist monotherapy: A single center prospective study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 2096-2100	2.3	2
40	Evaluating the predictive accuracy and the clinical benefit of a nomogram aimed to predict survival in node-positive prostate cancer patients: External validation on a multi-institutional database. <i>International Journal of Urology</i> , 2018 , 25, 574-581	2.3	2
39	Antiinflammatory effect of androgen receptor activation in human benign prostatic hyperplasia cells. <i>Journal of Endocrinology</i> , 2012 , 214, 239	4.7	2
38	Role of prostate specific antigen and prostate specific antigen density as biomarkers for medical and surgical treatment response in men with lower urinary tract symptoms. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 135-143	4.4	2
37	Case Report: Optimizing Pre- and Intraoperative Planning With Hyperaccuracy Three-Dimensional Virtual Models for a Challenging Case of Robotic Partial Nephrectomy for Two Complex Renal Masses in a Horseshoe Kidney. <i>Frontiers in Surgery</i> , 2021 , 8, 665328	2.3	2
36	Efficacy and safety of avanafil 200 mg versus sildenafil 100 mg in the treatment of erectile dysfunction after robot-assisted unilateral nerve-sparing prostatectomy: A prospective multicentre study. <i>Urologia</i> , 2020 , 87, 23-28	1.2	2
35	Which Drug to Discontinue 3 Months After Combination Therapy of Tadalafil plus Tamsulosin for Men with Lower Urinary Tract Symptom and Erectile Dysfunction? Results of a Prospective Observational Trial. <i>European Urology Focus</i> , 2021 , 7, 432-439	5.1	2
34	Contrast-enhanced ultrasound (CEUS) imaging for active surveillance of small renal masses. <i>World Journal of Urology</i> , 2021 , 39, 2853-2860	4	2
33	Long-term delayed extrusion of a penile prosthesis. <i>Archivio Italiano Di Urologia Andrologia</i> , 2007 , 79, 41-2	1.6	2

32	Healing of spongiosus-cutaneous fistula with Hyperbaric Oxygen Therapy (HBOT): a case report. <i>Urologia</i> , 2018 , 85, 38-40	1.2	1
31	Serum levels of 17-Estradiol are not predictive of prostate cancer diagnosis and aggressiveness: results from an Italian biopsy cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 35.e9-13	2.8	1
30	Re: Christian G. Stief, Hartmut Porst, Dieter Neuser, et al. A randomised, placebo-controlled study to assess the efficacy of twice-daily vardenafil in the treatment of lower urinary tract symptoms secondary to benign prostatic hyperplasia. <i>Eur Urol</i> 2008;53:1236-44. <i>European Urology</i> , 2009 , 55, e25-6	10.2	1
29	The waiting time for prostate cancer treatment in Italy: analysis from the Pros-IT CNR study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 ,	4.4	1
28	Outcomes of combination therapy with daily Tadalafil 5mg plus Tamsulosin 0.4mg to treat lower urinary tract symptoms and erectile dysfunction in men with or without metabolic syndrome. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 ,	4.4	1
27	Health-related quality of life 24-month after prostate cancer diagnosis: an update from the Pros-IT CNR prospective observational study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 ,	4.4	1
26	Reply by Authors. <i>Journal of Urology</i> , 2020 , 203, 578	2.5	1
25	Exploring the Diversity and Predictors of Histopathological Findings Across the European Association of Urology Guidelines Office Rapid Reaction Group Priority Groups for Patients with Renal Tumors: Implications for Individualized Prioritization of Renal Cancer Care. <i>European Urology Open Science</i> , 2021 , 34, 5-9	0.9	1
24	Reply: COVID-19: semen impairment may not be related to the virus. <i>Human Reproduction</i> , 2021 , 36, 2065-2066	5.2	1
23	Segmental ureterectomy vs. radical nephroureterectomy for ureteral carcinoma in patients with a preoperative glomerular filtration rate less than 90 ml/min/1.73 m: A multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 601.e11-601.e16	2.8	1
22	SECRET - SEXual Chronicle REcording Table: Validation and reliability. <i>Andrology</i> , 2021 , 9, 878-885	4.2	1
21	Potential utility of a 4-marker immunohistochemistry panel to predict response to cisplatin-based neoadjuvant chemotherapy in patients with muscle-invasive bladder cancer: a single-center preliminary experience. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 424-427	2.3	1
20	Pre and postoperative quantitative detection of fragments of cytokeratins 8 and 18 (UBC IRMA) as markers of early recurrence of superficial bladder tumor. <i>Archivio Italiano Di Urologia Andrologia</i> , 2006 , 78, 5-10	1.6	1
19	Comparison of Tumor Seeding and Recurrence Rate After Laparoscopic vs. Open Nephroureterectomy for Upper Urinary Tract Transitional Cell Carcinoma.. <i>Frontiers in Surgery</i> , 2021 , 8, 769527	2.3	1
18	Guidelines in urology: Lights and shadows. <i>Urologia</i> , 2020 , 87, 125-129	1.2	0
17	Metabolic Syndrome and LUTS/BPH 2018 , 89-111		0
16	Proctored Step by Step Training Program for GreenLight Laser Anatomic Photovaporization of the Prostate: A Single Surgeon's Experience. <i>Frontiers in Surgery</i> , 2021 , 8, 705105	2.3	0
15	Urology Residency Training at the Time of COVID-19 in Italy: 1 Year After the Beginning. <i>European Urology Open Science</i> , 2021 , 31, 37-40	0.9	0

14	Diagnostic and prognostic factors in patients with prostate cancer: a systematic review.. <i>BMJ Open</i> , 2022 , 12, e058267	3	0
13	Reply to Jin-Qiu Yuan, Zu-Yao Yang, and Chen Mao@ Letter to the Editor re: Mauro Gacci, Giovanni Corona, Matteo Salvi, et al. A Systematic Review and Meta-Analysis on the Use of Phosphodiesterase 5 Inhibitors Alone or in Combination with α -Blockers for Lower Urinary Tract Symptoms. <i>European Urology</i> , 2021 , 79, e119-e120	10.2	
12	Editorial Comment to tadalafil once daily for lower urinary tract symptoms suggestive of benign prostatic hyperplasia: a randomized placebo- and tamsulosin-controlled 12-week study in Asian men. <i>International Journal of Urology</i> , 2013 , 20, 202	2.3	
11	Reply to Jae Heon Kim@ Letter to the Editor re: Mauro Gacci, Giovanni Corona, Arcangelo Sebastianelli, et al. Male Lower Urinary Tract Symptoms and Cardiovascular Events: A Systematic Review and Meta-analysis. <i>Eur Urol</i> 2016;70:788-96. <i>European Urology</i> , 2017 , 71, e119-e120	10.2	
10	Healing of spongiosus-cutaneous fistula with hyperbaric Oxygen Therapy (HBOT): a case report. <i>Urologia</i> , 2017 , 0	1.2	
9	Minimally Invasive Therapies 2014 , 175-183		
8	Editorial comment on Zhang et al.: Impact of metabolic syndrome on benign prostatic hyperplasia in elderly Chinese men. <i>Urologia Internationalis</i> , 2014 , 93, 247-8	1.9	
7	Re: Matthias Oelke, François Giuliano, Vincenzo Mirone, et al., monotherapy with tadalafil or tamsulosin similarly improved lower urinary tract symptoms suggestive of benign prostatic hyperplasia in an international, randomised, parallel, placebo-controlled clinical trial. <i>Eur Urol</i> 2012;61:317-25. <i>European Urology</i> , 2012 , 62, e63-4	10.2	
6	Risk and Benefit of Androgen Deprivation Therapy in Prostate Cancer 2011 , 55-71		
5	Late Relapse in Testicular Germ Cell Tumors. <i>Tumori</i> , 2007 , 93, 428-431	1.7	
4	Translation and validation of the Italian version of the user version of the Mobile Application Rating Scale (uMARS). <i>Journal of Preventive Medicine and Hygiene</i> , 2021 , 62, E243-E248	1.4	
3	Ultrasound prostate parameters as predictors of successful trial without catheter after acute urinary retention in patients ongoing medical treatment for benign prostatic hyperplasia: a prospective multicenter study. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 625-630	2.3	
2	Editorial Comment. <i>Journal of Urology</i> , 2020 , 204, 1303-1304	2.5	
1	How radical prostatectomy procedures have changed over the last 10 years in Italy: a comparative analysis based on more than 1500 patients participating in the MIRROR-SIU/LUNA and the Pros-IT CNR study. <i>World Journal of Urology</i> , 2021 , 39, 1445-1452	4	