Oscar McCook

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1379485/oscar-mccook-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63	1,077	19	30
papers	citations	h-index	g-index
73	1,393	5.1	3.75
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
63	Human Placental Tissue Contains A Placental Lactogen-Derived Vasoinhibin <i>Journal of the Endocrine Society</i> , 2022 , 6, bvac029	0.4	Ο
62	Effects of Sodium Thiosulfate During Resuscitation From Trauma-and-Hemorrhage in Cystathionine-Lyase Knockout Mice With Diabetes Type 1 <i>Frontiers in Medicine</i> , 2022 , 9, 878823	4.9	
61	The Gasotransmitter Hydrogen Sulfide and the Neuropeptide Oxytocin as Potential Mediators of Beneficial Cardiovascular Effects through Meditation after Traumatic Events. <i>Trauma Care</i> , 2021 , 1, 183	3-194	
60	To the Editor. <i>Shock</i> , 2021 , 55, 138-139	3.4	3
59	Effects of Sodium Thiosulfate During Resuscitation from Trauma-and-Hemorrhage in Cystathionine Lyase (CSE) Knockout Mice. <i>Shock</i> , 2021 , 57,	3.4	1
58	Mouse Intensive Care Unit (MICU). Methods in Molecular Biology, 2021, 2321, 121-135	1.4	1
57	H2S as a Therapeutic Adjuvant Against COVID-19: Why and How?. Shock, 2021, 56, 865-867	3.4	3
56	MST and the Regulation of Cardiac CSE and OTR Expression in Trauma and Hemorrhage. <i>Antioxidants</i> , 2021 , 10,	7.1	3
55	HS and Oxytocin Systems in Early Life Stress and Cardiovascular Disease. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
54	Localization of the hydrogen sulfide and oxytocin systems at the depth of the sulci in a porcine model of acute subdural hematoma. <i>Neural Regeneration Research</i> , 2021 , 16, 2376-2382	4.5	2
53	The Role of Glucocorticoid Receptor and Oxytocin Receptor in the Septic Heart in a Clinically Relevant, Resuscitated Porcine Model With Underlying Atherosclerosis. <i>Frontiers in Endocrinology</i> , 2020 , 11, 299	5.7	10
52	Cerebral Immunohistochemical Characterization of the HS and the Oxytocin Systems in a Porcine Model of Acute Subdural Hematoma. <i>Frontiers in Neurology</i> , 2020 , 11, 649	4.1	4
51	Maternal Separation Induces Long-Term Alterations in the Cardiac Oxytocin Receptor and Cystathionine -Lyase Expression in Mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 4309609	5 ^{6.7}	7
50	HS in acute lung injury: a therapeutic dead end(?). Intensive Care Medicine Experimental, 2020, 8, 33	3.7	5
49	Impact of downstream effects of glucocorticoid receptor dysfunction on organ function in critical illness-associated systemic inflammation. <i>Intensive Care Medicine Experimental</i> , 2020 , 8, 37	3.7	2
48	Effects of sodium thiosulfate (NaSO) during resuscitation from hemorrhagic shock in swine with preexisting atherosclerosis. <i>Pharmacological Research</i> , 2020 , 151, 104536	10.2	19
47	Microcirculation vs. Mitochondria-What to Target?. Frontiers in Medicine, 2020, 7, 416	4.9	2

(2017-2020)

46	The Interaction of the Endogenous Hydrogen Sulfide and Oxytocin Systems in Fluid Regulation and the Cardiovascular System. <i>Antioxidants</i> , 2020 , 9,	7.1	6	
45	Cardiac Effects of Hyperoxia During Resuscitation From Hemorrhagic Shock in Swine. <i>Shock</i> , 2019 , 52, e52-e59	3.4	1	
44	The Mitochondria-Targeted H2S-Donor AP39 in a Murine Model of Combined Hemorrhagic Shock and Blunt Chest Trauma. <i>Shock</i> , 2019 , 52, 230-239	3.4	16	
43	Impaired Glucocorticoid Receptor Dimerization Aggravates LPS-Induced Circulatory and Pulmonary Dysfunction. <i>Frontiers in Immunology</i> , 2019 , 10, 3152	8.4	11	
42	Effects of Psychosocial Stress on Subsequent Hemorrhagic Shock and Resuscitation in Male Mice. <i>Shock</i> , 2019 , 51, 725-730	3.4	6	
41	In-Depth Characterization of the Effects of Cigarette Smoke Exposure on the Acute Trauma Response and Hemorrhage in Mice. <i>Shock</i> , 2019 , 51, 68-77	3.4	15	
40	The Effects of Genetic 3-Mercaptopyruvate Sulfurtransferase Deficiency in Murine Traumatic-Hemorrhagic Shock. <i>Shock</i> , 2019 , 51, 472-478	3.4	9	
39	In-depth characterization of a long-term, resuscitated model of acute subdural hematoma-induced brain injury. <i>Journal of Neurosurgery</i> , 2019 , 1-12	3.2	4	
38	Effects of the Humanized Anti-Adrenomedullin Antibody Adrecizumab (HAM8101) on Vascular Barrier Function and Survival in Rodent Models of Systemic Inflammation and Sepsis. <i>Shock</i> , 2018 , 50, 648-654	3.4	18	
37	Role of Hemorrhagic Shock in Experimental Polytrauma. <i>Shock</i> , 2018 , 49, 154-163	3.4	33	
36	Cystathionine-Lyase expression is associated with mitochondrial respiration during sepsis-induced acute kidney injury in swine with atherosclerosis. <i>Intensive Care Medicine Experimental</i> , 2018 , 6, 43	3.7	9	
35	Intravenous hydrogen sulfide does not induce neuroprotection after aortic balloon occlusion-induced spinal cord ischemia/reperfusion injury in a human-like porcine model of ubiquitous arteriosclerosis. <i>Intensive Care Medicine Experimental</i> , 2018 , 6, 44	3.7	3	
34	Interaction of the hydrogen sulfide system with the oxytocin system in the injured mouse heart. <i>Intensive Care Medicine Experimental</i> , 2018 , 6, 41	3.7	13	
33	Hyperoxia or Therapeutic Hypothermia During Resuscitation from Non-Lethal Hemorrhagic Shock in Swine. <i>Shock</i> , 2017 , 48, 564-570	3.4	6	
32	Impact of hyperglycemia on cystathionine-flyase expression during resuscitated murine septic shock. <i>Intensive Care Medicine Experimental</i> , 2017 , 5, 30	3.7	8	
31	Cardiovascular disease and resuscitated septic shock lead to the downregulation of the HS-producing enzyme cystathionine-Lyase in the porcine coronary artery. <i>Intensive Care Medicine Experimental</i> , 2017 , 5, 17	3.7	21	
30	Metabolic, Cardiac, and Renal Effects of the Slow Hydrogen Sulfide-Releasing Molecule GYY4137 During Resuscitated Septic Shock in Swine with Pre-Existing Coronary Artery Disease. <i>Shock</i> , 2017 , 48, 175-184	3.4	11	
29	Effects of Hyperoxia During Resuscitation From Hemorrhagic Shock in Swine With Preexisting Coronary Artery Disease. <i>Critical Care Medicine</i> , 2017 , 45, e1270-e1279	1.4	14	

28	Role of the Purinergic Receptor P2XR4 After Blunt Chest Trauma in Cigarette Smoke-Exposed Mice. <i>Shock</i> , 2017 , 47, 193-199	3.4	7
27	The Role of Cystathionine-Lyase In Blunt Chest Trauma in Cigarette Smoke Exposed Mice. <i>Shock</i> , 2017 , 47, 491-499	3.4	12
26	Effects of Hyperoxia and Mild Therapeutic Hypothermia During Resuscitation From Porcine Hemorrhagic Shock. <i>Critical Care Medicine</i> , 2016 , 44, e264-77	1.4	27
25	Left ventricular function during porcine-resuscitated septic shock with pre-existing atherosclerosis. <i>Intensive Care Medicine Experimental</i> , 2016 , 4, 14	3.7	13
24	Association of Kidney Tissue Barrier Disrupture and Renal Dysfunction in Resuscitated Murine Septic Shock. <i>Shock</i> , 2016 , 46, 398-404	3.4	18
23	Exposure to 100% Oxygen Abolishes the Impairment of Fracture Healing after Thoracic Trauma. <i>PLoS ONE</i> , 2015 , 10, e0131194	3.7	21
22	Blunt Chest Trauma in Mice after Cigarette Smoke-Exposure: Effects of Mechanical Ventilation with 100% O2. <i>PLoS ONE</i> , 2015 , 10, e0132810	3.7	20
21	Early Detection of Junctional Adhesion Molecule-1 (JAM-1) in the Circulation after Experimental and Clinical Polytrauma. <i>Mediators of Inflammation</i> , 2015 , 2015, 463950	4.3	14
20	Physiological and immune-biological characterization of a long-term murine model of blunt chest trauma. <i>Shock</i> , 2015 , 43, 140-7	3.4	18
19	Sulfide-inhibition of mitochondrial respiration at very low oxygen concentrations. <i>Nitric Oxide - Biology and Chemistry</i> , 2014 , 41, 79-84	5	12
18	H2S during circulatory shock: some unresolved questions. <i>Nitric Oxide - Biology and Chemistry</i> , 2014 , 41, 48-61	5	47
17	Carbamylated erythropoietin-FC fusion protein and recombinant human erythropoietin during porcine kidney ischemia/reperfusion injury. <i>Intensive Care Medicine</i> , 2013 , 39, 497-510	14.5	26
16	Effects of the PPAR-Dagonist GW0742 during resuscitated porcine septic shock. <i>Intensive Care Medicine Experimental</i> , 2013 , 1, 28	3.7	16
15	Effects of pretreatment hypothermia during resuscitated porcine hemorrhagic shock. <i>Critical Care Medicine</i> , 2013 , 41, e105-17	1.4	19
14	Adrenomedullin binding improves catecholamine responsiveness and kidney function in resuscitated murine septic shock. <i>Intensive Care Medicine Experimental</i> , 2013 , 1, 21	3.7	31
13	Erythropoietin in the critically ill: do we ask the right questions?. Critical Care, 2012, 16, 319	10.8	10
12	Pre-emptive hypothermia during resuscitated porcine hemorrhagic shock. <i>Critical Care</i> , 2012 , 16,	10.8	78
11	Reduced EPO receptor expression may contribute to limited pleiotropic effects of EPO during critical illness. <i>Critical Care</i> , 2012 , 16,	10.8	1

LIST OF PUBLICATIONS

10	Reduced expression of PPAR-Mimits the potential beneficial effects of GW0742 during septic shock in atherosclerotic swine. <i>Critical Care</i> , 2012 , 16,	10.8	78
9	Effects of the anti-diabetic imeglimin in hyperglycemic mice with septic shock. <i>Critical Care</i> , 2012 , 16,	10.8	1
8	Adrenomedullin blockade improves catecholamine responsiveness and kidney function in resuscitated murine septic shock. <i>Critical Care</i> , 2012 , 16,	10.8	78
7	Temperature and cell-type dependency of sulfide effects on mitochondrial respiration. <i>Shock</i> , 2012 , 38, 367-74	3.4	24
6	Effects of intravenous sulfide during resuscitated porcine hemorrhagic shock*. <i>Critical Care Medicine</i> , 2012 , 40, 2157-67	1.4	38
5	Cardiopulmonary, histologic, and inflammatory effects of intravenous Na2S after blunt chest trauma-induced lung contusion in mice. <i>Journal of Trauma</i> , 2011 , 71, 1659-67		22
4	Comparison of carbamylated erythropoietin-FC fusion protein and recombinant human erythropoietin during porcine aortic balloon occlusion-induced spinal cord ischemia/reperfusion injury. <i>Intensive Care Medicine</i> , 2011 , 37, 1525-33	14.5	31
3	Time-dependent effects of intravenous H2S during long-term, resuscitated porcine hemorrhagic shock. <i>Critical Care</i> , 2010 , 14, P3	10.8	1
2	Effect of intravenous H2S on porcine aortic occlusion-induced systemic inflammation and kidney ischemia/reperfusion injury. <i>Critical Care</i> , 2010 , 14, P507	10.8	78
1	The role of alpha and beta platelet-derived growth factor receptor in the vascular response to injury in nonhuman primates. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 900-9	9.4	68