
## Xiang-Dong Guan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1379627/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	FAM49B, restrained by miR-22, relieved hepatic ischemia/reperfusion injury by inhibiting TRAF6/IKK signaling pathway in a Rac1-dependent manner. Molecular Immunology, 2022, 143, 135-146.	2.2	1
2	Retrospective Study of Critically III COVID-19 Patients With and Without Extracorporeal Membrane Oxygenation Support in Wuhan, China. Frontiers in Medicine, 2021, 8, 659793.	2.6	8
3	Transesophageal echocardiography instead or in addition to transthoracic echocardiography in evaluating haemodynamic problems in intubated critically ill patients. Annals of Translational Medicine, 2020, 8, 785-785.	1.7	7
4	Terlipressin relieves intestinal and renal injuries induced by acute mesenteric ischemia via PI3K/Akt pathway. International Journal of Medical Sciences, 2020, 17, 2751-2762.	2.5	2
5	Mesenteric Lymph Duct Drainage Attenuates Lung Inflammatory Injury and Inhibits Endothelial Cell Apoptosis in Septic Rats. BioMed Research International, 2020, 2020, 1-12.	1.9	3
6	Bedside rapid placement of nasointestinal feeding tube via ultrasound-guided stylet positioning in critical COVID-19 patients. Critical Care, 2020, 24, 361.	5.8	2
7	Clinical Impacts and Outcomes With Possible Donor-Derived Infection in Infected Donor Liver Transplantation: A Single-Center Retrospective Study in China. Journal of Infectious Diseases, 2020, 221, S164-S173.	4.0	10
8	<p>Early Immunoparalysis Was Associated with Poor Prognosis in Elderly Patients with Sepsis: Secondary Analysis of the ETASS Study</p> . Infection and Drug Resistance, 2020, Volume 13, 2053-2061.	2.7	5
9	Terlipressin in septic shock: what do we know?. Journal of Thoracic Disease, 2020, 12, 1632-1634.	1.4	0
10	Evaluation of the simplified therapeutic intervention scoring system: Chinese version. Intensive and Critical Care Nursing, 2018, 45, 85-90.	2.9	8
11	Effect of Systolic Cardiac Function on Passive Leg Raising for Predicting Fluid Responsiveness. Chinese Medical Journal, 2018, 131, 253-261.	2.3	6
12	Does Respiratory Variation in Inferior Vena Cava Diameter Predict Fluid Responsiveness in Mechanically Ventilated Patients? A Systematic Review and Meta-analysis. Anesthesia and Analgesia, 2018, 127, 1157-1164.	2.2	31
13	Biliary tract external drainage improves inflammatory mediators and pathomorphology of the intestine, liver, and lung in septic rats. Journal of Trauma and Acute Care Surgery, 2018, 85, 580-587.	2.1	1
14	Terlipressin versus norepinephrine as infusion in patients with septic shock: a multicentre, randomised, double-blinded trial. Intensive Care Medicine, 2018, 44, 1816-1825.	8.2	106
15	The pivotal role of HIF-1α in lung inflammatory injury induced by septic mesenteric lymph. Biomedicine and Pharmacotherapy, 2017, 91, 476-484.	5.6	18
16	Critical Care Resources in Guangdong Province of China. Critical Care Medicine, 2017, 45, e1218-e1225.	0.9	9
17	Terlipressin protects intestinal epithelial cells against oxygen-glucose deprivation/re-oxygenation injury via the phosphatidylinositol 3-kinase pathway. Experimental and Therapeutic Medicine, 2017, 14, 260-266.	1.8	6
18	Critical Care Medicine 2017. Chinese Medical Journal, 2017, 130, 1135-1136.	2.3	0

XIANG-DONG GUAN

#	Article	IF	CITATIONS
19	Inhibition of c-Jun N-terminal Kinase Signaling Pathway Alleviates Lipopolysaccharide-induced Acute Respiratory Distress Syndrome in Rats. Chinese Medical Journal, 2016, 129, 1719-1724.	2.3	6
20	Epidemiological Study of Sepsis in China. Chinese Medical Journal, 2016, 129, 2967-2973.	2.3	10
21	Klotho: a novel and early biomarker of acute kidney injury after cardiac valve replacement surgery in adults. International Journal of Clinical and Experimental Medicine, 2015, 8, 7351-8.	1.3	15
22	The efficacy of thymosin alpha 1 for severe sepsis (ETASS): a multicenter, single-blind, randomized and controlled trial. Critical Care, 2013, 17, R8.	5.8	88
23	Changes of monocyte human leukocyte antigen-DR expression as a reliable predictor of mortality in severe sepsis. Critical Care, 2011, 15, R220.	5.8	86
24	Effect of biliary tract external drainage on cytokine expression and histomorphology of intestine, liver, and lung in rats with hemorrhagic shock. Critical Care Medicine, 2009, 37, 2800-2806.	0.9	4
25	Effect of biliary tract external drainage on cytokine expression and histomorphology of intestine, liver, and lung in rats with hemorrhagic shock. Critical Care Medicine, 2009, 37, 2800-2806.	0.9	11
26	Thymosin alpha 1 therapy alleviates organ dysfunction of sepsis patients: a retrospective cohort study. Exploration of Immunology, 0, , 200-210.	0.3	1