

Patricio A Godoy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1380811/publications.pdf>

Version: 2024-02-01

46
papers

4,223
citations

147786
31
h-index

214788
47
g-index

47
all docs

47
docs citations

47
times ranked

5202
citing authors

#	ARTICLE	IF	CITATIONS
1	Transcriptomic Cross-Species Analysis of Chronic Liver Disease Reveals Consistent Regulation Between Humans and Mice. <i>Hepatology Communications</i> , 2022, 6, 161-177.	4.3	24
2	Epigenomic and transcriptional profiling identifies impaired glyoxylate detoxification in NAFLD as a risk factor for hyperoxaluria. <i>Cell Reports</i> , 2021, 36, 109526.	6.4	22
3	Inflammation-associated suppression of metabolic gene networks in acute and chronic liver disease. <i>Archives of Toxicology</i> , 2020, 94, 205-217.	4.2	32
4	Genotoxic stress triggers the activation of IRE1 \pm -dependent RNA decay to modulate the DNA damage response. <i>Nature Communications</i> , 2020, 11, 2401.	12.8	62
5	Interference with ERK-dimerization at the nucleocytoplasmic interface targets pathological ERK1/2 signaling without cardiotoxic side-effects. <i>Nature Communications</i> , 2020, 11, 1733.	12.8	38
6	Bile Microinfarcts in Cholestasis Are Initiated by Rupture of the Apical Hepatocyte Membrane and Cause Shunting of Bile to Sinusoidal Blood. <i>Hepatology</i> , 2019, 69, 666-683.	7.3	89
7	Interactome Screening Identifies the ER Luminal Chaperone Hsp47 as a Regulator of the Unfolded Protein Response Transducer IRE1 \pm . <i>Molecular Cell</i> , 2018, 69, 238-252.e7.	9.7	127
8	Toxicogenomics directory of rat hepatotoxins in vivo and in cultivated hepatocytes. <i>Archives of Toxicology</i> , 2018, 92, 3517-3533.	4.2	46
9	Relevance of the incubation period in cytotoxicity testing with primary human hepatocytes. <i>Archives of Toxicology</i> , 2018, 92, 3505-3515.	4.2	41
10	Assessment of stem cell differentiation based on genome-wide expression profiles. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170221.	4.0	26
11	Definition of transcriptome-based indices for quantitative characterization of chemically disturbed stem cell development: introduction of the STOP-Toxukn and STOP-Toxukk tests. <i>Archives of Toxicology</i> , 2017, 91, 839-864.	4.2	53
12	TGF- β 1 impairs mechanosensation of human osteoblasts via HDAC6-mediated shortening and distortion of primary cilia. <i>Journal of Molecular Medicine</i> , 2017, 95, 653-663.	3.9	46
13	Adverse outcome pathways: opportunities, limitations and open questions. <i>Archives of Toxicology</i> , 2017, 91, 3477-3505.	4.2	282
14	Functional modulation of glycine receptors by the alkaloid gelsemine. <i>British Journal of Pharmacology</i> , 2016, 173, 2263-2277.	5.4	38
15	Gene network activity in cultivated primary hepatocytes is highly similar to diseased mammalian liver tissue. <i>Archives of Toxicology</i> , 2016, 90, 2513-2529.	4.2	100
16	Model-guided identification of a therapeutic strategy to reduce hyperammonemia in liver diseases. <i>Journal of Hepatology</i> , 2016, 64, 860-871.	3.7	110
17	Hepatotoxicity of piperazine designer drugs: up-regulation of key enzymes of cholesterol and lipid biosynthesis. <i>Archives of Toxicology</i> , 2016, 90, 3045-3060.	4.2	31
18	Recombinant Laminins Drive the Differentiation and Self-Organization of hESC-Derived Hepatocytes. <i>Stem Cell Reports</i> , 2015, 5, 1250-1262.	4.8	123

#	ARTICLE	IF	CITATIONS
19	Highlight report: epoxide hydrolases’ protection from reactive compounds and risk of cardiovascular disease. Archives of Toxicology, 2015, 89, 2463-2464.	4.2	2
20	Gene networks and transcription factor motifs defining the differentiation of stem cells into hepatocyte-like cells. Journal of Hepatology, 2015, 63, 934-942.	3.7	165
21	Toxicogenomics directory of chemically exposed human hepatocytes. Archives of Toxicology, 2014, 88, 2261-2287.	4.2	143
22	In Vitro Systems for Hepatotoxicity Testing. Methods in Pharmacology and Toxicology, 2014, , 27-44.	0.2	2
23	The virtual liver: state of the art and future perspectives. Archives of Toxicology, 2014, 88, 2071-2075.	4.2	41
24	Interferon-inducible guanylate binding protein (GBP2) is associated with better prognosis in breast cancer and indicates an efficient T cell response. Breast Cancer, 2014, 21, 491-499.	2.9	91
25	Chronic CCl4 intoxication causes liver and bone damage similar to the human pathology of hepatic osteodystrophy: a mouse model to analyse the liver–bone axis. Archives of Toxicology, 2014, 88, 997-1006.	4.2	41
26	The transcription factor CHOP, a central component of the transcriptional regulatory network induced upon CCl4 intoxication in mouse liver, is not a critical mediator of hepatotoxicity. Archives of Toxicology, 2014, 88, 1267-1280.	4.2	58
27	Protocols for staining of bile canalicular and sinusoidal networks of human, mouse and pig livers, three-dimensional reconstruction and quantification of tissue microarchitecture by image processing and analysis. Archives of Toxicology, 2014, 88, 1161-1183.	4.2	129
28	Recent advances in 2D and 3D in vitro systems using primary hepatocytes, alternative hepatocyte sources and non-parenchymal liver cells and their use in investigating mechanisms of hepatotoxicity, cell signaling and ADME. Archives of Toxicology, 2013, 87, 1315-1530.	4.2	1,089
29	Transcription factors controlling responses to toxic chemicals. Archives of Toxicology, 2013, 87, 3-4.	4.2	1
30	Pharmacokinetics explain in vivo/in vitro discrepancies of carcinogen-induced gene expression alterations in rat liver and cultivated hepatocytes. Archives of Toxicology, 2013, 87, 337-345.	4.2	49
31	Identification of RARRES1 as a core regulator in liver fibrosis. Journal of Molecular Medicine, 2012, 90, 1439-1447.	3.9	10
32	Human Hepatocytes: Isolation, Culture, and Quality Procedures. Methods in Molecular Biology, 2012, 806, 99-120.	0.9	46
33	Toxicogenomic-based approaches predicting liver toxicity in vitro. Archives of Toxicology, 2012, 86, 1163-1164.	4.2	14
34	Alcohol hepatotoxicity: Kupffer cells surface to the top. Archives of Toxicology, 2012, 86, 1331-1332.	4.2	2
35	L-carnosine inhibits high-glucose-mediated matrix accumulation in human mesangial cells by interfering with TGF- β production and signalling. Nephrology Dialysis Transplantation, 2011, 26, 3852-3858.	0.7	28
36	Distinct role of endocytosis for Smad and non-Smad TGF- β 2 signaling regulation in hepatocytes. Journal of Hepatology, 2011, 55, 369-378.	3.7	55

#	ARTICLE	IF	CITATIONS
37	Phenotype and growth behavior of residual β -catenin-positive hepatocytes in livers of β -catenin-deficient mice. <i>Histochemistry and Cell Biology</i> , 2010, 134, 469-481.	1.7	37
38	Transcription factors ETF, E2F, and SP-1 are involved in cytokine-independent proliferation of murine hepatocytes. <i>Hepatology</i> , 2010, 52, 2127-2136.	7.3	95
39	Dexamethasone-dependent versus -independent markers of epithelial to mesenchymal transition in primary hepatocytes. <i>Biological Chemistry</i> , 2010, 391, 73-83.	2.5	43
40	Interfering with interferon- β signalling in intestinal epithelial cells: selective inhibition of apoptosis-maintained secretion of anti-inflammatory interleukin-18 binding protein. <i>Clinical and Experimental Immunology</i> , 2010, 163, 65-76.	2.6	21
41	Reversible Manipulation of Apoptosis Sensitivity in Cultured Hepatocytes by Matrix-Mediated Manipulation of Signaling Activities. <i>Methods in Molecular Biology</i> , 2010, 640, 139-155.	0.9	17
42	Extracellular matrix modulates sensitivity of hepatocytes to fibroblastoid dedifferentiation and transforming growth factor β -induced apoptosis. <i>Hepatology</i> , 2009, 49, 2031-2043.	7.3	217
43	The etiology of liver damage imparts cytokines transforming growth factor β 1 or interleukin-13 as driving forces in fibrogenesis. <i>Hepatology</i> , 2009, 50, 230-243.	7.3	115
44	Disruption of the Smad7 gene enhances CCl ₄ -dependent liver damage and fibrogenesis in mice. <i>Journal of Cellular and Molecular Medicine</i> , 2008, 12, 2130-2144.	3.6	54
45	Hepatocyte-Specific Smad7 Expression Attenuates TGF- β -Mediated Fibrogenesis and Protects Against Liver Damage. <i>Gastroenterology</i> , 2008, 135, 642-659.e46.	1.3	258
46	Profibrogenic transforming growth factor- β /activin receptor-like kinase 5 signaling via connective tissue growth factor expression in hepatocytes. <i>Hepatology</i> , 2007, 46, 1257-1270.	7.3	109