

James Galligan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1380824/james-galligan-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 145 papers | 4,543 citations | 38 h-index | 65 g-index |
| 149 ext. papers | 4,868 ext. citations | 3.9 avg, IF | 5.63 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 145 | Endothelin-1 increases vascular superoxide via endothelin(A)-NADPH oxidase pathway in low-renin hypertension. <i>Circulation</i> , 2003 , 107, 1053-8 | 16.7 | 283 |
| 144 | Function of opioids in the enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2004 , 16 Suppl 2, 17-28 | 4 | 273 |
| 143 | Accurate measurement of intestinal transit in the rat. <i>Journal of Pharmacological Methods</i> , 1981 , 6, 211-7 | | 241 |
| 142 | Systematic review: cardiovascular safety profile of 5-HT(4) agonists developed for gastrointestinal disorders. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 745-67 | 6.1 | 205 |
| 141 | Activation of colonic mucosal 5-HT(4) receptors accelerates propulsive motility and inhibits visceral hypersensitivity. <i>Gastroenterology</i> , 2012 , 142, 844-854.e4 | 13.3 | 189 |
| 140 | ATP mediates fast synaptic potentials in enteric neurons. <i>Journal of Neuroscience</i> , 1994 , 14, 7563-71 | 6.6 | 168 |
| 139 | State-dependent cross-inhibition between transmitter-gated cation channels. <i>Nature</i> , 2000 , 406, 405-10 | 50.4 | 166 |
| 138 | Multiple mechanisms of fast excitatory synaptic transmission in the enteric nervous system. <i>Journal of the Autonomic Nervous System</i> , 2000 , 81, 97-103 | | 147 |
| 137 | Basic and clinical pharmacology of new motility promoting agents. <i>Neurogastroenterology and Motility</i> , 2005 , 17, 643-53 | 4 | 109 |
| 136 | Effects of cisapride on cholinergic neurotransmission and propulsive motility in the guinea pig ileum. <i>Gastroenterology</i> , 1989 , 96, 1257-64 | 13.3 | 109 |
| 135 | Ligand-gated ion channels in the enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2002 , 14, 611-23 | 4 | 107 |
| 134 | P2X2 subunits contribute to fast synaptic excitation in myenteric neurons of the mouse small intestine. <i>Journal of Physiology</i> , 2003 , 552, 809-21 | 3.9 | 96 |
| 133 | Non-additive interaction between nicotinic cholinergic and P2X purine receptors in guinea-pig enteric neurons in culture. <i>Journal of Physiology</i> , 1998 , 513 (Pt 3), 685-97 | 3.9 | 91 |
| 132 | Peristalsis is impaired in the small intestine of mice lacking the P2X3 subunit. <i>Journal of Physiology</i> , 2003 , 551, 309-22 | 3.9 | 88 |
| 131 | In vitro continuous amperometric monitoring of 5-hydroxytryptamine release from enterochromaffin cells of the guinea pig ileum. <i>Analyst, The</i> , 2007 , 132, 41-7 | 5 | 87 |
| 130 | Molecular physiology of enteric opioid receptors. <i>American Journal of Gastroenterology Supplements (Print)</i> , 2014 , 2, 17-21 | | 86 |
| 129 | Purinergic fast excitatory postsynaptic potentials in myenteric neurons of guinea pig: distribution and pharmacology. <i>Gastroenterology</i> , 1997 , 113, 1522-34 | 13.3 | 86 |

| | | | |
|-----|--|------|----|
| 128 | Tempol lowers blood pressure and sympathetic nerve activity but not vascular O ₂ - in DOCA-salt rats. <i>Hypertension</i> , 2004 , 43, 329-34 | 8.5 | 84 |
| 127 | P2X purinoceptors in cultured myenteric neurons of guinea-pig small intestine. <i>Journal of Physiology</i> , 1996 , 496 (Pt 3), 719-29 | 3.9 | 82 |
| 126 | Mechanisms of increased venous smooth muscle tone in desoxycorticosterone acetate-salt hypertension. <i>Hypertension</i> , 2000 , 35, 464-9 | 8.5 | 80 |
| 125 | Diamond microelectrodes for use in biological environments. <i>Journal of Electroanalytical Chemistry</i> , 2005 , 583, 56-68 | 4.1 | 78 |
| 124 | Pharmacology of synaptic transmission in the enteric nervous system. <i>Current Opinion in Pharmacology</i> , 2002 , 2, 623-9 | 5.1 | 66 |
| 123 | High mucosal serotonin availability in neonatal guinea pig ileum is associated with low serotonin transporter expression. <i>Gastroenterology</i> , 2007 , 132, 2438-47 | 13.3 | 63 |
| 122 | In vitro continuous amperometry with a diamond microelectrode coupled with video microscopy for simultaneously monitoring endogenous norepinephrine and its effect on the contractile response of a rat mesenteric artery. <i>Analytical Chemistry</i> , 2006 , 78, 6756-64 | 7.8 | 58 |
| 121 | Antagonists of nitric oxide synthesis inhibit nerve-mediated relaxations of longitudinal muscle in guinea pig ileum. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1992 , 260, 140-5 | 4.7 | 57 |
| 120 | Diamond microelectrodes for in vitro electroanalytical measurements: current status and remaining challenges. <i>Analyst, The</i> , 2008 , 133, 17-24 | 5 | 56 |
| 119 | Pharmacology and function of nicotinic acetylcholine and P2X receptors in the enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2004 , 16 Suppl 1, 64-70 | 4 | 56 |
| 118 | Enteric P2X receptors as potential targets for drug treatment of the irritable bowel syndrome. <i>British Journal of Pharmacology</i> , 2004 , 141, 1294-302 | 8.6 | 56 |
| 117 | Pharmacological properties of nicotinic acetylcholine receptors expressed by guinea pig small intestinal myenteric neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002 , 302, 889-97 | 4.7 | 55 |
| 116 | Increased O ₂ *- production and upregulation of ETB receptors by sympathetic neurons in DOCA-salt hypertensive rats. <i>Hypertension</i> , 2004 , 43, 1048-54 | 8.5 | 52 |
| 115 | Electrochemical measurements of serotonin (5-HT) release from the guinea pig mucosa using continuous amperometry with a boron-doped diamond microelectrode. <i>Diamond and Related Materials</i> , 2010 , 19, 182-185 | 3.5 | 48 |
| 114 | Electrophysiological studies of 5-hydroxytryptamine receptors on enteric neurons. <i>Behavioural Brain Research</i> , 1996 , 73, 199-201 | 3.4 | 47 |
| 113 | Signalling mechanism coupled to 5-hydroxytryptamine ₄ receptor-mediated facilitation of fast synaptic transmission in the guinea-pig ileum myenteric plexus. <i>Neurogastroenterology and Motility</i> , 2003 , 15, 523-9 | 4 | 43 |
| 112 | Beneficial actions of microbiota-derived tryptophan metabolites. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13283 | 4 | 41 |
| 111 | Differential alterations in sympathetic neurotransmission in mesenteric arteries and veins in DOCA-salt hypertensive rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2003 , 104, 47-57 | 2.4 | 41 |

| | | | |
|-----|--|------|----|
| 110 | Insights into the Role of Opioid Receptors in the GI Tract: Experimental Evidence and Therapeutic Relevance. <i>Handbook of Experimental Pharmacology</i> , 2017 , 239, 363-378 | 3.2 | 40 |
| 109 | The effects of celiac ganglionectomy on sympathetic innervation to the splanchnic organs in the rat. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010 , 154, 66-73 | 2.4 | 39 |
| 108 | Large-conductance Ca ²⁺ -activated K ⁺ channel beta1-subunit knockout mice are not hypertensive. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 300, H476-85 | 5.2 | 38 |
| 107 | Differences in sympathetic neuroeffector transmission to rat mesenteric arteries and veins as probed by in vitro continuous amperometry and video imaging. <i>Journal of Physiology</i> , 2007 , 584, 819-34 | 3.9 | 32 |
| 106 | Analysis of fast synaptic pathways in myenteric plexus of guinea pig ileum. <i>American Journal of Physiology - Renal Physiology</i> , 1999 , 276, G529-38 | 5.1 | 29 |
| 105 | Targeted gene delivery to the enteric nervous system using AAV: a comparison across serotypes and capsid mutants. <i>Molecular Therapy</i> , 2015 , 23, 488-500 | 11.7 | 28 |
| 104 | Presynaptic modulation of cholinergic and non-cholinergic fast synaptic transmission in the myenteric plexus of guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2004 , 16, 355-64 | 4 | 28 |
| 103 | Electrochemical activation of diamond microelectrodes: implications for the in vitro measurement of serotonin in the bowel. <i>Analyst, The</i> , 2014 , 139, 3160-6 | 5 | 27 |
| 102 | Nerve terminal nicotinic cholinergic receptors on excitatory motoneurons in the myenteric plexus of guinea pig intestine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1999 , 291, 92-8 | 4.7 | 26 |
| 101 | Electrochemical monitoring of nitric oxide released by myenteric neurons of the guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2008 , 20, 1243-50 | 4 | 25 |
| 100 | Macrophage depletion lowers blood pressure and restores sympathetic nerve α -adrenergic receptor function in mesenteric arteries of DOCA-salt hypertensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H1186-97 | 5.2 | 24 |
| 99 | Localization of NADPH oxidase in sympathetic and sensory ganglion neurons and perivascular nerve fibers. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2009 , 151, 90-7 | 2.4 | 23 |
| 98 | GABA(A) receptors on calbindin-immunoreactive myenteric neurons of guinea pig intestine. <i>Journal of the Autonomic Nervous System</i> , 2000 , 78, 122-35 | | 22 |
| 97 | Alterations in sympathetic neuroeffector transmission to mesenteric arteries but not veins in DOCA-salt hypertension. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010 , 152, 11-20 | 2.4 | 21 |
| 96 | Pharmacological characterization of purinoceptor-mediated constriction of submucosal arterioles in guinea pig ileum. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1995 , 274, 1425-30 | 4.7 | 21 |
| 95 | Differential localization of P2 receptor subtypes in mesenteric arteries and veins of normotensive and hypertensive rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2001 , 296, 478-85 | 4.7 | 21 |
| 94 | Boron-doped diamond nano/microelectrodes for biosensing and in vitro measurements. <i>Frontiers in Bioscience - Scholar</i> , 2011 , 3, 518-40 | 2.4 | 20 |
| 93 | Sex-related differences in small intestinal transit and serotonin dynamics in high-fat-diet-induced obesity in mice. <i>Experimental Physiology</i> , 2016 , 101, 81-99 | 2.4 | 19 |

| | | | |
|----|---|-----|----|
| 92 | Impaired propulsive motility in the distal but not proximal colon of BK channel β -subunit knockout mice. <i>Neurogastroenterology and Motility</i> , 2012 , 24, e450-9 | 4 | 18 |
| 91 | Inhibitory neuromuscular transmission to ileal longitudinal muscle predominates in neonatal guinea pigs. <i>Neurogastroenterology and Motility</i> , 2010 , 22, 909-18, e236-7 | 4 | 18 |
| 90 | Impaired function of alpha2-adrenergic autoreceptors on sympathetic nerves associated with mesenteric arteries and veins in DOCA-salt hypertension. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 286, H1558-64 | 5.2 | 18 |
| 89 | R-type calcium channels in myenteric neurons of guinea pig small intestine. <i>American Journal of Physiology - Renal Physiology</i> , 2004 , 287, G134-42 | 5.1 | 18 |
| 88 | Visceral hypersensitivity in female but not in male serotonin transporter knockout rats. <i>Neurogastroenterology and Motility</i> , 2013 , 25, e373-81 | 4 | 17 |
| 87 | Vascular reactivity of mesenteric arteries and veins to endothelin-1 in a murine model of high blood pressure. <i>Vascular Pharmacology</i> , 2005 , 43, 1-10 | 5.9 | 17 |
| 86 | Sex Differences in Renal Inflammation and Injury in High-Fat Diet-Fed Dahl Salt-Sensitive Rats. <i>Hypertension</i> , 2018 , 72, e43-e52 | 8.5 | 17 |
| 85 | High-fat diet-induced obesity alters nitric oxide-mediated neuromuscular transmission and smooth muscle excitability in the mouse distal colon. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, G210-20 | 5.1 | 16 |
| 84 | Cannabinoid signalling in the enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 899-902 | 4 | 16 |
| 83 | Impaired purinergic neurotransmission to mesenteric arteries in deoxycorticosterone acetate-salt hypertensive rats. <i>Hypertension</i> , 2008 , 52, 322-9 | 8.5 | 16 |
| 82 | 5-HT ₄ receptor activation facilitates recovery from synaptic rundown and increases transmitter release from single varicosities of myenteric neurons. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, G1376-83 | 5.1 | 16 |
| 81 | Increased reactivity of murine mesenteric veins to adrenergic agonists: functional evidence supporting increased alpha1-adrenoceptor reserve in veins compared with arteries. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 308, 350-7 | 4.7 | 16 |
| 80 | Effects of 5-HT _{1A} and 5-HT ₄ receptor agonists on slow synaptic potentials in enteric neurons. <i>European Journal of Pharmacology</i> , 1995 , 278, 67-74 | 5.3 | 16 |
| 79 | Antioxidant treatment restores prejunctional regulation of purinergic transmission in mesenteric arteries of deoxycorticosterone acetate-salt hypertensive rats. <i>Neuroscience</i> , 2010 , 168, 335-45 | 3.9 | 14 |
| 78 | Alpha2-adrenoceptors couple to inhibition of R-type calcium currents in myenteric neurons. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 845-55 | 4 | 14 |
| 77 | Deletion of P2X ₂ and P2X ₃ receptor subunits does not alter motility of the mouse colon. <i>Frontiers in Neuroscience</i> , 2010 , 4, 22 | 5.1 | 13 |
| 76 | Western blot analysis of BK channel β -subunit expression should be interpreted cautiously when using commercially available antibodies. <i>Physiological Reports</i> , 2014 , 2, e12189 | 2.6 | 12 |
| 75 | Vascular BK channel deficiency exacerbates organ damage and mortality in endotoxemic mice. <i>Journal of Cardiovascular Pharmacology</i> , 2012 , 59, 207-14 | 3.1 | 12 |

| | | | |
|----|---|-----|----|
| 74 | HIV, opiates, and enteric neuron dysfunction. <i>Neurogastroenterology and Motility</i> , 2015 , 27, 449-54 | 4 | 11 |
| 73 | Impaired function of prejunctional adenosine A1 receptors expressed by perivascular sympathetic nerves in DOCA-salt hypertensive rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 345, 32-40 | 4.7 | 11 |
| 72 | Differential contributions of alpha-1 and alpha-2 adrenoceptors to vasoconstriction in mesenteric arteries and veins of normal and hypertensive mice. <i>Vascular Pharmacology</i> , 2007 , 46, 373-82 | 5.9 | 11 |
| 71 | Differential inhibition of cholinergic and noncholinergic neurogenic contractions by 5-hydroxytryptamine 1A receptor agonists in guinea pig ileum. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1992 , 260, 306-12 | 4.7 | 11 |
| 70 | Improvements in the Formation of Boron-Doped Diamond Coatings on Platinum Wires Using the Novel Nucleation Process (NNP). <i>Diamond and Related Materials</i> , 2011 , 20, 75-83 | 3.5 | 10 |
| 69 | Differential inhibition of cholinergic and noncholinergic neurogenic contractions by mu opioid and alpha-2 adrenergic agonists in guinea pig ileum. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1993 , 264, 375-83 | 4.7 | 10 |
| 68 | Macrophage-dependent impairment of adrenergic autoreceptor inhibition of Ca channels in sympathetic neurons from DOCA-salt but not high-fat diet-induced hypertensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H863-H877 | 5.2 | 9 |
| 67 | Increased catecholamine secretion from single adrenal chromaffin cells in DOCA-salt hypertension is associated with potassium channel dysfunction. <i>ACS Chemical Neuroscience</i> , 2013 , 4, 1404-13 | 5.7 | 9 |
| 66 | Interaction between alpha(1)- and alpha(2)-adrenoreceptors contributes to enhanced constrictor effects of norepinephrine in mesenteric veins compared to arteries. <i>European Journal of Pharmacology</i> , 2010 , 643, 239-46 | 5.3 | 9 |
| 65 | NTPDase1 and -2 are expressed by distinct cellular compartments in the mouse colon and differentially impact colonic physiology and function after DSS colitis. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G314-G332 | 5.1 | 8 |
| 64 | R-type Ca(2+) channels contribute to fast synaptic excitation and action potentials in subsets of myenteric neurons in the guinea pig intestine. <i>Neurogastroenterology and Motility</i> , 2010 , 22, e353-63 | 4 | 8 |
| 63 | A novel calcium-sensitive potassium conductance is coupled to P2X3 subunit containing receptors in myenteric neurons of guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 912-22 | 4 | 8 |
| 62 | 5-HT receptor signaling in serotonin transporter-knockout rats: a female sex-specific animal model of visceral hypersensitivity. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 316, G132-G143 | 5.1 | 8 |
| 61 | Optogenetic analysis of neuromuscular transmission in the colon of ChAT-ChR2-YFP BAC transgenic mice. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G569-G579 | 5.1 | 7 |
| 60 | Mechanisms of excitatory synaptic transmission in the enteric nervous system. <i>Tokai Journal of Experimental and Clinical Medicine</i> , 1998 , 23, 129-36 | 0.4 | 7 |
| 59 | Altered L-type Ca2+ channel activity contributes to exacerbated hypoperfusion and mortality in smooth muscle cell BK channel-deficient septic mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014 , 307, R138-48 | 3.2 | 6 |
| 58 | Reduced Noradrenergic Signaling in the Spleen Capsule in the Absence of CB and CB Cannabinoid Receptors. <i>Journal of NeuroImmune Pharmacology</i> , 2016 , 11, 669-679 | 6.9 | 5 |
| 57 | R-Type Ca channels couple to inhibitory neurotransmission to the longitudinal muscle in the guinea-pig ileum. <i>Experimental Physiology</i> , 2017 , 102, 299-313 | 2.4 | 4 |

| | | | |
|----|---|-----|---|
| 56 | Alpha-1B adrenoceptors mediate neurogenic constriction in mesenteric arteries of normotensive and DOCA-salt hypertensive mice. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2005 , 121, 64-73 | 2.4 | 4 |
| 55 | Increased substance P content in nerve fibers associated with mesenteric veins from deoxycorticosterone acetate (DOCA)-salt hypertensive rats. <i>Regulatory Peptides</i> , 2006 , 133, 97-104 | | 4 |
| 54 | An Electrochemical ATP Biosensor with Enzymes Entrapped within a PEDOT Film. <i>Electroanalysis</i> , 2021 , 33, 495-505 | 3 | 4 |
| 53 | 5-HT secretion by enterochromaffin cells is a very touching story. <i>Journal of Physiology</i> , 2017 , 595, 3 | 3.9 | 3 |
| 52 | Purinergic signaling in the gastrointestinal tract. <i>Purinergic Signalling</i> , 2008 , 4, 195-196 | 3.8 | 3 |
| 51 | Effects of high-fat diet on sympathetic neurotransmission in mesenteric arteries from Dahl salt-sensitive rat. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2019 , 222, 102599 | 2.4 | 3 |
| 50 | Impaired alpha-adrenergic autoreceptor modulation of purinergic transmission in mesenteric arteries of DOCA-salt rats. <i>FASEB Journal</i> , 2006 , 20, A242 | 0.9 | 2 |
| 49 | Spinal cord injury alters purinergic neurotransmission to mesenteric arteries in rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 318, H223-H237 | 5.2 | 2 |
| 48 | Colonic 5-HT receptors are targets for novel prokinetic drugs. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14125 | 4 | 2 |
| 47 | Na(V)-gating excitement in the enteric nervous system. <i>Journal of Physiology</i> , 2009 , 587, 1377 | 3.9 | 1 |
| 46 | Interaction between α_1 and α_2 adrenergic receptors in mice mesenteric veins and HEK293 cells. <i>FASEB Journal</i> , 2007 , 21, A1161 | 0.9 | 1 |
| 45 | Upregulation of L-type calcium channels in colonic inhibitory motoneurons of P/Q-type calcium channel-deficient mice. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 311, G763-G774 | 5.1 | 1 |
| 44 | Synchronicity, cycles and synaptic signalling in the colon. <i>Journal of Physiology</i> , 2010 , 588, 4611 | 3.9 | |
| 43 | Chronic sympathetic denervation alters vascular smooth muscle contraction to endothelin receptor activation in mesenteric veins. <i>FASEB Journal</i> , 2006 , 20, A1107 | 0.9 | |
| 42 | Expression of TRPV1 in sensory and sympathetic neurons innervating kidney. <i>FASEB Journal</i> , 2007 , 21, A1405 | 0.9 | |
| 41 | Interaction of ETA and ETB endothelin receptors expressed in HEK-293 cells. <i>FASEB Journal</i> , 2007 , 21, A424 | 0.9 | |
| 40 | Endothelin (ET) receptor interaction does not occur in vena cava from ETB receptor deficient rats. <i>FASEB Journal</i> , 2007 , 21, A517 | 0.9 | |
| 39 | ETB receptors contribute to venous but not arterial constriction caused by ET-1: studies using ETB receptor-deficient rats. <i>FASEB Journal</i> , 2007 , 21, A520 | 0.9 | |

- 38 Differential Ca²⁺ Coupling of Alpha-Adrenoreceptors in Murine Mesenteric Arteries and Veins. *FASEB Journal*, **2008**, 22, 912.8 0.9
- 37 Temperature-dependent differences in sympathetic neuroeffector transmission in mesenteric arteries and veins in hypertension. *FASEB Journal*, **2008**, 22, 1168.4 0.9
- 36 Rat thoracic vena cava ETB receptors re-sensitize faster than venous ETA receptors. *FASEB Journal*, **2008**, 22, 965.11 0.9
- 35 Impaired arterial β -adrenergic receptor function in DOCA-salt hypertension. *FASEB Journal*, **2008**, 22, 969.11 0.9
- 34 Comparison of TRPV1 on kidney specific sensory neurons and HEK 293 cells. *FASEB Journal*, **2008**, 22, 937.1 0.9
- 33 Interaction between P2Y receptors and TRPV1 on kidney specific sensory neurons. *FASEB Journal*, **2008**, 22, 937.2 0.9
- 32 High fat diet increases salt sensitivity and promotes hypertension and kidney inflammation/injury in Dahl salt sensitive rats. *FASEB Journal*, **2018**, 32, 716.16 0.9
- 31 Sex differences in renal inflammation and injury in high fat diet induced hypertension in Dahl salt sensitive rats. *FASEB Journal*, **2018**, 32, 850.5 0.9
- 30 Sympathetic Neurotransmission in Resistance Mesenteric Arteries in Obesity-Related Hypertension. *FASEB Journal*, **2019**, 33, 565.7 0.9
- 29 Pre-transcriptional fibrotic factor alterations do not contribute to high fat diet associated renal fibrosis in Dahl salt sensitive male rats. *FASEB Journal*, **2019**, 33, 1b537 0.9
- 28 The availability of sympathetic neurotransmitter release for nerve stimulation is enhanced in mesenteric arteries from long-term paraplegic and tetraplegic rats. *FASEB Journal*, **2019**, 33, 746.4 0.9
- 27 Suramin sensitive P2 receptor is involved in β -adrenergic receptor mediated mesenteric arterial constriction in normotensive and DOCA-salt hypertensive rats (1065.9). *FASEB Journal*, **2014**, 28, 1065.9 0.9
- 26 5-HT₃ Receptor Signaling in a Rat Model of Sex Specific Visceral Hypersensitivity. *FASEB Journal*, **2015**, 29, 851.3 0.9
- 25 Sex Differences in Jejunal Mucosal 5-HT (serotonin) Availability in a Diet-Induced Obesity (DIO) Mouse Model. *FASEB Journal*, **2015**, 29, 848.5 0.9
- 24 Corticotropin Releasing Hormone (CRH) Expression in an Animal Model of Visceral Hypersensitivity. *FASEB Journal*, **2015**, 29, 849.3 0.9
- 23 R-type Ca²⁺ Channels Contribute to Neural Control of Murine Colonic Motility. *FASEB Journal*, **2015**, 29, 1002.20 0.9
- 22 R-Type Calcium Channels Contribute to Colonic Inhibitory Neuromuscular Transmission. *FASEB Journal*, **2015**, 29, 1002.19 0.9
- 21 Alpha 2-Adrenergic Receptor Modulation of Calcium Current is Impaired in Mesenteric Artery Projecting Sympathetic Neurons in DOCA-Salt Hypertensive Rats. *FASEB Journal*, **2015**, 29, 950.5 0.9

| | | |
|----|---|-----|
| 20 | High-fat Diet Causes Loss of Nitric Oxide Motor Neurons and Impairs Inhibitory Neuromuscular Communication in the Mouse Distal Colon. <i>FASEB Journal</i> , 2015 , 29, 1002.7 | 0.9 |
| 19 | O2- Interacts with Pertussis Toxin-sensitive G-proteins to Disrupt α Adrenergic Receptor Function in Sympathetic Nerves Supplying Mesenteric Arteries in DOCA-salt Hypertension. <i>FASEB Journal</i> , 2009 , 23, 933.14 | 0.9 |
| 18 | P2Y2 receptors re-sensitize TRPV1 via PKC activation in kidney projecting sensory neurons. <i>FASEB Journal</i> , 2009 , 23, 581.6 | 0.9 |
| 17 | Adventitial Infiltration of Activated Macrophages (M ϕ) in Mesenteric Arteries of DOCA-salt Rats. <i>FASEB Journal</i> , 2010 , 24, 955.1 | 0.9 |
| 16 | Increased catecholamine content and release from adrenal chromaffin cells of DOCA-salt hypertensive rats. <i>FASEB Journal</i> , 2010 , 24, 955.6 | 0.9 |
| 15 | Differential Alteration of Sympathetic Norepinephrine Transporter (NET) in Mesenteric Arteries and Veins in DOCA-salt hypertensive rats. <i>FASEB Journal</i> , 2010 , 24, 955.9 | 0.9 |
| 14 | Impaired K ⁺ channel function leads to increased catecholamine secretion by adrenal chromaffin cells in DOCA-salt hypertension. <i>FASEB Journal</i> , 2012 , 26, 843.3 | 0.9 |
| 13 | Pharmacological studies of BK and L-type Ca ²⁺ channel function in mesenteric arteries and veins from obese patients. <i>FASEB Journal</i> , 2012 , 26, 870.34 | 0.9 |
| 12 | Electrophysiological properties of colon-projecting sensory neurons in male and female serotonin transporter knockout (SERT KO) rats. <i>FASEB Journal</i> , 2013 , 27, 1093.29 | 0.9 |
| 11 | Differential contribution of pannexin-1 channels to agonist and neurogenic constriction of mesenteric arteries and veins from normotensive and DOCA-salt hypertensive rats. <i>FASEB Journal</i> , 2013 , 27, 1092.2 | 0.9 |
| 10 | Ovariectomy reduces Visceral Hypersensitivity in Female Serotonin Transporter (SERT) Knockout (KO) Rats. <i>FASEB Journal</i> , 2013 , 27, 945.1 | 0.9 |
| 9 | Macrophage (M ϕ) Depletion Reduced Vascular Oxidative Stress, Restored α Adrenergic Autoreceptor (α AR) Function and Attenuated Blood Pressure Development in Deoxycorticosterone Acetate (DOCA)-salt Hypertensive Rats. <i>FASEB Journal</i> , 2013 , 27, 654.20 | 0.9 |
| 8 | BKCa channel beta-1 subunit deficiency exaggerates microcirculatory dysfunction and mortality in CLP-induced septic mice.. <i>FASEB Journal</i> , 2013 , 27, 913.27 | 0.9 |
| 7 | R-type Ca ²⁺ channels and inhibitory neuromuscular transmission in the gastrointestinal tract. <i>FASEB Journal</i> , 2013 , 27, 1093.27 | 0.9 |
| 6 | Detection of local serotonin release and clearance in the human small intestine using amperometry. <i>FASEB Journal</i> , 2013 , 27, 1157.7 | 0.9 |
| 5 | Inhibitory neuromuscular transmission in the mouse distal colon is mediated by SK and calcium activated chloride channels. <i>FASEB Journal</i> , 2013 , 27, 1157.5 | 0.9 |
| 4 | Macrophage (M ϕ) infiltration and oxidative stress in rat ileum cause loss of nitrenergic inhibitory neurons in DOCA-salt hypertensive rats. <i>FASEB Journal</i> , 2013 , 27, 1093.28 | 0.9 |
| 3 | The Rat in Neuroscience Research 2020 , 1003-1022 | |

- 2 Nicotinic acetylcholine and P2X receptors in the enteric nervous system. *Proceedings of the Western Pharmacology Society*, **2002**, 45, 231-4
- 1 Digestive Disease Week 2001. Gastrointestinal motility. 20-23 May 2001, Atlanta, GA, USA. *IDrugs: the Investigational Drugs Journal*, **2001**, 4, 879-83