

Rick F Thorne

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1380881/publications.pdf>

Version: 2024-02-01

72
papers

2,685
citations

218381

26
h-index

197535

49
g-index

75
all docs

75
docs citations

75
times ranked

4145
citing authors

#	ARTICLE	IF	CITATIONS
1	<scp>PINTology</scp>: A short history of the <scp>lncRNA LINCâ€PINT</scp> in different diseases. Wiley Interdisciplinary Reviews RNA, 2022, 13, e1705.	3.2	11
2	The long noncoding RNA glycoLINC assembles a lower glycolytic metabolon to promote glycolysis. Molecular Cell, 2022, 82, 542-554.e6.	4.5	32
3	Hyperthermia inhibits growth of nasopharyngeal carcinoma through degradation of c-Myc. International Journal of Hyperthermia, 2022, 39, 358-371.	1.1	3
4	High nerve density in breast cancer is associated with poor patient outcome. FASEB BioAdvances, 2022, 4, 391-401.	1.3	8
5	Verification and Validation of a Four-Gene Panel as a Prognostic Indicator in Triple Negative Breast Cancer. Frontiers in Oncology, 2022, 12, 821334.	1.3	1
6	Stub1 maintains proteostasis of master transcription factors in embryonic stem cells. Cell Reports, 2022, 39, 110919.	2.9	5
7	TRIM27 cooperates with STK38L to inhibit ULK1â€mediated autophagy and promote tumorigenesis. EMBO Journal, 2022, 41, .	3.5	18
8	Non-coding RNAs, guardians of the p53 galaxy. Seminars in Cancer Biology, 2021, 75, 72-83.	4.3	27
9	Proteome Analyses Reveal S100A11, S100P, and RBM25 Are Tumor Biomarkers in Colorectal Cancer. Proteomics - Clinical Applications, 2021, 15, e2000056.	0.8	12
10	KDM6A promotes imatinib resistance through YY1-mediated transcriptional upregulation of TRKA independently of its demethylase activity in chronic myelogenous leukemia. Theranostics, 2021, 11, 2691-2705.	4.6	20
11	DDIT3 Directs a Dual Mechanism to Balance Glycolysis and Oxidative Phosphorylation during Glutamine Deprivation. Advanced Science, 2021, 8, e2003732.	5.6	15
12	LncRNA GIRGL drives CAPRIN1-mediated phase separation to suppress glutaminase-1 translation under glutamine deprivation. Science Advances, 2021, 7, .	4.7	38
13	ASIC1 and ASIC3 mediate cellular senescence of human nucleus pulposus mesenchymal stem cells during intervertebral disc degeneration. Aging, 2021, 13, 10703-10723.	1.4	29
14	The Deubiquitinase USP39 Promotes ESCC Tumorigenesis Through Pre-mRNA Splicing of the mTORC2 Component Rictor. Frontiers in Oncology, 2021, 11, 667495.	1.3	7
15	The pan-cancer lncRNA PLANE regulates an alternative splicing program to promote cancer pathogenesis. Nature Communications, 2021, 12, 3734.	5.8	33
16	lncRNA TRMP-S directs dual mechanisms to regulate p27-mediated cellular senescence. Molecular Therapy - Nucleic Acids, 2021, 24, 971-985.	2.3	13
17	Research Progress of DCLK1 Inhibitors as Cancer Therapeutics. Current Medicinal Chemistry, 2021, 28, .	1.2	7
18	Copy number variation in tripleâ€negative breast cancer samples associated with lymph node metastasis. Neoplasia, 2021, 23, 743-753.	2.3	21

#	ARTICLE	IF	CITATIONS
19	Visualization of endogenous p27 and Ki67 reveals the importance of a c-Myc-driven metabolic switch in promoting survival of quiescent cancer cells. <i>Theranostics</i> , 2021, 11, 9605-9622.	4.6	14
20	The pan-cancer lncRNA MILIP links c-Myc to p53 repression. <i>Molecular and Cellular Oncology</i> , 2021, 8, 1842714.	0.3	2
21	DCLK1 Autoinhibition and Activation in Tumorigenesis. <i>Innovation(China)</i> , 2021, 3, 100191.	5.2	9
22	Evaluating nuclear translocation of surface receptors: recommendations arising from analysis of CD44. <i>Histochemistry and Cell Biology</i> , 2020, 153, 77-87.	0.8	14
23	c-Myc inactivation of p53 through the pan-cancer lncRNA MILIP drives cancer pathogenesis. <i>Nature Communications</i> , 2020, 11, 4980.	5.8	70
24	Non-coding RNAs, metabolic stress and adaptive mechanisms in cancer. <i>Cancer Letters</i> , 2020, 491, 60-69.	3.2	10
25	Antimicrobial Activity of Lemongrass Essential Oil (<i>Cymbopogon flexuosus</i>) and Its Active Component Citral Against Dual-Species Biofilms of <i>Staphylococcus aureus</i> and <i>Candida</i> Species. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 603858.	1.8	53
26	Lnc RNA GUARDIN suppresses cellular senescence through a LRP 130-PCG 1-FOXO 4-p21-dependent signaling axis. <i>EMBO Reports</i> , 2020, 21, e48796.	2.0	11
27	SENEBLOC, a long non-coding RNA suppresses senescence via p53-dependent and independent mechanisms. <i>Nucleic Acids Research</i> , 2020, 48, 3089-3102.	6.5	39
28	Analysis of Differentially Expressed Genes in a Chinese Cohort of Esophageal Squamous Cell Carcinoma. <i>Journal of Cancer</i> , 2020, 11, 3783-3793.	1.2	8
29	Mass Spectrometric Analysis Identifies AIMP1 and LTA4H as FSCN1-Binding Proteins in Laryngeal Squamous Cell Carcinoma. <i>Proteomics</i> , 2019, 19, e1900059.	1.3	20
30	Identification of miR-145-5p-Centered Competing Endogenous RNA Network in Laryngeal Squamous Cell Carcinoma. <i>Proteomics</i> , 2019, 19, e1900020.	1.3	15
31	CircACC1 Regulates Assembly and Activation of AMPK Complex under Metabolic Stress. <i>Cell Metabolism</i> , 2019, 30, 157-173.e7.	7.2	209
32	Activation of Pyroptotic Cell Death Pathways in Cancer: An Alternative Therapeutic Approach. <i>Translational Oncology</i> , 2019, 12, 925-931.	1.7	70
33	FAT1 cadherin controls neuritogenesis during Ntera2 cell differentiation. <i>Biochemical and Biophysical Research Communications</i> , 2019, 514, 625-631.	1.0	9
34	TP53LNC-DB, the database of lncRNAs in the p53 signalling network. <i>Database: the Journal of Biological Databases and Curation</i> , 2019, 2019, .	1.4	7
35	LncRNA REG1CP promotes tumorigenesis through an enhancer complex to recruit FANCD1 helicase for REG3A transcription. <i>Nature Communications</i> , 2019, 10, 5334.	5.8	43
36	Promoter Methylation-Regulated miR-145-5p Inhibits Laryngeal Squamous Cell Carcinoma Progression by Targeting FSCN1. <i>Molecular Therapy</i> , 2019, 27, 365-379.	3.7	88

#	ARTICLE	IF	CITATIONS
37	T-cell acute lymphoblastic leukemias express a unique truncated FAT1 isoform that cooperates with NOTCH1 in leukemia development. <i>Haematologica</i> , 2019, 104, e204-e207.	1.7	6
38	TP53, TP53 Target Genes (DRAM, TIGAR), and Autophagy. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1206, 127-149.	0.8	32
39	LncRNA IDH1-AS1 links the functions of c-Myc and HIF1 α via IDH1 to regulate the Warburg effect. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1465-E1474.	3.3	93
40	ACTN4 regulates the stability of RIPK1 in melanoma. <i>Oncogene</i> , 2018, 37, 4033-4045.	2.6	20
41	GUARDIN is a p53-responsive long non-coding RNA that is essential for genomic stability. <i>Nature Cell Biology</i> , 2018, 20, 492-502.	4.6	239
42	Neurotrophin Receptors TrkA, p75NTR, and Sortilin Are Increased and Targetable in Thyroid Cancer. <i>American Journal of Pathology</i> , 2018, 188, 229-241.	1.9	44
43	Dual functions for OVAAL in initiation of RAF/MEK/ERK prosurvival signals and evasion of p27-mediated cellular senescence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E11661-E11670.	3.3	52
44	A p53-Responsive miRNA Network Promotes Cancer Cell Quiescence. <i>Cancer Research</i> , 2018, 78, 6666-6679.	0.4	29
45	The neurotrophic tyrosine kinase receptor TrkA and its ligand NGF are increased in squamous cell carcinomas of the lung. <i>Scientific Reports</i> , 2018, 8, 8135.	1.6	27
46	Assembly and activation of the Hippo signalome by FAT1 tumor suppressor. <i>Nature Communications</i> , 2018, 9, 2372.	5.8	119
47	Protein interaction screening identifies SH3RF1 as a new regulator of FAT1 protein levels. <i>FEBS Letters</i> , 2017, 591, 667-678.	1.3	6
48	Bio-maleimide-stained plasma microparticles can be purified in a native state and target human proximal tubular HK2 cells. <i>Biomedical Reports</i> , 2017, 6, 63-68.	0.9	0
49	Skp2-Mediated Stabilization of MTH1 Promotes Survival of Melanoma Cells upon Oxidative Stress. <i>Cancer Research</i> , 2017, 77, 6226-6239.	0.4	43
50	BRAF/MEK inhibitors promote CD47 expression that is reversible by ERK inhibition in melanoma. <i>Oncotarget</i> , 2017, 8, 69477-69492.	0.8	28
51	Low simvastatin concentrations reduce oleic acid-induced steatosis in HepG2 cells: An in vitro model of non-alcoholic fatty liver disease. <i>Experimental and Therapeutic Medicine</i> , 2016, 11, 1487-1492.	0.8	26
52	A mitochondrial brake on vascular repair. <i>Nature</i> , 2016, 539, 503-504.	13.7	1
53	Nerve fibers infiltrate the tumor microenvironment and are associated with nerve growth factor production and lymph node invasion in breast cancer. <i>Molecular Oncology</i> , 2015, 9, 1626-1635.	2.1	105
54	FAT1 cadherin acts upstream of Hippo signalling through TAZ to regulate neuronal differentiation. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 4653-4669.	2.4	35

#	ARTICLE	IF	CITATIONS
55	Programming of formalin-induced nociception by neonatal LPS exposure: Maintenance by peripheral and central neuroimmune activity. <i>Brain, Behavior, and Immunity</i> , 2015, 44, 235-246.	2.0	17
56	ProNGF Correlates with Gleason Score and Is a Potential Driver of Nerve Infiltration in Prostate Cancer. <i>American Journal of Pathology</i> , 2014, 184, 3156-3162.	1.9	86
57	Sleeping Giants: Emerging Roles for the Fat Cadherins in Health and Disease. <i>Medicinal Research Reviews</i> , 2014, 34, 190-221.	5.0	112
58	Macrophage migration inhibitory factor engages PI3K/Akt signalling and is a prognostic factor in metastatic melanoma. <i>BMC Cancer</i> , 2014, 14, 630.	1.1	56
59	FAT1 cadherin is multiply phosphorylated on its ectodomain but phosphorylation is not catalysed by the four-jointed homologue. <i>FEBS Letters</i> , 2014, 588, 3511-3517.	1.3	5
60	Furin processing dictates ectodomain shedding of human FAT1 cadherin. <i>Experimental Cell Research</i> , 2014, 323, 41-55.	1.2	5
61	A Soluble Form of the Giant Cadherin Fat1 Is Released from Pancreatic Cancer Cells by ADAM10 Mediated Ectodomain Shedding. <i>PLoS ONE</i> , 2014, 9, e90461.	1.1	24
62	Fat1 cadherin provides a novel minimal residual disease marker in acute lymphoblastic leukemia. <i>Hematology</i> , 2013, 18, 315-322.	0.7	8
63	Dual Processing of FAT1 Cadherin Protein by Human Melanoma Cells Generates Distinct Protein Products. <i>Journal of Biological Chemistry</i> , 2011, 286, 28181-28191.	1.6	56
64	Palmitoylation of CD36/FAT regulates the rate of its post-transcriptional processing in the endoplasmic reticulum. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010, 1803, 1298-1307.	1.9	52
65	Melanoma cell sensitivity to Docetaxel-induced apoptosis is determined by class III β -tubulin levels. <i>FEBS Letters</i> , 2008, 582, 267-272.	1.3	24
66	Shed gangliosides provide detergent-independent evidence for Type-3 glycosynapses. <i>Biochemical and Biophysical Research Communications</i> , 2007, 356, 306-311.	1.0	7
67	CD36 is a receptor for oxidized high density lipoprotein: Implications for the development of atherosclerosis. <i>FEBS Letters</i> , 2007, 581, 1227-1232.	1.3	74
68	The association between CD36 and Lyn protein tyrosine kinase is mediated by lipid. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 51-56.	1.0	22
69	Novel Immunoblotting Monoclonal Antibodies Against Human and Rat CD36/Fat Used to Identify an Isoform of CD36 in Rat Muscle. <i>DNA and Cell Biology</i> , 2006, 25, 302-311.	0.9	10
70	The role of the CD44 transmembrane and cytoplasmic domains in co-ordinating adhesive and signalling events. <i>Journal of Cell Science</i> , 2004, 117, 373-380.	1.2	206
71	Title is missing!. <i>Molecular and Cellular Biochemistry</i> , 2000, 214, 115-121.	1.4	0
72	Engagement of Variant CD44 Confers Resistance to Anti-Integrin Antibody-Mediated Apoptosis in a Colon Carcinoma Cell Line. <i>Cell Adhesion and Communication</i> , 1998, 6, 21-38.	1.7	25