

# Rui-Xing Yin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1381227/publications.pdf>

Version: 2024-02-01

114  
papers

1,988  
citations

346980

22  
h-index

371746

37  
g-index

121  
all docs

121  
docs citations

121  
times ranked

3097  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exposure to Endocrine-Disrupting Chemicals and Type 2 Diabetes Mellitus in Later Life. <i>Exposure and Health</i> , 2023, 15, 199-229.	2.8	8
2	EHBP1, TUBB, and WWOX SNPs, Gene-Gene and Gene-Environment Interactions on Coronary Artery Disease and Ischemic Stroke. <i>Frontiers in Genetics</i> , 2022, 13, 843661.	1.1	4
3	Association of RDW, NLR, and PLR with Atrial Fibrillation in Critical Care Patients: A Retrospective Study Based on Propensity Score Matching. <i>Disease Markers</i> , 2022, 2022, 1-13.	0.6	2
4	No causal effects of plasma homocysteine levels on the risk of coronary heart disease or acute myocardial infarction: A Mendelian randomization study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 227-234.	0.8	26
5	Associations between TUBB-WWOX SNPs, their haplotypes, gene-gene, and gene-environment interactions and dyslipidemia. <i>Aging</i> , 2021, 13, 5906-5927.	1.4	6
6	SYTL3-SLC22A3 Single-Nucleotide Polymorphisms and Gene-Environment Interactions on the Risk of Hyperlipidemia. <i>Frontiers in Genetics</i> , 2021, 12, 679027.	1.1	2
7	Association between the PLTP rs4810479 SNP and Serum Lipid Traits in the Chinese Maonan and Han Populations. <i>Genetical Research</i> , 2021, 2021, 1-12.	0.3	0
8	Effect of SYTL3-SLC22A3 Variants, Their Haplotypes, and Gene-Environment Interactions on Serum Lipid Levels and the Risk of Coronary Artery Disease and Ischaemic Stroke. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 713068.	1.1	8
9	CYP17A1-ATP2B1 SNPs and Gene-Environment Interactions on Essential Hypertension. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 720884.	1.1	5
10	DGAT2-MOGAT2 SNPs and Gene-Environment Interactions on Serum Lipid Profiles and the Risk of Ischemic Stroke. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 685970.	1.1	1
11	Associations of PRKN-PACRG SNPs and Gene-Environment Interactions with the risk of hyperlipidaemia. <i>Scientific Reports</i> , 2020, 10, 13010.	1.6	4
12	Potential Molecular Mechanism of the NPPB Gene in Postischemic Heart Failure with and without T2DM. <i>BioMed Research International</i> , 2020, 2020, 1-17.	0.9	2
13	The MC4R SNPs, their haplotypes and gene-environment interactions on the risk of obesity. <i>Molecular Medicine</i> , 2020, 26, 77.	1.9	12
14	Association between SLC44A4-NOTCH4 SNPs and serum lipid levels in the Chinese Han and Maonan ethnic groups. <i>Nutrition and Metabolism</i> , 2020, 17, 105.	1.3	2
15	EHBP1 SNPs, Their Haplotypes, and Gene-Environment Interactive Effects on Serum Lipid Levels. <i>ACS Omega</i> , 2020, 5, 7158-7169.	1.6	4
16	Genes associated with inflammation may serve as biomarkers for the diagnosis of coronary artery disease and ischaemic stroke. <i>Lipids in Health and Disease</i> , 2020, 19, 37.	1.2	15
17	XKR6rs7014968 SNP Increases Serum Total Cholesterol Levels and the Risk of Coronary Heart Disease and Ischemic Stroke. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2020, 26, 107602962090284.	0.7	5
18	SYNE1-QK1 SNPs, GAG-AG and GAG-AE interactions on the risk of hyperlipidaemia. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 5772-5785.	1.6	8

#	ARTICLE	IF	CITATIONS
19	CMIP SNPs and their haplotypes are associated with dyslipidaemia and clinicopathologic features of IgA nephropathy. <i>Bioscience Reports</i> , 2020, 40, .	1.1	4
20	Association of the NCAN-TM6SF2-CILP2-PBX4-SUGP1-MAU2 SNPs and gene-gene and gene-environment interactions with serum lipid levels. <i>Aging</i> , 2020, 12, 11893-11913.	1.4	10
21	Association between the XKR6 rs7819412 SNP and serum lipid levels and the risk of coronary artery disease and ischemic stroke. <i>BMC Cardiovascular Disorders</i> , 2019, 19, 202.	0.7	14
22	TIMD4 rs6882076 SNP Is Associated with Decreased Levels of Triglycerides and the Risk of Coronary Heart Disease and Ischemic Stroke. <i>International Journal of Medical Sciences</i> , 2019, 16, 864-871.	1.1	9
23	LIPG SNPs, their haplotypes and gene-environment interactions on serum lipid levels. <i>Lipids in Health and Disease</i> , 2019, 18, 10.	1.2	5
24	Potential molecular mechanism of ACE gene at different time points in STEMI patients based on genome-wide microarray dataset. <i>Lipids in Health and Disease</i> , 2019, 18, 184.	1.2	3
25	Association between the <i>LIPG</i> polymorphisms and serum lipid levels in the Maonan and Han populations. <i>Journal of Gene Medicine</i> , 2019, 21, e3071.	1.4	6
26	A novel lncRNA-miRNA-mRNA triple network identifies lncRNA TWF1 as an important regulator of miRNA and gene expression in coronary artery disease. <i>Nutrition and Metabolism</i> , 2019, 16, 39.	1.3	16
27	Integrated analysis of gene expression changes associated with coronary artery disease. <i>Lipids in Health and Disease</i> , 2019, 18, 92.	1.2	12
28	TRIB1 and TRPS1 variants, Gâ€‰‰A—â€‰‰G and Gâ€‰‰A—â€‰‰E interactions on serum lipid levels, the risk of coronary heart disease and ischemic stroke. <i>Scientific Reports</i> , 2019, 9, 2376.	1.6	20
29	The CXCL12 SNPs and their haplotypes are associated with serum lipid traits. <i>Scientific Reports</i> , 2019, 9, 19524.	1.6	1
30	A novel circRNA-miRNA-mRNA network identifies circ-YOD1 as a biomarker for coronary artery disease. <i>Scientific Reports</i> , 2019, 9, 18314.	1.6	60
31	Correlation Between the <i>APOB</i> rs1042034 SNP and Blood Lipid Characteristics of 2 Ethnic Groups in China. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2019, 25, 107602961989208.	0.7	4
32	Circulating miR-3659 may be a potential biomarker of dyslipidemia in patients with obesity. <i>Journal of Translational Medicine</i> , 2019, 17, 25.	1.8	12
33	Integrated DNA methylation and gene expression analysis in the pathogenesis of coronary artery disease. <i>Aging</i> , 2019, 11, 1486-1500.	1.4	33
34	BCL3-PVRL2-TOMM40 SNPs, gene-gene and gene-environment interactions on dyslipidemia. <i>Scientific Reports</i> , 2018, 8, 6189.	1.6	29
35	Association between the PPP1R3B polymorphisms and serum lipid traits, the risk of coronary artery disease and ischemic stroke in a southern Chinese Han population. <i>Nutrition and Metabolism</i> , 2018, 15, 27.	1.3	11
36	Karoshi, a new epidemic in Chinese medical practitioners. <i>Intensive Care Medicine</i> , 2018, 44, 1187-1188.	3.9	5

#	ARTICLE	IF	CITATIONS
37	Association between the <i>TIMD4-HAVCR1</i> variants and serum lipid levels, coronary heart disease and ischemic stroke risk and atorvastatin lipid-lowering efficacy. <i>Bioscience Reports</i> , 2018, 38, .	1.1	19
38	ANGPTL4 variants and their haplotypes are associated with serum lipid levels, the risk of coronary artery disease and ischemic stroke and atorvastatin cholesterol-lowering responses. <i>Nutrition and Metabolism</i> , 2018, 15, 70.	1.3	12
39	Weighted Gene Co-Expression Network Analysis Identifies Specific Modules and Hub Genes Related to Hyperlipidemia. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 1151-1163.	1.1	40
40	DOCK7-ANGPTL3 SNPs and their haplotypes with serum lipid levels and the risk of coronary artery disease and ischemic stroke. <i>Lipids in Health and Disease</i> , 2018, 17, 30.	1.2	21
41	Association of the APOA1 rs964184 SNP and serum lipid traits in the Chinese Maonan and Han populations. <i>Lipids in Health and Disease</i> , 2018, 17, 105.	1.2	13
42	Association between the <i>MVK</i> ; rs2287218 SNP and the risk of coronary heart disease and ischemic stroke: A case-control study. <i>BioScience Trends</i> , 2018, 12, 403-411.	1.1	8
43	Association between the rs1129555 SNP and serum lipid profiles in the Maonan and Han populations. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 1484-1498.	0.5	2
44	Association of rs11030104 SNP and serum lipid levels in two Chinese ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 1466-1483.	0.5	1
45	Association of the rs1532085 SNP and serum lipid traits in the Chinese Maonan and Han populations. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 2038-2052.	0.5	0
46	Association of rs1047891 SNP and serum lipid levels in two Chinese ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 2887-2900.	0.5	1
47	Association of the rs2929282 polymorphism and serum lipid profiles in two Chinese ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 3494-3510.	0.5	0
48	rs1407977 SNP is associated with the risk of coronary heart disease and ischemic stroke. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 5044-5053.	0.5	2
49	The association between the rs10248618 SNP and serum lipid traits, the risk of coronary artery disease, and ischemic stroke. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 4585-4594.	0.5	1
50	Association between the rs634501 polymorphism and serum lipid traits in the Chinese Han and Maonan ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 5923-5937.	0.5	1
51	Association of the SPTLC3 rs364585 polymorphism and serum lipid profiles in two Chinese ethnic groups. <i>Lipids in Health and Disease</i> , 2017, 16, 1.	1.2	127
52	Integrative variants, haplotypes and diplotypes of the CAPN3 and FRMD5 genes and several environmental exposures associate with serum lipid variables. <i>Scientific Reports</i> , 2017, 7, 45119.	1.6	13
53	Association of the <i>HNF1A</i> polymorphisms and serum lipid traits, the risk of coronary artery disease and ischemic stroke. <i>Journal of Gene Medicine</i> , 2017, 19, e2941.	1.4	21
54	The SRGAP2 SNPs, their haplotypes and G×E interactions on serum lipid traits. <i>Scientific Reports</i> , 2017, 7, 11626.	1.6	14

#	ARTICLE	IF	CITATIONS
55	Association between single nucleotide polymorphism rs9534275 and the risk of coronary artery disease and ischemic stroke. <i>Lipids in Health and Disease</i> , 2017, 16, 193.	1.2	20
56	Association between the <i>MVK</i> and <i>MMAB</i> polymorphisms and serum lipid levels. <i>Oncotarget</i> , 2017, 8, 70378-70393.	0.8	9
57	The effect of <i>MVK-MMAB</i> variants, their haplotypes and G↔E interactions on serum lipid levels and the risk of coronary heart disease and ischemic stroke. <i>Oncotarget</i> , 2017, 8, 72801-72817.	0.8	25
58	Association between the <i>PINX1</i> and <i>NAT2</i> polymorphisms and serum lipid levels. <i>Oncotarget</i> , 2017, 8, 114081-114094.	0.8	4
59	Association of rs2013208 SNP with serum lipid levels in two Chinese ethnic groups. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 8520-8534.	0.5	0
60	rs12670798 variant and G↔E interactions on serum lipid levels, coronary heart disease, ischemic stroke and the lipid-lowering efficacy of atorvastatin. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 11147-11158.	0.5	2
61	Association of the rs581080 SNP and serum lipid levels and the risk of coronary artery disease and ischemic stroke. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 11195-11205.	0.5	3
62	Association of the rs2068888 polymorphism and serum lipid traits in the Chinese Maonan and Han populations. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 11867-11879.	0.5	1
63	Prognostic role of microRNA-150 in various carcinomas: a meta-analysis. <i>OncoTargets and Therapy</i> , 2016, 9, 1371.	1.0	14
64	Chromosome 9p21 and ABCA1 Genetic Variants and Their Interactions on Coronary Heart Disease and Ischemic Stroke in a Chinese Han Population. <i>International Journal of Molecular Sciences</i> , 2016, 17, 586.	1.8	28
65	MADD-FOLH1 Polymorphisms and Their Haplotypes with Serum Lipid Levels and the Risk of Coronary Heart Disease and Ischemic Stroke in a Chinese Han Population. <i>Nutrients</i> , 2016, 8, 208.	1.7	17
66	Integrative mutation, haplotype and G↔G interaction evidence connects ABGL4, LRP8 and PCSK9 genes to cardiometabolic risk. <i>Scientific Reports</i> , 2016, 6, 37375.	1.6	5
67	Association of the variants and haplotypes in the <i>DOCK7</i> , <i>PCSK9</i> and <i>GALNT2</i> genes and the risk of hyperlipidaemia. <i>Journal of Cellular and Molecular Medicine</i> , 2016, 20, 243-265.	1.6	18
68	Association between the <i>DOCK7</i> , <i>PCSK9</i> and <i>GALNT2</i> Gene Polymorphisms and Serum Lipid levels. <i>Scientific Reports</i> , 2016, 6, 19079.	1.6	28
69	The prevalence, awareness, treatment and control of dyslipidemia among adults in China. <i>Atherosclerosis</i> , 2016, 248, 2-9.	0.4	269
70	Gender-specific association between the cytoplasmic poly(A) binding protein 4 rs4660293 single nucleotide polymorphism and serum lipid levels. <i>Molecular Medicine Reports</i> , 2015, 12, 3476-3486.	1.1	4
71	Interactions of several genetic polymorphisms and alcohol consumption on blood pressure levels. <i>BioFactors</i> , 2015, 41, 339-351.	2.6	19
72	Association of polymorphisms in the MAFB gene and the risk of coronary artery disease and ischemic stroke: a case-control study. <i>Lipids in Health and Disease</i> , 2015, 14, 79.	1.2	22

#	ARTICLE	IF	CITATIONS
73	Association of the angiotensin-like protein 8 rs2278426 polymorphism and several environmental factors with serum lipid levels. <i>Molecular Medicine Reports</i> , 2015, 12, 3285-3296.	1.1	14
74	Prevalence of hypertension and associated risk factors in Chinese Jing compared with Mulao populations. <i>Journal of International Medical Research</i> , 2015, 43, 819-833.	0.4	5
75	Sex-specific association of the SPT2 rs7934205 polymorphism and serum lipid levels. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 665-81.	0.5	9
76	Association between the MARS rs6782181 polymorphism and serum lipid levels. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 1855-66.	0.5	3
77	Association of the Trp316Ser variant (rs1801690) near the apolipoprotein H (ApoH) gene and serum lipid levels. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7291-304.	0.5	17
78	Suppressor of cytokine signaling 3 A+930→G (rs4969168) polymorphism is associated with apolipoprotein A1 and low-density lipoprotein cholesterol. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7305-17.	0.5	10
79	Association of two polymorphisms in the FADS1/FADS2 gene cluster and the risk of coronary artery disease and ischemic stroke. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7318-31.	0.5	17
80	Polymorphisms in the GCKR are associated with serum lipid traits, the risk of coronary artery disease and ischemic stroke. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 10678-86.	1.3	15
81	Association of variants in CELSR2-PSRC1-SORT1 with risk of serum lipid traits, coronary artery disease and ischemic stroke. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 9543-51.	0.5	17
82	Association of the ARL15 rs6450176 SNP and serum lipid levels in the Jing and Han populations. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 12977-94.	0.5	12
83	Association of the SPT2 chromatin protein domain containing 1 gene rs17579600 polymorphism and serum lipid traits. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 12995-3010.	0.5	3
84	Serum lipid profiles, the prevalence of dyslipidemia and the risk factors in two isolated Chinese minorities. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 19200-11.	1.3	10
85	Sex-specific Association of the Zinc Finger Protein 259 rs2075290 Polymorphism and Serum Lipid Levels. <i>International Journal of Medical Sciences</i> , 2014, 11, 471-478.	1.1	13
86	Polymorphism of rs873308 near the transmembrane protein 57 gene is associated with serum lipid levels. <i>Bioscience Reports</i> , 2014, 34, .	1.1	14
87	Two Polymorphisms in the Fractalkine Receptor CX3CR1 Gene Influence the Development of Atherosclerosis: A Meta-Analysis. <i>Disease Markers</i> , 2014, 2014, 1-13.	0.6	12
88	Association between Single Nucleotide Polymorphism rs1044925 and the Risk of Coronary Artery Disease and Ischemic Stroke. <i>International Journal of Molecular Sciences</i> , 2014, 15, 3546-3559.	1.8	17
89	Association of the variants in the BUD-13 and ZNF259 genes and the risk of hyperlipidaemia. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 1417-1428.	1.6	37
90	Clinical Features, Risk Factors, and Treatment Experience: A Review of 74 Patients with ST-segment Elevation Myocardial Infarction Complicated by Ventricular Fibrillation. <i>Journal of Emergency Medicine</i> , 2014, 47, 729-735.	0.3	3

#	ARTICLE	IF	CITATIONS
91	The role of common variants of ABCB1 and CYP7A1 genes in serum lipid levels and lipid-lowering efficacy of statin treatment: A meta-analysis. <i>Journal of Clinical Lipidology</i> , 2014, 8, 618-629.	0.6	19
92	Clinical features and treatment experience: A review of 292 Chinese cobra snakebites. <i>Environmental Toxicology and Pharmacology</i> , 2014, 37, 648-655.	2.0	24
93	Association between the CETP polymorphisms and the risk of Alzheimer's disease, carotid atherosclerosis, longevity, and the efficacy of statin therapy. <i>Neurobiology of Aging</i> , 2014, 35, 1513.e13-1513.e23.	1.5	18
94	Association of the ST3GAL4 rs11220462 polymorphism and serum lipid levels in the Mulao and Han populations. <i>Lipids in Health and Disease</i> , 2014, 13, 123.	1.2	8
95	Phosphodiesterase 3A rs7134375 single nucleotide polymorphism and serum lipid levels. <i>Molecular Medicine Reports</i> , 2014, 9, 1618-1628.	1.1	4
96	Nanoparticle Drug- and Gene-eluting Stents for the Prevention and Treatment of Coronary Restenosis. <i>Theranostics</i> , 2014, 4, 175-200.	4.6	101
97	Association between the MLX Interacting Protein-Like, BUD13 Homolog and Zinc Finger Protein 259 Gene Polymorphisms and Serum Lipid Levels. <i>Scientific Reports</i> , 2014, 4, 5565.	1.6	24
98	Sex-specific association of the peptidase D gene rs731839 polymorphism and serum lipid levels in the Mulao and Han populations. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 4156-72.	0.5	6
99	Association of the MLXIPL/TBL2 rs17145738 SNP and serum lipid levels in the Guangxi Mulao and Han populations. <i>Lipids in Health and Disease</i> , 2013, 12, 156.	1.2	12
100	Interactions of several single nucleotide polymorphisms and high body mass index on serum lipid traits. <i>BioFactors</i> , 2013, 39, 315-325.	2.6	10
101	Interactions Between the Apolipoprotein A1/C3/A5 Haplotypes and Alcohol Consumption on Serum Lipid Levels. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 234-243.	1.4	11
102	Association of the rs7395662 SNP in the MADD-FOLH1 and Several Environmental Factors with Serum Lipid Levels in the Mulao and Han Populations. <i>International Journal of Medical Sciences</i> , 2013, 10, 1537-1546.	1.1	13
103	Scavenger Receptor Class B Type 1 Gene rs5888 Single Nucleotide Polymorphism and the Risk of Coronary Artery Disease and Ischemic Stroke: A Case-Control Study. <i>International Journal of Medical Sciences</i> , 2013, 10, 1771-1777.	1.1	31
104	Several Lipid-Related Gene Polymorphisms Interact with Overweight/Obesity to Modulate Blood Pressure Levels. <i>International Journal of Molecular Sciences</i> , 2012, 13, 12062-12081.	1.8	15
105	INTERACTIONS OF SEVERAL GENETIC POLYMORPHISMS AND CIGARETTE SMOKING ON BLOOD PRESSURE LEVELS. <i>Heart</i> , 2012, 98, E271.2-E271.	1.2	1
106	Association of Several Lipid-Related Gene Polymorphisms and Blood Pressure Variation in the Bai Ku Yao Population. <i>American Journal of Hypertension</i> , 2012, 25, 927-936.	1.0	25
107	Several genetic polymorphisms interact with overweight/obesity to influence serum lipid levels. <i>Cardiovascular Diabetology</i> , 2012, 11, 123.	2.7	47
108	Lack of Efficacy of Probiotics in Preventing Ventilator-Associated Pneumonia. <i>Chest</i> , 2012, 142, 859-868.	0.4	63

#	ARTICLE	IF	CITATIONS
109	Interactions of Several Lipid-Related Gene Polymorphisms and Cigarette Smoking on Blood Pressure Levels. <i>International Journal of Biological Sciences</i> , 2012, 8, 685-696.	2.6	28
110	The SCARB1 rs5888 SNP and Serum Lipid Levels in the Guangxi Mulao and Han Populations. <i>International Journal of Medical Sciences</i> , 2012, 9, 715-724.	1.1	14
111	Interactions of the Apolipoprotein A5 Gene Polymorphisms and Alcohol Consumption on Serum Lipid Levels. <i>PLoS ONE</i> , 2011, 6, e17954.	1.1	44
112	Apolipoprotein A1/C3/A5 haplotypes and serum lipid levels. <i>Lipids in Health and Disease</i> , 2011, 10, 140.	1.2	36
113	Association of methylenetetrahydrofolate reductase C677T polymorphism and serum lipid levels in the Guangxi Bai Ku Yao and Han populations. <i>Lipids in Health and Disease</i> , 2010, 9, 123.	1.2	39
114	Inhibitory effect of trimetazidine on cardiac myocyte apoptosis in rabbit model of ischemia-reperfusion. <i>Chinese Medical Sciences Journal</i> , 2004, 19, 242.	0.2	6