Lise Aksglaede

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1382325/lise-aksglaede-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

5,254
citations

92
ext. papers

5,985
ext. citations

39
h-index
g-index

5.38
L-index

#	Paper	IF	Citations
86	Prepubertal and pubertal gonadal morphology, expression of cell lineage markers and hormonal evaluation in two 46,XY siblings with 17Ehydroxysteroid dehydrogenase 3 deficiency <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2022 ,	1.6	O
85	Long-term testosterone undecanoate treatment in the elderly testosterone deficient male: An observational cohort study. <i>Andrology</i> , 2021 ,	4.2	1
84	Congenital Causes of Hypergonadotropic Hypogonadism: Anorchia and Klinefelter Syndrome. <i>Trends in Andrology and Sexual Medicine</i> , 2021 , 127-145	0.5	
83	Non-Classic Congenital Adrenal Hyperplasia in Two Adolescents With Gender Dysphoria. <i>Journal of Psychosexual Health</i> , 2021 , 3, 275-279	0.9	
82	European academy of andrology guidelines on Klinefelter Syndrome Endorsing Organization: European Society of Endocrinology. <i>Andrology</i> , 2021 , 9, 145-167	4.2	33
81	Testicular cancer survivors have shorter anogenital distance that is not increased by 1 year of testosterone replacement therapy. <i>Human Reproduction</i> , 2021 , 36, 2443-2451	5.7	О
80	Serum Concentrations and Gonadal Expression of INSL3 in Eighteen Males With 45,X/46,XY Mosaicism. <i>Frontiers in Endocrinology</i> , 2021 , 12, 709954	5.7	
79	Minipuberty in Klinefelter syndrome: Current status and future directions. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2020 , 184, 320-326	3.1	8
78	Minipuberty of human infancy - A window of opportunity to evaluate hypogonadism and differences of sex development?. <i>Annals of Pediatric Endocrinology and Metabolism</i> , 2020 , 25, 84-91	2.9	7
77	The LH/FSH ratio is not a sex-dimorphic marker after infancy: data from 6417 healthy individuals and 125 patients with Differences of Sex Development. <i>Human Reproduction</i> , 2020 , 35, 2323-2335	5.7	6
76	Voice break in boys-temporal relations with other pubertal milestones and likely causal effects of BMI. <i>Human Reproduction</i> , 2019 , 34, 1514-1522	5.7	14
75	Growth disrupting mutations in epigenetic regulatory molecules are associated with abnormalities of epigenetic aging. <i>Genome Research</i> , 2019 , 29, 1057-1066	9.7	20
74	Deletion in the uridine diphosphate glucuronyltransferase 2B17 gene is associated with delayed pubarche in healthy boys. <i>Endocrine Connections</i> , 2018 , 7, 460-465	3.5	5
73	The genotype (rs10407022 T>G) is associated with circulating AMH levels in boys, but not in girls. <i>Endocrine Connections</i> , 2018 , 7, 347-354	3.5	2
7 ²	Serum concentration of anti-Mllerian hormone is not associated with semen quality. <i>Andrology</i> , 2018 , 6, 286-292	4.2	10
71	The Tatton-Brown-Rahman Syndrome: A clinical study of 55 individuals with constitutive variants. <i>Wellcome Open Research</i> , 2018 , 3, 46	4.8	41
70	Transcriptome analysis of the adult human Klinefelter testis and cellularity-matched controls reveals disturbed differentiation of Sertoli- and Leydig cells. <i>Cell Death and Disease</i> , 2018 , 9, 586	9.8	17

(2013-2017)

69	Short stature homeobox-containing gene duplications in 3.7% of girls with Ital stature and normal karyotypes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 1651-1657	3.1	11
68	Nocturnal Urinary Excretion of FSH and LH in Children and Adolescents With Normal and Early Puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3830-3838	5.6	13
67	Incidence, prevalence, diagnostic delay, morbidity, mortality and socioeconomic status in males with 46,XX disorders of sex development: a nationwide study. <i>Human Reproduction</i> , 2017 , 32, 1751-176	50 ^{5.7}	15
66	Prevalence of SHOX haploinsufficiency among short statured children. <i>Pediatric Research</i> , 2017 , 81, 33	5- <u>3.4</u> 1	8
65	Clinical, genetic, biochemical, and testicular biopsy findings among 1,213 men evaluated for infertility. <i>Fertility and Sterility</i> , 2017 , 107, 74-82.e7	4.8	63
64	Glycogen Storage Disease Type IV: A Case With Histopathologic Findings in First-Trimester Placental Tissue. <i>International Journal of Gynecological Pathology</i> , 2016 , 35, 38-40	3.2	4
63	AMH as Predictor of Premature Ovarian Insufficiency: A Longitudinal Study of 120 Turner Syndrome Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E1030-8	5.6	64
62	The phenotypic spectrum of organic acidurias and urea cycle disorders. Part 1: the initial presentation. <i>Journal of Inherited Metabolic Disease</i> , 2015 , 38, 1041-57	5.4	143
61	Abnormal Newborn Screening in a Healthy Infant of a Mother with Undiagnosed Medium-Chain Acyl-CoA Dehydrogenase Deficiency. <i>JIMD Reports</i> , 2015 , 23, 67-70	1.9	6
60	Mutations in the DNA methyltransferase gene DNMT3A cause an overgrowth syndrome with intellectual disability. <i>Nature Genetics</i> , 2014 , 46, 385-8	36.3	196
59	Pubertal onset in girls is strongly influenced by genetic variation affecting FSH action. <i>Scientific Reports</i> , 2014 , 4, 6412	4.9	22
58	Elevated serum levels of free triiodothyronine in adolescent boys with gynaecomastia compared with controls. <i>European Journal of Endocrinology</i> , 2014 , 171, 193-8	6.5	5
57	Longitudinal changes in circulating testosterone levels determined by LC-MS/MS and by a commercially available radioimmunoassay in healthy girls and boys during the pubertal transition. <i>Hormone Research in Paediatrics</i> , 2014 , 82, 12-7	3.3	18
56	Outcome of fetuses with short femur length detected at second-trimester anomaly scan: a national survey. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 160-5	5.8	21
55	Elevated serum IGF-I, but unaltered sex steroid levels, in healthy boys with pubertal gynaecomastia. <i>Clinical Endocrinology</i> , 2014 , 80, 691-8	3.4	12
54	The 2014 Danish references from birth to 20 years for height, weight and body mass index. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, 214-24	3.1	125
53	Urinary phthalates from 168 girls and boys measured twice a year during a 5-year period: associations with adrenal androgen levels and puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3755-64	5.6	70
52	Testicular function and fertility in men with Klinefelter syndrome: a review. <i>European Journal of Endocrinology</i> , 2013 , 168, R67-76	6.5	133

51	The pubertal transition in 179 healthy Danish children: associations between pubarche, adrenarche, gonadarche, and body composition. <i>European Journal of Endocrinology</i> , 2013 , 168, 129-36	6.5	71
50	FSHB-211 and FSHR 2039 are associated with serum levels of follicle-stimulating hormone and antim[lerian hormone in healthy girls: a longitudinal cohort study. <i>Fertility and Sterility</i> , 2013 , 100, 108	9- 9 5 ⁸	14
49	Bisphenol A and other phenols in urine from Danish children and adolescents analyzed by isotope diluted TurboFlow-LC-MS/MS. <i>International Journal of Hygiene and Environmental Health</i> , 2013 , 216, 71	10-28	93
48	Androgen receptor CAG repeat length is associated with body fat and serum SHBG in boys: a prospective cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E605-9	5.6	13
47	47,XXY Klinefelter syndrome: clinical characteristics and age-specific recommendations for medical management. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2013 , 163C, 55-63	3.1	7 ¹
46	Adverse metabolic risk profiles in Greenlandic Inuit children compared to Danish children. <i>Obesity</i> , 2013 , 21, 1226-31	8	8
45	Recommended Nordic paediatric reference intervals for 21 common biochemical properties. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013 , 73, 1-9	2	48
44	Ethnic differences in leptin and adiponectin levels between Greenlandic Inuit and Danish children. <i>International Journal of Circumpolar Health</i> , 2013 , 72,	1.7	3
43	Early breast development in girls after prenatal exposure to non-persistent pesticides. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 273-82		36
42	High urinary phthalate concentration associated with delayed pubarche in girls. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 216-26		105
41	Urinary phthalate excretion in 555 healthy Danish boys with and without pubertal gynaecomastia. Journal of Developmental and Physical Disabilities, 2012, 35, 227-35		40
40	Detection of increased gene copy number in DNA from dried blood spot samples allows efficient screening for Klinefelter syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, e5	61-3	9
39	Endocrine evaluation of reproductive function in girls during infancy, childhood and adolescence. <i>Endocrine Development</i> , 2012 , 22, 24-39		15
38	Serum IGF1 and insulin levels in girls with normal and precocious puberty. <i>European Journal of Endocrinology</i> , 2012 , 166, 903-10	6.5	56
37	The physiology and timing of male puberty. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2012 , 19, 197-203	4	58
36		3.3	58 225
	2012, 19, 197-203 Recent secular trends in pubertal timing: implications for evaluation and diagnosis of precocious		

33 Sex Chromosome Aneuploidy and Anthropometry **2012**, 1619-1634

32	Urinary excretion of phthalate metabolites in 129 healthy Danish children and adolescents: estimation of daily phthalate intake. <i>Environmental Research</i> , 2011 , 111, 656-63	7.9	117
31	The pituitary-Leydig cell axis before and after orchiectomy in patients with stage I testicular cancer. European Journal of Cancer, 2011 , 47, 2585-91	7.5	35
30	Serum concentrations of Anti-Mllerian Hormone (AMH) in 95 patients with Klinefelter syndrome with or without cryptorchidism. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 839-45	3.1	46
29	Deletions of the Y chromosome are associated with sex chromosome aneuploidy but not with Klinefelter syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 900-2	3.1	15
28	Clinical and biological parameters in 166 boys, adolescents and adults with nonmosaic Klinefelter syndrome: a Copenhagen experience. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 793-806	3.1	106
27	LIN28B, LIN28A, KISS1, and KISS1R in idiopathic central precocious puberty. <i>BMC Research Notes</i> , 2011 , 4, 363	2.3	33
26	Diagnostic work-up of 449 consecutive girls who were referred to be evaluated for precocious puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1393-401	5.6	94
25	Hypothesis: exposure to endocrine-disrupting chemicals may interfere with timing of puberty. Journal of Developmental and Physical Disabilities, 2010, 33, 346-59		137
24	Changes in anti-M l lerian hormone (AMH) throughout the life span: a population-based study of 1027 healthy males from birth (cord blood) to the age of 69 years. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 5357-64	5.6	175
23	Assessment of circulating sex steroid levels in prepubertal and pubertal boys and girls by a novel ultrasensitive gas chromatography-tandem mass spectrometry method. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 82-92	5.6	122
22	Recent changes in pubertal timing in healthy Danish boys: associations with body mass index. Journal of Clinical Endocrinology and Metabolism, 2010 , 95, 263-70	5.6	285
21	Insulin sensitivity and lipid profiles in girls with central precocious puberty before and during gonadal suppression. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3736-44	5.6	35
20	The exon 3 deleted growth hormone receptor gene is associated with small birth size and early pubertal onset in healthy boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2819-26	5.6	26
19	Serum levels of anti-Mllerian hormone as a marker of ovarian function in 926 healthy females from birth to adulthood and in 172 Turner syndrome patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 5003-10	5.6	250
18	Increased number of sex chromosomes affects height in a nonlinear fashion: a study of 305 patients with sex chromosome aneuploidy. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 1206-12	2.5	127
17	Age at puberty and the emerging obesity epidemic. <i>PLoS ONE</i> , 2009 , 4, e8450	3.7	163
16	Sex hormone-binding globulin levels predict insulin sensitivity, disposition index, and cardiovascular risk during puberty. <i>Diabetes Care</i> , 2009 , 32, 909-14	14.6	63

15	A common deletion in the uridine diphosphate glucuronyltransferase (UGT) 2B17 gene is a strong determinant of androgen excretion in healthy pubertal boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 1005-11	5.6	28
14	Impact of the growth hormone receptor exon 3 deletion gene polymorphism on glucose metabolism, lipids, and insulin-like growth factor-I levels during puberty. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2966-9	5.6	27
13	Low semen volume in 47 adolescents and adults with 47,XXY Klinefelter or 46,XX male syndrome. Journal of Developmental and Physical Disabilities, 2009, 32, 376-84		46
12	Recent decline in age at breast development: the Copenhagen Puberty Study. <i>Pediatrics</i> , 2009 , 123, e9	3 2- .2	418
11	Normal bone mineral content but unfavourable muscle/fat ratio in Klinefelter syndrome. <i>Archives of Disease in Childhood</i> , 2008 , 93, 30-4	2.2	81
10	Increased basal and pulsatile secretion of FSH and LH in young men with 47,XXY or 46,XX karyotypes. <i>European Journal of Endocrinology</i> , 2008 , 158, 803-10	6.5	13
9	Abnormal sex chromosome constitution and longitudinal growth: serum levels of insulin-like growth factor (IGF)-I, IGF binding protein-3, luteinizing hormone, and testosterone in 109 males with 47,XXY, 47,XYY, or sex-determining region of the Y chromosome (SRY)-positive 46,XX	5.6	66
8	karyotypes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 169-76 Forty years trends in timing of pubertal growth spurt in 157,000 Danish school children. <i>PLoS ONE</i> , 2008 , 3, e2728	3.7	125
7	A simple screening method for detection of Klinefelter syndrome and other X-chromosome aneuploidies based on copy number of the androgen receptor gene. <i>Molecular Human Reproduction</i> , 2007 , 13, 745-50	4.4	34
6	Primary testicular failure in Klinefelter's syndrome: the use of bivariate luteinizing hormone-testosterone reference charts. <i>Clinical Endocrinology</i> , 2007 , 66, 276-81	3.4	38
5	Preserved fertility in a non-mosaic Klinefelter patient with a mutation in the fibroblast growth factor receptor 3 gene: case report. <i>Human Reproduction</i> , 2007 , 22, 1907-11	5.7	27
4	High normal testosterone levels in infants with non-mosaic Klinefelter's syndrome. <i>European Journal of Endocrinology</i> , 2007 , 157, 345-50	6.5	66
3	The sensitivity of the child to sex steroids: possible impact of exogenous estrogens. <i>Human Reproduction Update</i> , 2006 , 12, 341-9	15.8	105
2	Natural history of seminiferous tubule degeneration in Klinefelter syndrome. <i>Human Reproduction Update</i> , 2006 , 12, 39-48	15.8	215

Environmental contaminants and effects on timing and progression of human pubertal development115-124