

Alexander von Gise

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1382594/publications.pdf>

Version: 2024-02-01

25
papers

4,868
citations

361296

20
h-index

610775

24
g-index

25
all docs

25
docs citations

25
times ranked

6544
citing authors

#	ARTICLE	IF	CITATIONS
1	Bi-allelic missense disease-causing variants in RPL3L associate neonatal dilated cardiomyopathy with muscle-specific ribosome biogenesis. <i>Human Genetics</i> , 2020, 139, 1443-1454.	1.8	20
2	Epicardium is required for cardiac seeding by yolk sac macrophages, precursors of resident macrophages of the adult heart. <i>Developmental Biology</i> , 2016, 413, 153-159.	0.9	51
3	Contribution of Fetal, but Not Adult, Pulmonary Mesothelium to Mesenchymal Lineages in Lung Homeostasis and Fibrosis. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2016, 54, 222-230.	1.4	25
4	Platelet-rich plasma for the treatment of patent ductus arteriosus: not quite ready for prime time. <i>Cardiology in the Young</i> , 2015, 25, 139-140.	0.4	4
5	<i>pi3kcb</i> Links Hippo-YAP and PI3K-AKT Signaling Pathways to Promote Cardiomyocyte Proliferation and Survival. <i>Circulation Research</i> , 2015, 116, 35-45.	2.0	237
6	Yap1 Is Required for Endothelial to Mesenchymal Transition of the Atrioventricular Cushion. <i>Journal of Biological Chemistry</i> , 2014, 289, 18681-18692.	1.6	136
7	Cardiac-Specific YAP Activation Improves Cardiac Function and Survival in an Experimental Murine MI Model. <i>Circulation Research</i> , 2014, 115, 354-363.	2.0	324
8	Modified mRNA directs the fate of heart progenitor cells and induces vascular regeneration after myocardial infarction. <i>Nature Biotechnology</i> , 2013, 31, 898-907.	9.4	528
9	WT1 Maintains Adrenal-Gonadal Primordium Identity and Marks a Population of AGP-like Progenitors within the Adrenal Gland. <i>Developmental Cell</i> , 2013, 27, 5-18.	3.1	98
10	The First Keystone Symposia Conference on Pulmonary Vascular Disease and Right Ventricular Dysfunction: Current Concepts and Future Therapies. <i>Pulmonary Circulation</i> , 2013, 3, 275-277.	0.8	2
11	PRC2 directly methylates GATA4 and represses its transcriptional activity. <i>Genes and Development</i> , 2012, 26, 37-42.	2.7	232
12	YAP1, the nuclear target of Hippo signaling, stimulates heart growth through cardiomyocyte proliferation but not hypertrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 2394-2399.	3.3	475
13	Endocardial and Epicardial Epithelial to Mesenchymal Transitions in Heart Development and Disease. <i>Circulation Research</i> , 2012, 110, 1628-1645.	2.0	344
14	Thymosin beta 4 treatment after myocardial infarction does not reprogram epicardial cells into cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2012, 52, 43-47.	0.9	122
15	Polycomb Repressive Complex 2 Regulates Normal Development of the Mouse Heart. <i>Circulation Research</i> , 2012, 110, 406-415.	2.0	188
16	WT1 regulates epicardial epithelial to mesenchymal transition through β -catenin and retinoic acid signaling pathways. <i>Developmental Biology</i> , 2011, 356, 421-431.	0.9	208
17	Design And Validation Of A Novel Endothelial Progenitor Cell (EPC) Microfluidic Capture Chip And Its Application In Patients With Pulmonary Arterial Hypertension. , 2011, , .		0
18	Ductal closure in neonates: a developmental perspective on platelet-endothelial interactions. <i>Blood Coagulation and Fibrinolysis</i> , 2011, 22, 242-244.	0.5	15

#	ARTICLE	IF	CITATIONS
19	Design and validation of an endothelial progenitor cell capture chip and its application in patients with pulmonary arterial hypertension. <i>Journal of Molecular Medicine</i> , 2011, 89, 971-983.	1.7	43
20	Adult mouse epicardium modulates myocardial injury by secreting paracrine factors. <i>Journal of Clinical Investigation</i> , 2011, 121, 1894-1904.	3.9	438
21	Genetic fate mapping demonstrates contribution of epicardium-derived cells to the annulus fibrosis of the mammalian heart. <i>Developmental Biology</i> , 2010, 338, 251-261.	0.9	138
22	Vascular Endothelial Growth Factor as Marker for Tissue Hypoxia and Transfusion Need in Anemic Infants: A Prospective Clinical Study. <i>Pediatrics</i> , 2009, 123, 784-790.	1.0	35
23	Epicardial progenitors contribute to the cardiomyocyte lineage in the developing heart. <i>Nature</i> , 2008, 454, 109-113.	13.7	905
24	Nkx2-5- and Isl1-expressing cardiac progenitors contribute to proepicardium. <i>Biochemical and Biophysical Research Communications</i> , 2008, 375, 450-453.	1.0	126
25	Apoptosis Suppression by Raf-1 and MEK1 Requires MEK- and Phosphatidylinositol 3-Kinase-Dependent Signals. <i>Molecular and Cellular Biology</i> , 2001, 21, 2324-2336.	1.1	174